

6
772
n.m.

PROCEEDINGS

OF THE

109
SCIENTIFIC MEETINGS

OF THE

111
ZOOLOGICAL SOCIETY
OF LONDON.

INDEX.


1891—1900.

PRINTED FOR THE SOCIETY,
SOLD AT THEIR HOUSE IN HANOVER-SQUARE.

LONDON:
MESSRS. LONGMANS, GREEN, AND CO.,
PATERNOSTER ROW,

1902.

17248



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

590.642

Z877


Index

1891-1900

CONTENTS.



	Page
List of the Contributors, from 1891 to 1900, with References to the several Articles contributed by each of them ..	1
Index to the Genera and Species described and referred to, 1891 to 1900	167



LIST
OF THE
CONTRIBUTORS,

FROM 1891 TO 1900,

With References to the several Articles contributed by each.

	Page
 ADAMS, W. H.	
On the Habits of the Flying-Squirrels of the Genus <i>Anomalurus</i>	1894, 243
 ALCOCK, A., M.B., Surgeon I.M.S.	
On a Viviparous Bathybial Fish from the Bay of Bengal	1891, 226
 ALCOCK, N. H., B.A., M.D., Assistant to the Professor of Institutes of Medicine, Trinity College, Dublin.	
On the Vascular System of the Chiroptera.— Part I. Thoracic Vessels of <i>Pteropus medius</i> ; with a Summary of the Literature of the Chiroptera....	1898, 58
 AMEGHINO, FLORENTINO, C.M.Z.S.	
On the Primitive Type of the Plexodont Molars of Mammals	1899, 555
Further Remarks on <i>Neomylodon listai</i>	1899, 830
PROC. ZOOL. SOC. INDEX, 1891-1900.	1

ANDERSON, JOHN, M.D., LL.D., F.R.S., V.P.Z.S., &c.

On a small Collection of Mammals, Reptiles, and
Batrachians from Barbary. (Plate I.) 1892, 3

Remarks on the occurrence of *Spalax typhlus* in
Africa 1892, 472

On a new Species of the Genus *Erinaceus* from
Somaliland..... 1895, 414

On a Collection of Reptiles and Batrachians made
by Colonel Yerbury at Aden and its Neighbour-
hood. (Plates XXXVI. & XXXVII.) 1895, 635

Exhibition of a coloured drawing of, and remarks
upon, the Egyptian Weasel (*Mustela subpalmata*).. 1897, 600

ANDREWS, CHARLES WILLIAM, D.Sc., B.A., F.G.S.,
F.Z.S., Assistant in the British Museum
(Natural History).

On some Remains of *Æpyornis* in the British
Museum (Nat. Hist.). (Plates XIV. & XV.) 1894, 103

On a Skull of *Orycteropus gaudryi* Forsyth Major,
from Samos 1896, 296

Exhibition of, and remarks upon, some Bird-
remains from the Lake-dwellings of Glastonbury,
Somersetshire 1898, 852

Notice of a Memoir on the Osteology of one of
the great Extinct Birds of Patagonia, *Phororhacos*
inflatus 1899, 437

On the Remains of a new Bird from the London
Clay of Sheppey. (Plate LI.) 1899, 776

ANDREWS, CHARLES WILLIAM; SMITH, EDGAR A.;
BERNARD, H. M.; KIRKPATRICK, R.; and
CHAPMAN, F.

On the Marine Fauna of Christmas Island (Indian
Ocean). (Plates XII. & XIII.) 1900, 387

ANNANDALE, NELSON, B.A.

Observations on the Habits and Natural Surroundings of Insects made during the "Skeat Expedition" to the Malay Peninsula, 1899-1900 .. 1900, 837

APLIN, OLIVER VERNON, M.B.O.U.

Field-Notes on the Mammals of Uruguay 1894, 297

ARROW, GILBERT, J.; PEEL, C. V. A.; AUSTEN, E. E.; DIXEY, F. A.; DRUCE, HERBERT; GAHAN, C. J.; MCLACHLAN, R.; BURR, M.; and POCOCK, R. I.

On a Collection of Insects and Arachnids made in 1895 and 1897, by Mr. C. V. A. Peel, F.Z.S., in Somaliland, with Descriptions of new Species. (Plates I.-IV.) 1900, 4

ASHMEAD, WILLIAM H.

Report on the Parasitic Hymenoptera of the Island of Grenada, comprising the Families *Cynipidae*, *Ichneumonidae*, *Braconidae*, and *Proctotrypidæ* . 1895, 742

AUSTEN, E. E., Assistant in the British Museum (Natural History).

Descriptions of new Species of Dipterous Insects of the Family *Syrphidae* in the Collection of the British Museum, with Notes on Species described by the late Francis Walker.—Part I. BACCHINI and BRACHYOPINI. (Plates IV. & V.) 1893, 132

Notes on a Recent Zoological Expedition on the Lower Amazon 1896, 768

AUSTEN, E. E.; PEEL, C. V. A.; DIXEY, F. A.; DRUCE,
HERBERT; GAHAN, C. J.; ARROW, G. J.;
McLACHLAN, R.; BURR, M.; and POCOCK, R. I.

On a Collection of Insects and Arachnids made
in 1895 and 1897, by Mr. C. V. A. Peel, F.Z.S., in
Somaliland, with Descriptions of New Species.
(Plates I.-IV.) 1900, 4

AUSTEN, Lt.-Col. H. H. GODWIN-. See GODWIN-AUSTEN,
Lt.-Col. H. H.

BARDELEBEN, Prof. KARL VON, M.D. Berol.

On the Bones and Muscles of the Mammalian
Hand and Foot. (Plates XX. & XXI.) 1894, 354

BARKLEY, MACDONALD.

Notes upon the Antelopes of the Pungué Valley. 1894, 130

BARRETT-HAMILTON, G. E. H., F.Z.S.

Exhibition of, and remarks upon, remains of the
Norway Lemming (*Myodes lemmus*) from Portugal. 1896, 304

On a Variation in the Pattern of the Teeth of a
specimen of the Common Field Vole 1896, 598

On the Existence in Europe of Two Geographical
Races, or Subspecies, of the Common Field Vole .. 1896, 599

An account of his journey to the Fur-Seal Islands
of the North Pacific in 1896 1897, 190

Exhibition of a pair of tusks of, and remarks
upon, the Pacific Walrus (*Trichechus obesus*), with
observations on the Cetaceans and Seals of the
North Pacific..... 1897, 266

Exhibition of, and remarks upon, some specimens
of European Squirrels (*Sciurus vulgaris*) showing
local colour-variations 1899, 3

BARRETT-HAMILTON, G. E. H., F.Z.S. (*continued*).

On the Species of the Genus *Mus* inhabiting
St. Kilda. (Plate IX.) 1899, 77

Exhibition of, and remarks upon, a skin of the
Varying Hare (*Lepus variabilis*) in the Spring
moulting-stage 1899, 598

Exhibition of, and remarks upon, specimens of
Dormice of the genus *Muscardinus* 1900, 85

Exhibition of skins of the Variable Hare (*Lepus
timidus* Linn.) showing colour-variations, and de-
scriptions of subspecies and varieties of this species. 1900, 87

On a small Collection of Mammals obtained by
Captain Deasy in South Chinese Turkestan and
Western Tibet 1900, 196

On Geographical and Individual Variation in
Mus sylvaticus and its Allies. (Plate XXV.) 1900, 387

BARRINGTON, R. M., LL.D.

Exhibition of a Hybrid Duck shot in Ireland .. 1895, 491

BARTLETT, A. D., Superintendent of the Society's
Gardens.

On a singular case of one Snake swallowing
another in the Society's Reptile-House 1894, 669

Notes on the Breeding of the Surinam Water-
Toad (*Pipa americana*) in the Society's Gardens .. 1896, 595

BARTLETT, EDWARD, Naturalist to the Government of
Sarawak.

Notes on the Bornean Rhinoceros 1891, 654

BASSETT-SMITH, Staff-Surgeon P. W., R.N., F.R.M.S.,
F.Z.S.

On the Formation of the Coral-reefs on the N.W.
Coast of Australia 1899, 157

A Systematic Description of Parasitic Copepoda
found on Fishes, with an Enumeration of the known
Species. (Plate XXVI.) 1899, 438

BATESON, WILLIAM, M.A., F.R.S., F.Z.S., Fellow of
St. John's College, Cambridge.

Exhibition of, and remarks upon, some Crab's
Limbs bearing supernumerary claws 1892, 76

On Numerical Variation in Teeth, with a Dis-
cussion of the Conception of Homology 1892, 102

Exhibition of, and remarks upon, an abnormal
foot of a Calf 1893, 530

Exhibition of specimens of the Common Pilchard
(*Chupea pilchardus*), showing variation in the number
and size of the scales 1894, 164

On two Cases of Colour-variation in Flat-fishes
illustrating principles of Symmetry. (Plate XVII.) 1894, 246

Exhibition of specimens and drawings of a Phyto-
phagous Beetle, in illustration of discontinuous
variation in colour. 1894, 391

On the Colour-variations of a Beetle of the
Family *Chrysomelidæ* statistically examined. (Plate
XLVII.) 1895, 850

Note in Correction of a Paper on Colour-variation
in Flat-fishes 1895, 890

Exhibition of, and remarks upon, three Pigeons
showing webbing between the toes 1896, 989

On a Case of Homœosis in a Crustacean of the
Genus *Asellus*—Antennule replaced by a Mandible. 1900, 268

BATESON, WILLIAM, and BRINDLEY, H. H., M.A.,
St. John's College, Cambridge.

On some cases of Variation in Secondary Sexual
Characters, statistically examined 1892, 585

BATHER, F. A., M.A.

On *Urintacrinus*: a Morphological Study. (Plates
LIV.-LVI.) 1895, 974

BEDDARD, FRANK E., M.A., F.R.S., Vice-Secretary
and Prosector to the Society.

Contributions to the Anatomy of the Kagu (*Rhino-
chetus jubatus*) 1891, 9

On an Earthworm of the Genus *Siphonogaster*
from West Africa..... 1891, 48

On the Pouch and Brain of the Male Thylacine.. 1891, 138

Preliminary Account of an Earthworm from West
Africa referable to a new Genus 1891, 172

Notes on the Anatomy of *Dolichotis patagonica* .. 1891, 236

Remarks on the Earthworms of British Central
Africa 1891, 312

Additional Notes upon *Haplemur griseus*..... 1891, 449

On the Earthworms collected in Algeria and
Tunisia by Dr. Anderson..... 1892, 28

Abstract of a Memoir entitled "Contributions to
the Anatomy of the Anthropoid Apes"..... 1892, 118

On some Species of the Genus *Perichæta* (*sensu
stricto*). (Plates IX. & X.) 1892, 153

Notes on the Anatomy and Osteology of the
Indian Darter (*Plotus melanogaster*)..... 1892, 291

On some Aquatic Oligochætous Worms 1892, 349

On the Brain and Muscular Anatomy of *Aula-
codus* 1892, 520

BEDDARD, FRANK E., M.A., F.R.S. &c. (*continued*).

On the Convolutions of the Cerebral Hemispheres
in certain Rodents 1892, 596

On some new Species of Earthworms from various
parts of the World. (Plates XLV. & XLVI.) 1892, 666

On the Brain of the African Elephant. (Plates
XXII. & XXIII.) 1893, 311

On the Atrium and Prostate in the Oligochæta.. 1893, 475

On the Geographical Distribution of Earth-
worms 1893, 733

Notes upon the Tadpole of *Xenopus laevis* (*Dacty-
lethra capensis*). (Plate XIII.) 1894, 101

On Two new Genera, comprising Three new
Species, of Earthworms from Western Tropical
Africa 1894, 379

On some Points in the Visceral Anatomy of
Ornithorhynchus 1894, 715

On the Visceral Anatomy and Brain of *Dendro-
lagus bennetti* 1895, 131

On the Brain of *Gulo* 1895, 139

On the Brain in the Lemurs 1895, 142

Preliminary Account of new Species of Earth-
worms belonging to the Hamburg Museum 1895, 210

On the Visceral and Muscular Anatomy of
Cryptoprocta ferox. (Plate XXVI.) 1895, 430

On some Points in the Anatomy of *Pipa americana*. 1895, 827

On the Diaphragm and on the Muscular Anatomy
of *Xenopus*, with Remarks on its Affinities. 1895, 841

On some Earthworms from the Sandwich
Islands collected by Mr. R. L. Perkins; with an
Appendix on some new Species of *Perichæta*, &c. . . 1896, 194

On the Oblique Septa ("Diaphragm" of Owen)
in the Passerines and in some other Birds 1896, 225

BEDDARD, FRANK E., M.A., F.R.S., &c. (*continued*).

A Note upon <i>Dissura episcopus</i> , with Remarks upon the Classification of the Herodiones	1896, 231
A Contribution to the Knowledge of the Anatomy of <i>Rhynchops</i>	1896, 299
On the Anatomy of a Grebe (<i>Aechmophorus major</i>), with Remarks upon the Classification of some of the Schizognathous Birds	1896, 538
Contributions to the Anatomy of Picarian Birds.— Part II. A Note upon the Pterylosis of the Barbets and Toucans	1896, 555
Contributions to the Anatomy of Picarian Birds.— Part III. On some Points in the Anatomy of the Kingfishers	1896, 603
Notes upon the Anatomy of a Manatee (<i>Manatus inunguis</i>) lately living in the Society's Gardens	1897, 47
Notes upon the Anatomy of <i>Phaethon</i>	1897, 288
On a Collection of Earthworms from South Africa, belonging to the Genus <i>Acanthodrilus</i>	1897, 336
Note upon Intercentra in the Vertebral Column of Birds	1897, 465
On the Anatomy of an Australian Cuckoo, <i>Scythrops novæ-hollandiæ</i>	1898, 44
On certain Points in the Anatomy of the Cunning Bassarisc (<i>Bassariscus astutus</i>)	1898, 129
A Contribution to our Knowledge of the Cerebral Convolutions of the Gorilla	1899, 65
On the Brain of <i>Hydrochaerus</i>	1899, 798
On a Species of Earthworm from Western Tropical Africa, belonging to the Genus <i>Benhamia</i> .	1900, 167
On the Brain of a Siamang (<i>Hylobates syndactylus</i>).	1900, 187
A Revision of the Earthworms of the Genus <i>Amyntas</i> (<i>Perichæta</i>).....	1900, 609

BEDDARD, FRANK E., M.A., F.R.S., &c. (*continued*).

On the Structure of a new Species of Earthworm of the Genus <i>Benhamia</i>	1900, 653
On the Anatomy of <i>Bassaricyon alleni</i>	1900, 661
Notice of a Memoir on the Osteology of the Pigmy Right-Whale (<i>Neobalæna marginata</i>)	1900, 775
On the Earthworms collected during the "Skeat Expedition" to the Malay Peninsula, 1899-1900 ..	1900, 891
On a new Species of Earthworm from India, belonging to the Genus <i>Amyntas</i>	1900, 998

BEDDARD, FRANK E., and FEDARB, SOPHIE M.

Notes upon two Earthworms, <i>Perichæta biserialis</i> and <i>Trichochæta hesperidum</i>	1899, 803
---	-----------

BEDDARD, FRANK E., and HADDON, A. C., M.A., F.Z.S.,
M.R.I.A.

Notice of a Memoir containing Descriptions of a number of new Species of Nudibranchiate Mollusks collected in the neighbourhood of Torres Straits ..	1895, 523
--	-----------

BEDDARD, FRANK E., and MITCHELL, P. CHALMERS,
M.A., F.Z.S.

On the Anatomy of <i>Palamedea cornuta</i>	1894, 536
On the Structure of the Heart of the Alligator ..	1895, 343

BEDDARD, FRANK E., and MURIE, JAMES, M.D.,
F.L.S., F.Z.S.

Exhibition of, and remarks upon, some drawings and specimens illustrative of the cause of death of an African Rhinoceros	1891, 246
--	-----------

BEDDARD, FRANK E., and PARSONS, F. G., F.R.C.S.

On certain Points in the Anatomy of Parrots bearing on their Classification. (Plate XL.)	1893, 507
---	-----------

BEDDOME, Col. R. H., F.L.S.

Descriptions of some new Land-Shells from the
Indian Region. (Plate XXIX.) 1891, 313

BEDFORD, F. P., B.A., King's College, Cambridge.

Report on the Holothurians collected by Mr. J.
Stanley Gardiner at Funafuti and Rotuma. (Plates
LII. & LIII.) 1898, 834

On Echinoderms from Singapore and Malacca.
(Plates XXI.-XXIV.) 1900, 271

BEDRIAGA, Dr. J. DE, C.M.Z.S.

On the Pyrenean Newt, *Molge aspera* Dugès.
(Plates V. & VI.) 1895, 150

BELL, FRANCIS JEFFREY, M.A., F.Z.S.

Observations on a rare Starfish, *Bathybiaster*
vevillifer. (Plates XXIII. & XXIV.) 1891, 228

A Contribution to the Classification of Ophiuroids,
with Descriptions of some new and little-known
Forms. (Plates XI. & XII.) 1892, 175

Remarks upon the habitat of *Bipalium kewense* .. 1892, 258

On the Characters and Variations of *Pontaster*
tenuispinis. (Plate XXVI.) 1892, 430

Remarks upon the occurrence of *Bipalium kewense*
in one of the warm houses at Straffan House,
Kildare 1892, 542

Notice of a Memoir entitled "Description of a
remarkable new *Cidaris* from Mauritius" 1892, 543

On *Odontaster* and its Allied or Synonymous
Genera of Asteroid Echinoderms 1893, 259

Notes on Three Species of River-crabs of the
Genus *Thelphusa*, from Specimens collected in
Eastern Africa by Dr. J. W. Gregory, Mr. H. H.
Johnston, C.B., and Mr. F. J. Jackson 1894, 166

BELL, FRANCIS JEFFREY, M.A., F.Z.S. (*continued*).

On the Echinoderms collected during the Voyage of H.M.S. 'Penguin' and by H.M.S. 'Egeria,' when surveying Macclesfield Bank. (Plates XXIII.-XXVII.) 1894, 392

Notice of the acquisition by the Natural-History Museum of some Specimens of remarkable Corals of great size from North-west Australia..... 1894, 694

On the Actinogonidiate Echinoderms collected by Mr. J. Stanley Gardiner at Funafuti and Rotuma. 1898, 849

Remarks on a Collection of Land-Planarians made by Dr. Goeldi, C.M.Z.S., in Brazil 1900, 266

BENHAM, W. BLAXLAND, D.Sc., M.A., Professor of Biology, University of Otago, Dunedin, New Zealand.

Descriptions of Three new Species of Earthworms. (Plates VII. & VIII.) 1892, 136

Notes on a particularly Abnormal Vertebral Column of the Bull-frog ; and on certain other Variations in the Anuran Column. (Plate XXXIII.). 1894, 477

On the Internal Anatomy of *Notornis*..... 1899, 88

BENHAM, W. BLAXLAND, and THOMSON, W. MALCOLM, B.A. (N.Z.).

An Account of a Large Branchiate Polynoid from New Zealand, *Lepidonotus giganteus* Kirk. By W. MALCOLM THOMSON. With an Introduction by Professor W. BLAXLAND BENHAM. (Plates LX.-LXII.) 1900, 974

BERLEPSCH, Graf HANS VON, C.M.Z.S.

Remarks on the Rules of Zoological Nomenclature. 1896, 319

BERLEPSCH, Graf HANS VON, and STOLZMANN, JEAN.

Résultats des recherches ornithologiques faites au Pérou par M. Jean Kalinowski 1892, 371

BERLEPSCH, Graf HANS VON, and STOLZMANN, JEAN

(continued).

On the Ornithological Researches of M. Jean
Kalinowski in Central Peru. (Plates XIII. & XIV.) 1896, 322

BERNARD, H. M.; ANDREWS, C. W.; SMITH, EDGAR A.;
KIRKPATRICK, R.; and CHAPMAN, F.

On the Marine Fauna of Christmas Island
(Indian Ocean). (Plates XII. & XIII.) 1900, 115

BETHUNE-BAKER, G. T., F.L.S., and DRUCE, HAMILTON
H., F.Z.S.

A Monograph of the Butterflies of the Genus
Thysonotis. (Plates XLV.-XLVII.) 1893, 536

BINGHAM, Lt.-Col. C. T., F.Z.S., F.E.S.

A Contribution to the Knowledge of the Hymeno-
pterous Fauna of Ceylon. (Plate XV.) 1896, 401

BLAAUW, F. E., C.M.Z.S.

Exhibition of specimens of the Long-tailed Tit
shot in Holland 1891, 330

Exhibition of, and notes upon, a young Wondrous
Grass-Finch (*Poephila mirabilis*) and a nest and eggs
of this species 1891, 465

Letter from, containing remarks upon the breeding
of the Ypecaha Rail and Darwin's Rhea in confine-
ment 1893, 531

Remarks upon drawings of the heads of two North-
American Swans (*Cygnus americanus* and *C. buc-
cinator*) 1894, 606

On the Breeding of the Weka Rail and Snow-
Goose in Captivity 1899, 412

Notes on the Zoological Garden of Berlin 1900, 299

BLANFORD, W. T., LL.D., F.R.S., V.P.Z.S.

Exhibition of, and remarks upon, two heads and
a skin of the Yarkand Stag 1892, 116

BLANFORD, W. T., LL.D., F.R.S., V.P.Z.S. (*continued*).

Exhibition of, and remarks upon, a skin of a Wild
Camel obtained in Eastern Turkestan..... 1892, 370

On the Scientific Name of a Himalayan Cuckoo.. 1893, 315

On a Stag, *Cervus thoroldi*, from Tibet, and on the
Mammals of the Tibetan Plateau. (Plate XXXIV.) 1893, 444

Exhibition of, and remarks upon, specimens of
Capra sibirica and *Ovis ammon* 1895, 691

Remarks on the Rules of Zoological Nomenclature. 1896, 321

Exhibition of, and remarks upon, four heads of
Ovis ammon from the North-west Altai, Central Asia,
obtained by Major Cumberland 1896, 786

Notes on *Lepus oiostolus* and *L. pallipes* from
Tibet, and on a Kashmir Macaque 1898, 357

On some Species of Shells of the Genera *Strep-
taxis* and *Ennea* from India, Ceylon, and Burma.
(Plate L.) 1899, 764

Exhibition of a skull and horns of the Central
Asiatic Wapiti 1900, 775

BOLAU, HEINRICH, Ph.D., Director of the Hamburg
Gardens, C.M.Z.S.

On Specimens of *Haliaetus pelagicus* and *H. bra-
nickii* now living in the Zoological Gardens of
Hamburg 1892, 173

BOLTON, GAMBIER, F.Z.S.

An Account of a Visit to the Bird Islands in
Saldanha Bay, South Africa..... 1897, 297

BONHOTE, J. LEWIS, F.Z.S.

On a Collection of Mammals from Siam made by
Mr. T. H. Lyle. (Plate XVIII.) 1900, 191

On the Mammals collected during the "Skeat
Expedition" to the Malay Peninsula, 1899-1900.
(Plate LVI.) 1900, 869

BORRADAILE, LANCELOT ALEXANDER, M.A., F.Z.S.,
Lecturer in Natural Sciences at Selwyn College,
Cambridge.

On some Crustaceans from the South Pacific.— Part I. <i>Stomatopoda</i> . (Plates V. & VI.)	1898, 32
On some Crustaceans from the South Pacific.— Part II. <i>Macrura anomala</i> . (Plate XXXVI.)	1898, 457
On some Crustaceans from the South Pacific.— Part III. <i>Macrura</i> . (Plates LXIII.—LXV.)	1898, 1000
A Note on the Hatching-stage of the Pagurine Land-crabs	1899, 937
On a small Collection of Decapod Crustaceans from Freshwaters in North Borneo	1900, 93
On some Crustaceans from the South Pacific.— Part IV. <i>The Crabs</i> . (Plates XL.—XLII.)	1900, 568
On some Crustaceans from the South Pacific.— Part V. <i>Arthrostracans</i> and <i>Barnacles</i> . (Plate LI.)	1900, 795

BOULENGER, GEORGE ALBERT, F.R.S., F.Z.S.

Description of a new Lizard of the Genus <i>Ctenoblepharis</i> , from Chili. (Plate I.)	1891, 3
On some Chelonian Remains preserved in the Museum of the Royal College of Surgeons	1891, 4
Notes on the Osteology of <i>Heloderma horridum</i> and <i>H. suspectum</i> , with Remarks on the Systematic Position of the <i>Helodermatidæ</i> and on the Vertebrae of the Lacertilia	1891, 109
Exhibition of, and remarks upon, a renewed left pectoral limb of a <i>Protopterus annectens</i>	1891, 147
Exhibition of, and remarks upon, young specimens and eggs of a South-African Siluroid Fish (<i>Galeichthys feliceps</i>)	1891, 148
On British Remains of <i>Homœosaurus</i> , with Re- marks on the Classification of the Rhynchocephalia.	1891, 167

BOULENGER, GEORGE ALBERT, F.R.S., F.Z.S. (*continued*).

On Simony's Lizard, *Lacerta simonyi*. (Plates XVIII. & XIX.) 1891, 201

An Account of the Siluroid Fishes obtained by Dr. H. von Ihering and Herr Sebastian Wolf in the Province Rio Grande do Sul, Brazil. (Plates XXV. & XXVI.) 1891, 231

On the State of our Knowledge of the Reptiles and Batrachians of British Central Africa 1891, 305

On Reptiles, Batrachians, and Fishes from the Lesser West Indies 1891, 351

A Contribution to the Knowledge of the Races of *Rana esculenta* and their Geographical Distribution 1891, 374

Exhibition of, and remarks upon, an Iguana with reproduced tail 1891, 466

A Synopsis of the Tadpoles of the European Batrachians. (Plates XLV.-XLVII.) 1891, 593

Notes on Transcaspian Reptiles 1891, 628

Third Account of the Fishes obtained by Surgeon-Major A. S. G. Jayakar at Muscat, East Coast of Arabia 1892, 134

On *Lucioperca marina* C. & V. (Plate XXV.) .. 1892, 411

An Account of the Reptiles and Batrachians collected by Mr. C. Hose on Mt. Dulit, Borneo. (Plates XXIX. & XXX.) 1892, 505

Notice of a Memoir describing the remains of an extinct gigantic Tortoise from Madagascar. 1892, 581

Description of a new Blennioid Fish from Kamtschatka 1892, 583

Descriptions of new Reptiles and Batrachians obtained in Borneo by Mr. A. Everett and Mr. C. Hose. (Plates XLII.-XLIV.) 1893, 522

BOULENGER, GEORGE ALBERT, F.R.S., F.Z.S. (*continued*).

On a little-known European Viper, *Vipera ursinii*
Bonap. (Plate LI.) 1893, 596

Abstract of a Memoir on a Nothosaurian Reptile
from the Trias of Lombardy, apparently referable to
Lariosaurus 1893, 616

On *Vipera renardi* Christoph. (Plate LXIV.) .. 1893, 757

Exhibition of, and remarks upon, a specimen of a
new Gecko from South Africa (*Ædura nivaria*) 1894, 608

Third Report on Additions to the Batrachian
Collection in the Natural-History Museum. (Plates
XXXIX. & XL.) 1894, 640

Second Report on Additions to the Lizard Col-
lection in the Natural-History Museum. (Plates
XLVII.-XLIX.) 1894, 722

On the Nursing-habits of two South-American
Frogs. (Plate X.) 1895, 209

Exhibition of, and remarks upon, specimens of
two recently discovered Chameleons, from Usambara,
German East Africa 1895, 273

Remarks on some Cranial Characters of the Sal-
monoids. 1895, 299

A Synopsis of the Genera and Species of Apodal
Batrachians, with Description of a new Genus and
Species (*Bdellophis vittatus*). (Plates XXIII. &
XXIV.) 1895, 401

Abstract of a Report on a large Collection of
Fishes formed by Dr. C. Ternetz at various localities
in Matto Grosso and Paraguay, with descriptions of
new species 1895, 523

An Account of the Reptiles and Batrachians
collected by Dr. A. Donaldson Smith in Western
Somali-land and the Galla Country. (Plates XXIX.
& XXX.) 1895, 530

BOULENGER, GEORGE ALBERT, F.R.S., F.Z.S. (*continued*).

On the Type Specimen of <i>Boulengerina stormsi</i> , an Elapoid Snake from Central Africa. (Plate XLVIII.)	1895, 865
Descriptions of a new Snake and a new Frog from North Australia. (Plate XLIX.)	1895, 867
Second Report on the Reptiles and Batrachians collected by Dr. A. Donaldson Smith during his Expedition to Lake Rudolf. (Plates VII. & VIII.)	1896, 212
On some little-known Batrachians from the Caucasus. (Plates XXI. & XXII.)	1896, 548
Remarks on the Dentition of Snakes and on the Evolution of the Poison-fangs	1896, 614
On the Occurrence of Schlegel's Gavial (<i>Tomistoma schlegeli</i>) in the Malay Peninsula, with Remarks on the Atlas and Axis of the Crocodilians	1896, 628
On a new Gecko from Penang. (Plate XXXVI.)	1896, 767
Descriptions of new Fishes from the Upper Shiré River, British Central Africa, collected by Dr. Percy Rendall, and presented to the British Museum by Sir Harry H. Johnston, K.C.B. (Plate XLVII.)..	1896, 915
On the Lizards of the Genus <i>Eremias</i> , Section <i>Boulengeria</i>	1896, 920
A Catalogue of the Reptiles and Batrachians of Celebes, with special reference to the Collections made by Drs. P. & F. Sarasin in 1893-1896. (Plates VII.-XVI.)	1897, 193
On a Specimen of <i>Acanthocybium solandri</i> from the Arabian Sea	1897, 272
An Account of the Freshwater Fishes collected in Celebes by Drs. P. & F. Sarasin. (Plate XXVIII.)	1897, 426

BOULENGER, GEORGE ALBERT, F.R.S., F.Z.S. (*continued*).

A Revision of the Lizards of the Genus <i>Sceloporus</i> . (Plate XXXIII.)	1897, 474
A List of the Reptiles and Batrachians collected in Northern Nyasaland by Mr. Alex. Whyte, F.Z.S., and presented to the British Museum by Sir Harry H. Johnston, K.C.B. ; with Descriptions of new Species. (Plate XLVI.)	1897, 800
Exhibition of specimens, and remarks upon the habits, of the Siluroid Fish <i>Vandellia cirrhosa</i> ...	1897, 901
On a Gigantic Sea-Perch, <i>Stereolepis gigas</i> . (Plate LII.)	1897, 917
Description of a new Tortoise of the Genus <i>Sternotherus</i> . (Plate LIII.)	1897, 919
Further remarks on the habits of the Siluroid Fish <i>Vandellia cirrhosa</i>	1897, 920
Notice of a Memoir on the Fishes collected by Dr. J. Bach in the Rio Jurua, Brazil	1898, 44
Description of a new Sea-Snake from Borneo. (Plate IX.)	1898, 106
An Account of the Reptiles and Batrachians collected by Mr. W. F. H. Rosenberg in Western Ecuador. (Plates X.-XVIII.)	1898, 107
Exhibition of a living specimen of a hybrid Newt between a male <i>Molge cristata</i> \times <i>M. marmorata</i> and a female of <i>M. cristata</i>	1898, 127
A Revision of the African and Syrian Fishes of the Family <i>Cichlidae</i> .—Part I. (Plate XIX.)	1898, 132
Fourth Report on Additions to the Batrachian Collection in the Natural-History Museum. (Plates XXXVIII. & XXXIX.)	1898, 473
Exhibition of, and remarks upon, specimens of <i>Polypterus lapradii</i> from the Lower Congo	1898, 493

BOULENGER, GEORGE ALBERT, F.R.S., F.Z.S. (*continued*).

- Notice of a Memoir on the Fishes collected by Mr. J. E. S. Moore in Lake Tanganyika..... 1898, 494
- A Revision of the Genera and Species of Fishes of the Family *Mormyridæ*. (Plate LI.)..... 1898, 775
- Exhibition of, and remarks upon, a dancing-stick from New Guinea to which two skulls of the Chelonian *Carettochelys insculpta* were attached.... 1898, 851
- Exhibition of, and remarks upon, a specimen of a Sea-snake (*Distira stokesii*) 1898, 851
- Third Report on Additions to the Lizard Collection in the Natural-History Museum. (Plates LV.-LVII.) 1898, 912
- Descriptions of two new Lizards from the Interior of British East Africa. (Plate X.)..... 1899, 96
- A Revision of the African and Syrian Fishes of the Family *Cichlidae*.—Part II. (Plates XI. & XII.) 1899, 98
- On a Collection of Reptiles and Batrachians made by Mr. J. D. La Touche in N.W. Fokien, China. (Plates XVI.-XIX.)..... 1899, 159
- Description of a new Lizard of the Genus *Ameiva* from Ecuador. (Plate XXVIII.) 1899, 517
- Exhibition of a specimen of a fish (*Polypterus congicus*) from the River Congo with abnormal opercular gills 1899, 554
- Exhibition of, and remarks upon, a specimen of the Bornean Lizard *Lanthanotus borneensis*..... 1899, 596
- Notice of a Memoir on the Fishes obtained by the Congo Free State Expedition in Lake Tanganyika 1899, 600
- Exhibition of, and remarks upon, some living specimens of a Siluroid Fish (*Clarias lazera*) from Damietta 1899, 715

BOULENGER, GEORGE ALBERT, F.R.S., F.Z.S. (*continued*).

On the American Spade-foot (*Scaphiopus solitarius* Holbrook). (Plate LII.) 1899, 790

On the Reptiles, Batrachians, and Fishes collected by the late Mr. John Whitehead in the Interior of Hainan. (Plates LXVI.-LXIX.) 1899, 956

Note on an Error in the Description of the new Genus *Xenotilapia* published in the 'Transactions' (vol. xv. p. 92) 1900, 3

Descriptions of new Reptiles and Batrachians from Borneo. (Plates XIV.-XVII.) 1900, 182

Exhibition of, and remarks upon, a specimen of *Polypterus lapradii* with large external gills 1900, 267

A List of the Batrachians and Reptiles of the Gaboon (French Congo); with Descriptions of New Genera and Species. (Plates XXVII.-XXXII.) .. 1900, 433

Exhibition of, and remarks upon, a specimen of a large Bornean Tortoise 1900, 661

Exhibition of one of the type specimens of *Protopterus dolloi* from the Congo 1900, 775

BOULENGER, GEORGE ALBERT, and BUDGETT, J. S.,
M.A., F.Z.S.

List of the Fishes collected by Mr. J. S. Budgett in the River Gambia. By G. A. BOULENGER, F.R.S., F.Z.S. With Notes by J. S. BUDGETT, F.Z.S. 1900, 511

BOURNE, GILBERT C., M.A.

On two new Species of Copepoda from Zanzibar.
(Plate VI.) 1893, 16

BRADY, G. STEWARDSON, M.D., LL.D., F.R.S.,
C.M.Z.S.

Notice of a Memoir on the Crustaceans of the
Group Myodocopa, obtained during the 'Challenger'
Expedition, with Notes on other new or imperfectly
known Species 1895, 827

Notice of a Memoir on new or imperfectly known
Species of Ostracoda, chiefly from New Zealand .. 1898, 203

Notice of a Memoir on the Marine Copepoda of
New Zealand..... 1899, 381

BRAMLEY, W. E. JENNINGS-. See JENNINGS-BRAMLEY,
W. E.

BRIDGE, Prof. T. W., D.Sc., F.Z.S.

On certain Features in the Skull of *Osteoglossum*
formosum. (Plate XXII.) 1895, 302

Abstract of a Memoir on the Morphology of the
Skull in the Paraguayan *Lepidosiren* and other
Dipnoi 1897, 602

On the Presence of Ribs in *Polyodon* (*Spatularia*)
folium..... 1897, 722

BRINDLEY, H. H., M.A., St. John's College, Cambridge.

On a Specimen of the White Bream (*Abramis*
blicca Bloch) without Pelvic Fins. (Plate X.) 1891, 108

On Regeneration of the Legs in the *Blattide* .. 1897, 903

On certain Characters of reproduced Appendages
in Arthropoda, particularly in the *Blattide*. (Plate
LVIII.) 1898, 924

BRINDLEY, H. H., and BATESON, W., M.A., F.R.S.,
F.Z.S., &c.

On some cases of Variation in Secondary Sexual
Characters, statistically examined 1892, 585

BROWNE, EDWARD T., B.A., F.Z.S., Zoological Research Laboratory, University College, London.	
On British Hydroids and Medusæ. (Plates XVI. & XVII.)	1896, 459
On British Medusæ. (Plates XLVIII. & XLIX.)	1897, 816
BRUNNER v. WATTENWYL, CARL.	
On the Orthoptera of the Island of Grenada, West Indies. (Plate LII.)	1893, 599
On the Orthoptera of the Sandwich Islands	1895, 891
BRUNNER v. WATTENWYL, CARL, and REDTENBACHER, Professor J.	
On the Orthoptera of the Island of St. Vincent, West Indies. (Plates XV.-XVII.)	1892, 196
BRYCE, DAVID.	
Contributions to the Non-Marine Fauna of Spits- bergen.—Part II. Report on the Rotifera	1897, 793
BRYDEN, H. A.	
Exhibition of, and remarks upon, a distorted pair of horns of an Eland, and the feet of the Lechée Antelope	1891, 373
On the present Distribution of the Giraffe, South of the Zambesi, and on the best means of securing living Specimens for European Collections.....	1891, 445
BUDGETT, J. S., M.A., F.Z.S.	
Extracts from a letter from, on his Expedition to the Gambia	1898, 852
Extracts from letters from, on his expedition to the Gambia	1899, 1
General Account of an Expedition to the Gambia Colony and Protectorate in 1898-99	1899, 931

BUDGETT, J. S., M.A., F.Z.S. (*continued*).

Notice of a Memoir entitled "On some Points in the Anatomy of *Polypterus*" 1900, 4

Notice of a paper on the breeding-habits of some West-African Fishes, with an account of the external features in the development of *Protopterus annectens* and a description of the larva of *Polypterus lapradii* 1900, 835

BUDGETT, J. S., and BOULENGER, GEORGE ALBERT, F.R.S., F.Z.S.

List of the Fishes collected by Mr. J. S. Budgett in the River Gambia. By G. A. BOULENGER, F.R.S., F.Z.S. With Notes by J. S. BUDGETT, F.Z.S. 1900, 511

BULLER, Sir WALTER L., K.C.M.G., F.R.S., C.M.Z.S., &c.

Notes on the Petrel named *Æstrelata leucophrys* by Captain Hutton 1894, 653

BUND, J. W. WILLIS-, F.Z.S. See WILLIS-BUND, J. W.

BURNE, R. H., B.A., F.Z.S., Anatomical Assistant at the Royal College of Surgeons of England.

On the Variation and Development of the Leporine Sternum 1891, 159

On the Presence of a Branchial Basket in *Myxine glutinosa*. (Plate XLVII.) 1892, 706

BURR, MALCOLM, F.Z.S.; DIXEY, F. A., M.A., M.D.; and CAMBRIDGE, Rev. O. PICKARD, M.A., F.R.S., C.M.Z.S.

On a Collection of Insects and Arachnids made by Mr. E. N. Bennett in Socotra, with Descriptions of new Species. (Plates XXX. & XXXI.) 1898, 372

BURR, MALCOLM; PEEL, C. V. A.; AUSTEN, E. E.;
DIXEY, F. A.; DRUCE, HERBERT; GAHAN, C.
J.; ARROW, G. J.; MCLACHLAN, R.; and
POCOCK, R. I.

On a Collection of Insects and Arachnids made
in 1895 and 1897, by Mr. C. V. A. Peel, F.Z.S., in
Somaliland, with Descriptions of new Species.
(Plates I.-IV.)

1900, 4

BUSHELL, S. W., C.M.G., M.D., B.Sc., C.M.Z.S.

Extract from letter from, on the herd of *Cervus*
davidianus in the Imperial Hunting Park, Peking.

1898, 588

BUTLER, ARTHUR GARDINER, Ph.D., F.L.S., F.Z.S., &c.,
Senior Assistant-Keeper, Zoological Depart-
ment, Natural History Museum.

On a Collection of Lepidoptera from Sandakan,
N.E. Borneo. (Plate VI.)

1892, 120

On two Collections of Lepidoptera sent by H. H.
Johnston, Esq., C.B., from British Central Africa.
(Plate LX.)

1893, 643

On a Collection of Lepidoptera from British East
Africa, made by Dr. J. W. Gregory between the
Months of March and August 1893. (Plates
XXXVI. & XXXVII.)

1894, 557

On Collections of Lepidoptera from British
Central Africa and Lake Tanganyika. (Plates
XV. & XVI.)

1895, 250

On a small Collection of Butterflies sent by
Mr. Richard Crawshay from the country west of
Lake Nyasa. (Plate XXXV.)

1895, 627

On a small Collection of Butterflies made by
Consul Alfred Sharpe at Zomba, British Central
Africa

1895, 720

On Lepidoptera recently collected in British East
Africa by Mr. G. F. Scott Elliot. (Plates XLII. &
XLIII.)

1895, 722

BUTLER, ARTHUR GARDINER, Ph.D., F.L.S., F.Z.S., &c.

(continued).

On a Collection of Butterflies obtained by Mr. Richard Crawshay in Nyasa-land, between the months of January and April 1895. (Plate VI.).. 1896, 108

On the Butterflies obtained in Arabia and Somaliland by Capt. Chas. G. Nurse and Col. J. W. Yerbury in 1894 and 1895. (Plate X.) 1896, 242

On two Collections of Lepidoptera made by Mr. R. Crawshay in Nyasa-land. (Plates XLI. & XLII.) 1896, 817

On a Collection of Lepidoptera from Nyasa-land presented to the Museum by Sir Harry Johnston, K.C.B., and collected by Mr. J. B. Yule. (Plate XLIII.) 1896, 851

On a Collection of Lepidoptera obtained in the Arusa Galla Country in 1894 by Mr. F. Gillett .. 1897, 692

On three consignments of Butterflies collected in Natal in 1896 and 1897 by Mr. Guy A. K. Marshall, F.Z.S. (Plate L.) 1897, 835

On a small Collection of Lepidoptera made by Mr. F. Gillett in Somaliland 1897, 923

On a Collection of Lepidoptera made by Mr. F. V. Kirby, chiefly in Portuguese East Africa 1898, 49

On the Lepidopterous Insects collected by Mr. G. A. K. Marshall in Natal and Mashonaland in 1895 and 1897. (Plate XX.) 1898, 186

On a Collection of Lepidoptera made in British East Africa by Mr. C. S. Betton. (Plates XXXII. & XXXIII.)..... 1898, 395

A List of Butterflies obtained in the Harar Highlands by Capt. H. G. C. Swayne, R.E. 1898, 821

On a small Collection of Butterflies made in the Chikala District, British Central Africa, by Mr. George Hoare 1898, 823

BUTLER, ARTHUR GARDINER, Ph.D., F.L.S., F.Z.S., &c.

(continued).

On a small Collection of Butterflies from British East Africa, obtained at the end of 1897 and beginning of 1898 by Mr. R. Crawshay..... 1898, 825

On a Collection of Butterflies almost entirely made at Salisbury, Mashunaland, by Mr. Guy A. K. Marshall, in 1898 1898, 902

On two small Collections of Butterflies made by Mr. Richard Crawshay during 1898 in British East Africa. (Plate XXV.)..... 1899, 417

On a small Collection of Butterflies sent by Lieut.-Col. A. S. G. Jayakar, A.M.S., from Muskat..... 1899, 810

On a Collection of Butterflies made by Mr. Richard Crawshay in British East Africa. (Plate LXX.) .. 1899, 962

On a small Collection of Butterflies from the Nandi District, Uganda Protectorate, Eastern side of Lake Victoria, made by Captain Hobart of the Grenadier Guards..... 1899, 976

A Revision of the Butterflies of the Genus *Zizera* represented in the Collection of the British Museum. (Plate XI.) 1900, 104

On two Consignments of Butterflies collected by Mr. Richard Crawshay in the Kikuyu Country of British East Africa in 1899 and 1900. (Plate LVIII.)..... 1900, 911

BUTLER, A. L., F.Z.S., Curator, Selangor State Museum.

On a new Serow from the Malay Peninsula 1900, 675

BUTLER, GERARD W., B.A., F.Z.S.

On the Subdivision of the Body-cavity in Snakes. (Plate XXVIII.) 1892, 477

On the Complete or Partial Suppression of the Right Lung in the *Amphisbaenidae* and of the Left Lung in Snakes and Snake-like Lizards and Amphisbians. (Plate XL.) 1895, 691

BUXTON, EDWARD NORTH, F.Z.S.

Remarks on the Bisons (*Bison europæus*) observed
during a visit to the Forest of Bielovege in Lithuania. 1889, 64

BYRNE, L. W., F.Z.S., and HOLT, ERNEST W. L.

Exhibition of, and remarks upon, specimens and
drawings of a supposed new Sucker-fish (*Lepadogaster stictopteryx*)..... 1898, 589

CALMAN, W. T., B.Sc., University College, Dundee.

On two Species of Macrurous Crustaceans from
Lake Tanganyika. (Plates XXXIX. & XL.) 1899, 704

CAMBRIDGE, FREDERICK O. PICKARD, B.A.

On the *Theraphosidæ* of the Lower Amazons:
being an Account of the new Genera and Species
of this Group of Spiders discovered during the
Expedition of the Steamship 'Faraday' up the
River Amazons. (Plates XXXIII.-XXXV.) 1896, 716

On the Cteniform Spiders of Africa, Arabia, and
Syria. (Plates III. & IV.) 1898, 13

On new Species of Spiders from Trinidad, West
Indies. (Plate LIV.) 1898, 890

CAMBRIDGE, REV. OCTAVIUS PICKARD, M.A., F.R.S.,
C.M.Z.S., &c.

On some new and little-known Spiders (*Araneidea*). (Plate LII.) 1896, 1006

On a new Genus and Species of *Acaridea*.
(Plate LV.) 1897, 939

Note on the generic name *Eatonia* 1898, 348

On some Spiders from Savoy 1898, 487

On some new Species of Exotic *Araneidea*.
(Plates XXIX. & XXX.) 1899, 518

CAMBRIDGE, Rev. O. PICKARD; DIXEY, F. A., M.A.,
M.D.; and BURR, MALCOLM, F.Z.S.

On a Collection of Insects and Arachnids made
by Mr. E. N. Bennett in Socotra, with Descriptions
of new Species. (Plates XXX. & XXXI.) 1898, 372

CAMBURN, C.; SHARPE, R. BOWDLER; MACKINDER,
H. J.; and SAUNDERS, ERNEST.

On the Birds collected during the Mackinder Ex-
pedition to Mount Kenya. By R. BOWDLER SHARPE.
With Notes by H. J. MACKINDER, ERNEST SAUN-
DERS, and C. CAMBURN. (Plate XLIII.) 1900, 596

CAREW, C. E. POLE-. See POLE-CAREW, C. E.

CHAPMAN, FREDERICK, F.R.M.S.

On some Foraminifera obtained by the Royal
Indian Marine Survey's S.S. 'Investigator,' from the
Arabian Sea, near the Laccadive Islands. (Plate I.) 1895, 4

CHAPMAN, FREDERICK; ANDREWS, C. W.; SMITH,
EDGAR, A.; BERNARD, H. M.; and KIRK-
PATRICK, R.

On the Marine Fauna of Christmas Island
(Indian Ocean). (Plates XII. & XIII.) 1900, 115

COCKERELL, T. D. A., F.Z.S.

Exhibition of, and remarks upon, some abnormal
specimens of *Clausilia rugosa* 1891, 145

On the Geographical Distribution of Slugs 1891, 214

Notes on some Slugs of the Ethiopian Region .. 1891, 301

Communication from, containing an account of
the occurrence of a specimen of the Jacana (*Jacana*
spinosa) in Jamaica 1892, 472

COCKS, A. H., F.Z.S.

Exhibition of, and remarks upon, specimens of
supposed hybrids between the Stoat (*Mustela erminea*)
and the Ferret (*M. furo*) 1899, 2

Note on the Gestation of the Pine-Marten 1900, 836

COLLETT, Prof. ROBERT, F.M.Z.S.

- On a new Monkey from North-east Sumatra.
(Plate XLII.) 1892, 613
- On a new Agonoid Fish (*Agonus gilberti*) from
Kamtschatka. (Plate XLV.) 1894, 670
- On a Collection of Mammals from North and
North-west Australia. (Plate XXIII.) 1897, 317
- On some Pigeons and Parrots from North and
North-west Australia. (Plates XXVIII. & XXIX.) 1898, 353

COLLINGE, WALTER E., F.Z.S., Assistant Lecturer and
Demonstrator in Zoology and Comparative
Anatomy, Mason College, Birmingham.

- Description of a new Species of Slug of the
Genus *Janella* 1894, 526
- On the Sensory Canal System of Fishes. *Teleostei*
—Suborder A. *Physostomi*. (Plates XVIII.—XXI.) 1895, 274
- On the Sensory and Ampullary Canals of *Chimæra*.
(Plates LI.—LIII.) 1895, 878
- On some European Slugs of the Genus *Arion*.
(Plates XXIX.—XXXI.) 1897, 439
- Description of two new Species of Slugs of the
Genus *Parmarion* from Borneo. (Plate XLIV.) .. 1897, 778

COLLINGE, WALTER E., and GODWIN-AUSTEN, Lt.-Col.
H. H., F.R.S., V.P.Z.S., &c.

- On the Structure and Affinities of some new Species
of Molluscs from Borneo. (Plates XI.—XIV.) 1895, 241

COOKE, Rev. A. H., M.A., F.Z.S., Fellow and Assistant-
Tutor of King's College, Cambridge.

- On the Geographical Distribution of the Land-
Mollusca of the Philippine Islands, and their
Relations to the Mollusca of the neighbouring
Groups 1892, 447

CORNER, E. M., of St. Thomas's Hospital.

Note on the variations of the Patella in the
Divers, Grebes, and Cormorants 1899, 599

CORYNDON, R. T.

On the Occurrence of the White or Burchell's
Rhinoceros in Mashonaland. (Plate XVIII.) 1894, 329

CRAWSHAY, RICHARD.

Remarks upon the Gnu of Nyasa-land 1896, 617

CROWLEY, PHILIP, F.L.S., F.Z.S.

On the Butterflies collected by the late Mr. John
Whitehead in the Interior of the Island of Hainan.
(Plate XXXV.)..... 1900, 505

CUNNINGHAM, J. T., M.A.

Notice of a Communication from, treating of the
significance of diagnostic characters in the Pleuro-
nectidæ 1894, 655

On the Early Post-larval Stages of the Common
Crab (*Cancer pagurus*), and on the Affinity of that
Species with *Atelecyclus heterodon*. (Plate XXI).. 1898, 204

CUNNINGHAM, ROBERT O., M.D., D.Sc., F.L.S., F.G.S.,
C.M.Z.S., Professor of Natural History, Queen's
College, Belfast.

On the Occurrence of a Pair of Supernumerary
Bones in the Skull of a Lemur, and on a Peculiarity
in the Skull of a young Orang 1896, 996

Note on the Presence of Supernumerary Bones
occupying the Place of Prefrontals in the Skulls of
certain Mammals 1899, 76

On a few Points in the Structure of Laborde's
Shark (*Euprotomicrus labordii*) 1899, 732

CUNNINGTON, WILLIAM A., A.R.C.S.

Page

- On a new Brachyurous Crustacean from Lake
Tanganyika. (Plate XXXVIII.) 1899, 697

DAWSON, Dr. GEORGE M., C.M.G., F.R.S., F.G.S.

- Remarks on the Fur-Seal of Alaska, and Ex-
hibition of a Series of Photographs illustrating the
attitudes and mode of life of these Animals 1892, 47

DEAN, Dr. BASHFORD.

- Remarks on the Affinities of *Palæospondylus*
gunni. In reply to Dr. R. H. Traquair..... 1898, 343

DE WINTON, WILLIAM E., F.Z.S.

- On some Mammals from Ecuador. (Plates XIX.
& XX.) 1896, 507

- On a new Rodent of the Genus *Lophuromys* from
British East Africa. (Plate XXVII.) 1896, 607

- On Collections of Rodents made by Mr. J. ffolliott
Darling in Mashunaland; and Mr. F. C. Selous
in Matabeleland, with short Field-Notes by the
Collectors. (Plate XL.) 1896, 793

- Remarks on the Existing Forms of Giraffe 1897, 273

- On a Collection of Mammals from Morocco 1897, 953

- Exhibition of a skin of a Zebra (*Equus boehmi*)
from British East Africa 1898, 3

- Exhibition of, and remarks upon, a head-skin of
a Roan Antelope (*Hippotragus equinus*) from British
East Africa 1898, 127

- On a new Genus and Species of Rodents of the
Family *Anomaluridae* from West Africa. (Plates
XXXIV. & XXXV.) 1898, 450

- List of the Mammals obtained by Mr. R. McD.
Hawker during his recent Expedition to Somaliland. 1898, 761

DE WINTON, WILLIAM E., F.Z.S. (*continued*).

On the Moulting of the King Penguin (*Aptenodytes pennanti*) in the Society's Gardens..... 1898, 900

Exhibition of, and remarks upon, the tail of a Fox (*Canis vulpes*) showing the gland on the upper surface 1899, 292

On two Hares from British East Africa, obtained by Mr. Richard Crawshay. (Plate XXIV.) 1899, 415

On the Species of *Canidae* found on the Continent of Africa 1899, 533

List of, and remarks upon, specimens of Mammals contained in a Collection from British Central Africa 1899, 771

Exhibition of, and remarks upon, two mounted heads and a skull of the Red-flanked Duiker (*Cephalophus rufilatus*)..... 1899, 771

Further Notes on the Moults of the King Penguin (*Aptenodytes pennanti*) living in the Society's Gardens. 1899, 980

Exhibition of a specimen of a new Mouse from Southern Abyssinia, proposed to be named *Dendromys lovati* 1899, 986

On the Mammals obtained in Southern Abyssinia by Lord Lovat during an Expedition from Berbera to the Blue Nile. (Plate X.) 1900, 79

DE WINTON, WILLIAM E., F.Z.S., and STYAN, F. W.,
F.Z.S.

On Chinese Mammals, principally from Western Szechuen. By W. E. DE WINTON, F.Z.S. With Notes on Chinese Squirrels. By F. W. STYAN, F.Z.S. (Plates XXXI. & XXXII.) 1899, 572

DISTANT, W. L., F.E.S.

Revision of the Rhynchota belonging to the Family *Pentatomidae* in the Hope Collection at Oxford. (Plates LII. & LIII.) 1900, 7

DIXEY, F. A., M.A., M.D.; BURR, MALCOLM, F.Z.S.;
and CAMBRIDGE, Rev. O. PICKARD, M.A.,
F.R.S., C.M.Z.S.

On a Collection of Insects and Arachnids made by
Mr. E. N. Bennett in Socotra, with Descriptions
of new Species. (Plates XXX. & XXXI.) 1898, 372

DIXEY, F. A.; PEEL, C. V. A.; AUSTEN, E. E.; DRUCE,
HERBERT; GAHAN, C. J.; ARROW, G. J.;
McLACHLAN, R.; BURR, M.; and POCKOCK, E. I.

On a Collection of Insects and Arachnids made
in 1895 and 1897, by Mr. C. V. A. Peel, F.Z.S., in
Somaliland, with Descriptions of new Species.
(Plates I.-IV.) 1900, 4

DOBSON, G. E., M.A., F.R.S., F.Z.S.

Note on the Derivation and Distribution of the
Insectivora of the New World 1891, 349

DOLLFUS, ADRIEN.

On West-Indian Terrestrial Isopod Crustaceans . 1896, 388

DRESSER, H. E., F.L.S., F.Z.S.

Notes on several rare Palæarctic Birds 1895, 311

Exhibition of, and remarks upon, a specimen of
Pallas's Willow-Warbler shot at Cley-next-the-Sea,
Norfolk 1896, 856

DRUCE, HAMILTON H., F.Z.S., F.E.S.

On the *Lycænidæ* of the Solomon Islands.
(Plates XXXI. & XXXII.) 1891, 357

A List of the *Lycænidæ* of the South Pacific Islands
east of the Solomon Group, with Descriptions of
several new Species. (Plate XXVII.) 1892, 434

DRUCE, HAMILTON H., F.Z.S., F.E.S. (*continued*).

A Monograph of the Bornean *Lycaenidae*. (Plates XXXI.-XXXIV.) 1895, 556

Further Contributions to the Knowledge of the Bornean *Lycaenidae*. (Plates XXIX.-XXXI.) 1896, 650

DRUCE, HAMILTON H., and BETHUNE-BAKER, G. T., F.L.S.

A Monograph of the Butterflies of the Genus *Thysonotis*. (Plates XLV.-XLVII.) 1893, 536

DRUCE, HERBERT, F.L.S., F.Z.S., &c.

Descriptions of new Species of Lepidoptera Heterocera from Central and South America. (Plates XIX.-XXI.) 1893, 280.

DRUCE, HERBERT; PEEL, C. V. A.; AUSTEN, E. E.;

DIXEY, F. A.; GAHAN, C. J.; ARROW, G. J.;

McLACHLAN, R.; BURR, M.; and PocOCK, R. I.

On a Collection of Insects and Arachnids made in 1895 and 1897, by Mr. C. V. A. Peel, F.Z.S., in Somaliland, with Descriptions of new Species. (Plates I.-IV.) 1900, 4

DUBOIS, Dr. ALPHONSE, C.M.Z.S., Curator of the Royal Museum of Natural History, Belgium,

Description d'un nouveau Couroucou africain ... 1896, 999

Remarques sur certains Oiseaux supposés nouveaux 1897, 782

DUCKWORTH, W. L. H., M.A., Fellow of Jesus College, Cambridge.

Note on an Anthropoid Ape 1898, 989

Further Note on Specific Differences in the Anthropoid Apes 1899, 312

DUGÈS, ALFRED, M.D.

Description d'un Ophidien nouveau du Mexique
(*Oreophis boulengeri*, g. et sp. nn.) 1897, 284

Description d'un Genre nouveau d'Ophidiens,
Geatractus 1898, 539

DURHAM, Miss M. EDITH.

Notes on the Mode of Feeding of the Egg-eating
Snake (*Dasypeltis scabra*). (Plate XXXII.) 1896, 715

EDWARDS, JAMES, F.E.S., and ELWES, H. J., F.L.S.,
F.Z.S.

Notice of a Memoir containing a Revision of the
European and Asiatic Butterflies of the Family
Hesperiidæ 1896, 609

ELLIOT, G. F. SCOTT, M.A.

Remarks on some of the principal Animals col-
lected and noticed during a recent Expedition to
Mount Ruwenzori, in British Central Africa 1895, 339

ELWES, HENRY JOHN, F.R.S., F.L.S., F.Z.S.

On Butterflies collected by Mr. W. Doherty in the
Naga and Karen Hills and in Perak.—Part I.
(Plate XXVII.) 1891, 249

On Butterflies collected by Mr. W. Doherty in the
Naga and Karen Hills and in Perak.—Part II.
(Plates XLIII. & XLIV.) 1892, 617

Remarks on the Rules of Zoological Nomenclature. 1896, 320

ELWES, HENRY JOHN, F.R.S., F.L.S., F.Z.S., and
EDWARDS, JAMES, F.E.S.

Notice of a Memoir containing a Revision of the
European and Asiatic Butterflies of the Family
Hesperiidæ 1896, 609

ELWES, HENRY JOHN, F.R.S. &c., and WARREN, W.,
M.A.

On new Genera and Species of Moths of the
Family *Geometridæ* from India, in the Collection of
H. J. Elwes. (Plates XXX.-XXXII.) 1893, 341

EMIN PASHA, Dr., C.M.Z.S.

Letter from, announcing the despatch to the
Society of a Collection of Birds 1891, 122

EVERETT, ALFRED HAST, C.M.Z.S.

A Nominal List of the Mammals inhabiting the
Bornean Group of Islands 1893, 492

FAWCETT, Lt.-Col. J. MALCOLM, 5th Lancers.

Notice of a Memoir on the Transformations of some
South-African Lepidoptera 1900, 92

FEDARB, SOPHIE M.

On some Earthworms from British India 1898, 445

FEDARB, SOPHIE M., and BEDDARD, FRANK E., M.A.,
F.R.S., Vice-Secretary and Prosector to the
Society.

Notes upon two Earthworms, *Perichæta biserialis*
and *Trichochæta hesperidum* 1899, 803

FINN, FRANK, B.A., F.Z.S., late Scholar of Brasenose
College, Oxford.

On a Functional Ductus Botalli in *Nycticorax*
violaceus and *Dafla spinicauda* 1891, 176

Exhibition of a male Hybrid between the Chilian
Pintail (*Dafla spinicauda*) and Summer Duck (*Æc*
sponsa) bred in the Gardens 1891, 330

Remarks upon his recent zoological excursions to
Zanzibar 1892, 543

FLOWER, Capt. STANLEY SMYTH (5th Fusiliers), F.Z.S.,
 Director of the Ghizeh Zoological Gardens,
 Cairo, Egypt.

Notes on a Collection of Reptiles and Batrachians
 made in the Malay Peninsula in 1895-96; with a
 List of the Species recorded from that Region.
 (Plates XLIV.-XLVI.) 1896, 856

On the Identification of a Gecko from Penang .. 1898, 455

Extract from letter from, on the locality of the
 Siamang (*Hylobates syndactylus*) 1898, 924

Notes on a Second Collection of Reptiles made in
 the Malay Peninsula and Siam, from November
 1896 to September 1898, with a List of the Species
 recorded from those Countries. (Plates XXXVI. &
 XXXVII.) 1899, 600

Note on the Proboscis Monkey, *Nasalis larvatus*
 (Wurmb) 1899, 785

Notes on a Second Collection of Batrachians made
 in the Malay Peninsula and Siam, from November
 1896 to September 1898, with a List of the Species
 recorded from those Countries. (Plate LIX. & LX.) 1899, 885

On the Mammalia of Siam and the Malay Penin-
 sula..... 1900, 306

Notes on the Fauna of the White Nile and its
 Tributaries..... 1900, 950

FLOWER, Sir WILLIAM HENRY, K.C.B., LL.D., F.R.S.,
 &c.

Letter and Journal of the late Dr. Emin Pasha,
 C.M.Z.S., and remarks thereon 1894, 596

Exhibition of, and remarks upon, a specimen of a
 Hairy Armadillo (*Tatusia pilosa*)..... 1894, 655

Remarks on the Rules of Zoological Nomen-
 clature 1896, 319

FORBES, HENRY OGG, LL.D., F.Z.S.

Observations on the Development of the Rostrum
in the Cetacean Genus *Mesoplodon*, with Remarks
on some of the Species. (Plates XII.-XV.) 1893, 216

Remarks on the Rules of Zoological Nomen-
clature 1896, 322

FORSYTH MAJOR, Dr. C. I. See MAJOR, Dr. C. I.
FORSYTH.

FOWLER, G. HERBERT, B.A., Ph.D., Assistant Professor
of Zoology in University College, London.

On two Sea-pens of the Family *Veretillidæ* from
the Madras Museum. (Plate XXII.) 1894, 376

Notes on some Specimens of Antlers of the Fallow
Deer, showing Continuous Variation, and the Effects
of Total or Partial Castration. (Plate XXXIV.).. 1894, 485

Contributions to our Knowledge of the Plankton
of the Faeroe Channel.—No. I. (Plate L.) 1896, 991

Contributions to our Knowledge of the Plankton
of the Faeroe Channel.—No. II. 1897, 523

Exhibition of an abnormal specimen of a Crab
(*Carcinus mænas*) 1897, 721

Contributions to our Knowledge of the Plankton
of the Faeroe Channel.—No. III. The Later
Development of *Arachnactis albida* (M. Sars), with
Notes on *Arachnactis bournei* (sp. n.). (Plate
XLVII.) 1897, 803

Contributions to our Knowledge of the Plankton
of the Faeroe Channel.—No. VI. Description of
a new Mid-water Tow-net. Discussion of the Mid-
water Fauna (Mesoplankton). Notes on *Doliolum*
tritonis and *D. nationalis*, and on *Parathemisto*
abyssorum 1898, 567

FOWLER, G. HERBERT, B.A., Ph.D., &c. (*continued*).

Contributions to our Knowledge of the Plankton
of the Faeroe Channel.—No. VII. A. General Data
of the Stations. B. The Protozoa. C. The Medusæ.
(Plate LXVI.) 1898, 1016

FOWLER, G. HERBERT, and THOMPSON, ISAAC C., F.L.S.

Contributions to our Knowledge of the Plankton
of the Faeroe Channel.—No. IV. Report on the
Copepoda collected by Dr. G. H. Fowler from
H.M.S. 'Research' in the Faeroe Channel in 1896
and 1897 1898, 540

GADOW, HANS, M.A., Ph.D., F.R.S., F.Z.S., Strickland
Curator and Lecturer on Advanced Morphology
of Vertebrata in the University of Cambridge.

On the Classification of Birds 1892, 229

On the Systematic Position of *Notoryctes typhlops*. 1892, 361

Abstract of a Memoir on the Remains of some
gigantic Land-Tortoises, and of *Didosaurus*, recently
discovered in Mauritius 1892, 665

Remarks on Bone-caves in Estremadura, explored
in 1886 1896, 306

GADOW, HANS, and NEWTON, Sir EDWARD, K.C.M.G.,
F.L.S., C.M.Z.S.

Abstract of a Memoir on some bones of the
Dodo and other extinct Birds of Mauritius, recently
obtained by Mr. Theodore Sauzier 1892, 543

GAHAN, C. J., M.A., F.E.S.

On a Collection of Coleoptera sent by Mr. H. H.
Johnston, C.B., from British Central Africa 1893, 739

GAHAN, C. J., and GORHAM, The Rev. H. S., F.Z.S.

On the Coleoptera collected by Mr. W. Bonny in
the Aruwimi Valley, Central Africa 1892, 90

GAHAN, C. J.; PEEL, C. V. A.; AUSTEN, E. E.;
DIXEY, F. A.; DRUCE, HERBERT; ARROW,
G. J.; McLACHLAN, R.; BURR, M.; and
POCOCK, R. I.

On a Collection of Insects and Arachnids made
in 1895 and 1897, by Mr. C. V. A. Peel, F.Z.S., in
Somaliland, with Descriptions of new Species.
(Plates I.-IV.) 1900, 4

GARDINER, J. STANLEY, M.A., F.Z.S., Fellow of Gon-
ville and Caius College, Cambridge.

On some Collections of Corals of the Family
Pocilloporidæ from the S.W. Pacific Ocean. (Plates
LVI. & LVII.) 1897, 941

On the Perforate Corals collected by the Author
in the South Pacific. (Plates XXIII. & XXIV.).. 1898, 257

On the Fungid Corals collected by the Author in
the South Pacific. (Plates XLIII.-XLV.) 1898, 525

On the Turbinolid and Oculinoid Corals collected
by the Author in the South Pacific. (Plate LXII.) 1898, 994

On the Astræid Corals collected by the Author in
the South Pacific. (Plates XLVI.-XLIX.) 1899, 734

GARSTANG, WALTER, M.A., F.Z.S., Fellow and
Lecturer of Lincoln College, Oxford.

On the Gastropod *Colpodaspis pusilla* of Michael
Sars. (Plate XLIV.) 1894, 664

GERRARD, EDWARD, Jun.

Exhibition of a large head of a Koodoo Antelope
(*Strepsiceros kudu*) 1891, 145

GIBSON, ERNEST, F.Z.S.

- Field-notes on the Wood-Cat of Argentina (*Felis geoffroyi*) 1899, 928

GODMAN, F. DUCANE, F.R.S., and SALVIN, OSBERT,
M.A., F.R.S.

- On the Butterflies of St. Vincent, Grenada, and
the adjoining Islands of the West Indies 1896, 513

GODWIN-AUSTEN, Lieut.-Col. H. H., F.R.S., F.Z.S., &c.

- On a Collection of Land-Shells made in Borneo by
Mr. A. Everett, with Descriptions of supposed new
Species.—Part II. Zonitidæ and Helicidæ. (Plates
II.–VI.)..... 1891, 22

- On new Species and Varieties of the Land-
Molluscan Genus *Diplommatina* from the Garo, Naga,
and Manipur Hill-ranges, Assam 1892, 509

- On some new Species of the Land-Molluscan
Genus *Alyceus* from the Khasi and Naga Hill
Country, Assam, Manipur, and the Ruby Mine
District, Upper Burmah; and on one Species from
the Nicobars 1893, 592

- List and Distribution of the Land-Mollusca of the
Andaman and Nicobar Islands, with Descriptions of
some supposed new Species..... 1895, 438

GODWIN-AUSTEN, Lt.-Col. H. H., and COLLINGE,
WALTER E., F.Z.S., &c.

- On the Structure and Affinities of some new
Species of Molluscs from Borneo. (Plates XI.–XIV.) 1895, 241

GOELDI, Dr. EMIL A., C.M.Z.S., Pará.

- Critical Gleanings on the *Didelphyidæ* of the
Serra dos Orgãos, Brazil 1894, 457

GOELDI, Dr. EMIL A., C.M.Z.S. (*continued*).

Contribution to the Knowledge of the Breeding-habits of some Tree-Frogs (*Hylidae*) of the Serra dos Orgãos, Rio de Janeiro, Brazil..... 1895, 89

Notice of a Memoir on the *Lepidosiren paradoxa* of the Amazons..... 1897, 921

Further Notes on the Amazonian *Lepidosiren* .. 1898, 852

GORHAM, Rev. H. S., F.E.S., F.Z.S., &c.

Descriptions of Coleoptera collected by Mr. John Whitehead on Kina Balu, Borneo.—Families *Hispidæ*, *Erotylidæ*, *Endomychidæ*, *Lycidæ*, *Lampyridæ*, &c. (Plate IV.) 1892, 83

A List of the Coleoptera of the Family *Cleridæ* collected by Mr. Doherty in Burmah and Northern India, with Descriptions of new Species; and of some Species from Borneo, Perak, &c., from the Collection of Alexander Fry, Esq. 1893, 566

Descriptions of new Species of Coleoptera of the Family *Endomychidæ* from the Eastern Hemisphere. (Plate XXXII.)..... 1897, 456

On the Serricorn Coleoptera of St. Vincent, Grenada, and the Grenadines (*Malacodermata*, *Ptinidæ*, *Bostrychidæ*), with Descriptions of new Species. (Plate XXVII. figs. 1-5 & 7-10.) 1893, 315

On the Coleoptera of the Families *Erotylidæ*, *Endomychidæ*, and *Coccinellidæ*, collected by Mr. H. H. Smith in St. Vincent, Grenada, and the Grenadines, with Descriptions of new Species. (Plate XXVII. figs. 6, 11, 12.) 1898, 334

GORHAM, The Rev. H. S., and GAHAN, C. J., M.A.

On the Coleoptera collected by Mr. W. Bonny in the Aruwimi Valley, Central Africa 1892, 90

GRANT, W. R. OGILVIE, of the British Museum
(Natural History).

On the Birds of Hainan. (Plates XXXIII. &
XXXIV.) 1900, 457

GREGORY, J. WALTER, D.Sc., F.Z.S.

Notice of a Memoir giving an account of his
researches on the British Paleogene Bryozoa 1892, 477

Remarks on the factors that appear to have
influenced Zoological Distribution in Africa; and
exhibition of, and remarks upon, a series of photo-
graphic slides, illustrative of his recent Expedition
to Mount Kenia 1894, 165

On *Lysechinus*, a new Genus of Fossil Echino-
derms from the Tyrolese Trias. (Plate LI.) 1896, 1000

On the Classification of the Palæozoic Echinoderms
of the Group Ophiuroidea 1896, 1028

GÜNTHER, ALBERT C. L. G., M.A., M.D., F.R.S.,
V.P.Z.S.

Remarks on the Fishes of British Central Africa. 1891, 312

Description of a remarkable Fish from Mauritius,
belonging to the Genus *Scorpcæna*. (Plate XXXIX.) 1891, 482

Report on a Collection of Reptiles and Batra-
chians transmitted by Mr. H. H. Johnston, C.B.,
from Nyasaland. (Plates XXXIII.-XXXV.) 1892, 555

Second Report on the Reptiles, Batrachians, and
Fishes transmitted by Mr. H. H. Johnston, C.B.,
from British Central Africa. (Plates LIII.-LVII.) 1893, 616

Descriptions of the Reptiles and Fishes collected
by Mr. E. Coode-Hore on Lake Tanganyika. (Plate
LVIII.) 1893, 628

Report on the Collection of Reptiles and Fishes
made by Dr. J. W. Gregory during his Expedition to
Mount Kenia. (Plates VIII.-XI.) 1894, 84

GÜNTHER, ALBERT C. L. G., M.A., M.D., &c. (*continue*d).

Exhibition of, and remarks upon, specimens of
Lepidosiren paradoxa, collected by Dr. Bohls on the
Upper Paraguay 1894, 316

Exhibition of a portion of the hollow trunk of a
Tree in which a pair of Hornbills had nested 1894, 391

Report on a Collection of Fishes made by Dr. A.
Donaldson Smith during his Expedition to Lake
Rudolf. (Plate IX.) 1896, 217

An Account of a Collection of Fishes made by
Mr. R. B. N. Walker, C.M.Z.S., on the Gold Coast.
(Plates XLI.-XLV.) 1899, 716

GUPPY, R. J. LECHMERE, C.M.Z.S.

On a Specimen of *Pleurotomaria* from Tobago,
West Indies 1891, 484

Note on *Bulimus oblongus* 1892, 271

On some Foraminifera from the Microzoic
Deposits of Trinidad, West Indies. (Plate XLI.) . 1894, 647

GURNEY, J. H., F.Z.S.

Exhibition of, and remarks upon, an example of
Alcedo beavani, obtained in Ceylon 1895, 339

Letter from, concerning the Skin of a Kingfisher,
from Ceylon 1895, 687

HADDON, A. C., M.A., F.Z.S., M.R.I.A., and BEDDARD,
FRANK E., M.A., F.R.S.

Notice of a Memoir containing Descriptions of a
number of new Species of Nudibranchiate Mollusks
collected in the neighbourhood of Torres Straits . . 1895, 523

HALSEY, W. (Hudson's Bay Company).

Exhibition of, and remarks upon, two Martens'
Skins 1895, 161

HAMILTON, EDWARD, M.D., F.L.S., F.Z.S.

Exhibition of, and remarks upon, an example of
the Red-breasted Snipe of North America (*Macro-
rhamphus griseus*) shot in Argyllshire 1891, 627

HAMILTON, G. E. H. BARRETT-. See BARRETT-
HAMILTON, G. E. H.

HAMPSON, Sir GEORGE F., Bart., F.Z.S.

On Stridulation in certain Lepidoptera, and on
the Distortion of the Hind Wings in the Males of
certain *Ommatophorinæ* 1892, 188

On the Classification of the *Schoenobiinæ* and
Crambinae, two Subfamilies of Moths, of the Family
Pyrallidæ 1895, 897

On the Classification of the *Thyrididæ*—a Family
of the Lepidoptera Phalænæ 1897, 603

On the Classification of the *Chrysauginæ*, a Sub-
family of Moths of the Family *Pyrallidæ* 1897, 633

A Revision of the Moths of the Subfamily
Pyraustinæ and Family *Pyrallidæ*.—Part I. (Plates
XLIX. & L.) 1898, 590

A Revision of the Moths of the Subfamily
Pyraustinæ and Family *Pyrallidæ*.—Part II. 1899, 172

HAMPSON, Sir GEORGE F., Bart., and WALSHINGHAM,
Lord, M.A., LL.D., F.R.S., F.Z.S.

On Moths collected at Aden and in Somaliland.
(Plate X.) 1896, 257

HANSEN, Dr. H. J. (Copenhagen).

On the Development and the Species of the
Crustaceans of the Genus *Sergestes* 1896, 936

HARMER, SIDNEY F., D.Sc., M.A., F.R.S., F.Z.S.

- Notice of a Memoir on the remains of a Deer
from the Forest-Bed series at Pakefield, near
Lowestoft 1899, 715

HARTERT, ERNST.

- Exhibition of a series of Birds' Eggs associated
with Eggs of *Cuculus canorus*, and remarks upon the
mimicry of Cuckoos' Eggs 1892, 2

- Exhibition of, and remarks upon, two new
Mammals from Dutch New Guinea, and a stuffed
specimen of *Apteryx maxima* 1892, 541

- Remarks on the Rules of Zoological Nomen-
clature 1896, 319

HICKSON, SYDNEY J., M.A., D.Sc., F.R.S., F.Z.S.

- Abstract of a Memoir, entitled "A Revision of
the Genera of the *Alecyonaria Stolonifera*, with
Description of one new Genus and several new
Species" 1892, 594

- On the Species of the Genus *Millepora*: a
preliminary Communication..... 1898, 246

- Notes on the Collection of Specimens of the
Genus *Millepora* obtained by Mr. J. Stanley Gardiner
at Funafuti and Rotuma 1898, 828

HILES, ISA L., B.Sc. (Vict.), of Owens College, Man-
chester,

- Report on the Gorgonacean Corals collected by
Mr. J. Stanley Gardiner at Funafuti. (Plates I.-
IV.) 1899, 46

HILL, LEONARD, M.B.

- Remarks on some Experiments on supposed cases
of the Inheritance of Acquired Characters..... 1896, 785

HINDE, SYDNEY L.

Remarks on the Mammals observed during five years' residence in British East Africa	1900, 267
---	-----------

HOLDING, R. E.

Exhibition of, and remarks upon, some specimens of Horns of Rams of various breeds of the Domestic Sheep (<i>Ovis aries</i>)	1891, 245
Exhibition of the Skull of a Three-horned Stag and other objects	1895, 89
Exhibition of, and remarks upon, an Antler of the Circassian Red Deer, and a pair of Antlers of the Malayan Sambur abnormally developed	1896, 618
Exhibition of, and remarks upon, the head of a three-horned Fallow Deer and a pair of Roebuck's horns	1896, 855
Exhibition of horns of a Fallow Deer showing arrest in development in consequence of disease of the frontal bone	1897, 189
Exhibition of, and remarks upon, a skull of the Theban Goat (<i>Capra hircus</i> var. <i>thebaica</i>)	1897, 473
Exhibition of a head of a Fallow Deer showing malformation of the horns	1897, 901
Exhibition of, and remarks upon, a pair of horns of the "Sunga" or Galla Ox of Abyssinia	1898, 202
Remarks on the Zoological Gardens at Belle Vue, Manchester	1898, 493
Exhibition of, and remarks upon, some specimens of malformed antlers of the Axis and Fallow Deer .	1899, 3
Exhibition of, and remarks upon, the Horns of a Muntjac from Singapore	1899, 295
Exhibition of horns of the Siberian Roebuck (<i>Capreolus pygargus</i>) and the Altai Deer (<i>Cervus eustephanus</i>)	1899, 987

HOLLAND, W. J., Ph.D., F.Z.S., F.E.S., &c., Chancellor
of the Western University of Pennsylvania.

A Preliminary Revision and Synonymic Catalogue
of the *Hesperiidæ* of Africa and the adjacent
Islands, with Descriptions of some apparently new
Species. (Plates I.-V.) 1896, 2

HOLT, ERNEST W. L., Naturalist on Staff, M.B. Assoc.

Studies in Teleostean Morphology from the Marine
Laboratory at Cleethorpes. (Plates XXVIII.-
XXX.) 1894, 413

Exhibition of, and remarks upon, some advanced
larvæ of the luminous Fish *Scopelus glacialis*..... 1898, 279

On the Breeding of the Dragonet (*Callionymus
lyra*) in the Marine Biological Association's
Aquarium at Plymouth; with a preliminary account
of the Elements, and some remarks on the signifi-
cance of the Sexual Dimorphism. (Plate XXVI.) . 1898, 281

Contributions to our Knowledge of the Plankton
of the Faeroe Channel.—No. V. Report on a
Collection of very young Fishes obtained by Dr.
G. H. Fowler in the Faeroe Channel. (Plates
XLVI. & XLVII.) 1898, 550

HOLT, ERNEST W. L., and BYRNE, L. W., F.Z.S.

Exhibition of, and remarks upon, specimens and
drawings of a supposed new Sucker-fish (*Lepado-
gaster stictopteryx*)..... 1898, 589

HOWES, Prof. G. B., LL.D., F.R.S., V.P.Z.S.

On the probable Existence of a Jacobson's Organ
among the Crocodilia; with Observations upon the
Skeleton of that Organ in the Mammalia, and upon
the Basi-Mandibular Elements in the Vertebrata.
(Plate XIV.) 1891, 148

PROC. ZOOL. SOC. INDEX, 1891-1900.

HOWES, Prof. G. B., LL.D., F.R.S., V.P.Z.S. (*continued*).

Exhibition of, and remarks upon, some Photographs, received from Prof. Parker, illustrative of Sea-Lions, Penguins, and Albatrosses in their native haunts 1892, 476

Exhibition of, and remarks upon, an abnormal sternum of the Common Marmoset..... 1893, 168

Notes on Variation and Development of the Vertebral and Limb-Skeleton of the Amphibia 1893, 268

On the Coracoid of the Terrestrial Vertebrata .. 1893, 585

Exhibition of, and remarks upon, some specimens of abnormal Marsipobranch Fishes 1893, 730

On Synostosis and Curvature of the Spine in Fishes, with especial reference to the Sole. (Plate XII.) 1894, 95

Exhibition of, and remarks upon, a Photograph of an Embryo of *Ornithorhynchus* 1895, 1

Exhibition of, and remarks upon, a Skull of a Rabbit destitute of the second pair of upper incisors. 1895, 521

Exhibition, on behalf of Mr. E. W. L. Holt, of a specimen of a new British Fish (*Argentina silus*) .. 1898, 493

Exhibition of, and remarks upon, series of embryos and living eggs of the Tuatera (*Sphenodon punctatus*). 1898, 589

HOWES, Prof. GEORGE B., and SWINNERTON, H. H., B.Sc.

Notice of a Memoir on the Development of the Skeleton of the Tuatera (*Sphenodon (Hatteria) punctatus*) 1900, 516

HOYLE, WILLIAM EVANS, M.A., F.R.S.E.

Exhibition of, and remarks upon, some Photographs of a Snake in the act of swallowing a Mouse 1896, 547

HUBRECHT, Dr. A. A. W., F.M.Z.S.

Letter from, concerning a supposed new Mammal
(*Trichomanis hoevenii*) from Sumatra 1895, 522

HUTTON, Captain F. W., F.R.S., C.M.Z.S. Curator
of the Canterbury Museum, New Zealand.

On a Collection of Petrels from the Kermadec
Islands. (Plate LXIII.) 1893, 749

IHERING, Dr. H. von, C.M.Z.S.

On the Ornithology of the State of São Paulo, Brazil.
(Plate XXVII.) 1899, 508

IRBY, Col. L. H., F.Z.S.

Exhibition of, and remarks upon, two specimens
of the Greater Bullfinch killed in Yorkshire 1895, 691

IVREA, Marquis.

Note on the Wild Goats of the Ægean Islands .. 1899, 599

JACKSON, FREDERICK J., F.Z.S.

Field-Notes on the Antelopes of the Mau District,
British East Africa. With Remarks by P. L.
SCLATER 1897, 450

JACOBY, MARTIN, F.E.S.

Descriptions of some new Genera and new Species
of Phytophagous Coleoptera from Madagascar.
(Plate XXXIX.) 1892, 564

Descriptions of new Species of Coleoptera of the
Genera *Edionychis* and *Asphaera*. (Plate XXXVIII.) 1894, 609

Remarks on the System of Coloration and Punctu-
ation in the Beetles of the Genus *Calligrapha* 1896, 224

Further Contributions to the Knowledge of the
Phytophagous Coleoptera of Africa, including
Madagascar.—Part I. (Plate XVII.) 1897, 238

JACOBY, MARTIN, F.E.S. (*continued*).

Further Contributions to the Knowledge of the
Phytophagous Coleoptera of Africa, including
Madagascar.—Part II. (Plate XXXIV.) 1897, 527

Additions to the Knowledge of the Phytophagous
Coleoptera of Africa.—Part I. (Plate XXII.) .. 1898, 212

Additions to the Knowledge of the Phytophagous
Coleoptera of Africa.—Part II. (Plate XXI.).... 1899, 339

On new Genera and Species of Phytophagous
Coleoptera from South and Central Africa. (Plate
XX.) 1900, 203

JENNINGS-BRAMLEY, W. E.

On Loder's Gazelle in Egypt, and the Mode of
its Capture by the Arabs 1895, 863

JENTINK, Dr. F. A., F.M.Z.S.

Letter from, referring to additional specimens of
the Bush-rat (*Pithechir melanurus*) 1892, 2

Letter from, containing remarks upon *Cercopithecus*
aterrimus 1895, 338

JENTINK, Dr. F. A., and SHERBORN, C. DAVIES, F.Z.S.

On the Dates of the Parts of Siebold's 'Fauna
Japonica' and Giebel's 'Allgemeine Zoologie'
(first edition)..... 1895, 149

JOHNSON, G. LINDSAY, M.A., M.D., F.R.C.S., F.Z.S.

Observations on the Refraction and Vision of
the Seal's Eye 1893, 719

On the Pupils of the *Felidae*..... 1894, 481

Observations on the Ophthalmoscopic Appearances
of the Eyes of the Order Primates. (Plates II.–VI.) 1897, 183

JOHNSON, JAMES YATE, C.M.Z.S.

Notes on the *Coralliidae* of Madeira, with Descriptions of two new Species. (Plates V.-VII.).. 1899, 57

Notes on the Antipatharian Corals of Madeira, with Descriptions of a new Species and a new Variety, and Remarks on a Specimen from the West Indies in the British Museum 1899, 813

Note on the Habit and Mode of Growth of the Corals belonging to the Genus *Pleurocorallium* 1899, 978

JOHNSTON, Sir HARRY H., K.C.B., F.Z.S.

On the Larger Mammals of Tunisia 1898, 351

Letter from, containing an account of a supposed new species of Zebra inhabiting the Congo Forest.. 1900, 774

KEITH, ARTHUR, M.D., F.R.C.S., F.Z.S.

Exhibition of some lantern-slides of, and remarks upon, the Orang-outang lately living in the Society's Gardens 1897, 721

On the Chimpanzees and their Relationship to the Gorilla. (Plate XX.) 1899, 296

KENT, W. SAVILLE, F.L.S., F.Z.S., &c.

Exhibition of, and remarks upon, some Photographs of *Podargus strigoides*, showing the strange attitudes of these birds in a living state 1892, 47

Exhibition of, and remarks upon, a coloured sketch of a Nudibranchiate Mollusk from Western Australia. 1895, 523

Observations on the Frilled Lizard, *Chlamydosaurus kingi*. (Plate XLI.) 1895, 712

Remarks on Trichromatic Photography as applied to Zoological and Botanical subjects 1899, 929

KERBERT, Dr. C., C.M.Z.S.

- Exhibition of a Photograph of a Mountain Antelope
(*Nemorhædus sumatrensis*) 1894, 654

KERR, J. GRAHAM, F.Z.S.

- Remarks on the late Captain John Page's Expedition up the Rio Pilcomayo 1892, 174

- On some Points in the Anatomy of *Nautilus pompilius*. (Plates XXXVIII. & XXXIX.) 1895, 664

- Remarks upon his recent expedition to Paraguay in quest of *Lepidosiren* 1897, 921

- Notes on the dry-season habits of *Lepidosiren*, communicated to him in a letter by Mr. R. J. Hunt, of Paraguay 1898, 41

- Exhibition of specimens of *Lepidosiren* and other Fishes collected in the Gran Chaco of Paraguay .. 1898, 492

KIDD, WALTER, M.D., F.Z.S.

- The Significance of the Hair-Slope in certain Mammals 1900, 676

KIRBY, F. VAUGHAN, F.Z.S.

- Field-notes on the Blue Duiker of the Cape Colony (*Cephalophus monticola*) 1899, 830

KIRBY, W. F., F.L.S., F.E.S., Assistant in Zoological Department, British Museum (Natural History), South Kensington.

- On some Neuroptera Odonata (Dragonflies) collected by Mr. E. E. Green in Ceylon. (Plate XX.) 1891, 203

- Remarks on the Rules of Zoological Nomenclature. 1896, 322

- On some Dragonflies obtained by Mr. and Mrs. Lort Phillips in Somali-land 1896, 521

KIRKPATRICK, R.; ANDREWS, C. W.; SMITH, EDGAR A.;
BERNARD, H. M.; and CHAPMAN, F.

On the Marine Fauna of Christmas Island (Indian
Ocean). (Plates XII. & XIII.) 1900, 115

KYLE, H. M., M.A., B.Sc., St. Andrews.

On a new Genus of Flat-fishes from New
Zealand 1900, 986

LAIDLAW, F. F., B.A.

On the Frogs collected during the "Skeat Ex-
pedition" to the Malay Peninsula, 1899-1900.
(Plate LVII.) 1900, 883

LANCHESTER, W. F., M.A., King's College, Cambridge.

On a Collection of Crustaceans made at Singapore
and Malacca.—Part I. Crustacea Brachyura. (Plates
XLIV.-XLVII.) 1900, 719

LANKESTER, Prof. E. RAY, M.A., LL.D., F.R.S., &c.

Notice of a Memoir on the External Characters
which distinguish the two Dipnoid Fishes *Lepidosiren*
and *Protopterus* 1894, 485

Remarks on the Rules of Zoological Nomenclature. 1896, 320

LAST, J. T.

On the Bones of the *Æpyornis*, and on the
Localities and Conditions in which they are found. 1894, 123

LATTEB, OSWALD H., M.A., formerly Berkeley Fellow
of Owens College, Manchester, 1888, late
Tutor of Keble College, Assistant Master at
Charterhouse.

Notes on *Anodon* and *Unio*. (Plate VII.) 1891, 52

LE SOUËF, DUDLEY, C.M.Z.S.

- Letter from, on the transfer by the mother of
an embryo Kangaroo (*Macropus giganteus*) by her
mouth into her pouch 1898, 79

LILFORD, THOMAS LITTLETON, Lord, F.L.S., F.Z.S., &c.

- Letter from, on the breeding of Demidoff's
Galago in captivity 1892, 542
- Exhibition of, and remarks upon, a skin of a
Duck believed to be a Hybrid between the Mallard
(*Anas boschas*) and the Teal (*Querquedula crecca*) .. 1895, 2
- Exhibition of, and remarks upon, a specimen of
the American Wigeon (*Mareca americana*)..... 1895, 273

LISTER, J. J., M.A., F.Z.S.

- Notes on the Birds of the Phoenix Islands (Pacific
Ocean) 1891, 289

LITLEDALE, ST. GEORGE, F.R.G.S.

- Field-Notes on the Wild Camel of Lob-Nor..... 1894, 446

LITTLETON, The Hon. H. S.

- Exhibition of, and remarks upon, a life-sized
model of the Australian Lung-fish (*Ceratodus forsteri*). 1896, 786

LODER, Sir EDMUND GILES, Bart., F.Z.S.

- On the "Reem" Antelope of Algeria 1894, 473
- Note on the Period of Gestation of the Indian
Antelope, *Antilope cervicapra* (Linn.) 1894, 476

LÖNNBERG, Dr. EINAR, of Upsala University.

- On the Soft Anatomy of the Musk-Ox (*Ovibos
moschatus*)..... 1900, 142
- On a remarkable Piece of Skin from Cueva Eber-
hardt, Last Hope Inlet, Patagonia 1900, 379
- On the Structure and Anatomy of the Musk-Ox
(*Ovibos moschatus*)..... 1900, 686

LYDEKKER, RICHARD, B.A., F.R.S., F.G.S., F.Z.S.

On Pleistocene Bird-remains from the Sardinian and Corsican Islands. (Plate XXXVII.)	1891, 467
On Remains of a Large Stork from the Allier Miocene.	1891, 476
On a new Species of Moa. (Plate XXXVIII.)..	1891, 479
On a remarkable Sirenian Jaw from the Oligocene of Italy, and its bearing on the Evolution of the Sirenia	1892, 77
On Zeuglodont and other Cetacean Remains from the Tertiary of the Caucasus. (Plates XXXVI.-XXXVIII.)	1892, 558
Note on the Coracoidal Element in Adult Sloths, with Remarks on its Homology	1893, 172
On some Bird-bones from the Miocene of Grive-St.-Alban, Department of Isère, France. (Plate XLI.)	1894, 517
Remarks on a visit to the La Plata Museum, and observations on some of the principal objects contained therein	1894, 3
Exhibition of a painting of the head of a Wild Goat (<i>Capra aegagrus</i>) of unusual dimensions	1894, 3
Exhibition of, and remarks upon, a Photograph and Model of an Egg from Southern Patagonia in the La Plata Museum	1894, 654
Exhibition of a life-size drawing of a West-African Squirrel (<i>Idiurus zenkeri</i>)	1895, 2
Note on the Structure and Habits of the Sea-Otter (<i>Lutra lutris</i>)	1895, 421
On the Affinities of the so-called Extinct Giant Dormouse of Malta	1895, 860
Additional Note on the Sea-Otter	1896, 235
On an apparently New Deer from North China, in the Menagerie of the Duke of Bedford at Woburn Abbey. (Plates XLVIII. & XLIX.)	1896, 930

LYDEKKER, RICHARD, B.A., F.R.S., F.G.S., F.Z.S.

(continued).

- On the Deer allied to *Cervus sica*. (Plate I.) .. 1897, 37
- The Blue Bear of Tibet, with Notes on the Members of the *Ursus arctus* Group. (Plate XXVII.) 1897, 412
- Exhibition, on behalf of the Hon. A. E. Gathorne-Hardy, of a flat skin of *Ursus pruinosus*. 1897, 814
- Exhibition of a coloured sketch of *Cervus canadensis asiaticus* and remarks upon *Cervus bedfordianus*. . . . 1897, 815
- Exhibition of skins of a variety of Mule-Deer from Lower California proposed to be named *Mazama (Dorcelaphus) hemionus peninsulæ* 1897, 899
- On the Geographical Races of the Banting. (Plate XXV.) 1898, 276
- Exhibition of, and remarks upon, a pale-coloured specimen of the Reed-buck (*Cervicapra arundinum*). 1899, 555
- On a West-African Kob Antelope. (Plate LIII.) 1899, 794
- On the Leopard of the Caucasus. (Plate LIV.) . 1899, 795
- On the supposed former Existence of a Sirenian in St. Helena 1899, 796
- Exhibition of, and remarks upon, a mounted head of a Swamp-Deer (*Cervus duvauceli*) 1899, 829
- Specific Characters of the Chilian Guemal. (Plate LXI.) 1899, 917
- On the Skull of a Shark-toothed Dolphin from Patagonia 1899, 919
- The Dental Formula of the Marsupial and Placental Carnivora. (Plate LXII.) 1899, 922
- Description of the Skin of an apparently new Kob Antelope from the Neighbourhood of Lake Mweru, with Note on a Skull and Horns of an Antelope of the same Genus. (Plate LXXI.) 1899, 981

LYDEKKER, RICHARD, B.A., F.R.S., F.G.S., F.Z.S.

(continued).

Exhibition of, on behalf of Mr. Rowland Ward,
and remarks upon, the skin and horns of *Ovis*
saiensis 1900, 113

Exhibition of, and remarks upon, the skulls, horns,
and skins of an Ibex, thought to be referable to
Capra sibirica dauvergnei 1900, 114

Remarks on some errors in his papers published
in the 'Proceedings' in 1899 1900, 430

Exhibition of, and remarks upon, a mounted
specimen of the Musk-Ox from East Greenland .. 1900, 832

LYDEKKER, RICHARD, and THOMAS, OLDFIELD, F.Z.S.

On the Number of Grinding-Teeth possessed by
the Manatee. (Plate XXXVI.) 1897, 595

Note on their recently published Paper on the
Dentition of the Manatee 1897, 814

MACKAY, J. S.

Letter from, containing remarks upon a young
Snow-Leopard 1893, 692

MACKENZIE, G. S., C.B., F.Z.S.

Exhibition of a photograph of a large pair of
tusks of the African Elephant 1899, 985

MACKINDER, H. J.; SHARPE, R. BOWDLER; SAUNDERS,
ERNEST; and CAMBURN, C.

On the Birds collected during the Mackinder
Expedition to Mount Kenya. By R. BOWDLER
SHARPE. With Notes by H. J. MACKINDER, ERNEST
SAUNDERS, and C. CAMBURN. (Plate XLIII.) 1900, 596

McLACHLAN, ROBERT, F.R.S., F.Z.S.; PEEL, C. V. A.;
 AUSTEN, E. E.; DIXEY, F. A.; DRUCE,
 HERBERT; GAHAN, C. J.; ARROW, G. J.;
 BURR, M.; and POCKOCK, R. I.

On a Collection of Insects and Arachnids made
 in 1895 and 1897, by Mr. C. V. A. Peel, F.Z.S., in
 Somaliland, with Descriptions of new Species.
 (Plates I.-IV.) 1900, 4

MAJOR, DR. C. I. FORSYTH, F.Z.S.

On the Fossil Remains of Species of the Family
Giraffidae 1891, 315

On some Miocene Squirrels, with Remarks on the
 Dentition and Classification of the *Sciurinae*.
 (Plates VIII.-XI.) 1893, 179

Exhibition of, and remarks upon, a tooth of an
 Ant-Bear (*Orycteropus*) from the Upper Miocene of
 Maragha (Persia) 1893, 239

Exhibition of, and remarks upon, a subfossil
 Lemuroid skull from Madagascar 1893, 532

On the General Results of a Zoological Expedition
 to Madagascar in 1894-96 1896, 971

On the Species of *Potamochoerus*, the Bush-Pigs
 of the Ethiopian Region. (Plates XXV. & XXVI.) 1897, 359

On the Malagasy Rodent Genus *Brachyuromys*;
 and on the Mutual Relations of some Groups of
 the *Muridae* (*Hesperomyinae*, *Microtinae*, *Murinae*, and
 "*Spalacidae*") with each other and with the Mala-
 gasy *Nesomyinae*. (Plates XXXVII.-XL.) 1897, 695

Exhibition of, and remarks upon, the carpus of
 the Fossorial Rodent *Otenomys* 1899, 428

Exhibition of, and remarks upon, some specimens
 of a Lemur (*Prosimia rufipes* Gray) from Madagascar. 1899, 553

MAJOR, DR. C. I. FORSYTH, F.Z.S. (*continued*).

Exhibition of, and remarks upon, some skulls of
foetal Malagasy Lemurs 1899, 987

Exhibition of, and remarks upon, specimens of
two subfossil Mammals from Madagascar 1899, 988

Exhibition of, and remarks upon, some bones of
a species of *Macacus* from the Mauritius 1900, 832

Remarks on remains of *Cyon sardous* from a cave
in Sardinia 1900, 833

MANNERS-SMITH, T., B.A. (Cantab.), M.R.C.S., Chief
Demonstrator of Anatomy, Mason College,
Birmingham.

On some Points in the Anatomy of *Ornitho-
rhynchus paradoxus* 1894, 694

MARSHALL, GUY A. K., F.Z.S.

On the Synonymy of the Butterflies of the Genus
Teracolus 1897, 3

MARTORELLI, DR. G., Secretary of the Italian Society
of Natural Sciences, Milan.

Letter from, enclosing a coloured drawing of a
hybrid Duck between *Branta rufina* and *Anas boschas*. 1891, 486

MEYER, DR. A. B., C.M.Z.S.

Letter from, containing remarks upon a Specimen
of *Semnopithecus nemiceus* from Hainan 1892, 665

Remarks on an African Monkey, *Cercopithecus
wolfi*. (Plate VII.) 1894, 83

MICHAEL, A. D., F.L.S., F.Z.S., F.R.M.S., &c.

On the Association of Gamasids with Ants.
(Plates XLIX. & L.) 1891, 638

Exhibition of, and remarks upon, specimens of a
Tick of the Genus *Ixodes*, received from Antigua .. 1893, 177

On a new Genus and Species of *Acar*i found in
Cornwall. (Plate XVIII.) 1893, 262

A Study of the Internal Anatomy of *Thyas*
petrophilus, an unrecorded Hydrachnid found in
Cornwall. (Plates VII.-IX.) 1895, 174

MILLAIS, J. G., F.Z.S.

Letter from, containing remarks upon his endeavours to obtain a White Rhinoceros in Mashonaland. 1893, 614

MILNE-EDWARDS, ALPHONSE, F.M.Z.S.

Extract of a letter from, concerning the female
of *Lemur nigerrimus* 1893, 177

Description of a new Species of Crab of the
Genus *Hyastenus* 1895, 239

MITCHELL, P. CHALMERS, M.A., F.Z.S.

On the Perforated Flexor Muscles in some Birds. 1894, 495

Exhibition of, and remarks upon, a tibia and
other bones of an extinct Bird of the Genus *Apyornis*. 1895, 1

On the Proventricular Crypts of *Pseudotantalus*
ibis. (Plate XVII.) 1895, 271

On the Anatomy of *Chauna chavaria* 1895, 350

On the Intestinal Tract of Birds 1896, 136

A Contribution to the Anatomy of the Hoatzin
(*Opisthocomus cristatus*) 1896, 618

MITCHELL, P. CHALMERS, M.A., F.Z.S. (*continued*).

Remarks on a supposed case of Telegony shown
by a Fox-terrier puppy 1896, 785

Exhibition of, and remarks upon, some etched
studies of young Orang-Outangs 1898, 851

MITCHELL, P. CHALMERS, and BEDDARD, F. E., M.A.,
F.R.S.

On the Anatomy of *Palamedea cornuta* 1894, 536

On the Structure of the Heart of the Alligator .. 1895, 343

MITFORD, C. B.

Extract of a letter from, containing an account
of a visitation of Locusts in Sierra Leone 1894, 1

Extract of a letter from, respecting the occur-
rence of the Elephant in Sierra Leone 1894, 2

MIVART, ST. GEORGE, Ph.D., M.D., F.R.S., &c.

On the Hyoid Bone of certain Parrots 1895, 162

The Skeleton of *Lorius flavopalliatus* compared
with that of *Psittacus erithacus*.—Part I. 1895, 312

The Skeleton of *Lorius flavopalliatus* compared
with that of *Psittacus erithacus*.—Part II. 1895, 363

On the Hyoid Bones of *Nestor meridionalis* and
Nanodes discolor 1896, 36

MOELLENDORFF, O. F. VON, Ph.D.

On the Land and Freshwater Shells of Perak.
(Plate XXX.) 1891, 330

On a Collection of Land-Shells from the Samui
Islands, Gulf of Siam: (Plate XVI.) 1894, 146

MOLE, R. R., and URICH, F. W.

Notes on some Reptiles from Trinidad 1891, 447

Biological Notes upon some of the Ophidia of
Trinidad, B.W.I., with a Preliminary List of the
Species recorded from the Island 1894, 499

MOORE, J. E. S., of the Royal College of Science, South
Kensington.

On the general Zoological Results of the Tan-
ganyika Expedition 1897, 43

Exhibition of, and remarks upon, some specimens
of the Jellyfish (*Limnocyclus tanganyicae*) of Lake
Tanganyika 1899, 291

MORENO, Dr. FRANCISCO P., C.M.Z.S.

Exhibition of, and remarks upon, a portion of
the skin of *Neomylodon listai* 1899, 1

MORENO, Dr. FRANCISCO P., and WOODWARD, ARTHUR
SMITH, F.Z.S.

On a Portion of Mammalian Skin, named *Neomy-
lodon listai*, from a Cavern near Consuelo Cove, Last
Hope Inlet, Patagonia. By Dr. F. P. MORENO,
C.M.Z.S. With a Description of the Specimen by
A. SMITH WOODWARD, F.Z.S. (Plates XIII.-XV.) 1899, 144

MUDGE, G. P.

Abstract of a paper on the Myology of the
Tongue of Parrots 1897, 815

MURIE, JAMES, M.D., F.L.S., F.Z.S., &c., and
BEDDARD, FRANK E., M.A., F.R.S.E., Pro-
sector to the Society.

Exhibition of, and remarks upon, some drawings
and specimens illustrative of the cause of death
of an African Rhinoceros 1891, 246

NEUMANN, OSCAR.

- Description of a new Species of Antelope from
East Africa 1896, 192
- On a new Antelope of the Genus *Hippotragus* .. 1898, 850

NEVILL, HUGH, F.Z.S.

- Remarks on the importance of founding an
experimental Zoological Station in the Tropics 1891, 486

NEWBIGIN, Miss MARION I., B.Sc.

- Observations on the Metallic Colours of the
Trochilidae and the *Nectariniidae*. (Plates XI. & XII.) 1896, 283

NEWSTEAD, R., F.E.S.

- On a new Scale-Insect from Zomba, British
Central Africa. (Plate LIX.) 1900, 947

NEWTON, ALFRED, M.A., F.R.S., F.Z.S., Professor of
Zoology and Comparative Anatomy in the
University of Cambridge.

- Exhibition of, on behalf of Mr. John Cordeaux,
and remarks upon the skin of an immature example
of *Sylvia nisoria*, shot in Yorkshire 1892, 542

- On a new Species of *Drepanis* discovered by
Mr. R. C. L. Perkins 1893, 690

- Exhibition of, and remarks upon, the type
specimen of *Heterorhynchus olivaceus* 1896, 990

- On some New or Rare Birds' Eggs. (Plate LL.). 1897, 890

NEWTON, Sir EDWARD, K.C.M.G., F.L.S., C.M.Z.S.,
and GADOW, HANS, Ph.D., F.R.S., F.Z.S., &c.

- Abstract of a Memoir on some bones of the
Dodo and other extinct Birds of Mauritius, re-
cently obtained by Mr. Theodore Sauzier 1892, 543
- PROC. ZOOL. SOC. INDEX, 1891-1900. 5

NEWTON, EDWIN T., F.R.S., F.G.S., F.Z.S.

Exhibition of, and remarks upon, an abnormally shaped egg of the Common Fowl 1891, 214

Abstract of a Memoir on a Skull of *Trogontherium cuvieri* from the Forest-bed of East Runton, near Cromer 1891, 247

Notes on the Geology of British Central Africa . 1891, 310

Exhibition of, and remarks upon, some fossil remains of a Mouse (*Mus abbotti*, now to be *M. lewisi*) from Ightham, Kent 1899, 381

NICHOLSON, General Sir LOTHIAN, K.C.B.

Letter from, concerning the present condition of the Barbary Apes on the Rock of Gibraltar 1893, 325

NORTH, ALFRED J., C.M.Z.S., Ornithologist to the Australian Museum, Sydney.

On the Habits of a Cuckoo in the Gilbert Islands. 1896, 934

PARKER, Prof. T. JEFFERY, D.Sc., F.R.S.

Abstract of a Memoir on the Cranial Osteology, Classification, and Phylogeny of the *Dinornithidae*.. 1893, 170

PARKER, W. N., Ph.D., F.Z.S., Professor of Biology in the University College of S. Wales and Monmouthshire, Cardiff.

On some Points in the Structure of the Young of *Echidna aculeata*. (Plates I.-III.)..... 1894, 3

PARSONS, F. G., F.R.C.S., F.Z.S., F.L.S., Lecturer on Comparative Anatomy at St. Thomas's Hospital, and Hunterian Professor at the Royal College of Surgeons.

On the Myology of the Sciuromorphic and Hystriomorphic Rodents 1894, 251

PARSONS, F. G., F.R.C.S., F.Z.S., F.L.S., &c. (*continued*).

On the Anatomy of *Atherura africanus* compared
with that of other Porcupines 1894, 675

The Myology of Rodents.—Part II. An Account
of the Myology of the Myomorpha, together with a
Comparison of the Muscles of the various Suborders
of Rodents 1896, 159

On the Anatomy of *Petrogale xanthopus*, compared
with that of other Kangaroos 1896, 683

On the Anatomy of the African Jumping-Hare
(*Pedetes caffer*) compared with that of the *Dipodidae*. 1898, 858

PARSONS, F. G., and BEDDARD, FRANK E., M.A.,
F.R.S.

On certain Points in the Anatomy of Parrots
bearing on their Classification. (Plate XL.) . . . 1893, 507

PARSONS, F. G., and WINDLE, B. C. A., M.A., M.D.,
D.Sc., Professor of Anatomy at Mason College,
Birmingham.

On the Myology of the Terrestrial Carnivora.—
Part I. Muscles of the Head, Neck, and Fore-limb. 1897, 370

The Myology of the Terrestrial Carnivora.—
Part II. 1898, 152

On the Myology of the Edentata.—Part I. . . . 1899, 314

On the Myology of the Edentata.—Part II. . . . 1899, 990

PEASE, ALFRED E., M.P., F.Z.S.

On the Antelopes of the Aures and Eastern
Algerian Sahara 1896, 809

Supplemental Note on the Distribution of Loder's
Gazelle and the Dorcas Gazelle in Algeria 1899, 593

PECKHAM, G. W., and PECKHAM, E. G.

On the Spiders of the Family *Attidae* of the
Island of St. Vincent. (Plates LXI. & LXII.).... 1893, 692

PEEL, C. V. A., F.Z.S.; AUSTEN, E. E.; DIXEY, F. A.;
DRUCE, HERBERT; GAHAN, C. J.; ARROW,
G. J.; MCLACHLAN, R.; BURR, M.; and
POCOCK, R. I.

On a Collection of Insects and Arachnids made
in 1895 and 1897, by Mr. C. V. A. Peel, F.Z.S., in
Somaliland, with Descriptions of new Species.
(Plates I.-IV.) 1900, 4

PERACCA, Count M. G., D.Sc., Ph.D., F.Z.S.

Note on an Italian Newt, *Molge italica*.
(Plate XL.) 1898, 482

PERCIVAL, A. BLAYNEY, F.Z.S.

Exhibition of, and remarks upon, a series of
Bird-skins from Chiromo, British Central Africa .. 1899, 714

POCOCK, R. INNES, of the British Museum (Natural
History).

On the Myriopoda and Arachnida collected by
Dr. Anderson in Algeria and Tunisia 1892, 24

On the Spiders of the Suborder Mygalomorphæ
from the Ethiopian Region contained in the
Collection of the British Museum. (Plates XLI.-
XLIII.) 1897, 724

On the Scorpions, Spiders, and Solpugas collected
by Mr. C. Steuart Betton in British East Africa.
(Plates XLI. & XLII.) 1898, 497

On the Scorpions, Pedipalps, and Spiders from
Tropical West Africa represented in the Collection
of the British Museum. (Plates LV.-LVIII.).... 1899, 833

POCOCK, R. I.; PEEL, C. V. A.; AUSTEN, E. E.;
DIXEY, F. A.; DRUCE, HERBERT; GAHAN,
C. J.; ARROW, G. J.; MCLACHLAN, R.; and
BURR, M.

On a Collection of Insects and Arachnids made
in 1895 and 1897, by Mr. C. V. A. Peel, F.Z.S., in
Somaliland, with Descriptions of new Species.
(Plates I.-IV.) 1900, 4

POLE-CAREW, C. E., F.Z.S.

Exhibition of some malformed horns of the
Sambur Deer (*Cervus aristotelis*) 1899, 830

POULTON, EDWARD B., M.A., F.R.S.

On an interesting Example of Protective Mimicry
discovered by Mr. W. L. Sclater in British Guiana.
(Plate XXXVI.) 1891, 462

PUNNETT, R. C., B.A.

On some Nemertean from Torres Straits. (Plates
LIV. & LV.) 1900, 825

PYCRAFT, W. P., A.L.S., of the British Museum
(Natural History).

Contributions to the Osteology of Birds.—Part I.
Steganopodes. (Plates VII. & VIII.) 1898, 82

Contributions to the Osteology of Birds.—Part
II. *Impennes*. (Plates LIX.-LXI.) 1898, 958

Contributions to the Osteology of Birds.—Part
III. *Tubinares*. (Plates XXII. & XXIII.) 1899, 381

Contributions to the Osteology of Birds.—Part
IV. *Pygopodes*. (Plate LXXII.) 1899, 1018

RADDE, DR. GUSTAV, C.M.Z.S.

On the present Range of the European Bison
in the Caucasus. 1893, 175

REDTENBACHER, Prof. J., & WATTENWYL, C. BRUNNER V.

On the Orthoptera of the Island of St. Vincent,
West Indies. (Plates XV.-XVII.) 1892, 196

REED, EDWYN C., C.M.Z.S.

On the Chilian Hymenoptera of the Family
Odyneridae 1893, 685

RENDALL, Dr. PERCY, F.Z.S.

Field-Notes on the Antelopes of the Transvaal .. 1895, 358

RIDEWOOD, W. G., D.Sc., F.L.S., F.Z.S., Lecturer
on Biology at St. Mary's Hospital Medical
School, London.

On the Hyoid Arch of *Ceratodus*. 1894, 632

On the Structure and Development of the Hyo-
branchial Skeleton of the Parsley-Frog (*Pelodytes*
punctatus). (Plate XXXV.) 1897, 577

On the Development of the Hyobranchial
Skeleton of the Midwife-Toad (*Alytes obstetricans*).
(Plate II.) 1898, 4

On the Skeleton of Regenerated Limbs of the
Midwife-Toad (*Alytes obstetricans*) 1898, 101

On the Relations of the Efferent Branchial
Blood-vessels to the "Circulus Cephalicus" in
Teleostean Fishes. (Plates LXIII.-LXV.) 1899, 939

ROMANES, GEORGE JOHN, M.A., LL.D., F.R.S., F.Z.S.

Remarks on some results recently obtained from
the Cross-breeding of Rats and Rabbits 1892, 476

ROTHSCHILD, Hon. WALTER, M.P., LL.D., F.Z.S.

Description of a new Pigeon of the Genus
Carpophaga. (Plate XXVIII.) 1891, 312

ROTHSCHILD, Hon. WALTER, M.P., &c. (*continued*).

Descriptions of two new Mammals from New Guinea 1892, 545

Exhibition of, and remarks upon, the egg of the Duck-bill, the leg-bones of a large species of *Æpyornis*, an enlarged photograph of a colony of Albatrosses on Laysan Island, a series of Lepidoptera from Jamaica, and another series from the Bolivian Andes 1893, 505

Exhibition of a series of the Parrots of the Genus *Cyanorhamphus* and description of a new Species .. 1893, 529

Exhibition of a mounted specimen of the Ribbon-fish, *Regalecus argenteus* (?) 1898, 280

Abstract of a Memoir on the Cassowaries 1899, 773

ST. JOHN, Lieut.-Col. Sir O. B., K.C.S.I., R.E., F.Z.S.

Note on a case of a Mongoose (*Herpestes mungo*) breeding during domestication 1891, 245

SALVADORI, TOMMASO, M.D., C.M.Z.S.

Descriptions of two new Species of Parrots of the Genus *Platycercus*. (Plate XII.) 1891, 129

SALVIN, OSBERT, M.A., F.R.S., F.Z.S.

Remarks on the Butterflies of British Central Africa 1891, 312

Exhibition of a pair of the newly described Butterfly, *Ornithoptera paradisea* 1894, 608

SALVIN, OSBERT, M.A., F.R.S., and GODMAN, F. DUCANE, F.R.S.

On the Butterflies of St. Vincent, Grenada, and the adjoining Islands of the West Indies 1896, 513

SÁNYÁL, BABU RAM BRAHMA, C.M.Z.S.

- Letter from, containing remarks upon a hybrid
Monkey between *Semnopithecus phayrei* and *S.*
cristatus 1893, 615
- Notes on *Cynogale bennetti* Gray 1894, 296
- On the Moulting of the Great Bird of Paradise,
with brief Notes upon its Habits in Captivity 1895, 541

SAUNDERS, ERNEST ; SHARPE, R. BOWDLER ; MAC-
KINDER, H. J. ; and CAMBURN, C.

- On the Birds collected during the Mackinder
Expedition to Mount Kenya. By R. BOWDLER
SHARPE. With Notes by H. J. MACKINDER,
ERNEST SAUNDERS, and C. CAMBURN. (Plate XLIII.) 1900, 596

SAUNDERS, HOWARD, F.Z.S., F.L.S.

- Exhibition of, and remarks upon, a nearly white
skin of a Tiger from Northern India 1891, 373
- Exhibition of, and remarks upon, some specimens
of the eggs of *Larus maculipennis* and *Sterna*
trudeaui, obtained by Mr. Ernest Gibson in the
Argentine Republic 1891, 373
- Exhibition of a specimen of the American Stint,
Tringa minutilla, shot in North Devon 1893, 178
- Exhibition (on behalf of Mr. R. M. Barrington)
of a Hybrid Duck shot in Ireland 1895, 401
- Exhibition, on behalf of Mr. H. Evans, of a series
of photographs of the Great Grey Seal (*Halichoerus*
gryphus) 1897, 436

SAUVAGE, DR. H. E.

- Exhibition of a Vertebra of what was believed
to be the earliest known Snake yet discovered 1894, 391

SCHAUS, WILLIAM, F.Z.S.

Descriptions of new Species of Lepidoptera
Heterocera from Brazil, Mexico, and Peru.—Part I. 1892, 272

Descriptions of new Species of Lepidoptera
Heterocera from Brazil, Mexico, and Peru.—Part II. 1892, 318

On new Species of Heterocera from Tropical
America..... 1894, 225

On Walker's American Types of Lepidoptera in
the Oxford University Museum 1896, 634

SCHERREN, HENRY, F.Z.S.

Exhibition of, and remarks upon, the nest of an
Amphipodous Crustacean (*Amphithoë littorina*) 1894, 485

SCHUSTER, E. H. J., F.Z.S.

On a new Flagellate Protozoon of the Genus
Lophomonas 1898, 242

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S.,
Secretary to the Society.

Report on the additions to the Society's Menagerie
in December 1890 1891, 1

Exhibition of, and remarks upon, some sketches
made by Lieut. W. E. Stairs, R.E., of the horns of
a large Antelope apparently unknown to Science .. 1891, 1

Exhibition of, and remarks upon, specimens of
three species of Purple Water-hens (*Porphyrio*
poliocephalus, *P. caeruleus*, and *P. smaragdinator*) .. 1891, 47

Report on the additions to the Society's Mena-
gerie in January 1891 1891, 121

On a second Collection of Birds from the Province
of Tarapacá, Northern Chili. (Plate XIII.) 1891, 131

Report on the additions to the Society's Menagerie
in February 1891 1891, 179

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Exhibition of, and remarks upon, a specimen of Macgregor's Paradise-bird (<i>Cnemophilus macgregori</i>).	1891, 179
Exhibition of, and remarks upon, two specimens of the Horns of an Antelope from Somali-land. . . .	1891, 197
Exhibition of skins of the Ounce (<i>Felis uncia</i>), and remarks upon its geographical distribution	1891, 197
Report on the additions to the Society's Menagerie in March 1891	1891, 212
Remarks upon the breeding of <i>Tragelaphus gratus</i> in the Gardens of the Zoological Society of Amsterdam	1891, 213
Report on the additions to the Society's Menagerie in April 1891	1891, 301
General remarks upon the Fauna of British Central Africa	1891, 301
Report on the additions to the Society's Menagerie in May 1891	1891, 326
Remarks on interesting Animals observed during a visit to the Zoological Gardens of Paris, Ghent, Antwerp, Rotterdam, Amsterdam, and The Hague .	1891, 326
Remarks on two Sea-Eagles, <i>Haliaeetus pelagicus</i> and <i>H. branicickii</i> , living in the Hamburg Zoological Garden.	1891, 374
Report on the additions to the Society's Menagerie in June, July, August, and September 1891	1891, 464
Report on the additions to the Society's Menagerie in October 1891	1891, 486
Exhibition of, and remarks upon, a specimen of a Shearwater (<i>Puffinus gavia</i>) from Australia	1891, 627
Report on the additions to the Society's Menagerie in November and December 1891	1892, 1
Report on the additions to the Society's Menagerie in January 1892	1892, 76

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Exhibition of, and remarks upon, the egg and young of the Partridge Bronze-wing Pigeon (<i>Geophaps scripta</i>)	1892, 76
On a small Collection of Mammals brought by Mr. A. Sharpe from Nyassaland	1892, 97
On a New Antelope from Somaliland, and on some other Specimens of Antelopes from the same Country. (Plate V.)	1892, 98
Exhibition of, and remarks upon, some "Spinning" or "Japanese" Mice	1892, 117
Exhibition of, and remarks upon, a series of mounted heads of Antelopes belonging to Capt. Swayne, including one of <i>Bubalis swaynei</i>	1892, 117
Report on the additions to the Society's Menagerie in February 1892	1892, 174
Exhibition of, and remarks upon, a skin of the Wild Ass of Somaliland (<i>Equus asinus somalicus</i>) ..	1892, 195
Report on the additions to the Society's Menagerie in March 1892, and list of Giraffes that have lived in the Society's Gardens	1892, 256
Exhibition of, and remarks upon, two mounted heads of Swayne's Antelope (<i>Bubalis swaynei</i>)	1892, 257
Report on the additions to the Society's Menagerie in April 1892	1892, 299
Exhibition of, and remarks upon, a nearly perfect egg of <i>Apyornis medius</i>	1892, 299
Report on the additions to the Society's Menagerie in May 1892	1892, 470
Remarks on interesting Animals observed during a visit to the Zoological Gardens of Rotterdam, The Hague, Amsterdam, and Antwerp	1892, 471

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Remarks upon the habits of a South-African Snake (*Dasypeltis scabra*) 1892, 476

Extracts from a letter from Mr. H. H. Johnston, announcing the despatch of specimens from the Shiré Highlands 1892, 477

On a Collection of Birds from the Island of Anguilla, West Indies 1892, 498

Report on the additions to the Society's Menagerie in June, July, August, and September 1892 1892, 541

Report on the additions to the Society's Menagerie in October 1892, and description of a new Monkey of the Genus *Cercopithecus*. (Plate XL.) 1892, 579

Exhibition of, on behalf of Thomas Ground, and remarks upon, a specimen of the Siberian Pectoral Sandpiper shot on Breydon mudflats, Norfolk . . . 1892, 581

Report on the additions to the Society's Menagerie in November 1892 1892, 594

Report on the additions to the Society's Menagerie in December 1892 1893, 1

Remarks on a Rare Argentine Bird, *Xenopsaris albinucha*. (Plate VII.) 1893, 166

Report on the additions to the Society's Menagerie in January 1893 1893, 168

Exhibition of and remarks, on behalf of Mr. R. M. Barrington, upon an example of the Antarctic Sheath-bill, *Chionis alba*, killed on the Coast of Ireland . . 1893, 178

Report on the additions to the Society's Menagerie in February 1893 1893, 237

On a new African Monkey of the Genus *Cercopithecus*, with a List of the known Species. (Plates XVI. & XVII.) 1893, 243

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Report on the additions to the Society's Menagerie in March 1893	1893, 325
Exhibition of, and remarks upon, a skin of a variety of the Pig-tailed Monkey, <i>Macacus nemestrinus</i>	1893, 325
Report on the additions to the Society's Menagerie in April 1893	1893, 435
Remarks on the protrusion of a fleshy mass from the Cloaca occasionally exhibited by the Greater Vasa Parrot	1893, 435
List of the dates of receipt from the Printers of the sheets of the Society's 'Proceedings' from 1831 to 1859 inclusive	1893, 435
Additional Notes on the Monkeys of the Genus <i>Cercopithecus</i> . (Plate XXXIII.)	1893, 441
Report on the additions to the Society's Menagerie in May 1893. (Plate XXXIX.)	1893, 505
Exhibition of, and remarks upon, some skins of Mammals from the Shiré Highlands, British Central African Protectorate	1893, 506
On some Horns belonging, apparently, to a new form of African Rhinoceros	1893, 514
Exhibition of, and remarks upon, two eggs of the Cape Coly (<i>Colius capensis</i>) laid in the Society's Gardens	1893, 528
Report on the additions to the Society's Menagerie in June, July, August, and September 1893	1893, 612
Remarks on the Zoological Gardens of Stuttgart, Frankfort, and Cologne	1893, 613
Remarks upon the breeding of Monkeys, during the last ten years, in the Society's Gardens	1893, 615
Report on the additions to the Society's Menagerie in October 1893	1893, 691

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Exhibition of, and remarks upon, a mounted specimen of *Cercopithecus albigularis* from the Leyden Museum 1893, 691

On some Specimens of Mammals from Lake Mweru, British Central Africa, transmitted by Vice-Consul Alfred Sharpe 1893, 723

Report on the additions to the Society's Menagerie in November 1893 1893, 729

Report on the additions to the Society's Menagerie in December 1893 1894, 1

Exhibition of, and remarks upon, a coloured drawing of the head of *Cercopithecus erythrogaster*.. 1894, 1

Report on the additions to the Society's Menagerie in January 1894 1894, 92

Exhibition of, and remarks upon, a mounted specimen of the River-hog of Madagascar (*Potamochoerus edwardsi*), with notes on its habits by Mr. J. T. Last. 1894, 92

Exhibition of, and remarks upon, a stuffed specimen of the White-billed Great Northern Diver (*Colymbus adamsi*) from Norway..... 1894, 94

Report on the additions to the Society's Menagerie in February 1894 1894, 162

Exhibition of, and remarks upon, a photograph of a young male Gaur or Indian Bison (*Bos gaurus*) .. 1894, 249

Report on the additions to the Society's Menagerie in March 1894 1894, 316

Remarks on the Specimens of *Protopterus annectens* living in the Society's Reptile-house 1894, 353

Report on the additions to the Society's Menagerie in April 1894 1894, 390

Report on the additions to the Society's Menagerie in May 1894 1894, 456

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Remarks upon animals observed in the Zoological Gardens of Rotterdam, Amsterdam, Hanover, Berlin, and Hamburg	1894, 456
Exhibition of, and remarks upon, a skin of an African Monkey (<i>Cercopithecus diana ignitus</i>)	1894, 484
Exhibition of, and remarks upon, the typical specimen of <i>Cercopithecus grayi</i> , Fraser	1894, 484
Report on the additions to the Society's Menagerie in June, July, August, and September 1894	1894, 594
Report on the additions to the Society's Menagerie in October 1894	1894, 654
Report on the additions to the Society's Menagerie in November 1894. (Plate XLVI.)	1894, 693
Report on the additions to the Society's Menagerie in December 1894.....	1895, 1
Remarks upon two Tapirs deposited in the Society's Gardens by the Hon. Walter Rothschild, F.Z.S.	1895, 1
On the Occurrence of the Barbary Sheep in Egypt.....	1895, 85
Note on the Breeding of the Surinam Water-Toad (<i>Pipa surinamensis</i>) in the Society's Reptile-house .	1895, 86
Report on the additions to the Society's Menagerie in January 1895	1895, 89
Report on the additions to the Society's Menagerie in February 1895	1895, 161
Report on the additions to the Society's Menagerie in March 1895	1895, 273
Report on the additions to the Society's Menagerie in April 1895	1895, 337
Remarks on the Pacific Rat (<i>Mus exulans</i>).....	1895, 338

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Remarks upon the Zoological Institutions which he had recently visited in Egypt	1895, 400
Report on the additions to the Society's Menagerie in May 1895	1895, 520
Exhibition of, and remarks upon, the head of a Barbary Sheep from Egypt	1895, 521
Exhibition of, and remarks upon, a skin of a Humming-bird (<i>Anthocephala berlepschi</i>) from Colombia	1895, 521
Exhibition of, and remarks upon, the Skin and Skull of a Loder's Gazelle (<i>Gazella loderi</i>) from Egypt	1895, 522
On the additions to the Society's Menagerie in June, July, August, and September 1895	1895, 686
Remarks on the principal Animals noticed in the Jardin d'Acclimatation and Jardin des Plantes, Paris, during a recent Visit	1895, 688
Exhibition of, and remarks upon, a Zebra from the Henga Country, British Central Africa	1895, 688
Exhibition of, and remarks upon, a pair of Horns of a male Livingstone's Eland offered to the Society by Sir Henry H. Johnston, K.C.B.	1895, 690
On the additions to the Society's Menagerie in October and November 1895	1895, 827
Exhibition of, and remarks upon, the head of an Antelope from British East Africa	1895, 868
Report on the additions to the Society's Menagerie in December 1895	1896, 1
Report on the additions to the Society's Menagerie in January 1896	1896, 212
Report on the additions to the Society's Menagerie in February 1896	1896, 303

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Remarks on the Divergencies between the "Rules for naming Animals" of the German Zoological Society and the Stricklandian Code of Nomenclature.	1896, 306
Remarks upon the prospectus of 'Das Tierreich.'	1896, 400
Remarks on the appointment of an International Committee on Zoological Nomenclature	1896, 401
Report on the additions to the Society's Menagerie in March 1896	1896, 505
Exhibition of, and remarks upon, some specimens from Nyasaland, sent home by Sir H. H. Johnston, K.C.B.	1896, 506
Exhibition of, and remarks upon, a pair of Horns of the so-called <i>Antilope triangularis</i>	1896, 506
Report on the additions to the Society's Menagerie in April 1896	1896, 547
Exhibition of, and remarks upon, a Daguerreotype Portrait of what was believed to have been the first Gorilla that was ever brought alive to Europe . . .	1896, 597
Report on the additions to the Society's Menagerie in May 1896	1896, 608
Exhibition of, and remarks upon, a skin of <i>Cercopithecus stairsi</i> from Mombasa	1896, 609
Exhibition of some Water-colour Drawings of African Antelopes, executed by Mr. E. Caldwell . .	1896, 609
Exhibition of, and remarks upon, a drawing of the Gnu of Nyasaland. (Plate XXVIII.)	1896, 616
Report on the additions to the Society's Menagerie in June, July, August, September, and October 1896	1896, 780
Remarks on some of the principal Animals recently noticed in the Zoological Gardens of Antwerp, Cologne, Düsseldorf, Hanover, Amsterdam, The Hague, and Rotterdam. (Plate XXXVII.)	1896, 783

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Report on the additions to the Society's Menagerie in November 1896	1896, 981
Exhibition of, and remarks upon, two Volumes of original Water-colour Drawings by Wolf and Waterhouse Hawkins, from the Knowsley Library .	1896, 981
Report on the additions to the Society's Menagerie in December 1896.....	1897, 1
Exhibition of a set of photographs of the Rough- keeled Snake (<i>Dasypeltis scabra</i>) swallowing an egg. .	1897, 1
Exhibition of a specimen of the Cerastes Viper with false horns	1897, 1
Exhibition of a photograph of a young Anteater (<i>Myrmecophaga jubata</i>) born in captivity	1897, 2
Report on the additions to the Society's Menagerie in January 1897	1897, 188
Exhibition of, and remarks upon, a collection of Bird-skins formed by Mr. W. A. Churchill at Mozambique	1897, 188
Exhibition of two specimens of a new Viper (<i>Eristi- cophis macmahoni</i>) from the Indo-Persian frontier. .	1897, 295
Report on the additions to the Society's Menagerie in February 1897, and Note on the Irish Otter	1897, 311
On the Distribution of Marine Mammals. (Plate XXIV.).....	1897, 349
Report on the additions to the Society's Menagerie in March 1897	1897, 370
Exhibition, on behalf of Mr. A. J. Lawford Jones, of a cinnamon-coloured variety of the Blackbird (<i>Turdus merula</i>)	1897, 370
Report on the additions to the Society's Menagerie in April 1897	1897, 430

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Remarks on the Antelopes of the Mau District, British East Africa	1897, 450
Exhibition of a plan of the new Zoological Garden attached to the Pará Museum	1897, 472
Exhibition of a skin of a Penguin received from the Musée d'Histoire Naturelle of Paris	1897, 472
Report on the additions to the Society's Menagerie in May 1897	1897, 721
Report on the additions to the Society's Menagerie in June, July, August, September, and October 1897	1897, 810
Remarks on the Glossy Ibises living in the Society's Menagerie	1897, 811
Remarks on the principal Animals noticed during recent visits to the Zoological Gardens of Cologne, St. Petersburg, Moscow, and Berlin	1897, 812
Exhibition of, and remarks upon, an egg of the <i>Cariama</i> (<i>Cariama cristata</i>) laid in the Society's Gardens	1897, 813
Exhibition of, and remarks upon, a head of <i>Capra mengesi</i>	1897, 900
Report on the additions to the Society's Menagerie in November 1897	1897, 920
Report on the additions to the Society's Menagerie in December 1897. (Plate I.)	1898, 1
Exhibition, on behalf of Dr. R. Collett, of a supposed hybrid between the Fieldfare (<i>Turdus pilaris</i>) and the Redwing (<i>T. iliacus</i>)	1898, 3
Exhibition of photographs of Giraffes showing the differences in markings between the two recognized forms	1898, 41

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Report on the additions to the Society's Menagerie in January 1898	1898, 79
Exhibition of a series of Lepidopterous Insects showing the system of mounting adopted in 'Denton's Patent Butterfly Tablets'	1898, 81
Exhibition of, and remarks upon, two skins of the White-legged Falconet (<i>Microhierax melanoleucus</i>) ..	1898, 128
Report on the additions to the Society's Menagerie in February 1898	1898, 201
Exhibition of, on behalf of Sir Edmund Loder, Bart., and remarks upon, some photographs of the Beaver-pond at Leonardslee, Horsham	1898, 201
Report on the additions to the Society's Menagerie in March 1898	1898, 245
Remarks on the principal animals observed during recent visits to the Marseilles Garden, the menagerie of the Bey of Tunis at Marsa, and the Jardin d'Acclimatation, Paris	1898, 280
Report on the additions to the Society's Menagerie in April 1898	1898, 348
Exhibition of, and remarks upon, some specimens of Mammals from the Gambia, with a List of the Antelopes known from that Colony	1898, 349
Report on the additions to the Society's Menagerie in May 1898	1898, 456
Remarks on the arrival in the Society's Gardens of four living specimens of the Australian Lungfish (<i>Ceratodus forsteri</i>)	1898, 492
Report on the additions to the Society's Menagerie in June, July, August, September, and October 1898. (Plate XLVIII.)	1898, 585
Exhibition of, and remarks upon, a photograph of Grévy's Zebra (<i>Equus grevi</i>)	1898, 588

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Exhibition of a set of photographs of the Bangkok Museum, Siam	1898, 588
Report on the additions to the Society's Menagerie in November 1898	1898, 924
Report on the additions to the Society's Menagerie in December 1898	1899, 1
Report on the additions to the Society's Menagerie in January 1899. (Plate VIII.).....	1899, 64
Report on the additions to the Society's Menagerie in February 1899	1899, 291
Report on the additions to the Society's Menagerie in March 1899	1899, 427
Exhibition of, and remarks upon, some specimens of Mammals from the Nyasa-Tanganyika Plateau..	1899, 552
Report on the additions to the Society's Menagerie in April 1899	1899, 595
Extracts from letters from Mr. J. S. Budgett on his expedition to the Gambia in search of <i>Polypterus</i> .	1899, 596
Report on the additions to the Society's Menagerie in May 1899	1899, 712
Exhibition of a drawing of the head of the Carunculated Bell-bird (<i>Chasmorhynchus niveus</i>) ..	1899, 712
Exhibition of a photograph of the female specimen of Grévy's Zebra living in the Jardin Zoologique d'Acclimatation, Paris	1899, 713
Report on the additions to the Society's Menagerie in June, July, August, September, and October 1899	1899, 824
Remarks on the principal Animals observed during recent visits to certain Continental Zoological Gardens and Museums, and Description of <i>Cercocebus conqicus</i> , sp. nov.	1899, 826

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Remarks on his visit to the Cape and List of
Animals obtained there for the Society's Gardens.. 1899, 828

Report on the additions to the Society's Mena-
gerie in November 1899 1899, 985

Exhibition of a portion of the skin of a Giraffe
from the east bank of the Great Loangwa River,
Northern Rhodesia 1899, 985

Exhibition of photographs of, and remarks on,
two young Musk-oxen living in the Duke of Bedford's
park at Woburn 1899, 985

Report on the additions to the Society's Mena-
gerie in December 1899 1900, 1

Exhibition of a photograph of, and remarks upon,
a young specimen of the Rocky-Mountain Goat
(*Haploceros montanus*) 1900, 1

Exhibition and List of a Collection of Birds from
Fort Jameson, British South Africa 1900, 1

Report on the additions to the Society's Mena-
gerie in January 1900 1900, 84

Report on the additions to the Society's Mena-
gerie in February 1900 1900, 181

Report on the additions to the Society's Mena-
gerie in March 1900..... 1900, 306

Report on the additions in the Society's Mena-
gerie in April 1900 1900, 429

Exhibition of a specimen and description of a
new species of Reedbuck proposed to be called
Cervicapra thomasinae. (Plate XXVI.) 1900, 429

Announcement of Mr. J. S. Budgett's departure
on his second expedition to the Gambia..... 1900, 516

Report on the additions to the Society's Mena-
gerie in May 1900 1900, 659

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Exhibition, on behalf of Mr. J. Lane Huxley, of a cast of a portion of the jaw of an *Ichthyosaurus* from Queensland 1900, 660

Notice of an article in 'The Asian,' by E. C. Stuart Baker, concerning the Gaur and Gayal 1900, 661

Report on the additions to the Society's Menagerie during June, July, August, September, and October 1900. (Plate XLVIII.) 1900, 771

Remarks on some of the objects noticed during a recent visit to the Zoological Gardens of Hamburg, Berlin, and Rotterdam 1900, 772

Remarks on the herd of Barbary Apes on the Rock of Gibraltar 1900, 773

Letter from the Colonial Secretary on the proposed introduction of Starlings into St. Kitts, West Indies 1900, 832

Report on the additions to the Society's Menagerie in November 1900 1900, 949

Exhibition of, and remarks upon, a skull and horns of the Square-mouthed Rhinoceros and mounted heads of two Antelopes obtained by Major A. St. H. Gibbons on the Upper Nile 1900, 949

Exhibition of, and remarks upon, two bandoliers made from the skin of a supposed new species of Zebra 1900, 950

SCLATER, WILLIAM LUTLEY, M.A., F.Z.S., Director of the South-African Museum, Capetown.

Exhibition of, and notes upon, a specimen of a hybrid Duck 1891, 213

On some Specimens of Frogs in the Indian Museum, Calcutta, with Descriptions of several new Species. (Plate XXIV.) 1892, 341

SCLATER, WILLIAM LUTLEY, M.A., F.Z.S., &c. (*continued*).

- Remarks upon the Zoological Gardens of Antwerp
and Amsterdam 1893, 326
- Remarks on the Mammal-fauna of South Africa. 1899, 989

SCOURFIELD, D. J.

- Contributions to the Non-Marine Fauna of Spits-
bergen.—Part I. Preliminary Notes, and Reports
on the Rhizopoda, Tardigrada, Entomostraca, &c.
(Plate XLV.) 1897, 784

SEEBOHM, HENRY, F.Z.S., F.L.S., &c.

- Exhibition of, and remarks upon, five rare Irish
Birds from the collection of Mr. R. M. Barrington. 1891, 628
- Exhibition of, and remarks upon, four examples
of *Picus richardsi* from the Island of Tsu-sima 1892, 195
- On an apparently undescribed Pheasant from the
Province of Zarafshan in Central Asia 1892, 270

SELOUS, FREDERICK COURTENAY, C.M.Z.S.

- Exhibition of, and remarks upon, the skull of an
Antelope, believed to be a hybrid between the Sas-
saby and the Hartebeest 1893, 1

SHARP, Dr. DAVID, F.R.S., F.Z.S.

- Remarks on the Rules of Zoological Nomenclature. 1896, 321

SHARPE, EMILY MARY.

- Descriptions of New Butterflies collected by Mr.
F. J. Jackson, F.Z.S., in British East Africa, during
his recent Expedition.—Part I. (Plates XVI. &
XVII.) 1891, 187
- Descriptions of New Butterflies collected by Mr.
F. J. Jackson, F.Z.S., in British East Africa, during
his recent Expedition.—Part II. (Plate XLVIII.) 1891, 633

SHARPE, EMILY MARY (*continued*).

Descriptions of new Species of Butterflies from the Island of St. Thomas, West Africa 1893, 553

List of Butterflies collected by Capt. J. W. Pringle, R.E., on the March from Teita to Uganda, in British East Africa. (Plate XIX.) 1894, 334

List of Lepidoptera collected in Somali-land by Mrs. E. Lort Phillips 1896, 523

List of Lepidoptera obtained by Dr. A. Donaldson Smith during his recent Expedition to Lake Rudolf. 1896, 530

A List of the Lepidopterous Insects collected on the Red Sea, in the neighbourhood of Suakim, by Mr. Alfred J. Cholmley 1897, 775

On a Collection of Lepidopterous Insects from San Domingo. With Field-notes by the Collector, Dr. CUTHBERT CHRISTY 1898, 362

A List of the Lepidopterous Insects collected by Mrs. Lort Phillips in Somali-land 1898, 369

On a Collection of Butterflies from the Bahamas. (Plate XIX.) 1900, 197

SHARPE, R. BOWDLER, LL.D., F.L.S., F.Z.S.

Account of the Proceedings of the International Ornithological Congress at Budapest 1891, 374

Descriptions of some new Species of Timeliine Birds from West Africa. (Plate XX.) 1892, 227

On a Collection of Birds made by Dr. A. Donaldson Smith during his recent Expedition in Western Somali-land. (Plates XXVII. & XXVIII.) 1895, 457

SHARPE, R. BOWDLER; MACKINDER, H. J.; SAUNDERS, ERNEST; and CAMBURN, C.

On the Birds collected during the Mackinder Expedition to Mount Kenya. By R. BOWDLER SHARPE. With Notes by H. J. MACKINDER, ERNEST SAUNDERS, and C. CAMBURN. (Plate XLIII.) 1900, 596

SHERBORN, C. DAVIES, F.Z.S.

- On the Dates of the Parts, Plates, and Text of
Schreber's 'Säugethiere' 1891, 587
- Exhibition of, and remarks upon, a copy of the
reprint of George Ord's 'North-American Zoology.' 1894, 609
- Explanation of the Plan adopted for preparing an
'Index Generum et Specierum Animalium' 1896, 610
- On the Dates of the Natural History portion of
Savigny's 'Description de l'Égypte' 1897, 285
- Remarks on the progress of the 'Index Animalium.' 1900, 430

SHERBORN, C. DAVIES, and JENTINK, F. A., F.M.Z.S.

- On the Dates of the Parts of Siebold's 'Fauna
Japonica' and Giebel's 'Allgemeine Zoologie' (first
edition) 1895, 149

SHERBORN, C. DAVIES, and WOODWARD, B. B.

- On the Dates of the 'Encyclopédie Méthodique'
(Zoology) 1893, 582
- On the Dates of the 'Encyclopédie Méthodique':
Additional Note 1899, 595

SHIPLEY, ARTHUR E., M.A., F.R.S., F.Z.S., Fellow and
Tutor of Christ's College, Cambridge, and Uni-
versity Lecturer in Advanced Morphology of
the Invertebrata.

- Notes on the Genus *Sipunculus*. (Plates XXV.-
XXVII.) 1893, 326
- Note on Nematode Parasites from the Animals in
the Zoological Gardens, London. (Plate XXXV.) 1894, 531
- Report on the Gephyrean Worms collected by
Mr. J. Stanley Gardiner at Rotuma and Funafuti.
(Plate XXXVII.) 1898, 468
- Notes on a Collection of Gephyrean Worms
formed at Christmas Island (Indian Ocean) by Mr.
C. W. Andrews 1899, 54

SHUFELDT, R. W., M.D., C.M.Z.S., &c.

On the Question of Saurognathism of the Pici,
and other Osteological Notes upon that Group 1891, 122

On the Comparative Osteology of the United
States *Columbidae* 1891, 194

Communication from, containing remarks upon
the methods used in preparing certain Invertebrates
adopted in the U.S. National Museum 1894, 136

On the Affinities of the Steganopodes 1894, 160

On the Osteology of certain Cranes, Rails, and
their Allies, with remarks upon their Affinities 1894, 250

Correction to his paper "On the Affinities of the
Steganopodes" 1894, 608

SIMON, EUGÈNE.

On the Spiders of the Island of St. Vincent.—
Part I. (Plate XLII.) 1891, 549

On the Spiders of the Island of St. Vincent.—
Part II. 1894, 519

On the Spiders of the Island of St. Vincent.—
Part III. 1897, 860

SMITH, Dr. DONALDSON.

An Account of some of the Animals observed during
his recent Expedition to Lakes Rudolf and Stephanie. 1895, 868

SMITH, EDGAR A., F.Z.S.

On the Mollusca of British Central Africa 1891, 309

On a Collection of Marine Shells from Aden, with
some Remarks upon the Relationship of the Mol-
luscan Fauna of the Red Sea and the Mediterranean.
(Plate XXXIII.) 1891, 390

Descriptions of new Species of Shells from the
'Challenger' Expedition. (Plates XXXIV. &
XXXV.) 1891, 436

SMITH, EDGAR A., F.Z.S. (*continued*).

Descriptions of new Species of Shells from New South Wales; New Guinea, the Caroline and Solomon Islands. (Plate XL.) 1891, 486

On the Land-Shells of St. Helena. (Plates XXI. & XXII.) 1892, 258

On a Collection of Land and Freshwater Shells transmitted by Mr. H. H. Johnston, C.B., from British Central Africa. (Plate LIX.) 1893, 632

Descriptions of two new Species of Shells of the Genus *Ennea*. 1893, 642

On a Collection of Land-Shells from Sarawak, British North Borneo, Palawan, and other neighbouring Islands. (Plates II.-IV.) 1895, 97

On a Collection of Land-Shells from British Central Africa. (Plates XXXIII.-XXXV.) 1899, 579

SMITH, EDGAR A.; ANDREWS, C. W.; BERNARD, H. M.; KIRKPATRICK, R.; and CHAPMAN, F.

On the Marine Fauna of Christmas Island (Indian Ocean). (Plates XII. & XIII.) 1900, 115

SMITH, T. MANNERS-. *See* MANNERS-SMITH, T.

SOMERVILLE, T. T., of Oppegarde, Christiania.

Notes on the Lemming (*Myodes lemmus*) 1891, 655

SONSINO, PROSPERO, M.D., Pisa.

Brief Notes on Flukes 1893, 496

SOWERBY, GEORGE BRETTINGHAM, F.L.S., F.Z.S.

Descriptions of Seven new Species of Land-Shells from the U.S. of Colombia. (Plate XXIII.) 1892, 296

Descriptions of Fifteen new Species of Shells of the Family *Pleurotomidæ*. (Plate XXXVIII.) 1893, 487

SPENCER, BALDWIN, M.A., F.R.S., C.M.Z.S., Professor
of Biology in the University of Melbourne,
Director of the National Museum, Melbourne.

A Description of *Wynyardia bassiana*, a Fossil
Marsupial from the Tertiary Beds of Table Cape,
Tasmania. (Plates XLIX. & L.) 1900, 776

STEBBING, Rev. THOMAS R. R., M.A., F.R.S., F.L.S.,
F.Z.S.

Remarks on the Crustaceans of British Central
Africa 1891, 312

Abstract of a Memoir entitled "Descriptions of
nine new Species of Amphipodous Crustaceans from
the Tropical Atlantic" 1892, 665

Exhibition of a specimen of a species of *Peripatus*
from Antigua 1895, 4

On some Crustaceans from the Falkland Islands
collected by Mr. Rupert Vallentin. (Plates XXXVI.
-XXXIX.) 1900, 517

STEWART, Prof. CHARLES, F.L.S.

On some Points in the Anatomy of *Heloderma*.
(Plate XI.) 1891, 119

STIRLING, Dr. E. C., F.R.S., C.M.Z.S.

Communication from, on the newly-discovered
Australian Mammal *Notoryctes typhlops* 1891, 327

Exhibition of, and remarks upon, an Original
Drawing of the new Australian Mammal (*Notoryctes*
typhlops) 1891, 446

Exhibition of, and remarks upon, the new Austra-
lian Marsupial (*Notoryctes typhlops*) 1892, 2

Extract from a letter concerning the discovery of
Diprotodon and other Mammalian Remains in South
Australia 1893, 473

STIRLING, Dr. E. C., F.R.S., C.M.Z.S. (*continued*).

Exhibition of some bones, casts, and photographs
of a large extinct Struthious Bird, *Genyornis newtoni*. 1897, 266

STOLZMANN, JEAN, and BERLEPSCH, Graf HANS VON,
C.M.Z.S.

Résultats des recherches ornithologiques faites au
Pérou par M. Jean Kalinowski 1892, 371

On the Ornithological Researches of M. Jean
Kalinowski in Central Peru. (Plates XIII. & XIV.) 1896, 322

STYAN, F. W., F.Z.S., and DE WINTON, WILLIAM E.,
F.Z.S.

On Chinese Mammals, principally from Western
Sechuen. By W. E. DE WINTON, F.Z.S. With
Notes on Chinese Squirrels. By F. W. STYAN, F.Z.S.
(Plates XXXI. & XXXII.) 1899, 572

SUTHERLAND, ALEXANDER, M.A.

On the Temperature of the Ratite Birds 1899, 787

SWAYNE, H. G. C., Capt. R.E., C.M.Z.S.

Field-Notes on the Antelopes of Northern Somali-
land 1892, 300

Further Field-Notes on the Game-Animals of
Somaliland 1894, 316

SWINNERTON, H. H., B.Sc., and HOWES, Prof. GEORGE
B., LL.D., F.R.S., V.P.Z.S.

Notice of a Memoir on the Development of the
Skeleton of the Tuatera (*Sphenodon* (*Hatteria*)
punctatus) 1900, 516

SYMINGTON, JOHNSON, M.D., F.R.S.E., Lecturer on
Anatomy, Minto House, Edinburgh.

On the Nose, the Organ of Jacobson, and the
Dumb-bell-shaped Bone in the Ornithorhynchus.
(Plates XLIII. & XLIV.) 1891, 575

TAYLOR, E. CAVENDISH, F.Z.S.

Exhibition of a skin of, and remarks upon, the
Egyptian Weasel (*Mustela subpalmata*) 1897, 601

TEGETMEIER, W. B., F.Z.S.

Exhibition of, and remarks upon, a Rook (*Corvus
frugilegus*) with abnormal growth of the bill, and a
Pheasant with the upper mandible wanting 1891, 628

Exhibition of a mounted specimen of a hybrid
Grouse 1893, 616

Exhibition of, and remarks upon, some hybrid
Pheasants 1893, 692

Exhibition of, and remarks upon, a Pheasant in
abnormal plumage..... 1894, 3

Exhibition of, and remarks upon, the felted
covering of a long-haired Angora Rabbit 1894, 654

Exhibition of, and remarks upon, a singular
variety of the Rook (*Corvus frugilegus*) 1895, 401

Exhibition of some drawings of two young King-
Penguins (*Aptenodytes forsteri*) 1896, 1

Exhibition of, and remarks upon, an actinograph
of a "towered" Partridge 1896, 991

Exhibition of a specimen of a Starling (*Sturnus
vulgaris*) with elongated mandibles..... 1897, 297

THAYER, ABBOTT H.

Remarks on his method of demonstrating the
underlying principle of protective coloration in
animals 1898, 494

THOMAS, OLDFIELD, F.Z.S., Natural History Museum.

On a Collection of small Mammals made by Mr.
F. J. Jackson in Eastern Africa. (Plate XV.) 1891, 181

On some Antelopes collected in Somali-land by
Mr. T. W. H. Clarke. (Plates XXI. & XXII.) .. 1891, 206

Remarks on the Mammals of British Central
Africa 1891, 312

Notes on some Ungulate Mammals..... 1891, 384

On the Species of the Hyracoidea. (Plate III.) 1892, 50

Exhibition of, and remarks upon, a mounted head
of an apparently new East-African Antelope (*Oryx
callotis*). (Plate XIV.) 1892, 195

On some Mammals from Mount Dulit, North
Borneo. (Plates XVIII. & XIX.)..... 1892, 221

On the probable Identity of certain Specimens,
formerly in the Lidth de Jeude Collection, and now
in the British Museum, with those figured by Albert
Seba in his 'Thesaurus' of 1734..... 1892, 309

On the Antelopes of the Genus *Cephalolophus* .. 1892, 413

On the Insectivorous Genus *Echinops*, Martin,
with Notes on the Dentition of the allied Genera .. 1892, 500

On Mammals from Nyassaland..... 1892, 546

Description of a new Monkey of the Genus
Semnopithecus from Northern Borneo. (Plate XLI.) 1892, 582

Exhibition of, and remarks upon, three specimens
of the Bornean Monkey, recently described as
Semnopithecus cruciger 1893, 3

Exhibition of, and remarks upon, a specimen of
Nanotragus livingstonianus from Northern Zululand. 1893, 237

Suggestions for the more definite use of the word
"Type" and its compounds, as denoting Specimens
of a greater or less degree of Authenticity..... 1893, 241

On some Mammals from Central Peru. (Plates
XXVIII. & XXIX.)..... 1893, 333

THOMAS, OLDFIELD, F.Z.S. (*continued*).

On a Second Collection of Mammals sent by Mr. H. H. Johnston, C.B., from Nyasaland	1893, 500
Description of a new Bat of the Genus <i>Stenoderma</i> from Montserrat	1894, 132
Exhibition of, and remarks upon, a skin of a Giraffe from Somaliland	1894, 135
On the Mammals of Nyasaland: third Contri- bution	1894, 136
On the Dwarf Antelopes of the Genus <i>Madoqua</i> .	1894, 323
On some Specimens of Mammals from Oman, S.E. Arabia. (Plate XXXI.)	1894, 448
On some Gazelles brought by Sir Edmund Loder from Algeria. (Plate XXXII.)	1894, 467
On the Long-lost <i>Putorius africanus</i> Desm., and its Occurrence in Malta	1895, 128
On <i>Cenolestes</i> , a still Existing Survivor of the <i>Epanorthidae</i> of Ameghino, and the Representative of a new Family of recent Marsupials. (Plate L.)..	1895, 870
On the Mammals of Nyasaland: fourth Notice. (Plates XXXVIII. & XXXIX.)	1896, 788
On the Genera of Rodents: an Attempt to bring up to Date the current Arrangement of the Order .	1896, 1012
Exhibition of specimens and descriptions of new species of Mammals from North Nyasaland, with a note on the genus <i>Petrodromus</i>	1897, 430
Notice of a Memoir on the Mammals obtained by Mr. John Whitehead in the Philippines	1897, 722
Note on the Sydney Bush-Rat (<i>Mus arboricola</i>)..	1897, 857
Exhibition of, and remarks upon, specimens of an Antelope of the genus <i>Cervicapra</i> obtained by Mr. F. V. Kirby in the Transvaal	1897, 894
Exhibition and description of a specimen of a new Skunk, <i>Spilogale pygmaea</i> , from Mexico	1897, 898
PROC. ZOOLOGICAL SOCIETY, 1891-1900.	7

THOMAS, OLDFIELD, F.Z.S. (*continued*).

- Exhibition and description of a specimen of a new Badger, *Taxidea taxus infusca*, from Lower California 1897, 899
- On the Mammals obtained by Mr. A. Whyte in Nyasaland, and presented to the British Museum by Sir H. H. Johnston, K.C.B.; being a fifth Contribution to the Mammal-fauna of Nyasaland. (Plate LIV.)..... 1897, 925
- Exhibition of, and remarks upon, the skull of a supposed new subspecies of Giraffe from West Africa, proposed to be named *Giraffa camelopardalis peralta*. 1898, 39
- On some Mammals obtained by the late Mr. Henry Durnford in Chubut, E. Patagonia 1898, 210
- Exhibition of, and remarks upon, a series of specimens of a Siamese Squirrel showing variability in coloration 1898, 245
- Description of a new Dik-dik Antelope (*Madoqua*) discovered in N.E. Africa by Mr. H. S. H. Cavendish. 1898, 278
- On a small Collection of Mammals obtained by Mr. Alfred Sharpe, C.B., in Nyasaland 1898, 391
- On Mammals collected by Mr. J. D. La Touche at Kuatun, N.W. Fokien, China 1898, 769
- Extract from letter from Señor Ameghino on the newly-discovered Mammal *Neomylodon* 1898, 852
- Exhibition of the Skull of an apparently new Species of Baboon from Aden, proposed to be named *Papio arabicus* 1899, 929
- Exhibition of, and remarks upon, some mounted heads of Antelopes from Fashoda and the Sobat River 1900, 84
- On the Mammals obtained in South-western Arabia by Messrs. Percival and Dodson 1900, 95

THOMAS, OLDFIELD, F.Z.S. (*continued*).

Exhibition of, and remarks upon, a skin of a new Species of Kangaroo, proposed to be called *Macropus bedfordi* 1900, 112

Exhibition of, and remarks upon, a skin of a new Subspecies of Kangaroo from Western Australia proposed to be named *Macropus robustus cervinus* .. 1900, 113

List of Mammals obtained by Mr. H. J. Mac- kinder during his recent Expedition to Mount Kenya, British East Africa 1900, 173

List of Mammals obtained by Dr. Donaldson Smith during his recent journey from Lake Rudolf to the Upper Nile..... 1900, 800

THOMAS, OLDFIELD, and LYDEKKER, RICHARD, B.A., F.R.S., F.G.S., F.Z.S.

On the Number of Grinding-Teeth possessed by the Manatee. (Plate XXXVI.) 1897, 595

Note on their recently published Paper on the Dentition of the Manatee..... 1897, 814

THOMAS, OLDFIELD, and YERBURY, Lt.-Col. J. W., R.A., F.Z.S.

On the Mammals of Aden 1895, 542

THOMPSON, Prof. D'ARCY W., C.B., F.R.S., F.Z.S., University College, Dundee.

On Characteristic Points in the Cranial Osteology of the Parrots 1899, 9

On a rare Cuttlefish, *Ancistroteuthis robusta* (Dall) Steenstrup..... 1900, 992

THOMPSON, ISAAC C., F.L.S., and FOWLER, G. HERBERT, B.A., Ph.D., Assistant Professor of Zoology, University College, London.

Coutributions to our Knowledge of the Plankton of the Faeroe Channel.—No. IV. Report on the Copepoda collected by Dr. G. H. Fowler from H.M.S. 'Research' in the Faeroe Channel in 1896 and 1897 1898, 540

THOMSON, ARTHUR, Assistant Superintendent and
Head-Keeper of the Society's Menagerie.

Report on the Insect-house for 1890	1891, 179
Report on the Insect-house for 1891	1892, 193
Report on the Insect-house for 1892	1893, 278
Report on the Insect-house for 1893	1894, 133
Report on the Insect-house for 1894	1895, 137
Report on the Insect-house for 1895	1896, 240
Report on the Insect-house for 1896	1897, 295
Report on the Insect-house for 1897	1898, 80
Report on the Insect-house for 1898	1899, 293
Report on the Insect-house for 1899	1900, 181

THOMSON, W. MALCOLM, B.A. (N.Z.), and BENHAM,
Prof. W. BLAXLAND, D.Sc., M.A., F.Z.S.,
Otago University.

An Account of a Large Branchiate Polynoid from New Zealand, <i>Lepidonotus giganteus</i> Kirk. By W. MALCOLM THOMSON. With an Introduction by Professor W. BLAXLAND BENHAM. (Plates LX.- LXII.)	1900, 974
---	-----------

TOMES, CHARLES S., M.A., F.R.S., F.Z.S.

Note upon the Minute Structure of the Teeth of <i>Notoryctes</i>	1897, 409
---	-----------

TRAQUAIR, R. H., M.D., LL.D., F.R.S.

Exhibition of a specimen of the supposed fossil Lamprey (<i>Palaeospondylus gunni</i>) from the Old Red Sandstone of Caithness	1897, 313
--	-----------

Note on the Affinities of <i>Palaeospondylus gunni</i> Traq. In reply to Dr. Bashford Dean, of New York	1897, 314
---	-----------

TRIMEN, ROLAND, F.R.S., F.Z.S.

On Butterflies collected in Tropical South-western Africa by Mr. A. W. Eriksson. (Plates VIII. & IX.) 1891, 59

On the Occurrence of a rare Fish (*Lophotes cepedianus*) at the Cape of Good Hope..... 1891, 483

On a Collection of Butterflies made in Manica, Tropical South-east Africa, by Mr. F. C. Selous, in the year 1892. (Plates IV.-VI.) 1894, 14

Letter from, with reference to Dr. A. G. Butler's remarks on his paper on Butterflies from Manica.. 1894, 606

UHLER, P. R., of Johns Hopkins University, Baltimore.

A List of the Hemiptera-Heteroptera collected in the Island of St. Vincent by Mr. Herbert H. Smith; with Descriptions of new Genera and Species 1893, 705

A List of the Hemiptera-Heteroptera of the Families *Anthocoridae* and *Ceratocombidae* collected by Mr. H. H. Smith in the Island of St. Vincent; with Descriptions of new Genera and Species 1894, 156

On the Hemiptera-Heteroptera of the Island of Grenada, West Indies 1894, 167

An Enumeration of the Hemiptera-Homoptera of the Island of St. Vincent, W.I. 1895, 55

URICH, F. W., and MOLE, R. R.

Notes on some Reptiles from Trinidad 1891, 447

Biological Notes upon some of the Ophidia of Trinidad, B.W.I., with a Preliminary List of the Species recorded from the Island 1894, 499

VINCENT, SWALE, M.B. Lond.

Notice of a Memoir on the Suprarenal Bodies in Fishes and their Relation to the so-called Head-kidney 1895, 691

WAITE, EDGAR R., F.L.S., Zoologist, Australian Museum, Sydney.

On the Habits of the Sydney Bush-rat (*Mus arboricola*). With a Note by OLDFIELD THOMAS, F.Z.S. 1897, 857

WALLIS, H. M., M.B.O.U.

On the Growth of Hair upon the Human Ear, and its Testimony to the Shape, Size, and Position of the Ancestral Organ. (Plates XIX.-XXII.) .. 1897, 298

WALSINGHAM, THOMAS, Lord, M.A., LL.D., F.R.S., F.L.S., F.Z.S.

On the Micro-Lepidoptera of the West Indies. (Plate XLI.) 1891, 492

Revision of the West-Indian Micro-Lepidoptera, with Descriptions of new Species 1897, 54

WALSINGHAM, THOMAS, Lord, and HAMPSON, G. F., B.A., &c.

On Moths collected at Aden and in Somaliland. (Plate X.) 1896, 257

WARBURTON, CECIL, M.A., Christ's College, Cambridge.

On a remarkable Attid Spider from Borneo, *Mantisatta trucidans*, n. g. et sp. 1900, 384

WARD, ROWLAND, F.Z.S.

Exhibition of a skin of Grévy's Zebra (*Equus grevyi*) from Somali-land 1893, 473

WARREN, W., M.A., and ELWES, HENRY J., F.R.S., F.L.S., F.Z.S., &c.

On new Genera and Species of Moths of the Family *Geometridæ* from India, in the Collection of H. J. Elwes. (Plates XXX.-XXXII.) 1893, 341

WATSON, Lieut. E. Y., Madras Staff Corps, F.Z.S.,
F.E.S.

A proposed Classification of the *Hesperiidæ*, with
a Revision of the Genera. (Plates I.-III.) 1893, 3

WATTENWYL, C. BRUNNER V. See BRUNNER V. WAT-
TENWYL, CARL.

WEIR, J. JENNER, F.L.S., F.Z.S., &c.

Exhibition of a specimen of the "Tsetse" (*Glos-
sina morsitans*) from the Transvaal 1894, 3

WEST, G. S., A.R.C.S., Scholar of St. John's College,
Cambridge.

On the Buccal Glands and Teeth of certain
Poisonous Snakes. (Plates XLIV.-XLVI.) 1895, 812

WHITAKER, JOSEPH I. S., F.Z.S.

On the Gazelles of Tunisia 1896, 815

WICKHAM, R. GORDON.

Exhibition of, and remarks upon, a fine pair of
Horns of the Gemsbok Antelope (*Oryx gazella*) .. 1891, 467

WIGLESWORTH, L. W.

Remarks on the Theories of the Origin of
Secondary Sexual Characters 1898, 457

WILLEY, ARTHUR, D.Sc. Lond., Hon. M.A. Cantab.

General Account of a Zoological Expedition to
the South Seas during the years 1894-1897 1899, 7

WILLIS-BUND, J. W., F.Z.S.

Exhibition of, and remarks upon, a specimen of
the Collared Petrel (*Æstrelata torquata*) shot off the
Welsh Coast of Cardigan Bay 1891, 122

WILSON, SCOTT B., F.Z.S.

- On the Muscicapine Genus *Chasiempis*, with a
Description of a new Species 1891, 164
- Description of a new Species of the Genus *Hima-*
tione from the Sandwich Islands 1891, 166

WINDLE, BERTRAM C. A., M.A., M.D., D.Sc., Professor
of Anatomy in Mason College, Birmingham.

- On Double Malformations amongst Fishes. (Plate
XXV.) 1895, 423

WINDLE, B. C. A., and PARSONS, F. G., F.R.C.S.,
F.Z.S., F.L.S., Lecturer on Comparative
Anatomy at St. Thomas's Hospital, and Hun-
terian Professor at the Royal College of
Surgeons.

- On the Myology of the Terrestrial Carnivora.—
Part I. Muscles of the Head, Neck, and Fore-
Limb 1897, 370
- The Myology of the Terrestrial Carnivora.—
Part II. 1898, 152
- On the Myology of the Edentata.—Part I. 1899, 314
- On the Myology of the Edentata.—Part II. 1899, 990

WINTON, W. E. DE. *See* DE WINTON, W. E.

WOODWARD, ARTHUR SMITH, LL.D., F.Z.S.

- Note on some Dermal Plates of *Homosteus* from
the Old Red Sandstone of Caithness 1891, 198
- On a Mammalian Tooth from the Wealden
Formation of Hastings 1891, 585
- Exhibition of, and remarks upon, specimens of
the supposed jaws and teeth of *Bothriolepis* 1892, 118

WOODWARD, ARTHUR SMITH, LL.D., F.Z.S. (*continued*).

On the Dentition of a Gigantic Extinct Species of *Myliobatis* from the Lower Tertiary Formation of Egypt. (Plate XLVIII.) 1893, 558

On the Cranial Osteology of the Mesozoic Ganoid Fishes, *Lepidotus* and *Dapedius*. (Plates XLIX. & L.) 1893, 559

A Description of the so-called Salmonoid Fishes of the English Chalk. (Plates XLII. & XLIII.) .. 1894, 655

On some Extinct Fishes of the Teleostean Family *Gonorhynchidae*. (Plate XVIII.) 1896, 500

On *Echidnocephalus*, a Halosauroid Fish from the Upper Cretaceous Formation of Westphalia. (Plate XVIII.) 1897, 268

An Account of a Visit to South America, made in order to examine the Fossil Vertebrates of that Country 1897, 311

Exhibition, on behalf of Dr. Moreno, of the skull and other specimens of *Neomylodon listai* 1899, 830

On some Remains of *Grypotherium* (*Neomylodon*) *listai* and associated Mammals from a Cavern near Consuelo Cove, Last Hope Inlet, Patagonia. (Plates V.-IX.) 1900, 64

WOODWARD, ARTHUR SMITH, and MORENO, Dr.
FRANCISCO P., C.M.Z.S.

On a Portion of Mammalian Skin, named *Neomylodon listai*, from a Cavern near Consuelo Cove, Last Hope Inlet, Patagonia. By Dr. F. P. MORENO, C.M.Z.S. With a Description of the Specimen by A. SMITH WOODWARD, F.Z.S. (Plates XIII.-XV.) 1899, 144

WOODWARD, B. B., F.G.S., F.R.M.S.

On the Mode of Growth and the Structure of the Shell in *Velates conoideus*, Lamk., and other *Neritidae*. (Plates XXXI. & XXXII.) 1892, 528

WOODWARD, B. B., and SHERBORN, C. DAVIES.

On the Dates of the 'Encyclopédie Méthodique' (Zoology)	1893, 582
On the Dates of the 'Encyclopédie Méthodique': Additional Note	1899, 595

WOODWARD, HENRY, LL.D., F.R.S., F.G.S., V.P.Z.S.

Exhibition of, and remarks upon, an abnormal pair of antlers of the Red Deer	1898, 924
---	-----------

WOODWARD, M. F., Demonstrator of Zoology, Royal
College of Science, London.

On the Milk-Dentition of <i>Procavia (Hyrax)</i> <i>capensis</i> and of the Rabbit (<i>Lepus cuniculus</i>), with Remarks on the Relation of the Milk and Permanent Dentitions of the Mammalia. (Plate II.)	1892, 38
--	----------

Description of an Abnormal Earthworm possessing Seven Pairs of Ovaries. (Plate XIII.)	1892, 184
--	-----------

Further Observations on Variations in the Geni- talia of British Earthworms. (Plate XXIV.)	1893, 319
--	-----------

Contributions to the Study of Mammalian Den- tition.—Part I. On the Development of the Teeth of the <i>Macropodidae</i> . (Plates XXXV.—XXXVII.)	1893, 450
--	-----------

Contributions to the Study of Mammalian Den- tition.—Part II. On the Teeth of certain Insectivora. (Plates XXIII.—XXVI.)	1896, 557
--	-----------

WRIGHT, Professor R. RAMSAY, F.Z.S.

Letter from, enclosing photographs of the heaps of skulls of the American Bison collected on the Saskatchewan Plains	1892, 76
--	----------

YERBURY, Lt.-Col. J. W., R.A., F.Z.S., and THOMAS,
OLDFIELD, F.Z.S.

On the Mammals of Aden	1895, 542
------------------------------	-----------

INDEX OF SPECIES

DESCRIBED AND REFERRED TO.

1891-1900.

	Page		Page
<i>Abacena discalis</i>	1899, 286	<i>Abaratha syriethus</i>	1892, 656
<i>Abæra chalcona</i>	1897, 642		1892, 664
<i>mactalis</i>	1897, 641	<i>Abdimia sphenorhyncha</i>	1896, 231
<i>metallica</i>	1897, 642		1893, 233
<i>rubiginea</i>	1897, 642	<i>Abisara damajanti</i>	1891, 287
<i>Abantis bicolor</i>	1893, 63	<i>echerius</i>	1891, 286
	1896, 21	<i>fylla</i>	1891, 287
<i>bismarki</i>	1896, 21	<i>gerontes</i>	1894, 342
<i>efulensis</i>	1896, 21	<i>haquinus</i>	1891, 287
	1896, 104	<i>kansambi</i>	1891, 286
<i>elegantula</i>	1896, 21	<i>neophron</i>	1891, 286
<i>leucogaster</i>	1896, 22	<i>savitri</i>	1891, 286
<i>levubu</i>	1891, 105	<i>tanita</i>	1891, 287
	1896, 22	<i>telesia</i>	1891, 287
<i>paradisea</i>	1891, 105	<i>thuisto</i>	1891, 287
	1893, 63	<i>Ablabes baliodirus</i>	1896, 885
	1896, 20		1899, 605
	1896, 841		1899, 673
	1899, 418	<i>chinensis</i>	1899, 162
	1899, 426	<i>hildebrandtii</i>	1891, 307
	1899, 974	<i>homeyeri</i>	1891, 307
<i>tettensis</i>	1893, 7	<i>longicauda</i>	1896, 885
	1893, 16		1899, 605
	1893, 44		1899, 673
	1893, 63	<i>major</i>	1899, 165
	1893, 64	<i>melanocephalus</i> ..	1896, 879
	1893, 131	<i>tricolor</i>	1896, 885
	1896, 20		1899, 605
<i>venosa</i>	1891, 105		1899, 673
	1891, 107	<i>Ablabothis rufulus</i>	1895, 705
	1896, 21	<i>Ablepharus boulengeri</i> .	1894, 725
	1898, 199	<i>carsonii</i>	1894, 725
	1898, 911		1897, 800
<i>zambesiaca</i>	1896, 20	<i>festæ</i>	1894, 725
<i>zambesina</i>	1891, 61	<i>tenuis</i>	1898, 918
	1891, 105	<i>wahlbergi</i>	1891, 306
	1894, 18		1896, 215
	1894, 81	<i>Ablepsis vulpinus</i>	1893, 19
	1895, 264		1893, 36
(<i>Saprea</i>) <i>trimena</i> ..	1896, 841	<i>Abramis blicca</i>	1891, 108
<i>Abaratha pygela</i>	1892, 656	<i>brama</i>	1891, 108
<i>ransonæti</i>	1893, 62	<i>Abraxas alpestris</i>	1893, 394

	Page
<i>Abraaxas diaphana</i>	1893, 393
<i>grossulariata</i>	1893, 393
<i>irrorata</i>	1893, 393
<i>metamorphia</i>	1893, 392
<i>nigrivena</i>	1893, 394
<i>picaria</i>	1893, 393
<i>semilugens</i>	1893, 393
<i>tenebraria</i>	1893, 389
<i>triseriata</i>	1893, 394
.....	1893, 434
<i>Abrostola interrumpens</i>	1896, 639
<i>Aburria carunculata</i> ..	1897, 470
<i>Acacia edgworthii</i>	1896, 251
<i>horrida</i>	1898, 224
<i>Acallis fernaldi</i>	1897, 677
.....	1897, 678
<i>Acallopietes</i>	1896, 95
<i>dimidia</i>	1896, 97
.....	1896, 104
<i>holocausta</i>	1896, 96
.....	1896, 97
.....	1896, 104
<i>Acamptogorgia acantho-</i> <i>stoma</i>	1899, 48
<i>alternans</i>	1899, 48
<i>arbuscula</i>	1899, 48
<i>fruticosa</i>	1899, 48
<i>spinosa</i>	1899, 46
.....	1899, 47
.....	1899, 53
<i>Acanonia servillei</i>	1895, 73
<i>Acanthastræa</i>	1899, 757
<i>hirsuta</i>	1899, 760
<i>Acanthia humilis</i>	1894, 212
<i>lectularia</i>	1894, 202
<i>marginata</i>	1894, 222
<i>sacchari</i>	1894, 202
<i>serrata</i>	1894, 180
<i>Acanthocerus lobatus</i> ..	1894, 178
<i>tuberculatus</i>	1893, 705
<i>Acanthocybium petus</i> ..	1897, 273
<i>solandri</i>	1897, 272
.....	1897, 273
<i>Acanthocystis</i> sp.....	1897, 789
<i>spiniifera</i>	1897, 789
<i>Acanthodactylus boski-</i> <i>anus</i>	1892, 14
.....	1895, 635
.....	1895, 636
.....	1895, 645
.....	1895, 646
.....	1896, 929
<i>cantori</i>	1895, 636
.....	1895, 646
<i>mucronatus</i>	1896, 921
<i>pardalis</i>	1892, 14
.....	1892, 15

	Page
<i>Acanthodactylus bedri-</i> <i>agæ</i>	1892, 15
<i>pardasis deserti</i>	1892, 15
<i>savignyi</i>	1898, 916
<i>scutellatus</i>	1892, 14
.....	1892, 15
<i>vulgaris</i>	1892, 15
<i>Acanthodon angusticeps</i> .	1899, 846
<i>lacustris</i>	1897, 731
.....	1897, 732
.....	1897, 773
.....	1898, 507
.....	1898, 508
.....	1899, 846
<i>meadii</i>	1897, 730
.....	1897, 732
<i>petitii</i>	1896, 732
.....	1896, 766
<i>robustus</i>	1898, 507
.....	1898, 508
<i>santaremia</i>	1896, 722
.....	1896, 733
.....	1896, 734
.....	1896, 766
<i>thorelli</i>	1897, 731
.....	1897, 732
<i>Acanthodrilus africanus</i> .	1897, 336
.....	1897, 337
.....	1897, 344
<i>albus</i>	1895, 212
.....	1895, 223
<i>annectens</i>	1892, 670
.....	1892, 671
.....	1892, 673
.....	1892, 677
.....	1892, 678
.....	1897, 346
<i>antarcticus</i>	1892, 668
<i>aquarum-dulcium</i> ..	1892, 666
.....	1892, 680
.....	1895, 212
.....	1896, 209
<i>arenarius</i>	1897, 337
.....	1897, 340
<i>arundinus</i>	1897, 337
.....	1897, 339
<i>beddardi</i>	1892, 670
<i>bicinctus</i>	1895, 212
.....	1895, 217
.....	1895, 218
<i>bovei</i>	1892, 679
.....	1895, 212
.....	1895, 216
.....	1895, 233
.....	1896, 209
<i>capensis</i>	1891, 173
.....	1892, 669
.....	1897, 336

	Page		Page
<i>Acanthodrilus capensis</i>	1897, 337	<i>Acanthodrilus paludosus</i>	1892, 677
	1897, 345		1895, 213
<i>carneus</i>	1895, 212	<i>photodilus</i>	1897, 337
	1895, 221		1897, 344
<i>chilensis</i>	1895, 212		1897, 343
	1895, 218		1897, 346
<i>cingulatus</i>	1895, 212	<i>pictus</i>	1895, 212
	1895, 219		1895, 213
<i>corralensis</i>	1895, 212		1895, 214
	1895, 222		1895, 222
<i>dalei</i>	1892, 358		1895, 232
	1895, 212	<i>platyurus</i>	1895, 212
	1895, 213		1895, 216
<i>decipiens</i>	1895, 212		1895, 219
	1895, 213		1895, 220
<i>dissimilis</i>	1892, 667		1895, 221
	1892, 670	<i>purcelli</i>	1897, 337
	1892, 671		1897, 338
	1892, 676	<i>purpureus</i>	1895, 212
<i>excavatus</i>	1897, 337		1895, 218
	1897, 342	<i>putablensis</i>	1895, 212
<i>falcatus</i>	1897, 337		1895, 220
	1897, 341	<i>rosæ</i>	1892, 671
<i>falclandicus</i>	1892, 666		1896, 211
	1892, 678	<i>schlegelii</i>	1892, 667
	1892, 679	<i>schmardæ</i>	1892, 358
	1892, 680		1895, 213
	1895, 212		1895, 216
	1896, 209		1895, 220
<i>georgianus</i>	1892, 678	<i>sclateri</i>	1897, 337
	1892, 679		1897, 342
	1895, 212	<i>simulans</i>	1895, 212
	1895, 217		1895, 222
	1896, 209	<i>smithi</i>	1892, 666
<i>hilgeri</i>	1895, 212		1892, 669
<i>kerguelarum</i>	1896, 196		1892, 671
<i>littoralis</i>	1895, 212		1892, 675
<i>lucifuga</i>	1897, 337		1892, 676
	1897, 343		1892, 677
	1897, 344		1892, 706
<i>macleayi</i>	1895, 216		1895, 213
<i>macquariensis</i>	1896, 208	<i>spgazzinii</i>	1895, 212
	1896, 209		1895, 224
<i>magellanicus</i>	1895, 212	<i>stagalis</i>	1892, 358
	1895, 215	<i>ungulatus</i>	1892, 671
<i>minutus</i>	1895, 212	<i>(Benhamia) affinis</i>	1891, 174
	1895, 216	<i>(—) beddardi</i>	1891, 173
	1895, 220	<i>(—) büttikofera</i>	1891, 173
<i>multiplus</i>	1892, 356	<i>(—) rosea</i>	1891, 174
	1892, 668	<i>(—) schlegelii</i>	1891, 173
<i>novæ-zelandiæ</i>	1892, 669	<i>(—) scioana</i>	1891, 174
	1892, 671	<i>(—) stuhlmanni</i>	1891, 173
	1892, 676	<i>(—) tenuis</i>	1891, 174
	1896, 197	<i>(Diplocardia) com-</i>	
<i>occidentalis</i>	1895, 212	<i>munis</i>	1892, 677
	1895, 214	<i>Acanthogorgia muricata</i>	1899, 48
<i>paludosus</i>	1892, 666		1899, 53
	1892, 670		

	Page		Page
<i>Acantholepis capensis</i>	1896, 410	<i>Acartia</i> (Dias) <i>longiremis</i>	1898, 549
<i>lunaris</i>	1896, 410	<i>Accipiter</i> sp.	1894, 602
<i>Acantholipes circumdata</i>	1894, 590	<i>affinis</i>	1900, 490
<i>Acanthometron brevispina</i>	1898, 1025	<i>hartlaubi</i>	1894, 602
<i>catervatum</i>	1898, 1025	<i>korshun</i>	1896, 315
<i>Acanthomyrmex luciola</i>	1896, 419	<i>nisus</i>	1900, 490
<i>Acanthopria crassicornis</i>	1895, 804	<i>virgatus</i>	1900, 490
<i>Acanthosaura armata</i>	1896, 871	<i>Accola cyclops</i>	1891, 532
.	1899, 603	<i>lucifuga</i>	1891, 552
.	1899, 638	<i>modesta</i>	1891, 552
<i>capra</i>	1899, 601	<i>Acclalis iridalis</i>	1899, 285
.	1899, 603	<i>Acetropus garnonsii</i>	1895, 919
.	1899, 638	<i>bansoni</i>	1895, 919
<i>coronata</i>	1899, 601	<i>latipennis</i>	1895, 919
.	1899, 603	<i>nervæ</i>	1895, 919
.	1899, 639	<i>niveus</i>	1895, 919
<i>crucifera</i>	1899, 957	<i>Aceratodes costalis</i>	1900, 916
<i>hainanensis</i>	1899, 961	<i>fulvipes</i>	1900, 816
.	1899, 961	<i>Acerina zillii</i>	1896, 218
<i>kakhiensis</i>	1894, 723	1899, 119
<i>lamnidentata</i>	1899, 160	<i>Acesina</i> sp.	1896, 651
<i>Acanthoscurria brocklehursti</i>	1896, 722	<i>abernans</i>	1892, 634
.	1896, 737	<i>ammonides</i>	1892, 630
.	1896, 739	<i>ariel</i>	1892, 634
.	1896, 766	1892, 664
<i>fernii</i>	1896, 740	<i>paraganeesa</i>	1892, 634
<i>geniculata</i>	1896, 722	<i>zephyretta</i>	1892, 634
.	1896, 737	1892, 664
.	1896, 738	<i>Acestra gladius</i>	1893, 44
.	1896, 739	<i>Achæa catella</i>	1896, 264
.	1896, 740	<i>fasciculipes</i>	1892, 128
.	1896, 766	<i>lienardi</i>	1898, 422
<i>insubtilis</i>	1896, 740	<i>melicerte</i>	1897, 925
<i>maga</i>	1896, 740	<i>Achæna purpureilinea</i>	1892, 127
<i>minor</i>	1896, 740	<i>Achænops puncticollis</i>	1900, 219
<i>musculosa</i>	1896, 740	<i>Achæus breviceps</i>	1900, 721
<i>Acanthosoma affinis</i>	1900, 817	<i>lacertosus</i>	1900, 721
.	1900, 823	<i>lorina</i>	1900, 721
<i>borealis</i>	1900, 818	<i>Achalarus bifasciata</i>	1893, 34
.	1900, 823	<i>casyapa</i>	1893, 34
<i>cruciata</i>	1900, 818	<i>liliana</i>	1893, 34
.	1900, 823	<i>lycidas</i>	1893, 19
<i>lateralis</i>	1900, 817	1893, 33
.	1900, 823	1893, 34
<i>luteicornis</i>	1900, 823	<i>Achantodes</i>	1898, 595
<i>picicolor</i>	1900, 817	1898, 707
.	1900, 823	<i>cerusicosta</i>	1898, 707
<i>variolosa</i>	1900, 818	<i>Acharana descripta</i>	1899, 202
.	1900, 820	<i>elongalis</i>	1899, 204
<i>Acanthurus chirurgus</i>	1899, 506	<i>fuscescens</i>	1899, 204
<i>Acara morosella</i>	1895, 972	<i>honestalis</i>	1899, 204
<i>tetramerus</i>	1898, 492	<i>phæopteralis</i>	1896, 649
<i>Acartia clausii</i>	1898, 543	<i>rudis</i>	1899, 204
.	1898, 546	<i>similis</i>	1898, 698
.	1898, 549	<i>simplex</i>	1899, 204
.	1898, 549	<i>subnescens</i>	1899, 204
<i>longiremis</i>	1898, 541	<i>subalbescens</i>	1899, 204
		<i>Achatina</i> sp.	1893, 635

	Page		Page
<i>Achatina craveni</i>	1899, 590	<i>Acipitilus</i> sp.....	1895, 742
	1899, 592	<i>pentadactylus</i>	1895, 742
<i>fragilis</i>	1899, 591	<i>Acleros biguttulus</i>	1896, 29
	1899, 592		1896, 30
<i>fulica</i>	1893, 635	<i>instabilis</i>	1896, 30
<i>glaucina</i>	1899, 590	<i>leucopyga</i>	1893, 71
	1899, 592		1893, 76
<i>glutinosa</i>	1899, 589		1896, 28
<i>hamillei</i>	1899, 590	<i>mackenii</i>	1896, 29
<i>immaculata</i>	1899, 589		1899, 974
<i>johnstoni</i>	1899, 590	<i>olau</i>	1896, 30
	1899, 592	<i>philander</i>	1893, 669
<i>kirkii</i>	1899, 590		1896, 81
<i>lamarchiana</i>	1891, 310	<i>placidus</i>	1893, 669
<i>layardi</i>	1899, 589		1896, 29
<i>panthera</i>	1891, 310		1896, 103
	1899, 589	<i>ploetzi</i>	1896, 29
	1899, 592		1896, 31
<i>petersi</i>	1899, 589		1896, 103
<i>tavaresiana</i>	1893, 635	<i>substrigata</i>	1896, 29
<i>veru</i>	1892, 269		1896, 30
<i>Achelous granulatus</i> ..	1900, 578	<i>Aclonophlebia flavi-</i>	
<i>rubro-marginatus</i> ..	1900, 746	<i>notata</i>	1898, 428
	1900, 770		1898, 444
<i>whitei</i>	1900, 746	<i>Aclytia hecale</i>	1892, 277
<i>Acherontia atropos</i>	1897, 296	<i>petra</i>	1892, 276
	1899, 293	<i>rufiventris</i>	1894, 228
	1900, 182	<i>Acmella andamanica</i> ..	1895, 444
<i>styx</i>	1896, 268		1895, 453
<i>Achlora catenularia</i> ...	1896, 645	<i>gibboidea</i>	1895, 444
<i>veniliata</i>	1896, 645		1895, 453
<i>Achlyodes flyas</i>	1898, 367	<i>hyalina</i>	1895, 453
<i>fredericus</i>	1893, 43	<i>mellilla</i>	1895, 444
	1893, 52		1895, 453
<i>nyctineme</i>	1893, 55	<i>moreletiana</i>	1896, 444
<i>vasava</i>	1892, 656	<i>roepstorffiana</i>	1895, 444
<i>Achrœa grisella</i>	1896, 269	<i>Acolastus amyntas</i>	1893, 25
<i>Achrosia quadraria</i>	1893, 409		1896, 519
<i>Acicula veru</i>	1892, 259		1898, 366
<i>Acidalia calidata</i>	1896, 646		1900, 202
<i>destituta</i>	1892, 132	<i>lividus</i>	1893, 25
<i>illiturlata</i>	1896, 647	<i>malvæ</i>	1898, 225
<i>indecretaria</i>	1896, 645	<i>nigroplagiatus</i>	1898, 224
<i>indignaria</i>	1896, 646	<i>pictus</i>	1898, 225
<i>isographata</i>	1896, 647	<i>savignyi</i>	1893, 17
<i>justata</i>	1896, 645		1893, 25
<i>oblivaria</i>	1896, 645	<i>tuberculatus</i>	1898, 225
<i>responsaria</i>	1896, 645	<i>Acompsia angulifera</i> ..	1897, 82
<i>suffusaria</i>	1896, 645	<i>ardeliellia</i>	1897, 82
<i>tepidata</i>	1896, 646	<i>psoricoptarella</i>	1897, 83
<i>testacea</i>	1896, 267	<i>tinetella</i>	1897, 82
<i>Acidaliastis micra</i>	1896, 267	<i>Acomys dimidiatus</i>	1895, 553
	1896, 283		1895, 554
<i>Acipenser sturio</i>	1899, 455		1900, 103
	1899, 473	<i>selousi</i>	1896, 807
<i>Acipitilia</i> sp.	1891, 496		1897, 937
<i>oxydactyla</i>	1896, 277	<i>spinosissimus</i>	1896, 794
	1897, 56	<i>wilsoni</i>	1896, 808

	Page		Page
<i>Acontia admota</i>	1898, 421	<i>Acræa alicia</i>	1900, 922
<i>decisa</i>	1896, 638	<i>ambigua</i>	1891, 60
<i>doubledaii</i>	1891, 277	1891, 70	
1891, 278		1891, 107	
<i>grællsii</i>	1896, 261	<i>amphinalla</i>	1893, 657
1896, 853		<i>anacreon</i>	1895, 262
<i>insignis</i>	1896, 261	1896, 108	
<i>insocia</i>	1894, 588	1896, 116	
<i>pyralina</i>	1894, 588	1896, 827	
<i>quadrata</i>	1896, 649	1897, 836	
<i>secta</i>	1894, 588	1897, 841	
<i>tropica</i>	1894, 588	1898, 191	
<i>umbrigeræ</i>	1894, 588	1898, 905	
<i>Acontias meleagris</i>	1892, 481	— <i>bomba</i>	1898, 905
1892, 490		<i>anemosa</i>	1893, 658
1895, 706		1894, 28	
<i>monodactyla</i>	1892, 481	1894, 567	
1892, 490		1896, 118	
1895, 706		1898, 54	
<i>Acontius hartmanni</i>	1897, 732	1898, 192	
<i>Acræa abadina</i>	1893, 656	1898, 401	
<i>abbotii</i>	1896, 114	1899, 421	
<i>acara</i>	1891, 72	<i>antinorii</i>	1898, 522
1893, 658		<i>apecida</i>	1898, 53
1894, 29		1899, 965	
1897, 841		<i>aranda</i>	1891, 94
1899, 421		<i>arcticineta</i>	1893, 658
— <i>barberi</i>	1899, 421	1896, 118	
<i>acerata</i>	1895, 730	<i>areca</i>	1893, 658
1896, 114		1895, 262	
<i>acontias</i>	1891, 63	1895, 720	
1891, 64		<i>asema</i>	1891, 61
1891, 65		1891, 68	
1891, 66		1891, 70	
<i>acrita</i>	1891, 70	1891, 107	
1891, 71		1893, 656	
1893, 657		1894, 18	
1894, 18		1894, 24	
1894, 28		1894, 25	
1894, 29		1894, 26	
1894, 82		1894, 82	
1894, 566		1896, 117	
1895, 261		1896, 827	
1895, 262		1897, 837	
1895, 720		1898, 191	
1898, 53		1898, 906	
— <i>pudorina</i>	1899, 420	<i>astrigera</i>	1899, 418
1899, 965		1899, 421	
1900, 923		1899, 427	
<i>admata leuco-</i>		<i>atergatis</i>	1891, 61
<i>grapha</i>	1899, 977	1891, 65	
<i>adiasta</i>	1893, 656	1891, 66	
<i>aglatonice</i>	1894, 27	1891, 94	
1894, 28		<i>atolmis</i>	1891, 61
1898, 53		1891, 63	
<i>albomaculata</i>	1893, 657	1891, 64	
1896, 117		1891, 65	
<i>alicia</i>	1899, 420	1891, 66	

	Page		Page
<i>Acræa axina</i>	1891, 66	<i>Acræa caldarena</i>	1896, 117
	1891, 67		1897, 837
	1891, 68		1898, 191
	1891, 92		1898, 906
	1894, 26		1898, 923
	1896, 116	— <i>nelusca</i>	1896, 827
	1896, 117	<i>calyce</i>	1896, 250
	1898, 905	<i>cappadox</i>	1893, 657
<i>balina</i>	1896, 115	<i>cerasa</i>	1899, 421
<i>bertha</i>	1898, 400	<i>chæribula</i>	1893, 657
<i>bomba</i>	1896, 108		1895, 262
	1896, 116	<i>chilo</i>	1896, 524
	1896, 827		1898, 369
<i>bonasia</i>	1891, 192		1898, 395
	1891, 634		1893, 401
	1893, 555	<i>circeis</i>	1891, 193
	1893, 655		1894, 337
	1893, 657	<i>confusa</i>	1896, 114
<i>boscæ</i>	1894, 24	<i>conradti</i>	1893, 657
<i>bræsia</i>	1893, 657	<i>crystallina</i>	1893, 395
	1894, 337		1898, 401
	1896, 524	<i>daira</i>	1896, 115
	1896, 531		1896, 116
	1897, 924		1898, 400
	1898, 369	<i>dircæa</i>	1896, 116
	1898, 401		1896, 117
<i>braunei</i>	1896, 115	<i>doubledayi</i>	1891, 65
<i>burni</i>	1897, 841		1891, 66
<i>buxtoni</i>	1891, 74		1891, 67
	1891, 94		1891, 70
	1894, 30		1893, 656
	1894, 337		1893, 657
	1895, 720		1894, 26
	1896, 115		1894, 566
<i>cabira</i>	1891, 193		1896, 116
	1893, 655		1896, 117
	1894, 30		1896, 531
	1894, 537		1898, 53
	1894, 565		1898, 191
	1895, 261		1898, 905
	1896, 114		1900, 11
	1896, 852	— <i>axina</i>	1898, 905
	1897, 841	— <i>dircæa</i>	1896, 827
	1898, 53	<i>egina</i>	1895, 731
	1899, 965	<i>empusa</i>	1893, 656
	1899, 975		1896, 117
— <i>apecida</i>	1895, 720	<i>encedon</i>	1891, 72
<i>cæcilia</i>	1893, 656		1894, 29
	1894, 566		1900, 922
	1895, 730	— <i>daira</i>	1900, 922
	1896, 117	— <i>lycia</i>	1891, 72
	1896, 118		1900, 922
	1898, 401	<i>eponina</i>	1893, 655
— <i>stenobea</i>	1898, 401		1895, 730
	1900, 923		1896, 115
<i>caldarena</i>	1891, 70	<i>excelsior</i>	1891, 192
	1893, 657		1891, 194
	1894, 27		1893, 655

	Page		Page
<i>Acræa excelsior</i>	1895, 261	<i>Acræa lycia</i>	1899, 965
	1895, 630	— <i>daira</i>	1898, 400
	1896, 115		1899, 420
<i>fallax</i>	1896, 114		1899, 965
<i>felina</i>	1891, 60	— <i>sganzini</i>	1896, 115
	1891, 65		1897, 841
	1891, 107		1898, 400
<i>flavescens</i>	1896, 113		1899, 965
	1896, 114	<i>lycoa</i>	1895, 731
<i>fornax</i>	1893, 657	<i>mahela</i>	1896, 250
<i>fulvescens</i>	1896, 114	<i>manjaca</i>	1896, 115
<i>guillemei</i>	1893, 658	<i>marnois</i>	1893, 656
	1895, 720	<i>masaris</i>	1893, 657
	1896, 108	<i>matuapa</i>	1896, 250
	1896, 116	<i>melanoxantha</i>	1891, 193
— <i>periphanes</i>	1896, 827		1891, 194
<i>horta</i>	1893, 656	<i>menippe</i>	1894, 567
	1894, 28		1896, 530
	1897, 841	<i>metaprotea jacksoni</i>	1898, 400
	1898, 192	<i>mhondana</i>	1896, 250
	1898, 374	<i>mirabilis</i>	1900, 11
<i>hova</i>	1894, 23		1900, 63
<i>igola</i>	1894, 24	<i>molomo</i>	1891, 94
<i>induna</i>	1896, 116	<i>monteironis</i>	1893, 657
	1897, 837	<i>natalica</i>	1891, 72
	1898, 191		1893, 658
<i>insignis</i>	1894, 567		1894, 27
	1896, 827		1894, 28
— <i>balbina</i>	1900, 923		1894, 337
<i>insularis</i>	1893, 555		1894, 567
<i>iturina</i>	1895, 731		1895, 262
<i>janisca</i>	1896, 115		1895, 720
<i>johnstoni</i>	1893, 657		1896, 117
	1893, 658		1896, 852
	1894, 30		1897, 841
	1894, 338		1898, 53
	1896, 108		1898, 401
	1896, 113		1898, 906
	1896, 114	<i>nelusca</i>	1893, 657
<i>kahra</i>	1893, 658		1896, 827
<i>kilimandjara</i>	1893, 657	<i>neobule</i>	1896, 530
	1896, 118		1897, 841
	1896, 114		1898, 192
<i>ligus</i>	1893, 657		1898, 374
	1896, 117		1898, 401
	1896, 118		1900, 11
	1900, 923		1900, 923
<i>lycia</i>	1893, 656	<i>nero</i>	1896, 117
	1894, 338		1898, 191
	1894, 566	<i>newtoni</i>	1893, 554
	1895, 730	<i>niobe</i>	1893, 554
	1895, 731	<i>nohara</i>	1894, 24
	1896, 115		1898, 190
	1896, 530		1898, 905
	1897, 692	<i>obeira</i>	1894, 23
	1898, 53	<i>ochracea</i>	1896, 118
	1898, 190	<i>octobalia</i>	1896, 114
	1898, 400	<i>ombria</i>	1893, 657

	Page		Page
<i>Acræa omrora</i>	1894, 24	<i>Acræa serena</i>	1893, 655
	1894, 26		1893, 656
	1896, 117		1893, 852
<i>oncæa</i>	1893, 656		1900, 11
	1895, 720	— <i>buxtoni</i>	1896, 115
	1896, 116		1897, 841
<i>onerata</i>	1891, 60		1898, 53
	1891, 67		1898, 400
	1891, 68	— <i>perrupta</i>	1898, 905
	1891, 107		1896, 852
	1899, 965		1898, 400
<i>oreas</i>	1891, 193		1898, 822
	1891, 194	<i>serena-melas</i>	1893, 657
	1894, 338	<i>sgauzini</i>	1895, 720
<i>orestia</i>	1895, 731		1895, 730
<i>peneleos</i>	1893, 554		1895, 731
<i>perenna</i>	1894, 338		1896, 115
<i>periphanes</i>	1893, 657		1896, 524
	1896, 108		1898, 400
	1896, 116	<i>sotikensis</i>	1891, 634
<i>perrupta</i>	1891, 74		1891, 638
	1893, 656		1895, 730
	1894, 566	<i>stenobea</i>	1891, 71
	1896, 115		1891, 73
<i>petræa</i>	1898, 192		1896, 117
<i>pharsalus</i>	1894, 338		1896, 118
	1895, 731		1898, 401
<i>planesium</i>	1895, 730		1900, 923
<i>proteina</i>	1893, 657	— <i>lygus</i>	1891, 72
	1894, 31	<i>strattipocles</i>	1893, 657
	1894, 338	<i>telekiana</i>	1896, 114
	1896, 114	<i>tenella</i>	1896, 114
— <i>fulvescens</i>	1894, 338	<i>terpsichore</i>	1893, 655
<i>pseudegina</i>	1895, 731	<i>usagaræ</i>	1896, 115
	1896, 117	<i>ventura</i>	1893, 655
<i>pseudolycia</i>	1893, 658		1894, 565
<i>pudorina</i>	1894, 566		1895, 261
	1895, 262		1896, 115
	1900, 923	<i>vinidia</i>	1893, 655
<i>punctatissima</i>	1898, 401		1894, 337
	1893, 656		1895, 730
<i>quirina</i>	1895, 731		1896, 114
	1900, 923	— <i>tenella</i>	1896, 108
<i>rahira</i>	1891, 73	<i>violæ</i>	1893, 655
	1893, 656		1896, 250
	1894, 30	<i>violarum</i>	1891, 70
	1898, 190		1894, 26
	1898, 905		1898, 191
<i>regalis</i>	1893, 657		1898, 906
	1894, 337	— <i>asema</i>	1898, 906
<i>rougetii</i>	1896, 115	<i>zetes</i>	1893, 554
<i>sambavæ</i>	1893, 657		1894, 30
<i>seis</i>	1896, 241		1895, 731
	1896, 250	(Planema) <i>johnstoni</i>	1893, 658
	1897, 692		1894, 30
<i>semialbescens</i>	1896, 113	(Telchinia) <i>perrupta</i>	1891, 74
	1896, 114	<i>Acræna planesium</i>	1894, 565
<i>serena</i>	1891, 92	<i>Acrapex</i> sp.	1894, 587

	Page		Page
<i>Acrapex leucophlebia</i> ..	1894, 587	<i>Acrolophus vitellus</i>	1891, 516
<i>Acredula caucasica</i>	1895, 312		1891, 544
<i>caudata</i>	1891, 330		1891, 549
<i>rosea</i>	1895, 312	<i>walsinghami</i>	1897, 173
<i>Acridium</i> sp.	1891, 330		1891, 514
<i>coelestre</i>	1898, 385		1891, 544
<i>ruficorne</i>	1893, 606		1891, 549
<i>succinctum</i>	1900, 40		1897, 174
	1900, 40	<i>Acronolepia biguttalis</i> ..	1897, 688
<i>Acridotheres</i>	1899, 12	<i>quadricolor</i>	1897, 688
<i>crisatellus</i>	1900, 463	<i>Acronyeta declarata</i>	1896, 637
<i>philippensis</i>	1900, 463	<i>Acropentias aureus</i>	1895, 904
<i>tristis</i>	1900, 832	<i>Acropteris erycinaria</i> ..	1895, 741
<i>Acridura</i>	1898, 598	<i>leptaliata</i>	1892, 133
	1898, 670	<i>Acropteryx arnea</i>	1897, 663
<i>dædala</i>	1898, 670	<i>herbacealis</i>	1897, 663
<i>gryllina</i>	1898, 670	<i>nattereri</i>	1897, 663
	1898, 671	<i>Acropyga acutiventris</i> ..	1896, 410
<i>hadriana</i>	1898, 670	<i>Acroria villipes</i>	1896, 639
<i>metalica</i>	1898, 670	<i>Acrospila phellinoidalis</i> ..	1899, 218
<i>prochyta</i>	1898, 670	<i>Acrotylus longipes</i>	1900, 40
<i>Acripia subolivacea</i>	1899, 286		1898, 384
<i>Acrobasis atratella</i>	1899, 286	<i>Acrydium æneo-oculatum</i> 1892, 209	
<i>cryptoleucella</i>	1899, 286	<i>punctatum</i>	1892, 208
<i>latiorella</i>	1899, 286	<i>sanguinipes</i>	1892, 209
<i>Acrobates pulchellus</i> ..	1892, 541	<i>Acryllium vulturinum</i> ..	1895, 519
	1892, 546	<i>Actæa affinis</i>	1900, 570
<i>pymgæus</i>	1891, 140		1900, 583
	1892, 546	<i>areolata</i>	1900, 734
<i>Acrochordus granulatus</i> . 1896, 878		<i>fossulata</i>	1900, 733
	1899, 658		1900, 570
<i>javanicus</i>	1896, 878	<i>granulata</i>	1900, 584
	1899, 601	<i>hirtissima</i>	1900, 732
	1899, 604		1900, 570
	1899, 613	<i>nodulosa</i>	1900, 583
	1899, 658		1900, 116
<i>Acrodegmia pselaphialis</i> 1897, 640			1900, 733
<i>Acrognathus boops</i>	1894, 662	<i>pulchella</i>	1900, 734
<i>Acrolepis africanus</i>	1891, 312	<i>rufopunctata</i>	1900, 570
<i>drummondi</i>	1891, 312		1900, 584
<i>Acrolophus agrotipen-</i>			1900, 773
<i>nella</i>	1897, 172	<i>rugata</i>	1900, 773
<i>leucodocis</i>	1891, 514	<i>rüppellii</i>	1900, 733
	1891, 544	<i>speciosa</i>	1900, 570
	1897, 174		1900, 584
<i>niveipunctatus</i>	1891, 513	<i>tomentosa</i>	1900, 570
	1891, 544		1900, 583
	1897, 174		1900, 734
<i>plumifrontellus</i>	1891, 514	<i>Actæodes affinis</i>	1900, 583
	1891, 544		1900, 734
	1897, 174	<i>richtersii</i>	1900, 583
<i>poeyi</i>	1891, 512	<i>speciosa</i>	1900, 584
	1891, 544	<i>tomentosus</i>	1900, 116
	1891, 549		1900, 734
	1897, 174	<i>Actæopsis pallida</i>	1900, 741
<i>reflexus</i>	1897, 173		1900, 770
<i>vitellus</i>	1891, 125	<i>Actenia rubescens</i>	1897, 676
		<i>Actenochroma farinosa</i> .	1893, 350

	Page		Page
<i>Actenochroma viridaria</i> ..	1893, 350	<i>Actinopus cafrus</i>	1897, 727
<i>Actheres lacæ</i>	1899, 498	<i>caraiiba</i>	1896, 730
<i>pecarum</i>	1899, 498	<i>crassipes</i>	1896, 731
<i>pinelodi</i>	1899, 498	<i>crassipes</i>	1896, 730
<i>selachiorum</i>	1899, 499	<i>crassipes</i>	1896, 731
<i>Actias artemis</i>	1899, 293	<i>barti</i>	1896, 730
<i>leto</i>	1899, 294	<i>barti</i>	1896, 731
<i>leto</i>	1899, 293	<i>barti</i>	1896, 732
<i>luna</i>	1899, 294	<i>barti</i>	1898, 892
<i>luna</i>	1892, 194	<i>barti</i>	1893, 893
<i>luna</i>	1893, 279	<i>barti</i>	1898, 900
<i>luna</i>	1894, 134	<i>insignis</i>	1896, 730
<i>luna</i>	1895, 137	<i>liodon</i>	1896, 730
<i>luna</i>	1896, 241	<i>liodon</i>	1896, 732
<i>luna</i>	1897, 296	<i>longipalpis</i>	1896, 730
<i>luna</i>	1898, 80	<i>longipalpis</i>	1896, 732
<i>luna</i>	1900, 181	<i>luteipes</i>	1896, 730
<i>mænas</i>	1899, 294	<i>luteipes</i>	1896, 732
<i>mimosæ</i>	1893, 280	<i>nattereri</i>	1896, 730
<i>mimosæ</i>	1894, 131	<i>nattereri</i>	1896, 732
<i>mimosæ</i>	1894, 135	<i>piceus</i>	1896, 730
<i>mimosæ</i>	1895, 138	<i>piceus</i>	1896, 732
<i>mimosæ</i>	1897, 296	<i>rojasi</i>	1896, 730
<i>mimosæ</i>	1899, 293	<i>rojasi</i>	1896, 731
<i>mimosæ</i>	1899, 294	<i>rufipes</i>	1896, 730
<i>mimosæ</i>	1900, 181	<i>rufipes</i>	1896, 732
<i>selene</i>	1891, 179	<i>scalops</i>	1896, 730
<i>selene</i>	1892, 193	<i>scalops</i>	1896, 731
<i>selene</i>	1893, 278	<i>tarsalis</i>	1896, 720
<i>selene</i>	1894, 133	<i>tarsalis</i>	1896, 730
<i>selene</i>	1896, 240	<i>tarsalis</i>	1896, 732
<i>selene</i>	1897, 296	<i>valencianus</i>	1896, 730
<i>selene</i>	1899, 293	<i>valencianus</i>	1896, 731
<i>selene</i>	1899, 294	<i>valencianus</i>	1896, 732
<i>selene</i>	1900, 181	<i>wallacei</i>	1896, 722
<i>Actinocucumis typica</i> ..	1894, 394	<i>wallacei</i>	1896, 728
<i>Actinometra beunneti</i> ..	1894, 396	<i>wallacei</i>	1896, 730
<i>cumingii</i>	1894, 402	<i>wallacei</i>	1896, 731
<i>duplex</i>	1894, 396	<i>wallacei</i>	1896, 732
<i>echinoptera</i>	1894, 402	<i>wallacei</i>	1896, 766
<i>fimbriata</i>	1894, 396	<i>Actinopyga echinites</i> ..	1898, 836
<i>maculata</i>	1894, 395	<i>excellens</i>	1898, 838
<i>maculata</i>	1894, 396	<i>flavocastanea</i>	1898, 835
<i>multifida</i>	1894, 394	<i>flavocastanea</i>	1898, 836
<i>multiradiata</i>	1894, 394	<i>flavocastanea</i>	1898, 837
<i>multiradiata</i>	1900, 729	<i>mauritiana</i>	1898, 835
<i>multiradiata</i>	1900, 730	<i>miliaris</i>	1900, 117
<i>nobilis</i>	1894, 394	<i>parvula</i>	1898, 836
<i>parvicirra</i>	1894, 394	<i>parvula</i>	1898, 837
<i>parvicirra</i>	1894, 396	<i>parvula</i>	1898, 838
<i>pectinata</i>	1894, 394	<i>parvula</i>	1898, 848
<i>peregrina</i>	1894, 396	<i>(Mülleria) echinites</i> ..	1898, 835
<i>peregrina</i>	1894, 402	<i>(—) mauritiana</i> ..	1898, 435
<i>regalis</i>	1894, 396	<i>(—) parvula</i>	1898, 835
<i>rotalaria</i>	1894, 396	<i>Actinoradians</i>	1893, 92
<i>simplex</i>	1894, 396	<i>actinoradians</i>	1893, 108
<i>variabilis</i>	1894, 394	<i>Actitis hypoleucus</i>	1900, 497
<i>Actinophrys sol</i>	1897, 789	<i>macularia</i>	1892, 395

	Page		Page
<i>Actitis macularia</i>	1892, 408	<i>Adenota thomasi</i>	1896, 194
<i>Actiturus bartramius</i> ..	1892, 395	<i>vardoni</i>	1896, 193
<i>Actuarius</i>	1900, 814		1896, 194
<i>albonotatus</i>	1900, 815	<i>Adineta barbata</i>	1897, 798
	1900, 825	<i>gracilis</i>	1897, 798
<i>Actumnus setifer</i>	1900, 570	<i>vaga</i>	1897, 797
	1900, 580	— <i>major</i>	1897, 797
	1900, 742	— <i>minor</i>	1897, 797
<i>tomentosus</i>	1900, 742		1897, 798
<i>Acureuta aspera</i>	1891, 518	<i>Adullia</i> sp.	1892, 123
	1897, 167	<i>guttulata</i>	1892, 123
<i>lentiginosa</i>	1891, 518	<i>Admetus palmatus</i> ..	1897, 890
	1897, 167	<i>Adolias anyte</i>	1891, 279
<i>Acusilas africanus</i>	1899, 855	<i>appiades</i>	1891, 280
<i>Acutalis apicalis</i>	1895, 58	<i>balarama</i>	1891, 280
<i>trifurcata</i>	1895, 58	<i>bipunctata</i>	1891, 279
<i>Acutia falciferalis</i>	1897, 677	<i>discipilota</i>	1891, 281
<i>Acyphas robusta</i>	1898, 428	<i>eleanor</i>	1900, 506
<i>Adamsia palliata</i>	1898, 286	<i>euthymius</i>	1891, 270
<i>rondeletii</i>	1898, 286	<i>jahnu</i>	1891, 281
	1898, 311	<i>nara</i>	1891, 278
<i>Adapis magnus</i>	1893, 533	<i>nicea</i>	1891, 273
<i>parisiensis</i>	1893, 533	<i>parta</i>	1891, 280
<i>Addæa candidalis</i>	1897, 632	<i>parvata</i>	1891, 280
<i>polygraphalis</i>	1897, 632	<i>sananda</i>	1891, 281
<i>probolopsis</i>	1897, 632	<i>satropaces</i>	1891, 279
<i>subtessellata</i>	1897, 632	<i>siva</i>	1891, 277
<i>syndesma</i>	1897, 632	<i>taoona</i>	1891, 278
<i>trimeronalis</i>	1897, 632	<i>xiphones</i>	1891, 280
<i>Addax</i>	1900, 161	<i>zichri</i>	1891, 280
<i>naso-maculatus</i> ..	1896, 810	<i>Adopea actæon</i>	1893, 98
	1896, 984		1896, 57
	1898, 352	<i>boeta</i>	1893, 98
<i>Addua inclusa</i>	1896, 647	<i>hamza</i>	1896, 57
<i>Adelocephala invalida</i> ..	1892, 289	<i>hylax</i>	1893, 98
<i>Adelochelys crassa</i>	1900, 661		1893, 99
<i>Adeloides</i>	1898, 599	<i>hyrax</i>	1893, 98
	1899, 195	<i>linea</i>	1893, 98
<i>cinerealis</i>	1899, 195	<i>lineola</i>	1893, 98
<i>glaucoptera</i>	1899, 195		1896, 57
<i>Adelonycteris fuscus</i> ..	1896, 791	<i>thauamas</i>	1893, 91
<i>Adena</i>	1898, 599		1893, 98
<i>hybreasalis</i>	1899, 227		1893, 132
<i>xanthialis</i>	1899, 227		1896, 57
<i>zanthialis</i>	1895, 972		1898, 367
<i>Adeniophis intestinalis</i>		<i>venula</i>	1893, 98
<i>nigro-tæniatus</i> ..	1892, 507	<i>virgula</i>	1893, 98
<i>Adenopteryx couchylia-</i>		<i>wrighti</i>	1893, 98
<i>talis</i>	1897, 672	<i>Adoretus</i> sp.	1893, 748
<i>Adenota kob</i>	1896, 192	<i>Adra argenteilinea</i> ..	1899, 286
	1896, 193	<i>Adrana pseudopsis</i>	1896, 639
	1896, 194	<i>Adricara albobiscata</i> ..	1899, 286
	1898, 850	<i>Æchmophorus</i>	1898, 93
<i>lechæ</i>	1896, 193		1899, 1018
	1896, 194		1899, 1020
<i>leucotis</i>	1896, 194		1899, 1023
<i>mariaë</i>	1896, 194		1899, 1042
<i>thomasi</i>	1896, 193	<i>major</i>	1893, 613

	Page		Page
<i>Æchmophorus major</i> ..	1896, 538	<i>Ælia erosa</i>	1900, 821
	1897, 469	<i>gambiensis</i>	1900, 823
<i>Ædemosyne cantans</i> ..	1895, 466	<i>infusca</i>	1900, 823
<i>Ædia dulcistriga</i>	1893, 679	<i>melanoleuca</i>	1900, 821
<i>Ædiodes abstrusalis</i> ..	1898, 653	<i>nasalis</i>	1900, 821
<i>bacialis</i>	1899, 286	<i>sanguinea</i>	1900, 823
<i>bootanalis</i>	1898, 654	<i>sparsa</i>	1900, 817
<i>flebilialis</i>	1898, 633		1900, 821
<i>inscitalis</i>	1898, 653	<i>varicornis</i>	1900, 821
<i>orbalis</i>	1898, 631	<i>Ælianus scutellatus</i>	1892, 577
<i>orientalis</i>	1898, 633		1892, 579
<i>unipunctalis</i>	1898, 633	<i>Aelopus hirundo</i>	1893, 674
<i>Aëdon leucoptera</i>	1895, 483		1898, 432
<i>Ægeria blaciciformis</i> ...	1896, 637	<i>Æluropus melanoleucus</i> .	1893, 449
<i>buprestiformis</i>	1896, 637		1897, 415
<i>ceraca</i>	1893, 280		1899, 575
<i>panisciformis</i>	1896, 637		1900, 679
<i>Ægialitis alexandrina</i> ..	1900, 495		1900, 681
<i>dealbatus</i>	1900, 495	<i>Ælurosaurus felinus</i> ..	1896, 865
<i>dubia</i>	1900, 495		1899, 627
<i>geoffroyi</i>	1900, 495	<i>Æluroscalobotes felinus</i> .	1896, 865
<i>intermedius</i>	1900, 495		1899, 603
<i>mongolicus</i>	1900, 495		1899, 627
<i>nivosa</i>	1892, 399	<i>Ælurus fulgens</i>	1894, 358
	1892, 406		1894, 375
	1892, 408		1898, 130
<i>occidentalis</i>	1891, 137		1898, 131
	1896, 324		1900, 665
<i>semipalmata</i>	1892, 395	<i>Æmona lena</i>	1891, 271
	1892, 406	<i>Ænictus bengalensis</i> ..	1896, 416
	1892, 408	<i>ceylonicus</i>	1896, 416
<i>tricollaris</i>	1895, 514	<i>porozonoides</i>	1896, 416
<i>Ægithalus musculus</i> ..	1895, 476	<i>Ænidea coccinea</i>	1899, 376
<i>Ægithus clavicornis</i> ..	1898, 336	<i>Æolosoma headleyi</i> ..	1892, 352
<i>Ægle granulosus</i>	1900, 732	<i>hemprichii</i>	1892, 352
<i>rugata</i>	1900, 733	<i>lacteum</i>	1892, 352
<i>rüppellii</i>	1900, 733	<i>leidyi</i>	1892, 353
<i>Ægocera fervida</i>	1893, 674	<i>niveum</i>	1892, 351
<i>inclusa</i>	1896, 844		1892, 352
<i>leucomelas</i>	1898, 420		1892, 353
<i>meneta</i>	1893, 674	<i>quaternarium</i>	1892, 352
	1894, 583		1892, 353
	1896, 134	<i>tenebrarum</i>	1892, 353
	1896, 844	<i>variegatum</i>	1892, 352
<i>rectilinea</i>	1896, 529		1892, 353
<i>tricolor</i>	1894, 583	<i>Æpyceros melampus</i> ..	1892, 553
	1896, 529		1893, 723
	1898, 420		1893, 728
<i>trimeni</i>	1898, 420		1894, 132
<i>tripartita</i>	1892, 183		1894, 145
	1892, 189		1895, 359
<i>triplagiata</i>	1898, 420		1896, 194
<i>Ælia assimilis</i>	1900, 817		1896, 797
	1900, 823		1897, 453
<i>atricornis</i>	1900, 818		1897, 939
<i>conspicua</i>	1900, 821	— <i>johnstoni</i>	1892, 553
<i>crucifera</i>	1900, 823		1892, 554
<i>depressa</i>	1900, 823	— <i>typicus</i>	1892, 554

	Page		Page
<i>Æpyornis</i> sp. inc.	1894, 109	<i>Ætheomorpha</i> <i>cærulea</i> .	1898, 221
	1894, 110		1898, 242
<i>cursor</i>	1894, 117	<i>Ætheria</i> sp.	1900, 971
<i>hildebrandti</i>	1894, 108	<i>lamarcki</i>	1900, 971
	1894, 109	<i>Æthilla</i> <i>coracina</i>	1893, 38
	1894, 110	<i>echina</i>	1893, 38
	1894, 111	<i>eleusinia</i>	1893, 19
	1894, 112		1893, 37
	1894, 113		1893, 38
	1894, 118		1893, 131
<i>lentus</i>	1894, 117	<i>epiera</i>	1893, 38
<i>maximus</i>	1894, 108	<i>gigas</i>	1893, 37
	1894, 109		1893, 38
	1894, 110	<i>lavochrea</i>	1893, 38
	1894, 111	<i>Ætholix</i>	1898, 596
	1894, 112		1898, 633
	1894, 113	<i>cingalesa</i>	1898, 634
	1894, 117	<i>flavibasalis</i>	1898, 634
	1894, 118	<i>indecisalis</i>	1898, 634
<i>medius</i>	1892, 299	<i>Aethon</i> <i>prionoti</i>	1899, 491
	1894, 111	<i>Æthopyga</i> <i>chrystinae</i> ..	1900, 468
	1894, 117	<i>seheriae</i>	1896, 284
<i>modestus</i>	1894, 111		1896, 292
	1894, 118		1896, 295
<i>mulleri</i>	1894, 111	<i>Æthria</i> <i>hæmorrhoidalis</i> .	1894, 227
	1894, 123	<i>paula</i>	1894, 227
<i>titan</i>	1894, 111	<i>Æthroides</i> <i>mammosa</i> ..	1899, 861
	1894, 112	<i>Aëthurus</i>	1898, 450
	1894, 113	<i>glirinus</i>	1898, 451
	1894, 114		1898, 454
	1894, 115	<i>Æthus</i> <i>margo</i>	1894, 171
	1894, 116	<i>spinolæ</i>	1894, 171
	1894, 117	<i>Ætidius</i> <i>armatus</i>	1898, 541
	1894, 118		1898, 542
	1894, 123		1898, 549
<i>Æpyprymnus</i> <i>rufescens</i> .	1893, 451	<i>Aetius</i>	1896, 1006
	1893, 464	<i>decollatus</i>	1896, 1007
	1893, 472		1896, 1012
<i>Æquorea</i> <i>foiskalea</i>	1897, 828	<i>Ætius</i>	1900, 813
	1897, 830	<i>variegatus</i>	1900, 814
	1897, 832		1900, 825
<i>Aeromachus</i> <i>indistincta</i> .	1893, 80	<i>Affa</i> <i>bipunctella</i>	1895, 973
<i>jhora</i>	1892, 652	<i>Africanion</i> <i>ater</i>	1891, 225
	1893, 80	<i>pallens</i>	1895, 244
<i>johnstoni</i>	1893, 673	<i>Agallia</i> <i>albidula</i>	1895, 84
	1896, 32	<i>capitata</i>	1895, 83
	1896, 841	<i>fascigera</i>	1895, 82
<i>kali</i>	1892, 652		1895, 84
	1893, 80	<i>nigricans</i>	1895, 82
<i>stigmata</i>	1892, 652	<i>quadripunctata</i>	1895, 81
	1893, 71	<i>ustulata</i>	1895, 81
	1893, 80	<i>Agallias</i> <i>simplex</i>	1893, 706
<i>Æschremon</i>	1899, 277	<i>Agalychnis</i> <i>helenæ</i>	1894, 643
<i>Æschropteryx</i> <i>onus-</i>		<i>Agama</i> <i>adramitana</i>	1898, 914
<i>taria</i>	1896, 644	<i>annectens</i>	1895, 533
	1898, 368		1896, 215
<i>tetragonata</i>	1896, 643	<i>armata</i>	1897, 800
<i>Ætheius</i> <i>archytas</i>	1893, 130	<i>atricollis</i>	1892, 555

	Page		Page
<i>Agama batallifera</i>	1895, 533	<i>Agastya</i>	1898, 599
	1898, 915		1899, 219
<i>bibroni</i>	1891, 170	<i>flavomaculata</i>	1899, 219
<i>colonorum</i>	1900, 448	<i>hyblæoides</i>	1899, 219
<i>cyanogaster</i>	1894, 86	<i>Agathis pectoralis</i>	1895, 785
	1895, 533	<i>rubricinctus</i>	1895, 784
	1896, 215	<i>Agathodes</i>	1898, 598
<i>doriæ</i>	1894, 86		1898, 730
	1895, 533	<i>caliginosalis</i>	1898, 731
	1896, 214	<i>designalis</i>	1898, 730
<i>flavimaculata</i>	1898, 914	<i>diversalis</i>	1899, 182
<i>gregorii</i>	1894, 86	<i>dubitalis</i>	1899, 283
	1894, 723	<i>modicalis</i>	1898, 731
<i>inermis</i>	1892, 11	<i>monstralis</i>	1898, 731
<i>jayakari</i>	1898, 914	<i>musivalis</i>	1898, 731
<i>lehmanni</i>	1898, 914	<i>ostentalis</i>	1898, 730
<i>lionotus</i>	1896, 214		1898, 731
	1896, 217	<i>Agelæus thilius</i>	1892, 405
	1898, 914	<i>Agenia ægina</i>	1896, 434
<i>microterolepis</i>	1898, 914	<i>alaris</i>	1896, 434
<i>phillipsii</i>	1898, 914	<i>bipennis</i>	1896, 434
<i>planiceps</i>	1896, 214	<i>blanda</i>	1896, 433
<i>robecchii</i>	1898, 914	<i>concolor</i>	1896, 434
<i>rueppellii</i>	1896, 214	<i>insularis</i>	1896, 434
	1898, 914	<i>micromegas</i>	1896, 434
<i>sinaita</i>	1895, 636	<i>nana</i>	1896, 434
	1895, 642	<i>obsoleta</i>	1896, 434
<i>smithii</i>	1896, 213	<i>plebeja</i>	1896, 434
	1896, 217	<i>Ageronia amphinome</i> ..	1892, 190
	1898, 914	<i>arethusa</i>	1892, 190
<i>spinosa</i>	1896, 214		1892, 191
<i>torquata</i>	1897, 477		1892, 193
<i>undulata</i>	1897, 503	<i>ferentina</i>	1898, 363
<i>vaillanti</i>	1895, 532	<i>feronia</i>	1892, 190
	1896, 213		1892, 193
	1898, 914	<i>fornax</i>	1892, 190
<i>zonura</i>	1895, 533	<i>Aglantha digitalis</i>	1897, 833
	1895, 540		1898, 1023
	1898, 915		1898, 1030
<i>Agamodon anguliceps</i> ..	1898, 916		1898, 1031
<i>Aganaster</i> sp.	1896, 1038	— <i>occidentalis</i>	1898, 1331
<i>Aganisthos orion</i>	1896, 515	<i>rosea</i>	1897, 833
<i>Agapornis</i>	1899, 9		1897, 835
	1899, 34		1898, 1023
	1899, 35		1898, 1030
	1899, 37		1898, 1031
	1899, 44	<i>Aglaops</i>	1899, 239
	1899, 45	<i>Aglastoma basilis</i>	1895, 752
<i>sp.</i>	1894, 598	<i>longicornis</i>	1895, 752
	1894, 599	<i>pallida</i>	1895, 752
<i>roseicapillus</i>	1899, 37	<i>similis</i>	1895, 752
<i>swinderniana</i>	1894, 599	<i>tricolor</i>	1895, 752
	1894, 600		1895, 753
	1894, 601	<i>variabilis</i>	1895, 752
	1894, 662	<i>Aglossa gryphalis</i>	1897, 679
<i>Agarea minuta</i>	1892, 288	<i>Agnidra carnea</i>	1892, 125
<i>Agaricia</i>	1900, 127		1892, 133
<i>Agastira mira</i>	1897, 832	<i>Agonoscelis nubila</i>	1900, 823

	Page		Page
<i>Agonoscelis rufescens</i> ..	1900, 811	<i>Agrotera ignepicta</i>	1898, 629
<i>venosa</i>	1900, 823	<i>leucostola</i>	1898, 630
<i>versicolor</i>	1900, 824	<i>magnificalis</i>	1898, 628
<i>Agonosoma bicolor</i>	1900, 823	<i>nemoralis</i>	1898, 630
<i>flavolineata</i>	1894, 169	<i>pictalis</i>	1898, 630
<i>trilineata</i>	1894, 170	<i>retinalis</i>	1898, 630
	1900, 822	<i>scissalis</i>	1898, 628
<i>Agonostoma monticola</i> ..	1891, 356	<i>setipes</i>	1898, 628
	1891, 357	<i>Agrotis c-nigrum</i>	1896, 249
<i>Agonus acipenserinus</i> ..	1894, 671	<i>divisa</i>	1898, 383
	1894, 674	<i>emittens</i>	1896, 638
<i>cataphractus</i>	1898, 309	<i>exempta</i>	1896, 260
<i>decagonus</i>	1894, 674	<i>hirtipalpis</i>	1896, 638
<i>gilberti</i>	1894, 670	<i>interferens</i>	1896, 639
	1894, 674	<i>Agrypnus bocandei</i>	1900, 26
	1894, 675	<i>longicornis</i>	1900, 26
<i>valsus</i>	1894, 671		1900, 63
	1894, 674	<i>Agyrta chena</i>	1893, 281
<i>Agoræa longicornis</i>	1896, 636	<i>micilia</i>	1893, 282
<i>Agraga fimbripes</i>	1896, 639	<i>nana</i>	1896, 636
<i>Agraulis junö</i>	1896, 515	<i>pandemia</i>	1893, 282
<i>vanillæ</i>	1896, 515	<i>phylla</i>	1893, 282
	1898, 363		1893, 310
	1900, 198	<i>secta</i>	1896, 636
<i>Agrilus grandis</i>	1893, 748	<i>Agyrtria tephrocephala</i> ..	1899, 515
<i>Agriodius auritus</i>	1899, 550	<i>Ahætulla irregularis</i> ..	1891, 306
<i>Agriolimax agrestis</i>	1891, 223		1892, 555
<i>berendti</i>	1891, 223	<i>liocercus</i>	1894, 499
<i>campestris</i>	1891, 223		1894, 510
<i>hyperboreus</i>	1891, 223		1894, 518
<i>levis</i>	1891, 223	<i>neglecta</i>	1893, 618
<i>montanus</i>	1891, 223		1893, 620
<i>occidentalis</i>	1891, 223		1894, 88
<i>Agriön aurora</i>	1891, 205	<i>punctata</i>	1894, 88
(<i>Ischnura</i>) <i>aurora</i> ..	1891, 205	<i>semivariegata</i>	1891, 307
<i>Agriornis insolens</i>	1896, 354	<i>shirana</i>	1891, 306
<i>maritima</i>	1891, 134	<i>Aidemosyne cantans</i> ..	1895, 466
	1892, 404	<i>Aides epitus</i>	1893, 130
<i>solitaria</i>	1896, 354	<i>Ailurichthys gronovii</i> ..	1898, 857
<i>Agrophis sarasinorum</i> ..	1897, 196	<i>Aipysurus eydouxi</i>	1896, 893
	1897, 200		1899, 600
	1897, 222		1899, 607
	1897, 237		1899, 688
<i>Agrotera</i>	1898, 596	<i>Akodon arenicola</i>	1898, 211
	1898, 627	<i>canescens</i>	1898, 211
<i>amathealis</i>	1898, 630	<i>Alactaga decumana</i>	1893, 729
<i>barcealis</i>	1898, 630	<i>Alæna amazoula</i>	1891, 94
<i>basinotata</i>	1898, 629		1893, 659
<i>citrina</i>	1898, 629		1894, 60
<i>cœlatalis</i>	1898, 630		1895, 262
<i>discinotata</i>	1898, 629		1898, 907
<i>effertalis</i>	1898, 628	<i>aurantiaca</i>	1895, 262
<i>endoxantha</i>	1898, 628		1895, 270
	1898, 761	<i>hautteœuri</i>	1893, 659
<i>fenestralis</i>	1898, 630	<i>interposita</i>	1893, 659
<i>fumosa</i>	1898, 629		1895, 262
<i>griseola</i>	1898, 629	<i>johannæ</i>	1894, 338
			1894, 353

	Page		Page
<i>Alaena johannæ</i>	1896, 526	<i>Alebion difficile</i>	1899, 462
<i>major</i>	1893, 659	<i>Alectaga indica</i>	1894, 252
<i>nyassæ</i>	1893, 659		1894, 254
	1894, 61		1894, 256
	1894, 62		1894, 257
	1896, 108		1894, 260
	1896, 118		1894, 262
	1896, 851		1894, 263
	1896, 852		1894, 268
	1898, 192		1894, 276
	1898, 906	<i>Alecton discoidalis</i>	1898, 320
— <i>ochracea</i>	1893, 659	<i>Alectrurus risorius</i>	1899, 515
	1898, 49	<i>tricolor</i>	1899, 513
	1898, 54	<i>Alemo seychellensis</i> ..	1900, 133
<i>picata</i>	1898, 395	<i>Alera furcata</i>	1893, 130
	1898, 402	<i>Alestes affinis</i>	1894, 90
<i>reticulata</i>	1896, 827		1896, 223
	1896, 850	<i>dentex</i>	1900, 512
<i>Alana transitaria</i>	1896, 644	<i>imberi</i>	1893, 619
<i>Alastor angulicollis</i>	1893, 689		1894, 90
<i>Alauda arborea</i>	1891, 472	<i>leuciscus</i>	1900, 513
	1891, 476	<i>longipennis</i>	1899, 731
<i>arvensis</i>	1891, 472	<i>rueppellii</i>	1896, 218
<i>brachydactyla</i>	1891, 628		1896, 223
<i>cœlivox</i>	1900, 466	<i>sethente</i>	1900, 512
<i>cristata</i>	1891, 472	<i>Aletis monteironis</i>	1898, 57
<i>gulgula</i>	1900, 466	<i>tenuis</i>	1898, 419
— <i>sala</i>	1900, 466	<i>Alexia minor</i>	1898, 338
<i>sala</i>	1900, 466	<i>Algedonia</i>	1899, 252
<i>wattersi</i>	1900, 466	<i>Algiroides moreoticus</i> ..	1894, 724
<i>Alaudula somalica</i>	1895, 472	<i>Alia atricornis</i>	1900, 824
<i>Albula conorhynchus</i> ..	1899, 940	<i>Alicarda atialis</i>	1896, 649
	1899, 955	<i>vexatilis</i>	1896, 649
<i>Alca torda</i>	1896, 544	<i>Allactostigma inguinalis</i>	1896, 641
	1896, 546	<i>Alligator hantoniensis</i> ..	1891, 7
<i>Alcedo beavani</i>	1895, 339	<i>lucius</i>	1895, 343
	1895, 687	<i>mississippiensis</i> ..	1891, 149
<i>bengalensis</i>	1900, 487		1891, 150
<i>collaris</i>	1896, 604		1891, 151
<i>euryzoma</i>	1900, 460		1891, 152
<i>grandis</i>	1900, 487		1891, 159
<i>ispida</i>	1896, 604		1896, 137
	1900, 487		1896, 632
<i>picta</i>	1895, 497	<i>Allochotes bicolor</i>	1893, 581
* <i>Alcelaphus tora</i>	1891, 321	<i>chrysomelina</i>	1893, 581
<i>Alces machlis</i>	1891, 327	<i>Allodape marginata</i>	1896, 454
	1896, 988	<i>Alloeorhynchus armatus</i> ..	1894, 207
	1900, 686	<i>flavipes</i>	1894, 207
<i>Alcicephalus neumayri</i> ..	1891, 319	<i>Allolobophora</i> sp.	1892, 184
<i>Alcimosphenus licinus</i> ..	1897, 871		1892, 187
<i>Alcippe morrisoniana</i> ..	1900, 477		1892, 188
<i>Alcis granitaria</i>	1893, 421	<i>caliginosa</i>	1896, 195
<i>nigralbata</i>	1893, 421		1896, 196
<i>subnitida</i>	1893, 421	<i>chloritica</i>	1893, 319
<i>subrufaria</i>	1893, 422	<i>complanata</i>	1892, 29
<i>tenera</i>	1893, 422	<i>eiseni</i>	1899, 805
<i>Alcyonium digitatum</i> ..	1898, 830	<i>foetida</i>	1892, 146
<i>Alebion carchariæ</i>	1899, 462		1892, 156

	Page		Page
<i>Allolobophora foetida</i> ..	1896, 195	<i>Alpenus purus</i>	1896, 847
	1896, 196	<i>Alpesa villicosta</i>	1896, 639
<i>longa</i>	1893, 319	<i>Alpheias baccalis</i>	1897, 676
	1893, 320	<i>gitonalis</i>	1897, 676
	1893, 321	<i>Alpherakia abnubilalis</i> ..	1895, 919
	1893, 324	<i>Alpheus collumianus</i> ..	1898, 1000
<i>putris</i>	1896, 195		1898, 1012
	1896, 196	<i>frontalis</i>	1898, 1000
<i>turgida</i>	1893, 319		1898, 1001
<i>Allomorpha africana</i> ..	1899, 356		1898, 1012
<i>Allomorpha trigona</i> ..	1895, 26	<i>funafutensis</i>	1898, 1000
	1895, 51		1898, 1013
<i>Allomys nitens</i>	1893, 192		1898, 1015
<i>Alloneura cæsia</i>	1891, 205	<i>gracilipes</i>	1898, 1001
<i>Allorchestes gracilis</i> ..	1900, 788		1898, 1013
<i>Allotinus alkamah</i>	1892, 619	<i>lævis</i>	1898, 1000
	1895, 664		1898, 1001
<i>aphocha</i>	1895, 563		1898, 1012
	1896, 652	<i>lobidens</i>	1898, 1012
<i>audax</i>	1895, 557	<i>macrochirus</i>	1898, 1001
	1895, 564		1898, 1012
	1895, 626	<i>marmoratus</i>	1898, 1009
<i>caudatus</i>	1895, 563	<i>pachychirus</i>	1898, 1001
<i>multistrigatus</i>	1892, 619		1898, 1013
<i>nivalis</i>	1892, 620	<i>parvirostris</i>	1898, 1000
	1895, 557		1898, 1012
	1895, 564	<i>prolificus</i>	1898, 1000
<i>panormis</i>	1892, 619		1898, 1013
	1892, 664	<i>strenuus</i>	1898, 1000
<i>substrigosa</i>	1895, 564		1898, 1001
<i>subviolaceus</i>	1892, 619		1898, 1012
	1895, 557	<i>Alphitopola peeli</i>	1900, 32
	1895, 563	<i>Alseonax latirostris</i>	1900, 479
	1895, 564	<i>minima</i>	1894, 600
	1896, 653		1894, 601
<i>unicolor</i>	1895, 557	<i>Alsocomus puniceus</i>	1900, 501
	1895, 564	<i>Alucita basalis</i>	1891, 495
<i>zymna</i>	1895, 743		1891, 542
<i>Aloa bivittata</i>	1898, 417		1897, 60
	1898, 444	<i>bipunctatus</i>	1891, 496
<i>lanceolata</i>	1896, 636		1891, 542
<i>punctistriga</i>	1898, 417		1897, 61
<i>rhodophæa</i>	1894, 584	<i>capitella</i>	1897, 74
<i>Alceides malagrida</i>	1898, 908	<i>cosmodactyla</i>	1897, 57
<i>orthus</i>	1897, 847	<i>dentella</i>	1897, 99*
	1898, 195	<i>eudactyla</i>	1891, 496
<i>thyra</i>	1897, 848	<i>minutella</i>	1897, 162
<i>trikosama</i>	1897, 847	<i>monodactyla</i>	1897, 59
	1897, 848	<i>paleaceus</i>	1891, 495
	1898, 195		1891, 542
	1900, 924		1897, 60
<i>Alopochen ægyptiacus</i> ..	1900, 597	<i>participatus</i>	1891, 496
<i>Alosa finta</i>	1899, 503		1891, 542
<i>Alpenus æqualis</i>	1895, 268		1897, 61
	1895, 269	<i>parvella</i>	1897, 101
	1895, 740	<i>pentadactyla</i>	1897, 59
<i>maculosus</i>	1895, 269	<i>præustus</i>	1891, 496
<i>purus</i>	1894, 584		1891, 542

	Page		Page
<i>Alucita præustus</i>	1897, 60	<i>Alycæus microdiscus</i> ..	1891, 343
<i>thomæ</i>	1891, 495		1891, 348
	1891, 542		1894, 155
	1897, 60	<i>multirugosus</i>	1893, 593
(<i>Pælia</i>) <i>eudactyla</i> ..	1897, 61	<i>nagaensis</i>	1893, 594
<i>Alveolina boscii</i>	1895, 12	<i>nicobaricus</i>	1895, 445
	1895, 49	<i>ochraceus</i>	1893, 594
<i>melo</i>	1895, 12	<i>oligopleuris</i>	1891, 342
	1895, 49		1891, 348
<i>Alycæus andamaniæ</i> ..	1895, 445	<i>otiphorus</i>	1893, 594
<i>bi-rugosus</i>	1893, 593	<i>parvulus</i>	1891, 343
<i>broti</i>	1892, 469		1891, 348
	1895, 116	<i>perakensis</i>	1893, 154
<i>busbyi</i>	1893, 595	<i>physis</i>	1891, 343
	1895, 445	<i>plectocheilus</i>	1893, 595
	1895, 455	<i>reinhardti</i>	1895, 445
<i>canaliculatus</i>	1894, 154		1895, 455
	1894, 156	— <i>minor</i>	1895, 445
<i>caroli</i>	1892, 469	<i>rimatus</i>	1895, 116
<i>celebensis</i>	1892, 469	<i>roebeleni</i>	1894, 154
<i>chaperi</i>	1891, 342		1894, 156
<i>conicus</i>	1893, 593	<i>rubinus</i>	1893, 594
<i>crenatus</i>	1893, 595	<i>specus</i>	1892, 469
<i>diplochitus</i>	1891, 342		1895, 116
	1891, 348	<i>spiracellum</i>	1892, 469
<i>distinctus</i>	1893, 592		1895, 116
<i>dohertyi</i>	1893, 595	<i>subculmen</i>	1893, 593
<i>dohrni</i>	1895, 116	<i>tomotrema</i>	1892, 469
	1895, 117	<i>umbonalis</i>	1891, 343
<i>everetti</i>	1892, 469	<i>vestitis</i>	1893, 593
	1895, 116	(<i>Dioryx</i>) <i>granum</i> ..	1893, 593
<i>excisus</i>	1892, 461	(<i>Orthalycæus</i>) <i>con-</i>	
<i>fultoni</i>	1895, 116	<i>gener</i>	1895, 117
	1895, 117		1895, 127
<i>galbanus</i>	1892, 469	(—) <i>fultoni</i>	1895, 117
	1895, 116		1895, 127
<i>globosus</i>	1892, 469	(—) <i>gibbosulus</i> ..	1891, 342
	1895, 116	(—) <i>kapayensis</i> ..	1891, 342
— <i>kina-baluana</i> ..	1895, 116	(—) <i>perakensis</i> ..	1891, 342
— <i>muluana</i>	1895, 116	(—) <i>sadongensis</i> ..	1895, 117
— <i>rabongensis</i>	1895, 116		1895, 127
— <i>pygmæa</i>	1895, 116	(—) <i>thieroti</i>	1891, 342
	1895, 117	<i>Alydda lignosata</i>	1896, 646
<i>granum major</i>	1893, 594	<i>Alydus pallescens</i>	1893, 705
<i>hochstetteri</i>	1892, 469		1894, 180
	1895, 116	<i>Alyta calligrammalis</i> ..	1899, 285
<i>hosei</i>	1892, 469	<i>Alytes cisternasii</i>	1891, 601
	1895, 116		1891, 603
	1895, 117		1891, 604
	1895, 118		1891, 624
<i>ingrami</i>	1893, 592		1891, 626
<i>jagori</i>	1892, 469		1891, 627
	1895, 118	<i>obstetricans</i>	1891, 593
<i>jousseauumi</i>	1891, 343		1891, 594
<i>longituba</i>	1892, 469		1891, 595
<i>magnus</i>	1893, 594		1891, 596
<i>microconus</i>	1891, 343		1891, 597
	1891, 348		1891, 598

	Page		Page
<i>Alytes obstetricans</i>	1891, 601	<i>Amauris echeria</i>	1898, 50
	1891, 633	— <i>albimaculata</i> ..	1894, 18
	1891, 604		1894, 31
	1891, 619	<i>elliotti</i>	1895, 722
	1891, 622		1895, 723
	1891, 623		1895, 742
	1891, 624	<i>hanningtonii</i>	1893, 644
	1891, 626		1894, 19
	1891, 627	<i>jacksoni</i>	1891, 633
	1898, 4-12		1891, 638
	1898, 101-106		1893, 644
— <i>boscae</i>	1891, 624		1894, 18
	1891, 626	<i>lobengula</i>	1891, 633
	1891, 627		1891, 634
<i>Amadina fasciata</i>	1895, 466		1893, 644
<i>Amalia antipodarum</i> ..	1891, 223	<i>ochlea</i>	1893, 644
<i>marginata</i>	1897, 449		1894, 19
<i>maura</i>	1891, 223		1898, 50
<i>nigricola</i>	1891, 223		1898, 396
<i>nigricollis</i>	1891, 223	<i>steckeri</i>	1893, 644
<i>tasmanica</i>	1891, 223	<i>whytei</i>	1893, 644
<i>Amalthea acuta</i>	1891, 418		1895, 251
<i>Amarygmus</i> sp.	1900, 30		1895, 257
<i>Amastus mesorhoda</i> ...	1896, 636		1895, 720
<i>Amathia nigronotata</i> ..	1893, 362		1896, 821
	1893, 434	<i>Amaurocichla bocagii</i> ..	1892, 228
<i>rivularis</i>	1893, 363	<i>Amaxia hebe</i>	1892, 278
	1893, 434	<i>pyga</i>	1892, 279
<i>sanguinipunctata</i> ..	1893, 363	<i>Amazilia amazilia</i>	1892, 384
	1893, 434		1892, 403
<i>Amathusia amythaon</i> ..	1891, 270	<i>leucophaea</i>	1892, 403
<i>nivea</i>	1891, 282	<i>pristina</i>	1892, 384
<i>phidippus</i>	1892, 120	<i>Amblorhinus nototenia</i> .	1894, 87
<i>portheus</i>	1891, 270	<i>Amblotherium muste-</i>	
<i>westwoodi</i>	1891, 270	<i>lula</i>	1896, 586
<i>Amauris albimaculata</i> ..	1893, 644	<i>Amblyaspis brunneus</i> ..	1895, 801
	1895, 257	<i>grenadensis</i>	1895, 800
	1895, 722	<i>ruficornis</i>	1895, 801
	1895, 723	<i>triangularis</i>	1895, 801
	1896, 821	<i>xanthochroa</i>	1895, 800
	1897, 837	<i>xanthopus</i>	1895, 800
	1898, 50	<i>Amblycephalus boea</i>	1895, 705
	1899, 976	<i>laevis</i>	1896, 895
	1900, 913		1899, 600
<i>ansorgei</i>	1896, 821		1899, 607
<i>crawshayi</i>	1896, 821		1899, 694
	1896, 850	<i>malaccanus</i> .. .	1892, 507
<i>damocles</i>	1895, 722		1896, 896
<i>dominicanus</i>	1894, 19		1899, 607
	1894, 558		1899, 694
	1895, 720	<i>margaritophorus</i> ..	1899, 601
	1898, 396		1899, 607
<i>echeria</i>	1891, 634		1899, 694
	1893, 644	<i>mœllendorffi</i>	1899, 607
	1894, 18		1899, 694
	1894, 19	<i>nuchalis</i>	1900, 185
	1894, 335		1900, 187
	1897, 837	<i>Amblycercus solitarius</i> .	1896, 354

	Page		Page
<i>Amblyceratus</i>	1895, 64	<i>Amblypodia syama</i>	1895, 599
<i>pallidus</i>	1895, 65	<i>vidura</i>	1895, 595
<i>Amblygoes oileusalis</i> ..	1892, 129	<i>vivarna</i>	1895, 588
<i>Amblyomma venustum</i> ..	1893, 177	<i>Amblyptilia cosmodac-</i>	
<i>Amblyopone testacea</i> ..	1896, 416	<i>tyla</i>	1897, 57
<i>Amblyospiza unicolor</i> ..	1900, 603	<i>pusillidactyla</i>	1897, 57
<i>Amblypodia absens</i>	1892, 629	<i>Amblyscirtes comus</i>	1893, 80
<i>achelous</i>	1895, 589	<i>eos</i>	1893, 80
<i>agaba</i>	1895, 590	<i>textor</i>	1893, 80
<i>agesias</i>	1895, 592	<i>vialis</i>	1893, 71
<i>alaconia</i>	1895, 593	1893, 80
<i>albipunctata</i>	1892, 631	<i>Amblystoma altamirani</i> ..	1898, 78
<i>allata</i>	1895, 590	<i>annulatum</i>	1898, 478
<i>ameria</i>	1892, 634	<i>persimile</i>	1899, 914
<i>amisena</i>	1895, 588	<i>talpoideum</i>	1898, 478
<i>ammon</i>	1892, 630	<i>Amblyura serpentulus</i> ..	1897, 790
<i>amphimuta</i>	1895, 592	<i>Ambryllis neurophylla</i> ..	1896, 637
<i>anarte</i>	1892, 631	<i>Ameocera maderakal</i>	1896, 524
.....	1895, 589	1898, 369
<i>anita</i>	1892, 628	<i>Ameiva alboguttata</i>	1898, 916
.....	1895, 558	<i>aquilina</i>	1891, 355
.....	1895, 587	<i>bridgesii</i>	1898, 114
<i>anniella</i>	1895, 592	<i>leucostigma</i>	1899, 517
<i>anthelus</i>	1892, 631	<i>septemlineata</i>	1898, 114
<i>anuda</i>	1895, 590	<i>surinamensis</i>	1891, 355
<i>anunda</i>	1895, 590	<i>Ameles byblis</i>	1892, 279
<i>aphidanus</i>	1895, 590	<i>Amenis pionia</i>	1893, 11
<i>aroa</i>	1895, 590	1893, 12
<i>atosia</i>	1892, 629	<i>ponina</i>	1893, 12
.....	1895, 589	<i>Amerila rubripes</i>	1893, 677
<i>atrax</i>	1892, 630	<i>Amesia striata</i>	1892, 121
<i>aurea</i>	1895, 591	<i>Ametstria oculiferalis</i> ..	1895, 904
<i>bazalus</i>	1892, 630	<i>Ametrangia hemisphæ-</i>	
<i>buxtoni</i>	1892, 633	<i>ricum</i>	1897, 826
.....	1895, 591	<i>Amia calva</i>	1895, 297
<i>cæca</i>	1895, 591	1899, 954
<i>diardi</i>	1892, 631	<i>Amiantus sp.</i>	1900, 28
<i>epimuta</i>	1895, 593	<i>sexcostatus</i>	1900, 28
<i>hainana</i>	1900, 508	<i>Amisaspoides gigantea</i> ..	1896, 726
<i>horsfieldi</i>	1895, 591	<i>Amiurus catus</i>	1895, 274
<i>jalindra</i>	1895, 599	1895, 275
<i>jangala</i>	1892, 638	1895, 278
<i>lohita</i>	1895, 599	1895, 279
<i>myrtale</i>	1895, 592	1895, 280
<i>nakula</i>	1895, 589	1895, 282
<i>narada</i>	1895, 558	1895, 291
.....	1895, 587	1895, 298
<i>natalensis</i>	1891, 87	<i>niger</i>	1895, 281
<i>olinda</i>	1895, 591	<i>Ammalo thraillkilli</i>	1892, 280
<i>palowna</i>	1895, 588	<i>Ammodiscus charoides</i> ..	1895, 18
<i>perimuta</i>	1892, 632	1895, 50
<i>quercetorum</i>	1892, 628	<i>incertus</i>	1895, 17
<i>rochana</i>	1895, 587	1895, 50
<i>sophax</i>	1891, 370	<i>tenuis</i>	1895, 18
<i>sophrosyne</i>	1891, 370	1895, 50
<i>syama</i>	1892, 638	<i>Ammodorcas clarkei</i> ..	1891, 207
.....	1895, 598	1892, 101
		1892, 118

	Page		Page
<i>Ammodorcas clarkei</i> ..	1892, 305	<i>Amphidromus ento-</i>	
	1892, 308	<i>baptus</i>	1892, 468
	1894, 318		1895, 98
<i>Ammodromus peruanus</i> .	1896, 353		1895, 99
<i>Ammodytes lanceolatus</i> .	1899, 940	<i>filozonatus</i>	1892, 468
	1899, 947	<i>furcillatus</i>	1892, 468
	1899, 955	<i>galericulum</i>	1892, 468
<i>tobianus</i>	1899, 940	<i>hosei</i>	1895, 115
	1899, 947		1895, 127
<i>Ammomanes deserti</i> ..	1895, 472	<i>interruptus</i>	1892, 468
<i>Ammophila atripes</i>	1896, 437	<i>inversus</i>	1892, 468
<i>humbertiana</i>	1896, 437	<i>jayanus</i>	1892, 459
<i>lævigata</i>	1896, 437		1892, 468
<i>longiventris</i>	1896, 437	<i>leucoxanthus</i>	1892, 468
<i>Ammotragus trage-</i>		<i>loricatus</i>	1892, 468
<i>laphus</i>	1895, 85	<i>maculiferus</i>	1892, 460
<i>Amnestus pusillus</i>	1894, 171	<i>melanomma</i>	1891, 336
<i>subferrugineus</i>	1893, 705		1892, 468
	1894, 171	<i>moniliferus</i>	1894, 150
<i>Amœba quadrilineata</i> ..	1897, 787	<i>palaceus</i>	1892, 468
<i>radiosa</i>	1897, 787	<i>perversus</i>	1891, 336
<i>verrucosa</i>	1897, 787		1892, 468
<i>Amœbe bidentata</i>	1893, 372		1895, 115
<i>niveopicta</i>	1893, 372		1895, 127
	1893, 433	<i>porcellanus</i>	1892, 468
<i>Amops malayica</i>	1895, 595	<i>purus</i>	1892, 468
<i>Amorphozancle discata</i> .	1893, 408	<i>quadrata</i>	1892, 462
	1893, 434		1892, 468
<i>Ampelo arcuatus</i>	1896, 370		1895, 99
<i>Ampelion cucullatus</i> ..	1899, 513	<i>roseotincta</i>	1894, 150
<i>Ampelis garrulus</i>	1897, 890	<i>sinistralis</i>	1892, 468
<i>Ampelophaga versicolor</i>	1896, 241	<i>sultanus</i>	1892, 468
<i>Amphacanthus rivulatus</i>	1899, 443	<i>sumatranus</i>	1892, 468
<i>Amphibolurus barbatus</i> .	1895, 713	<i>suspectus</i>	1895, 115
<i>decesii</i>	1894, 723	<i>winteri</i>	1892, 468
<i>imbricatus</i>	1898, 915	<i>Amphigonias compri-</i>	
<i>Amphicodon amphi-</i>		<i>mens</i>	1892, 128
<i>pleurus</i>	1896, 467	<i>postponens</i>	1896, 640
<i>fritillaria</i>	1896, 466	<i>Amphimela ornata</i>	1899, 356
	1896, 473	<i>Amphinema dinema</i> ..	1896, 459
<i>globosus</i>	1896, 467		1896, 475
<i>Amphidesma cordiformis</i>	1891, 427	<i>titanea</i>	1896, 475
<i>Amphidromus adamsii</i> .	1892, 461	<i>Amphiophis angolensis</i> .	1891, 307
	1892, 468	<i>nototenia</i>	1891, 307
<i>andamanicus</i>	1895, 443	<i>Amphioxus</i>	1899, 8
<i>— nicobarica</i>	1895, 443	<i>Amphiproviverra man-</i>	
	1895, 450	<i>zaniana</i>	1899, 928
<i>annæ</i>	1892, 468	<i>Amphisbæna alba</i>	1892, 485
<i>annamiticus</i>	1894, 150		1895, 706
<i>appressus</i>	1892, 468		1895, 709
<i>battaviæ</i>	1892, 468	<i>bohlsii</i>	1894, 724
<i>beccarii</i>	1892, 468	<i>borelli</i>	1898, 916
<i>chloris</i>	1891, 336	<i>camura</i>	1894, 724
	1892, 468	<i>darwinii</i>	1892, 485
<i>contrarius</i>	1892, 461		1895, 706
<i>emaciatus</i>	1892, 468	<i>fuliginosa</i>	1895, 706
<i>entobaptus</i>	1892, 461		1895, 707
	1892, 462		1898, 114

	Page		Page
<i>Amphisbæna liberiensis</i>	1898, 916	<i>Amydona varia</i>	1895, 269
<i>quadrifrons</i>	1894, 724	<i>Amydria anaphorella</i> ..	1891, 517
<i>ridleyi</i>	1895, 706		1891, 545
<i>Amphissa vacillans</i>	1892, 122		1897, 167
<i>Amphistegina hauerina</i>	1895, 46	<i>Amydrus morio</i>	1895, 460
	1895, 55	<i>rueppelli</i>	1895, 460
<i>lessoni</i>	1895, 45	<i>Amyna axis</i>	1894, 588
	1895, 46	<i>octo</i>	1896, 260
	1895, 54		1900, 18
<i>radiata</i>	1895, 45	<i>selenampha</i>	1896, 260
	1895, 46		1898, 420
	1895, 47		1900, 18
	1895, 54	<i>stigmatula</i>	1896, 260
	1895, 55	<i>Amyntas</i>	1900, 612
<i>Amphisternus armatus</i>	1892, 86	<i>æinctus</i>	1900, 650
	1892, 90	<i>acrophilus</i>	1900, 636
<i>auriculatus</i>	1892, 86	<i>ælianus</i>	1900, 626
<i>rudepunctatus</i>	1897, 457	<i>æruginosus</i>	1900, 629
<i>spinicollis</i>	1892, 86	<i>agrestis</i>	1900, 637
<i>verrucosus</i>	1897, 456	<i>alexandri</i>	1900, 891
	1897, 457	<i>annulatus</i>	1900, 634
	1897, 464	<i>aringeanus</i>	1900, 899
<i>Amphithoe littorina</i> ..	1894, 485		1900, 901
<i>Amphitrite speciosa</i> ..	1900, 578	<i>aspergillum</i>	1900, 631
<i>Amphiuma means</i>	1893, 278	<i>batjanensis</i>	1900, 630
<i>tridactyla</i>	1893, 278	<i>bermudensis</i>	1900, 645
<i>Amphiura olivacea</i>	1894, 396	<i>nicinctus</i>	1900, 651
<i>Ampittia bernieri</i>	1893, 96	<i>bbidjeyensis</i>	1900, 616
	1896, 52	<i>biporus</i>	1900, 892
<i>camertes</i>	1893, 96		1900, 908
<i>cariate</i>	1893, 96	<i>birmanicus</i>	1900, 637
	1896, 54	<i>biserialis</i>	1900, 638
<i>coroller</i>	1896, 54		1900, 891
<i>dioscorides</i>	1893, 96	<i>bosschæ</i>	1900, 625
<i>dispar</i>	1893, 96		1900, 892
	1896, 52		1900, 904
<i>inornatus</i>	1893, 96	<i>bournei</i>	1900, 635
<i>maro</i>	1893, 90	<i>brevis</i>	1900, 636
	1893, 95	<i>burchardi</i>	1900, 627
<i>mirza</i>	1893, 96	<i>caducichætus</i>	1900, 618
	1896, 51	<i>cæcilia</i>	1900, 630
<i>pardalina</i>	1893, 96	<i>californicus</i>	1900, 627
	1896, 51	<i>capensis</i>	1900, 617
<i>rhadama</i>	1893, 96		1900, 618
	1896, 51	<i>carinensis</i>	1900, 625
<i>Amplorhinus nototænia</i>	1895, 537	<i>castaneus</i>	1900, 626
	1897, 801	<i>celebensis</i>	1900, 642
<i>Ampulex annulipes</i>	1896, 441	<i>cingulatus</i>	1900, 615
<i>compressa</i>	1896, 441		1900, 892
<i>Ampullaria ovata</i>	1893, 635	<i>corticis</i>	1900, 651
<i>perakensis</i>	1891, 346	<i>culminis</i>	1900, 649
<i>sumatrensis</i>	1891, 346	<i>darnleiensis</i>	1900, 624
<i>turbinus subampul-</i>		<i>densipapillatus</i>	1900, 621
<i>lacea</i>	1891, 346	<i>dicystis</i>	1900, 651
<i>wellesleyensis</i>	1891, 346	<i>diffringens</i>	1900, 651
<i>werneri</i>	1900, 970	<i>divergens</i>	1900, 625
<i>Amyda mutica</i>	1895, 824	<i>dyeri</i>	1900, 610
<i>Amydona sericea</i>	1892, 324		1900, 623

	Page		Page
<i>Amyntas elongatus</i>	1900, 650	<i>Amyntas malayanus</i> ..	1900, 895
<i>enganensis</i>	1900, 623	<i>margaritaceus</i>	1900, 647
<i>esafatae</i>	1900, 632	<i>martensi</i>	1900, 624
<i>evanse</i>	1900, 891	<i>masatakæ</i>	1900, 632
	1900, 907	<i>mazarredi</i>	1900, 644
	1900, 908	<i>megascolidioides</i> ..	1900, 622
<i>feræ</i>	1900, 643	<i>merabahensis</i>	1900, 610
<i>ferdinandi</i>	1900, 617		1900, 617
<i>fissiger</i>	1900, 630	<i>minahassæ</i>	1900, 626
<i>flavescens</i>	1900, 628	<i>minimus</i>	1900, 649
<i>forbesi</i>	1900, 611	<i>minutus</i>	1900, 891
	1900, 648		1900, 906
<i>galelensis</i>	1900, 630	<i>montanus</i>	1900, 619
<i>gamsungi</i>	1900, 630	<i>musicus</i>	1900, 611
<i>glandularis</i>	1900, 634		1900, 629
<i>glandulosus</i>	1900, 643	<i>nanus</i>	1900, 639
<i>godeffroyi</i>	1900, 647	<i>neo-guinensis</i>	1900, 610
<i>gracilis</i>	1900, 651		1900, 642
<i>halmaheræ</i>	1900, 610	<i>novæ britanniæ</i> ..	1900, 632
	1900, 630	<i>novaræ</i>	1900, 619
<i>hasselti</i>	1900, 638	<i>ocellatus</i>	1900, 627
<i>hawayanus</i>	1900, 610	<i>pacificus</i>	1900, 642
	1900, 645	<i>padasensis</i>	1900, 611
<i>hesperidum</i>	1900, 633		1900, 624
<i>heterochætus</i>	1900, 611	— <i>lokonensis</i>	1900, 615
	1900, 622	<i>papua</i>	1900, 644
<i>hexatheca</i>	1900, 621	<i>papulosus</i>	1900, 644
<i>hilgendorfi</i>	1900, 633		1900, 892
	1900, 904	<i>parvus</i>	1900, 650
<i>houlletti</i>	1900, 613	<i>pataniensis</i>	1900, 637
	1900, 902	<i>peguanus</i>	1900, 628
<i>hupeiensis</i>	1900, 646	<i>pentacystis</i>	1900, 614
<i>ijimæ</i>	1900, 611	<i>peregrinus</i>	1900, 644
	1900, 636	<i>perichæta</i>	1900, 896
<i>imparicystis</i>	1900, 630		1900, 897
<i>impudens</i>	1900, 611	<i>phacellotheca</i>	1900, 640
	1900, 616		1900, 891
	1900, 895	<i>philippinus</i>	1900, 616
<i>iris</i>	1900, 610		1900, 895
	1900, 611	<i>pictus</i>	1900, 623
	1900, 647	<i>polytheca</i>	1900, 891
<i>izukai</i>	1900, 625		1900, 897
<i>jampeanus</i>	1900, 630		1900, 898
<i>japonicus</i>	1900, 634		1900, 899
<i>javanicus</i>	1900, 651	<i>posthumus</i>	1900, 611
<i>juliani</i>	1900, 651		1900, 641
<i>juloides</i>	1900, 628		1900, 892
<i>kalaenensis</i>	1900, 626		1900, 899
<i>kauensis</i>	1900, 630		1900, 910
<i>kelantanensis</i>	1900, 897		1900, 911
	1900, 902	<i>proporus</i>	1900, 635
	1900, 903	<i>pulauensis</i>	1900, 892
<i>levis</i>	1900, 634		1900, 904
<i>löhri</i>	1900, 633		1900, 905
<i>lompobatagensis</i> ..	1900, 649	<i>pulcher</i>	1900, 619
<i>loriæ</i>	1900, 641	<i>purpureus</i>	1900, 630
<i>malayanus</i>	1900, 893	<i>purus</i>	1900, 617
	1900, 894	<i>pusillus</i>	1900, 649

	Page		Page
<i>Amyntas quadragenarius</i> .. 1900,	649	<i>Anacampsis plumbeolata</i> 1897,	79
quadripapillatus .. 1900,	616	populella .. 1897,	79
queenslandicus 1900,	643	quinquepunctella .. 1897,	80
racemosus 1900,	621	<i>Anace rubra</i> 1896,	135
ringeanus 1900,	627	<i>Anachalcos convexus</i> .. 1893,	748
robustus 1900,	648	<i>Anacyrtus prognathus</i> .. 1895,	529
rodericensis 1900,	651	<i>Anadasmus albanus</i> .. 1897,	100
sarasinorum 1900,	632	immundus 1897,	100
schmardæ 1900,	619	<i>Anadorhynchus hyacin-</i>	
sedgwickii 1900,	647	thinus 1899,	26
semifasciatus 1900,	629		1899,
sieboldi 1900,	635		27
sluiteri 1900,	630		1899,
solomonis 1900,	641		28
stelleri 1900,	610		1899,
	1900,		29
	639	<i>Anæa echemus</i> 1900,	199
	1900,	<i>Anæretes albocristatus</i> . 1892,	380
	891	parulus 1896,	361
	1900,	— æquatorialis 1896,	361
	899	reguloides 1892,	380
	1900,		1892,
	900		404
	1900,		1892,
	902		409
	1900,	<i>Anagoge albipicta</i> 1893,	410
	907	concinna 1893,	411
subquadrangula .. 1900,	651	costinotata 1893,	411
subulatus 1900,	641	lignicolor 1893,	411
supuensis 1900,	638	rufa 1893,	412
taitensis 1900,	650	<i>Anahita lineata</i> 1898,	15
taprobanae 1900,	610	lurida 1898,	15
	1900,	<i>Analcippus ardens</i> 1899,	827
	648	<i>Analtes congenitalis</i> .. 1898,	663
	1900,	tripunctalis 1898,	664
	891	unipunctalis 1898,	664
	895	<i>Analthes crinipes</i> 1898,	665
tobaensis 1900,	627	pyrrhocosma 1898,	665
tokioensis 1900,	633	<i>Analyta</i> 1898,	598
travancorensis 1900,	614		1898,
	1900,		755
	891	albicilalis 1898,	755
tricystis 1900,	651	calligrammalis 1898,	755
trinitatis 1900,	624	melanopolis 1898,	755
udei 1900,	628	pucilla 1898,	755
upoluensis 1900,	630	singulalis 1898,	755
urceolatus 1900,	619	<i>Anania</i> 1899,	252
violaceus 1900,	610	quisqualis 1898,	755
	1900,	<i>Anaphora agrotipennella</i> 1897,	172
	641	arcasalis 1891,	515
virgo 1900,	892		1891,
	1900,		545
	895		1897,
	1900,		173
	896	bombycina 1897,	174
vittatus 1900,	635	leucodocis 1891,	514
vordermanni 1900,	624		1897,
zebra 1900,	637		174
<i>Anabas scandens</i> 1897,	428	mimasalis 1891,	515
<i>Anabates montanus</i> 1896,	375		1891,
<i>Anabazenops amaurotis</i> . 1899,	510		545
rufo-superciliatus.. 1899,	513		1897,
striaticollis 1896,	375		173
<i>Anacampsis anthylli-</i>			1891,
della 1897,	79		515
cornifer 1897,	79	noctuina 1891,	545
desectella 1897,	82		1891,
insularis 1897,	81		549
lapidella 1897,	81		1897,
mangelivora 1897,	80	plumifrontella 1891,	513
			1897,

	Page		Page
<i>Anaphora popeanella</i> ..	1891, 515	<i>Anastrus obscurus</i>	1893, 54
	1891, 545		1893, 55
	1897, 172	<i>petius</i>	1893, 54
<i>pusilla</i>	1891, 514	<i>simplicia</i>	1893, 54
	1897, 170	<i>Anaulacomera antil-</i>	
<i>scardina</i> ,	1897, 172	<i>larum</i> ,	1893, 600
<i>triatomella</i>	1897, 172		1893, 607
<i>Anapis hamigera</i> ,	1897, 875	<i>laticauda</i>	1892, 200
<i>Anaplecta lateralis</i>	1893, 600		1892, 211
	1893, 601	<i>Anchoristia danæ</i>	1898, 1004
<i>Anaptycta bipunctulata</i> .	1892, 199	<i>spinigera</i>	1898, 1004
	1892, 202	<i>Anchophthalmus silph-</i>	
	1892, 220	<i>oides</i>	1893, 741
<i>Anarmodia bistralis</i>	1899, 217	<i>Anchorella agilis</i> ,	1899, 505
<i>clamalis</i> ,	1899, 218	<i>angulata</i>	1899, 504
<i>corylalis</i>	1899, 218	<i>appendiculata</i>	1899, 506
<i>inferioralis</i>	1899, 218	<i>appendiculosa</i>	1899, 506
<i>inscriptalis</i>	1896, 641	<i>bergyltæ</i>	1899, 505
	1899, 217	<i>brevicollis</i> ,	1899, 505
<i>longinqualis</i>	1899, 218	<i>canthari</i> ,	1899, 505
<i>majoralis</i>	1899, 218	<i>denticis</i> ,	1899, 504
<i>pontealis</i>	1899, 217	<i>dilatata</i>	1899, 506
<i>punctilinealis</i>	1899, 218	<i>emarginata</i>	1899, 503
<i>sibilalis</i>	1899, 217		1899, 504
<i>Anarrhichas lupus</i>	1899, 503	<i>fallax</i> ,	1899, 504
	1899, 940	<i>hostilis</i>	1899, 506
	1899, 956	<i>lanciniata</i>	1899, 506
<i>Anarsia acaciæ</i>	1896, 278	<i>lizæ</i>	1899, 507
<i>trimaculella</i>	1891, 526	<i>ovalis</i>	1899, 504
<i>Anarta melaxantha</i>	1899, 279	<i>pagelli</i>	1899, 504
<i>Anartia amalthea</i>	1896, 515	<i>pagri</i>	1899, 505
<i>dominica</i>	1898, 363	<i>paradoxa</i>	1899, 506
<i>iatrophæ</i>	1896, 515	<i>quadrata</i>	1899, 504
	1898, 363	<i>rugosa</i>	1899, 503
	1900, 199	<i>sargi</i>	1899, 504
<i>Anas andamanensis</i>	1893, 614	<i>sciænophila</i>	1899, 506
	1894, 457	<i>scomberi</i>	1899, 504
<i>bimaculata</i>	1895, 3	<i>stellata</i>	1899, 504
<i>boschas</i>	1891, 213	<i>stichæi</i>	1899, 505
	1891, 486	<i>triglæ</i>	1899, 503
	1895, 3	<i>uncinata</i>	1899, 505
<i>crecca</i>	1900, 492	<i>urolophi</i>	1899, 506
<i>glocitans</i>	1895, 3	<i>Ancillaria acuminata</i> ..	1891, 411
<i>obscura</i>	1896, 982	<i>albifasciata</i>	1891, 435
<i>penelope</i>	1900, 492	<i>albisulcata</i>	1891, 411
<i>sparsa</i>	1900, 597	<i>ampla</i>	1891, 411
<i>strepera</i> ,	1891, 213	<i>castanea</i>	1891, 435
<i>theodori</i>	1892, 544	<i>fulva</i>	1891, 411
<i>undata</i>	1895, 511	<i>mauritanica</i>	1891, 411
<i>xanthorhyncha</i>	1895, 511	<i>Ancistocerus intendens</i> .	1896, 449
	1896, 982	<i>tinctipennis</i>	1896, 449
<i>Anasa bellator</i>	1893, 705	<i>Ancistrocampta chryso-</i>	
	1894, 180	<i>glossa</i>	1896, 14
<i>scorbutica</i>	1893, 705	<i>hiarbas</i>	1893, 19
	1894, 179		1893, 38
<i>Anastomus lamelligerus</i> .	1897, 189	<i>suthina</i>	1893, 38
	1900, 962	<i>Ancistrodon acutus</i>	1899, 166
<i>Anastrus obscurus</i>	1893, 43	<i>blomhoffii</i>	1899, 607

	Page		Page
Ancistrodon blomhoffii ..	1899, 608	Andronymus neander ..	1896, 82
rhodostoma	1899, 694		1896, 103
Ancistroides longicornis.	1893, 694	philander	1896, 81
	1893, 116		1896, 843
othonias	1893, 116		1898, 57
Ancistroteuthis robusta.	1900, 992		1899, 974
Ancorina simplex	1900, 131	Andropadus sp.	1894, 604
Ancylis lanceolana	1897, 121	latirostris	1894, 606
virididorsana	1897, 125	oleaginus	1900, 2
Ancylochilus subar-		Aneitea gräfflei	1891, 215
quatus	1900, 498	hirudo	1891, 215
Ancylolomia argentata .	1895, 966	krefftii	1891, 215
basistriga	1895, 967	macdonaldi	1891, 215
capensis	1895, 966	megalodontes	1891, 215
chrysographella ..	1895, 966	modesta	1891, 215
	1896, 270	schutei	1891, 215
	1898, 441	virgata	1891, 215
contritella	1895, 966	Anemosa isadasalis ...	1897, 682
hipponella	1895, 967	Anengya spiritalis	1896, 849
indica	1895, 966	Anerastia ablutella ...	1896, 270
inornatella	1895, 967	mirabilella	1895, 950
locupletella	1895, 966	Aneuretus simoni	1896, 410
palpella	1895, 967	Angerona expulsaria ..	1896, 644
pectinatella	1895, 966	Angitia directa	1896, 639
responsella	1895, 967	insularis	1895, 779
sansibarica	1895, 966	Angonia crambidalis ..	1895, 973
saundersiella	1895, 967	Anguilla bengalensis ..	1894, 91
siccella	1895, 973	latirostris	1891, 356
taprobanensis	1895, 966		1891, 357
tentaculella	1895, 966	mauritiana	1897, 429
uniformella	1895, 967	vulgaris	1898, 558
westwoodi	1895, 966		1898, 562
Ancylometes vulpes ..	1898, 29		1898, 565
Ancyloptila lactoides ..	1899, 285		1899, 444
Ancylosis fuscosparsella.	1896, 271		1899, 940
nigritarsea	1896, 271		1899, 955
Ancylotrypa fossor	1897, 732	Anguillula brevicauda .	1897, 790
spinosa	1897, 732	ecauda	1897, 790
Ancyloxypha mackenii .	1894, 78	longicauda	1897, 790
	1896, 29	mucronata	1897, 790
numitor	1893, 91	Anguis fragilis	1891, 579
	1893, 97		1892, 480
philander	1894, 78		1892, 481
	1896, 81		1892, 490
producta	1896, 82		1895, 694
puer	1893, 97		1895, 695
Andigena bailloni	1899, 513		1895, 706
Andrapha basalis	1899, 286		1895, 707
Andrena cingulata	1896, 455		1899, 161
exagens	1896, 452	Anhima cornuta	1896, 312
zonata	1896, 455	Anhinga anbinga	1899, 511
Andriasa marginalis ..	1896, 637	Aniculus typicus	1898, 457
Androcharta leechi	1893, 283		1898, 458
Androctonus (Prionu-			1898, 461
rus) citrinus	1899, 834		1900, 116
Andronymus	1896, 80	Anidrytus sp.	1898, 337
leander	1896, 81	parallelus	1898, 337
		Anisaspis	1891, 549

	Page		Page
<i>Anisaspis tuberculata</i> ..	1891, 550	<i>Anolis alligator</i>	1891, 353
	1896, 728		1891, 355
	1896, 766		1894, 501
<i>Anisaspoides gigantea</i> ..	1896, 722	— <i>gentilis</i>	1891, 356
	1896, 766	<i>hipocatus</i>	1898, 113
<i>Anisochoria albiplaga</i> ..	1893, 59	<i>buckleyi</i>	1898, 110
	1893, 131	<i>chloris</i>	1898, 110
<i>lemur</i>	1893, 59		1898, 125
<i>palpalis</i>	1893, 59		1898, 915
<i>pedalioidina</i>	1893, 59	<i>copii</i>	1898, 111
<i>polysticta</i>	1893, 44	<i>cupreus</i>	1898, 114
	1893, 59	<i>curtus</i>	1898, 915
<i>sublimbata</i>	1893, 59		1898, 919
<i>Anisodera</i> sp.	1892, 84		1898, 923
<i>Anisodes argentispila</i> ..	1893, 361	<i>elegans</i>	1898, 109
<i>congruaria</i>	1896, 646		1898, 125
<i>directata</i>	1896, 646		1898, 915
<i>fimbripedata</i>	1896, 646	<i>fasciatus</i>	1898, 110
<i>ordinata</i>	1896, 646	<i>fusco-auratus</i>	1898, 109
<i>ovisignata</i>	1892, 132	<i>gemmosus</i>	1898, 111
<i>pyriniata</i>	1897, 613	<i>gentilis</i>	1891, 356
<i>urcearia</i>	1896, 646	<i>gracilipes</i>	1898, 112
<i>Anisognatha quadripla-</i>			1898, 126
<i>giata</i>	1898, 220		1898, 915
	1898, 242	<i>granuliceps</i>	1898, 111
<i>Anisolabis annulipes</i> ..	1895, 892		1898, 126
<i>jancirensis</i>	1892, 198		1898, 915
	1892, 199	<i>griseus</i>	1891, 355
	1892, 201	<i>holotropis</i>	1898, 915
<i>littorea</i>	1895, 892	<i>lemniscatus</i>	1898, 113
<i>maritima</i>	1892, 199		1898, 125
	1892, 201		1898, 915
	1895, 892	<i>limifrons</i>	1894, 723
<i>pacifica</i>	1895, 892	<i>luciae</i>	1891, 353
<i>Anisolepis grilli</i>	1894, 723	<i>maculiventris</i>	1898, 111
<i>Anisops elegans</i>	1893, 706		1898, 126
	1894, 223		1898, 915
<i>pallipes</i>	1893, 706	<i>notopholis</i>	1898, 915
<i>Anisoscels zonata</i>	1894, 178	<i>peraccae</i>	1898, 108
<i>Anisota rubicunda</i>	1893, 279		1898, 125
	1894, 134		1898, 915
	1900, 181	<i>rhombifer</i>	1894, 723
<i>stigma</i>	1892, 194		1894, 728
	1897, 296		1898, 114
	1898, 80	<i>richardii</i>	1891, 355
	1899, 293	<i>rixi</i>	1894, 723
<i>Anisothrix adustalis</i> ..	1897, 656		1894, 727
<i>Annona labeculata</i>	1894, 194	<i>rosenbergii</i>	1898, 915
<i>Anoa depressicornis</i>	1896, 982	<i>stigmus</i>	1898, 112
	1896, 983	<i>vincenti</i>	1891, 355
<i>Anochetus yerburyi</i>	1896, 412	<i>wattsii</i>	1894, 723
<i>Anodonta chaperti</i>	1891, 348	<i>Anomæotes nigrivenosus</i>	1893, 676
<i>cumingii</i>	1891, 348		1893, 684
<i>Anœglis argentalis</i>	1895, 921		1895, 266
<i>demissalis</i>	1895, 919	<i>tenella</i>	1893, 676
<i>Anoka mitrata</i>	1893, 701	<i>Anomala</i> sp.	1893, 740
<i>vernalis</i>	1893, 701		1900, 24
	1893, 704	<i>transvalensis</i>	1900, 24

	Page		Page
<i>Anomalina bengalensis</i> .	1895, 41	<i>Anous stolidus</i>	1896, 934
<i>grosserugosa</i>	1895, 41		1896, 935
	1895, 53	<i>Anser fabalis</i>	1896, 315
<i>polymorpha</i>	1895, 41		1896, 319
	1895, 54	<i>ruficollis</i>	1899, 827
<i>wuellerstorfi</i>	1895, 40	<i>segetum</i>	1896, 315
<i>Anomalocera patersoni</i> .	1898, 541		1896, 319
	1898, 543	(Chenalopex) <i>ægypti-</i>	
	1898, 549	<i>tiacus</i>	1895, 510
<i>Anomalopteris pinguis</i> .	1898, 556	<i>Ansonia penangensis</i> ..	1896, 911
<i>Anomalopteryx geran-</i>			1899, 908
<i>oides</i>	1891, 480	<i>Antæotricha griseana</i> ..	1897, 98
	1891, 481		1897, 99
	1891, 482	<i>sinuata</i>	1897, 99
<i>Anomalurus batesi</i>	1898, 450	<i>suffumigata</i>	1897, 98
<i>beecrofti</i>	1893, 214	<i>tibialis</i>	1897, 98
	1893, 215	<i>walchiana</i>	1897, 98
<i>cinereus</i>	1896, 793		1897, 99
<i>fraseri</i>	1893, 214	<i>zelleri</i>	1897, 99
	1893, 215	<i>Antarctia venata</i>	1894, 233
	1894, 243	<i>Antedon</i> sp.	1894, 396
	1894, 245	<i>bassett-smithi</i>	1894, 393
<i>orientalis</i>	1891, 184		1894, 396
<i>peli</i>	1894, 244		1894, 399
<i>Anomia</i> sp.	1891, 434		1894, 402
<i>Anomis argillacea</i>	1898, 368		1894, 412
<i>erosa</i>	1898, 424	<i>brevicirra</i>	1894, 396
<i>exaggerata</i>	1896, 639		1894, 400
<i>Anonychchia</i>	1893, 412	<i>carinata</i>	1894, 396
<i>grisea</i>	1893, 412	<i>compressa</i>	1894, 401
<i>rostrifera</i>	1893, 412	<i>fieldi</i>	1894, 396
	1893, 434		1894, 400
<i>Anophia dulcistriga</i> . . .	1893, 679		1894, 401
<i>Anoplodipsas viridis</i> ..	1900, 454	<i>flavomaculata</i>	1894, 396
<i>Anoploscelus</i>	1897, 746		1894, 400
	1897, 759	<i>inopinata</i>	1894, 396
	1897, 773		1894, 398
<i>celeripes</i>	1897, 760	<i>miconema</i>	1894, 394
	1897, 773		1894, 399
<i>Anoplostetha jardinei</i> ..	1900, 33		1894, 400
<i>pauli</i>	1900, 33	<i>milberti</i>	1894, 394
<i>Anoplotherium</i>	1900, 712	<i>moorei</i>	1894, 396
<i>Anops bulis</i>	1892, 634		1894, 400
<i>cornuta</i>	1899, 491		1894, 401
<i>kingii</i>	1895, 706	<i>rosacea</i>	1895, 991
	1895, 707	<i>serripinna</i>	1894, 394
	1895, 709	<i>spicata</i>	1894, 396
<i>tagalica</i>	1895, 594	<i>variipinna</i>	1894, 394
<i>Anormurus macrolepi-</i>			1894, 396
<i>dotus</i>	1896, 500	<i>vicaria</i>	1894, 396
	1896, 503		1894, 400
<i>Anosia archippus</i>	1898, 362	<i>Antenophorus uhlmanni</i>	1891, 640
<i>Anoura geoffroyi</i>	1893, 335	<i>Antenor uncinatus</i>	1892, 388
<i>Anous cæruleus</i>	1891, 296		1892, 408
	1891, 298	<i>Anteris rufipes</i>	1895, 798
	1891, 300	<i>striatifrons</i>	1895, 798
<i>stolidus</i>	1891, 296	<i>Antestia cruciata</i>	1900, 814
	1891, 300		1900, 818

	Page		Page
<i>Antestia cruciata</i>	1900, 823	<i>Anthocharis antigone</i> ..	1897, 34
<i>variegata</i>	1900, 823	<i>auxo</i>	1897, 25
<i>Anthenea flavescens</i>	1900, 289	<i>cardamines</i>	1891, 180
1900, 295		1892, 194	
<i>Antheræa</i> sp.	1894, 134	<i>cebrene</i>	1897, 27
<i>arata</i>	1894, 587	<i>celimene</i>	1894, 67
<i>belina</i>	1894, 134	1897, 11	
1895, 270		<i>danaë</i>	1897, 22
1896, 241		<i>delphine</i>	1897, 34
<i>cytherea</i>	1891, 179	<i>eione</i>	1897, 34
1898, 80		<i>ena</i>	1897, 26
<i>diene</i>	1895, 138	<i>eosphorus</i>	1897, 7
1895, 139		<i>erone</i>	1897, 18
1895, 270		<i>etrida</i>	1897, 26
<i>delabella</i>	1896, 849	<i>eupheno</i>	1892, 194
<i>emini</i>	1895, 270	<i>eurygone</i>	1897, 27
<i>menippe</i>	1891, 179	<i>evanthe</i>	1897, 26
1895, 138		<i>evarne</i>	1897, 25
1896, 241		<i>exole</i>	1894, 577
1897, 296		1897, 27	
1898, 80		1897, 30	
<i>mylitta</i>	1891, 179	1898, 410	
1892, 193		<i>flavida</i>	1897, 16
1893, 278		<i>guenei</i>	1897, 24
1894, 133		<i>ione</i>	1897, 18
1895, 137		<i>isaura</i>	1897, 30
1896, 240		<i>keiskamma</i>	1895, 735
1897, 296		<i>leo</i>	1894, 350
1898, 80		1896, 253	
1899, 293		1897, 15	
1900, 181		<i>nouna</i>	1894, 575
<i>pernyi</i>	1899, 293	1896, 253	
1900, 181		1897, 34	
<i>tyrrhea</i>	1894, 134	<i>ocale</i>	1897, 27
<i>wahlbergi</i>	1896, 241	<i>pallene</i>	1897, 34
<i>yama-mai</i>	1899, 293	<i>phænon</i>	1897, 11
<i>zaddachii</i>	1895, 270	1897, 12	
<i>Antheua cinerea</i>	1898, 433	<i>phlegetonia</i>	1891, 99
<i>simplex</i>	1893, 678	1897, 34	
1898, 433		<i>phlegyas</i>	1893, 664
<i>spurcata</i>	1896, 844	1894, 574	
1898, 433		1896, 836	
<i>Anthia ferox</i>	1900, 21	1896, 837	
<i>fornasini</i>	1893, 739	1897, 20	
<i>Anthocephala berlepschi</i>	1895, 521	<i>regina</i>	1891, 97
<i>Anthocephala carunculata</i>	1894, 457	1894, 66	
<i>Anthocharis achine</i>	1894, 577	1896, 836	
1897, 27		1897, 21	
<i>agoye</i>	1894, 572	<i>sigæ</i>	1897, 24
1894, 573		<i>theogone</i>	1891, 99
<i>amina</i>	1894, 67	1893, 664	
1897, 11		1894, 575	
<i>antevippe</i>	1894, 577	1894, 576	
1896, 254		1897, 27	
1897, 30		—, var. β	1897, 28
1898, 410		<i>zera</i>	1894, 576
1900, 934		1894, 577	
<i>antigone</i>	1891, 99	1897, 30	

	Page		Page
<i>Anthocharis zoë</i>	1897, 16	<i>Anthopsyche topha</i>	1897, 25
<i>Anthocomus minimus</i> ..	1898, 324	<i>Anthosoina crassum</i>	1899, 468
<i>seminulum</i>	1898, 324	<i>smithii</i>	1899, 469
<i>Anthocrypta</i>	1899, 252	<i>Anthothreptes longue-</i>	
<i>Anthomaster leonardus</i> .	1893, 91	<i>marii</i>	1895, 475
	1893, 99		1900, 2
<i>Anthophila peruviana</i> ..	1899, 279	<i>orientalis</i>	1895, 475
<i>Anthophilodes</i>	1899, 277	<i>Anthreptes</i> sp.	1894, 599
<i>conchylialis</i>	1899, 278		1894, 601
<i>concinialis</i>	1899, 278	<i>longuemarii</i>	1895, 475
<i>erubescens</i>	1899, 278	<i>malaccensis</i>	1896, 291
<i>plumbiferalis</i>	1899, 277		1896, 292
<i>turcomanica</i>	1899, 278		1896, 295
<i>Anthophilopsis</i>	1899, 277	<i>orientalis</i>	1895, 475
<i>Anthophora cingulata</i> ..	1896, 455	<i>Anthrobaphes violacea</i> .	1896, 291
<i>fallax</i>	1896, 455	<i>Anthropoides leucauchen</i>	1900, 304
<i>insularis</i>	1896, 456	<i>virgo</i>	1900, 964
<i>lanata</i>	1896, 452	<i>Anthropopithecus au-</i>	
<i>vigilans</i>	1896, 456	<i>bryi</i>	1899, 308
<i>violacea</i>	1896, 455	<i>calvus</i>	1899, 74
<i>zonata</i>	1896, 455		1899, 300
<i>Anthopsyche acte</i>	1897, 27		1899, 301
<i>agoye</i>	1891, 97		1899, 303
	1894, 572		1899, 309
	1897, 7	<i>gorilla</i>	1896, 505
<i>anteupompe</i>	1897, 22		1896, 597
	1897, 23		1898, 989
<i>dalila</i>	1897, 34		1898, 994
<i>dedecora</i>	1897, 22	<i>kooloo-kamba</i>	1899, 301
	1899, 812		1899, 303
<i>deidamia</i>	1891, 97		1899, 308
	1897, 33		1899, 309
<i>deidemioides</i>	1897, 97	<i>niger</i>	1899, 299
<i>demagore</i>	1897, 25		1899, 309
<i>epigone</i>	1897, 27		1899, 310
<i>eucharis</i>	1897, 25		1899, 313
	1897, 34	<i>troglydites</i>	1898, 989
<i>evarne</i>	1897, 25		1898, 994
<i>evenina</i>	1891, 97	— <i>kooloo-kamba</i> ..	1899, 312
	1897, 33	<i>virgatilis</i>	1899, 254
<i>gavisa</i>	1894, 67	<i>Anthus</i> sp.	1894, 598
	1896, 127	<i>arboreus</i>	1895, 473
	1896, 837	<i>bogotensis</i>	1896, 330
	1897, 30	<i>calcaratus</i>	1896, 330
	1898, 410	<i>cervinus</i>	1900, 468
<i>heuglini</i>	1896, 253	<i>correndera</i>	1896, 330
	1897, 35	<i>furcatus</i>	1896, 330
<i>ione</i>	1894, 66	— <i>brevirostris</i>	1896, 330
<i>keiskamma</i>	1897, 25	<i>maculatus</i>	1900, 467
<i>omphale</i>	1896, 127	<i>peruvianus</i>	1892, 374
	1897, 30		1892, 404
<i>pholoë</i>	1897, 11		1892, 409
<i>procne</i>	1896, 838	<i>richardi</i>	1900, 467
	1897, 27		1900, 468
<i>roxana</i>	1897, 30	<i>rosaceus</i>	1900, 468
<i>speciosa</i>	1897, 18	<i>rufulus</i>	1900, 2
<i>stygia</i>	1897, 35	<i>rufus</i>	1892, 374
<i>theopompe</i>	1897, 22	<i>tenellus</i>	1895, 474

	Page		Page
<i>Anybia conspersa</i>	1891, 537	<i>Aphæreta apicalis</i>	1895, 786
	1891, 538	<i>Aphanapteryx broeckii</i> ..	1892, 544
	1891, 548	<i>Aphanotis fusca</i>	1896, 870
	1897, 107		1899, 603
<i>curvipunctella</i>	1891, 538		1899, 637
	1891, 548	<i>Aphanipathes wollas-</i>	
	1897, 107	toni	1899, 817
<i>metallifera</i>	1897, 108		1899, 821
<i>piperatella</i>	1897, 107		1899, 822
<i>tripunctata</i>	1897, 108		1899, 823
<i>Anyphæna simplicipalpis</i>	1897, 878		1899, 824
<i>Aonyx leptonyx</i>	1898, 186	— pilosa	1899, 822
	1900, 334		1899, 823
<i>Aparallactus concolor</i> ..	1896, 216	<i>Aphanogmus grenaden-</i>	
<i>Apate</i> sp.	1892, 90	sis	1895, 789
<i>femoralis</i>	1898, 328	insularis.....	1895, 789
	1898, 329	<i>Aphelia lanceolana</i>	1891, 501
<i>gonagra</i>	1898, 329		1897, 121
<i>minutus</i>	1898, 330	<i>Aphelonotus</i>	1894, 208
<i>productus</i>	1892, 90	simplus	1894, 209
<i>substriata</i>	1898, 330	<i>Aphelopus albopictus</i> ..	1895, 743
<i>terebrans</i>	1892, 90		1895, 787
	1900, 27	<i>Aphnæus caffer</i>	1896, 122
<i>Apatelodes cirna</i>	1893, 298		1896, 832
<i>firmæana</i>	1893, 298	elima	1892, 637
<i>pandara</i>	1892, 298	ella.....	1891, 88
<i>parvula</i>	1894, 233	erikssoni	1891, 60
<i>Apatura iris</i>	1891, 180		1891, 61
	1895, 138		1891, 86
<i>thoe</i>	1898, 364		1891, 107
<i>ulupi</i>	1891, 250		1898, 908
	1891, 273	<i>himalayanus</i>	1892, 638
<i>Apustus aburæ</i>	1896, 32	<i>homeyeri</i>	1891, 61
<i>anomæus</i>	1896, 50		1891, 88
<i>argyrosticta</i>	1896, 80		1891, 89
<i>batea</i>	1896, 38		1891, 107
<i>collatus</i>	1896, 60		1893, 662
<i>debilis</i>	1896, 54		1894, 54
<i>dolus</i>	1896, 35		1896, 832
<i>gracilis</i>	1893, 97	<i>hutchinsonii</i>	1891, 87
<i>leander</i>	1896, 81		1897, 849
<i>leucopygus</i>	1896, 29	<i>lohita</i>	1892, 638
	1896, 30		1895, 558
	1896, 31		1895, 599
<i>menes</i>	1893, 90	<i>masilikazi</i>	1891, 88
	1893, 96		1894, 54
	1893, 97	<i>modestus</i>	1891, 60
	1893, 132		1891, 87
<i>neander</i>	1896, 82		1891, 107
<i>olæus</i>	1896, 30	<i>natalensis</i>	1891, 87
<i>placidus</i>	1893, 669		1891, 88
	1896, 29		1891, 89
	1896, 30		1896, 122
<i>zephora</i>	1896, 71	<i>nyassæ</i>	1893, 662
<i>Aphæna atomaria</i>	1900, 867		1894, 569
<i>Aphænogaster testaceo-</i>			1896, 123
<i>pitosa</i>	1891, 642	<i>orcas</i>	1891, 87
	1891, 649	<i>phanes</i>	1891, 88

	Page		Page
<i>Aphnæus sani</i>	1892, 638	<i>Apis bicolor</i>	1896, 457
	1892, 664	<i>bryorum</i>	1896, 457
<i>syama</i>	1892, 638	<i>canescens</i>	1898, 417
	1895, 558	<i>delessertii</i>	1896, 458
	1895, 598	<i>dorsata</i>	1896, 457
<i>uniformis</i>	1892, 637	<i>fenestrata</i>	1896, 456
<i>victoriæ</i>	1891, 61	<i>floralis</i>	1896, 458
	1891, 88	<i>gigas</i>	1896, 356
<i>vixinga</i>	1891, 87	<i>indica</i>	1896, 457
	1895, 558	<i>lanata</i>	1896, 452
	1895, 599	<i>latipes</i>	1896, 456
<i>vulcanus</i>	1892, 637	<i>ligustica</i>	1900, 47
— <i>maximus</i>	1892, 637	<i>lobata</i>	1896, 458
	1892, 664	<i>nigripennis</i>	1896, 457
<i>zebrinus</i>	1900, 508	<i>peronii</i>	1896, 458
<i>Aphobus chopi</i>	1899, 513	<i>perottetii</i>	1896, 458
<i>Aphomia strigosa</i>	1895, 947	<i>socialis</i>	1896, 458
<i>Aphrissa statira</i>	1900, 200	<i>testacea</i>	1896, 457
<i>Aphrodita aculeata</i>	1900, 976	<i>zonata</i>	1896, 455
<i>squamosa</i>	1900, 974		1896, 457
	1900, 983	<i>Apistostia terminalis</i> ..	1892, 278
<i>Aphthona bicolor</i>	1900, 246	<i>Aplectropus</i>	1896, 275
<i>bohemani</i>	1899, 345		1898, 601
	1900, 246	<i>leucopis</i>	1896, 275
<i>durbanensis</i>	1899, 344		1896, 283
	1900, 246		1899, 251
<i>marginata</i>	1900, 246	<i>Aplochlora</i>	1893, 368
<i>minuta</i>	1900, 247	<i>viridis</i>	1893, 386
<i>ovatipennis</i>	1900, 245		1893, 434
<i>pallida</i>	1900, 247	<i>vivilaca</i>	1893, 386
<i>Aphysoneuria pigmen-</i>		<i>Aploides congruata</i>	1898, 368
<i>taria</i>	1896, 108	<i>Aplographe</i>	1899, 252
	1896, 109	<i>Apломastyx minula</i>	1898, 702
	1896, 821	<i>Aplosterna</i>	1900, 818
<i>Aphytoceros</i>	1899, 196	<i>virescens</i>	1900, 819
<i>longipalpis</i>	1898, 756	<i>Apomecyna latefasciata</i> ..	1893, 748
<i>Apicia æpalusaria</i>	1896, 644	<i>Apophyga</i>	1893, 418
<i>alphiusaria</i>	1896, 644	<i>sericea</i>	1893, 418
<i>anseraria</i>	1896, 644	<i>Apophyllia consanguinea</i> ..	1899, 365
<i>asopia</i>	1896, 644	<i>marginata</i>	1899, 365
<i>atillaria</i>	1896, 644	<i>nobilitata</i>	1899, 365
<i>extimaria</i>	1896, 644	<i>Aporocosmus</i>	1899, 278
<i>gaumaria</i>	1896, 644	<i>bracteatus</i>	1899, 280
<i>incrassata</i>	1896, 644	<i>Aporodes</i>	1899, 278
<i>inficitaria</i>	1896, 644	<i>albilinealis</i>	1896, 274
<i>lintearia</i>	1896, 644		1896, 283
<i>molusaria</i>	1896, 644	<i>arbutalis</i>	1899, 280
<i>nazadaria</i>	1896, 644	<i>dentifascialis</i>	1899, 280
<i>rhumata</i>	1896, 644	<i>floralis</i>	1896, 274
<i>significaria</i>	1896, 644	<i>yaminalis</i>	1899, 280
<i>spinetaria</i>	1896, 644	<i>Aporomera fordii</i>	1898, 916
<i>uxiaria</i>	1896, 644	<i>Aporoptychus africanus</i> ..	1897, 732
<i>Apinoglossa comburana</i> ..	1891, 496	<i>Aporoscelis bentii</i>	1894, 723
	1891, 543	<i>Appias galba</i>	1900, 508
	1897, 132	<i>hippo</i>	1900, 508
<i>Apiocrinus elegans</i>	1895, 1000	<i>Aprosmictus</i>	1899, 34
<i>roissyanus</i>	1895, 1000		1899, 36
<i>Apis andreniformis</i>	1896, 458		1899, 37

	Page		Page
<i>Aprosmictus</i>	1899, 38	<i>Ara chloroptera</i>	1899, 511
	1899, 42	<i>glauca</i>	1900, 304
	1899, 43	<i>hyacinthina</i>	1899, 512
	1899, 45		1900, 304
<i>cyanopygius</i>	1899, 35	<i>leari</i>	1893, 510
<i>Apsetta thompsoni</i>	1900, 986		1893, 514
	1900, 987		1900, 304
	1900, 992	<i>macao</i>	1899, 27
<i>Aptenodytes forsteri</i> ..	1896, 1		1899, 28
	1898, 960	<i>maracana</i>	1899, 27
	1898, 966		1899, 28
	1898, 978	<i>militaris</i>	1893, 510
	1898, 983	<i>spixi</i>	1900, 304
	1898, 985	<i>Arachnactis albida</i>	1897, 803
	1898, 986		1897, 804
<i>patagonica</i>	1898, 966		1897, 805
	1898, 983		1897, 806
	1898, 985		1897, 807
	1898, 986		1897, 809
	1898, 988	<i>bournei</i>	1897, 803
<i>pennanti</i>	1896, 143		1897, 805
	1896, 212		1897, 806
	1897, 810		1897, 807
	1898, 900	<i>brachiolata</i>	1897, 807
	1899, 980	<i>Arachnechthra rhizo-</i>	
<i>Apteryx</i>	1899, 11	<i>phoræ</i>	1900, 468
	1899, 12	<i>Arachnis tenebra</i>	1894, 231
	1899, 40	<i>Arachnoides placenta</i> ..	1894, 397
<i>maxima</i>	1892, 541		1894, 412
<i>Aptycholæmus longi-</i>			1900, 274
<i>cauda</i>	1894, 723		1900, 285
<i>Apurima graciosella</i>	1895, 915	<i>Aramides ruficollis</i>	1892, 399
<i>xanthogastrella</i>	1895, 913		1892, 408
<i>Apus pacificus</i>	1900, 486		1892, 409
<i>subfurcatus</i>	1900, 486	<i>ypecaha</i>	1892, 581
<i>Aquila sp.</i>	1891, 476		1893, 531
<i>albicans</i>	1895, 507		1894, 495
	1895, 508		1899, 412
	1898, 280		1899, 413
<i>chrysaëtos</i>	1891, 176	<i>Aramus giganteus</i>	1894, 250
<i>nævia</i>	1899, 828	<i>Aranæthra butleri</i>	1899, 860
<i>nævioides</i>	1895, 507	<i>canbridgei</i>	1899, 860
<i>rapax</i>	1899, 828	<i>ungari</i>	1899, 860
<i>verreauxi</i>	1895, 947	<i>Aranea avicularia</i>	1896, 741
<i>Aquila claviferella</i>	1895, 972	<i>calceata</i>	1897, 755
<i>horridella</i>	1899, 9		1897, 756
<i>Ara</i>	1899, 12		1899, 838
	1899, 39	<i>citricola</i>	1898, 512
	1899, 41	<i>lobata</i>	1898, 512
<i>ambigua</i>	1900, 304	<i>vestiaria</i>	1896, 741
<i>ararauna</i>	1895, 162	<i>Araneus bettoni</i>	1898, 510
	1896, 155		1898, 511
	1899, 27		1898, 524
	1899, 28	<i>cruentatus</i>	1899, 848
	1899, 512	<i>cyrtoscapus</i>	1899, 852
<i>azaræ</i>	1894, 457	<i>eresifrons</i>	1898, 509
<i>chloroptera</i>	1899, 27		1898, 510
	1899, 28		1898, 524

	Page		Page
<i>Araneus eresifrons</i>	1899, 851	<i>Arca holoserica</i>	1891, 432
gibbifer	1897, 874	imbricata	1891, 431
grayi	1897, 874		1900, 118
hæmatocnemis	1899, 850	kraussi	1891, 431
	1899, 884	lactea	1891, 394
hoplophallus	1900, 52		1891, 396
mossambicensis ..	1899, 852		1891, 397
nauticus	1898, 509		1891, 398
	1898, 511	maculosa	1891, 431
	1898, 512	navicularis	1891, 430
	1900, 52	obliquata	1891, 431
pachanus	1899, 850	olivacea	1891, 396
penicillipes	1899, 850		1891, 397
rhinurus	1899, 852	pectunculus	1891, 432
	1899, 884	retusa	1891, 435
rufipalpis	1899, 849	scapha	1891, 431
	1899, 850	sinensis	1891, 431
semiannulata	1899, 850	tortuosa	1891, 435
similis	1898, 509	trapezina	1891, 431
	1899, 852	umbonata	1891, 431
striata	1898, 509	uropygomelana....	1891, 431
	1899, 852		1891, 432
strupifer	1899, 851	(Acar) domingensis.	1891, 431
suedicola	1898, 509	(Anadara) anti-	
	1899, 852	quata	1891, 431
taruensis	1898, 511	(—) clathrata ..	1891, 432
	1898, 524	(—) erythrænsis.	1891, 431
theis	1899, 850	(—) holoserica ..	1891, 431
thelurus	1899, 853	(—) scapha	1891, 431
tyloscapus	1899, 851	(Barbatia) lima ..	1891, 431
wenzeli	1897, 874	(—) obliquata ..	1891, 431
(Amamra) gibbifer.	1897, 874	(Scapharca) rufes-	
(Epeira) labyrin-		cens	1891, 432
theus	1897, 874	(Trisis) semitorta ..	1891, 432
(—) nauticus ..	1897, 873	<i>Arcania erinaceus</i>	1900, 766
(—) purpurascens	1897, 873	<i>Arcella</i> sp.	1897, 787
(—) theisi	1897, 874	artocrea	1897, 788
<i>Aranha caranju-jira</i> ...	1896, 717	disphæra	1897, 789
<i>Araotes lapithis</i>	1892, 642	<i>Archæophilus patrius</i> ..	1899, 563
<i>Araschnia burejana</i>	1891, 286		1899, 564
prorsoides	1891, 285	<i>Archana</i> mono-	
	1891, 289	grisella	1899, 286
<i>Arastes lapithis</i>	1895, 559	<i>Archaster tenuis</i>	1894, 396
	1895, 619		1894, 402
<i>Araxes resella</i>	1895, 924		1894, 413
decursella	1895, 915	tenuispinus	1892, 430
<i>Arbela albonotata</i>	1898, 438		1892, 433
quadrinotata	1900, 21	typicus	1894, 396
<i>Arbelorhina cærulea</i>			1894, 402
microrhyncha ..	1896, 337		1900, 289
<i>Arboricola ardens</i>	1900, 503	vexillifer	1891, 228
<i>Arca americana</i>	1891, 431	<i>Archernis</i>	1898, 693
antiquata	1891, 431		1899, 180
auriculata	1891, 435	callixantha	1899, 181
cunealis	1891, 431	capitalis	1899, 180
decurvata	1891, 431		1899, 181
disparilis	1891, 432	dolopsalis	1899, 181
dubia	1891, 431	fulvalis	1899, 181

	Page		Page
<i>Archernis humilis</i>	1899, 181	<i>Ardea egretta</i>	1892, 389
<i>ignealis</i>	1899, 181		1892, 408
<i>lugens</i>	1899, 181	<i>garzetta</i>	1892, 544
<i>nictitans</i>	1899, 181		1900, 493
<i>obliquialis</i>	1899, 181	<i>goliath</i>	1896, 982
<i>scopulalis</i>	1899, 181		1900, 304
<i>Archibasis ceylonica</i> ..	1891, 205		1900, 964
	1891, 206	<i>gularis</i>	1897, 813
<i>Archicorax crassi-</i>		<i>ibis</i>	1895, 511
<i>rostris</i>	1895, 458	<i>leucogastra</i>	1896, 784
<i>Archinola</i>	1896, 258	<i>ludoviciana</i>	1896, 235
<i>pyralidia</i>	1896, 259	<i>melanocephala</i>	1897, 189
	1896, 283		1900, 597
<i>Archips jamaicana</i>	1897, 133	<i>purpurea</i>	1900, 3
<i>Archisometrus burdoi</i> ..	1898, 500		1900, 964
<i>Archispirostreptus</i> sp..	1900, 972	<i>sibilatrix</i>	1897, 813
<i>Archylus mexicana</i>	1892, 288		1899, 513
<i>vesta</i>	1892, 289	<i>sumatrana</i>	1900, 304
<i>Arcobara microniata</i> ..	1896, 646	<i>Ardeola bacchus</i>	1900, 494
<i>Arctictis binturong</i>	1893, 495	<i>prasinosceles</i>	1900, 494
	1893, 592	<i>Ardetta exilis</i>	1891, 19
	1900, 330		1892, 372
<i>Arctocebus calabarensis</i> .	1891, 458		1892, 389
<i>Arctocephalus cinereus</i> .	1894, 358		1892, 406
<i>Arctogale leucotis</i>	1893, 495		1892, 408
	1900, 330	<i>flavicollis</i>	1900, 494
<i>Arctomys himalayanus</i> .	1893, 449	<i>involucris</i>	1891, 19
	1899, 575		1899, 513
<i>marmotta</i>	1894, 252	<i>sinensis</i>	1892, 471
	1894, 277		1900, 494
	1894, 282	<i>Ardonea metallica</i>	1892, 284
	1894, 356	<i>Areadiaphanalis</i>	1897, 671
<i>robustus</i>	1893, 449	<i>Arenaria interpres</i>	1892, 395
	1899, 575		1892, 406
<i>Arctonyx collaris</i>	1895, 522		1892, 408
<i>Arctotherium</i> sp.	1900, 75		1892, 500
	1900, 79		1899, 510
<i>bonaerense</i>	1900, 75		1900, 494
<i>Ardaris</i>	1893, 11	<i>Arequipa turbatella</i>	1895, 937
	1893, 13	<i>Areva perpensa</i>	1894, 241
<i>eximia</i>	1893, 11	<i>Argadesa materna</i>	1896, 850
	1893, 13		1898, 424
	1893, 131	<i>Argala arvernensis</i>	1891, 477
<i>Ardea</i>	1898, 93		1891, 479
<i>agami</i>	1891, 465	<i>Argas savignyi</i>	1900, 49
	1896, 235	<i>Arge galathea</i>	1894, 134
<i>ardesiaca</i>	1897, 189	<i>Argentina silus</i>	1898, 494
<i>candidissima</i>	1891, 135		1898, 564
	1891, 136	<i>sphyræna</i>	1898, 564
	1896, 235	<i>Argina amanda</i>	1893, 677
<i>cinerea</i>	1897, 469		1895, 266
	1896, 235		1895, 740
	1896, 773	— <i>ocellina</i>	1896, 135
	1900, 493	<i>cingulifera</i>	1894, 583
<i>cocoi</i>	1896, 235	<i>cribraria</i>	1895, 267
	1900, 304	<i>leonina</i>	1893, 677
<i>egretta</i>	1891, 135		1895, 266
	1892, 372	<i>ocellina</i>	1895, 266

	Page		Page
<i>Argiolaus crawshayi</i> ..	1900, 926	<i>Argynnis hegemon</i> ..	1896, 112
	1900, 946		1896, 826
<i>lalos</i>	1900, 926	<i>laodice</i>	1891, 78
<i>silaris</i>	1898, 407	<i>lathonia</i>	1895, 629
<i>silas</i>	1896, 526		1895, 630
	1897, 850		1896, 826
	1898, 370	<i>paphia</i>	1891, 180
	1900, 926		1894, 134
<i>trimeni</i>	1898, 197	<i>selene</i>	1896, 826
	1900, 926	<i>smaragdifera</i>	1895, 629
<i>Argiope ætherea</i>	1898, 513		1895, 634
<i>argentata</i>	1896, 717		1895, 720
	1897, 873		1896, 826
	1898, 893	<i>Argyope fasciata</i>	1891, 181
<i>aurocincta</i>	1898, 512	<i>Argyresthia percussella</i> ..	1897, 155
	1898, 524	<i>Argyria bifasciella</i>	1895, 948
<i>caudata</i>	1898, 512	<i>candida</i>	1895, 945
	1899, 849	<i>inficella</i>	1895, 945
<i>clathrata</i>	1898, 512	<i>insons</i>	1895, 944
<i>fenestrinus</i>	1897, 873	<i>mesodonta</i>	1895, 948
<i>flavipalpis</i>	1899, 849	<i>obliquella</i>	1895, 945
<i>lobata</i>	1898, 512	<i>pentaspila</i>	1895, 948
<i>maronica</i>	1897, 873	<i>pontiella</i>	1895, 944
<i>nigrovittata</i>	1898, 512	<i>sordipes</i>	1895, 948
	1899, 849	<i>subtilis</i>	1895, 948
<i>pechueli</i>	1899, 849	<i>vestalis</i>	1895, 944
<i>suavissima</i>	1898, 512	<i>Argyris vestalis</i>	1894, 593
	1899, 849		1898, 435
<i>subtilis</i>	1897, 873	<i>Argyrodes cancellatus</i> ..	1894, 521
<i>Argiva hieroglyphica</i> ..	1892, 192		1897, 860
<i>Argopteron</i>	1893, 72	<i>paradoxus</i>	1894, 521
	1893, 88	<i>Argyrodes magon</i>	1892, 276
<i>aureipennis</i>	1893, 72	<i>ortona</i>	1893, 282
	1893, 88	<i>Argyropeira acuminata</i> ..	1897, 871
	1893, 89	<i>argyra</i>	1897, 870
<i>puelmæ</i>	1893, 88	<i>aurulenta</i>	1897, 871
<i>Argulus foliaceus</i>	1898, 543	<i>curta</i>	1897, 871
	1898, 544	<i>regnyi</i>	1897, 871
<i>Argus giganteus</i>	1896, 138	<i>ungulata</i>	1898, 513
<i>Argya heuglini</i>	1895, 488		1899, 855
<i>rubiginosa</i>	1895, 487	<i>Argyrolepis lepidana</i> ..	1897, 139
	1895, 488	<i>Argyrostola</i>	1895, 907
<i>rufescens</i>	1895, 488	<i>ruficostalis</i>	1895, 907
<i>rufula</i>	1895, 488	<i>Arhopala absens</i>	1892, 629
<i>saturata</i>	1895, 488	<i>acestes</i>	1896, 664
<i>Argynnis aglala</i>	1891, 180		1896, 665
	1892, 184	<i>achelous</i>	1895, 558
	1893, 279		1895, 590
<i>euphrosyne</i>	1894, 134	<i>adatha</i>	1891, 370
	1895, 629		1895, 589
	1895, 630		1896, 661
	1896, 826	<i>adoreia</i>	1891, 370
<i>excelsior</i>	1895, 722	<i>æxone</i>	1891, 370
	1895, 729	<i>agaba</i>	1892, 630
	1895, 742	<i>agesias</i>	1895, 558
<i>hanningtonii</i>	1895, 729		1895, 592
	1900, 913	— <i>kinabala</i>	1895, 558
	1900, 920		1895, 592

	Page		Page
Arhopala agnis.....	1892, 629	Arhopala belpheba....	1892, 632
	1895, 558	borneensis.....	1896, 651
	1895, 589		1896, 666
	1896, 659		1896, 683
agrata	1892, 632	buxtoni.....	1892, 633
aida	1896, 666	cæca	1895, 558
alaconia.....	1895, 558		1895, 591
	1895, 593	camdeo	1892, 628
albipunctata	1892, 631		1892, 629
allata.....	1895, 558	centaurus	1892, 629
	1895, 590		1895, 558
	1896, 664		1895, 589
amantes.....	1892, 629		1896, 671
amatrix	1892, 629	dajagaka	1896, 651
ammon	1892, 630		1896, 660
ammonides	1892, 630		1896, 682
	1892, 664	davisoni.....	1892, 633
amphea	1895, 558		1895, 593
	1895, 589	deva	1896, 651
amphimuta	1892, 633		1896, 669
	1895, 558		1896, 683
	1895, 589	diardi.....	1892, 631
	1895, 590		1896, 651
	1895, 592		1896, 666
anamuta.....	1896, 660	drucei	1896, 651
anarte	1892, 631		1896, 661
anniella	1895, 558		1896, 683
	1895, 592	elopura	1895, 558
anthelus	1892, 631		1895, 590
antimuta	1895, 558		1896, 670
	1895, 593		1896, 682
	1896, 670	epimuta.....	1895, 558
anunda	1895, 558		1895, 593
	1895, 590		1895, 594
apidanus	1892, 631	eumolphus.....	1892, 631
	1895, 558		1892, 632
	1895, 590	eurisus	1891, 370
	1896, 672		1891, 371
ariel	1896, 672		1891, 373
aroa	1895, 558	farquhari	1892, 631
	1895, 590		1892, 632
	1896, 663		1895, 558
arsenius	1896, 668		1895, 591
artegal	1892, 631		1896, 672
atosia.....	1892, 629	havilandi	1896, 651
	1895, 558		1896, 665
	1895, 589		1896, 683
	1895, 593	helinus	1891, 370
atrax	1892, 630	hellenore	1892, 632
aurea	1895, 558	horsfieldi	1895, 558
	1895, 591		1895, 591
	1896, 667	hypomuta	1892, 633
basiviridis	1895, 591		1895, 589
bazalus	1892, 630		1896, 669
bella	1896, 651		1896, 670
	1896, 664	inornata.....	1892, 633
	1896, 665		1895, 593
	1896, 683	khamti	1892, 630

	Page		Page
Arhopala kounga.....	1896, 651	Arhopala waterstradti..	1896, 683
	1896, 662	Ariadne bicolor.....	1891, 556
	1896, 663	pennsylvanica	1891, 556
	1896, 683	solitaria	1891, 556
labuana	1896, 667	Ariamnes longissimus..	1894, 521
	1896, 683		1897, 860
leroma	1891, 90	paradoxus	1894, 521
lycænaria	1895, 589	Arica pelopsana	1897, 667
meander	1896, 651	splendens	1897, 667
	1896, 658	Arichalca sternecki....	1898, 441
metamuta	1896, 668	Arichanna biquadrata..	1893, 423
	1896, 669	marginata	1893, 423
micale	1891, 370	rubrivena	1893, 424
möllerii	1892, 632		1893, 433
moolaiana	1892, 633	subænescens	1893, 336
moorei	1896, 651		1893, 337
	1896, 669		1893, 341
	1896, 683		1893, 426
morphina	1896, 651	subalbida	1893, 425
	1896, 666		1893, 434
myrtale.....	1895, 558	tramesata	1893, 426
	1895, 592	transfasciata	1893, 425
olinda	1895, 558	Arina obtusa	1896, 636
	1895, 591	Arion aggericola	1897, 448
paramuta	1892, 632	alpinus	1891, 221
pastorella	1892, 633		1897, 446
peramuta	1892, 632		1897, 448
perissa	1892, 633	anthracinus	1897, 448
phryxus	1891, 370	ater	1897, 446
pryeri.....	1895, 558		1897, 448
	1895, 590	aterrimus	1891, 222
pseudomuta	1896, 651	bavayi	1897, 446
	1896, 662		1897, 448
sandakani	1896, 651	boettgeri	1897, 444
	1896, 670	bourguignati.....	1897, 446
	1896, 683	breviærei	1897, 448
semperi	1896, 651	cæruleus	1897, 444
	1896, 659		1897, 445
	1896, 682		1897, 448
similis	1895, 558		1897, 450
	1895, 592	californicus	1891, 222
singla.....	1892, 630	celticus	1897, 446
sophax	1891, 370	circumscripatus	1897, 449
sophrosyne	1891, 370	citrinus	1897, 443
	1891, 373		1897, 444
tameanga	1896, 651		1897, 449
	1896, 658		1897, 450
	1896, 660	cottianus	1897, 448
	1896, 682	dasilvæ	1897, 448
teesta.....	1892, 630	elongatus	1897, 448
trogon	1896, 667	empiricorum	1891, 221
vihara	1896, 651		1897, 443
	1896, 662		1897, 446
	1896, 671		1897, 448
viridissima	1892, 632	fasciatus	1897, 446
waterstradti	1896, 651		1897, 447
	1896, 668		1897, 448
	1896, 669	flagellus	1897, 448

	Page		Page
<i>Arion flavus</i>	1897, 448	<i>Ariophanta striata</i>	1891, 30
<i>fuscus</i>	1897, 439	1891, 32
.....	1897, 443	<i>weinkauffi inflata</i> ..	1894, 149
.....	1897, 444	(<i>Amphidroma</i>)	
.....	1897, 448	<i>martini</i>	1891, 30
.....	1897, 450	<i>Aripana annulata</i>	1898, 620
— <i>boettgeri</i>	1897, 444	<i>levinia</i>	1896, 643
.....	1897, 450	<i>Aristotelia annulicornis</i> ..	1897, 63
<i>hassei</i>	1897, 448	1897, 64
<i>hortensis</i>	1891, 221	<i>crassicornis</i>	1897, 68
.....	1897, 441	<i>dorsivittella</i>	1897, 66
.....	1897, 442	<i>eromene</i>	1897, 64
.....	1897, 444	<i>kittella</i>	1897, 65
.....	1897, 445	<i>ornatipalpella</i>	1897, 64
.....	1897, 446	<i>ostariella</i>	1897, 65
.....	1897, 447	<i>picticornis</i>	1897, 68
.....	1897, 448	<i>pudibundella</i>	1897, 66
.....	1897, 449	<i>pulicella</i>	1897, 67
.....	1897, 450	<i>roseosuffusella</i>	1897, 66
— <i>cæruleus</i>	1897, 444	<i>trossuella</i>	1897, 67
.....	1897, 449	<i>Arius acutirostris</i>	1899, 445
<i>incommodus</i>	1891, 221	1899, 452
<i>intermedius</i>	1897, 442	1899, 457
.....	1897, 447	<i>acutus</i>	1899, 445
.....	1897, 449	<i>commersonii</i>	1891, 234
<i>lusitanicus</i>	1891, 221	<i>laticutatus</i>	1900, 514
.....	1897, 448	<i>Armadillidium pacificum</i>	1900, 795
<i>molleri</i>	1897, 449	1900, 799
<i>nilssoni</i>	1897, 446	<i>Armadillo cinctus</i>	1896, 392
.....	1897, 448	<i>depressus</i>	1896, 390
<i>pascalianus</i>	1897, 449	<i>dumorum</i>	1896, 391
<i>pegorarii</i>	1897, 448	<i>grenadensis</i>	1896, 389
<i>rufus</i>	1897, 443	1896, 392
.....	1897, 446	<i>perlatus</i>	1896, 395
.....	1897, 448	<i>silvarum</i>	1896, 393
<i>stabilei</i>	1897, 443	<i>tenuipunctatus</i>	1896, 389
<i>subcarinatus</i>	1897, 448	<i>viticola</i>	1896, 396
<i>subfuscus</i>	1891, 221	<i>zigzag</i>	1896, 394
.....	1897, 441	<i>Arnarnodia</i>	1898, 600
.....	1897, 442	<i>Arnetta</i>	1893, 72
.....	1897, 443	1893, 81
.....	1897, 444	<i>atkinsoni</i>	1893, 72
.....	1897, 446	1893, 81
.....	1897, 447	1893, 82
.....	1897, 448	<i>nilgiriāna</i>	1893, 82
.....	1897, 450	<i>subtestaceus</i>	1893, 82
— <i>griseus</i>	1897, 441	<i>vindhiana</i>	1893, 82
<i>vejdovskyi</i>	1897, 449	<i>Arneus thynni</i>	1899, 462
<i>Ariophanta amphidroma</i>	1891, 32	<i>Arniocera auriguttata</i> ..	1898, 439
<i>brookei</i>	1891, 27	<i>chrysosticta</i>	1898, 439
<i>interrupta</i>	1891, 334	1898, 444
<i>kintana</i>	1891, 334	<i>cyanoxantha</i>	1898, 440
<i>lahatensis</i>	1891, 334	—, var.	1898, 444
<i>martini</i>	1891, 32	<i>ericata</i>	1898, 440
<i>nemorensis</i>	1891, 30	1898, 444
<i>rareguttata</i>	1891, 30	<i>imperialis</i>	1898, 440
<i>regalis</i>	1892, 461	1898, 444
<i>rumphii</i>	1891, 30	<i>melanopyga</i>	1898, 439

	Page		Page
<i>Arniocera sternecki</i>	1898, 441	<i>Arthroleptis minutus</i> ..	1895, 539
	1898, 444		1895, 540
<i>Arnoglossus laterna</i> ..	1898, 284		1898, 475
	1898, 285	<i>moorii</i>	1898, 457
<i>megastoma</i>	1898, 557		1898, 479
<i>Arcoa bistigmigera</i>	1894, 655	<i>variabilis</i>	1898, 482
	1896, 847	<i>whytii</i>	1900, 441
<i>charax</i>	1896, 850		1897, 801
	1896, 848		1897, 802
<i>clara</i>	1896, 850		1897, 803
<i>discalis</i>	1896, 847		1898, 474
<i>ochraceata</i>	1893, 678	<i>Arthroschista hilaralis</i> ..	1892, 129
	1893, 677	<i>Arthroseps</i>	1896, 916
<i>terminalis</i>	1896, 848		1898, 920
<i>Arocera acroleuca</i>	1896, 847	<i>wernerii</i>	1898, 916
<i>Arotros striata</i>	1900, 823		1898, 921
<i>Arouva albivitta</i>	1892, 326		1898, 923
<i>mirificana</i>	1897, 689	<i>Artibeus bilobatus</i>	1893, 336
<i>Arrade erebusalis</i>	1897, 689	<i>cinereus</i>	1893, 336
<i>Arremon semitorquatus</i> .	1899, 286	<i>glaucus</i>	1893, 336
<i>Arrhenothrix lowii</i>	1899, 513	<i>perspicillatus</i>	1893, 336
	1895, 558		1893, 337
	1895, 596	<i>quadrivittatus</i>	1893, 336
	1895, 627	(<i>Dermanura</i>) <i>cine-</i>	
<i>penicilligera</i>	1892, 636	<i>reus</i>	1893, 336
	1895, 596	<i>Artitropa</i>	1896, 92
<i>Arsacia saturalis</i>	1899, 286	<i>boseæ</i>	1896, 93
<i>Arsisaca bolinalis</i>	1899, 286	<i>comus</i>	1896, 93
<i>Arta encaustalis</i>	1897, 669	<i>erinys</i>	1896, 92
<i>epicænalis</i>	1897, 669		1896, 93
<i>mulleolella</i>	1897, 669	<i>margaritata</i>	1896, 93
<i>olivalis</i>	1897, 669		1896, 103
<i>rubricalis</i>	1897, 659	<i>shellei</i>	1896, 93
<i>serialis</i>	1897, 669	<i>Artomyias</i> sp.	1894, 600
<i>statalis</i>	1897, 669		1894, 601
<i>Artace albicans</i>	1892, 320	<i>Arucha indicatalis</i>	1895, 973
<i>anula</i>	1892, 319	<i>Arvelius albopunctatus</i> .	1893, 705
<i>meridionalis</i>	1892, 319		1894, 173
<i>Artamus fuscus</i>	1900, 470		1900, 823
<i>sordidus</i>	1897, 813	<i>Arvicanthis abyssinicus</i> .	1895, 342
	1900, 305		1900, 81
<i>superciliosus</i>	1900, 305		1900, 179
<i>Artaxa ochraceata</i>	1893, 677		1900, 803
<i>Artema atalanta</i>	1894, 519	<i>barbarus</i>	1896, 803
<i>Artemis caslata</i>	1891, 422		1897, 960
<i>scabriuscula</i>	1891, 421		1899, 986
<i>Arteurotia tractipennis</i> .	1893, 42	<i>dembeensis</i>	1900, 81
	1893, 45	<i>dorsalis</i>	1896, 794
<i>Arthroleptis africanus</i> ..	1900, 441		1896, 803
<i>bivittatus</i>	1900, 441		1897, 937
<i>bottegi</i>	1898, 475	<i>neumanni</i>	1898, 766
<i>dispar</i>	1900, 441	<i>niloticus</i>	1899, 429
<i>gabonensis</i>	1900, 441		1899, 433
<i>inguinalis</i>	1900, 442	<i>pulchellus</i>	1896, 803
	1900, 456		1897, 937
<i>macrodactylus</i>	1893, 619	<i>pumilio</i>	1896, 794
	1893, 620	— <i>dilectus</i>	1896, 803
	1900, 441	— <i>diminutus</i>	1896, 804

	Page		Page
<i>Arvicantis pumilio typicus</i>	1896, 804	<i>Asopia microchrysalis</i> ..	1898, 695
<i>variegatus</i>	1895, 545	<i>misera</i>	1898, 698
	1895, 553	<i>niobesalis</i>	1899, 286
	1900, 103	<i>ornatalis</i>	1894, 591
<i>Arvicola brecciensis</i>	1891, 468	<i>phærusalis</i>	1898, 703
<i>henseli</i>	1891, 468	<i>roridalis</i>	1899, 188
<i>neglectus</i>	1896, 599	<i>rufipicta</i>	1899, 263
<i>nivalis</i>	1900, 301	<i>rufulalis</i>	1897, 675
<i>Asagena phalerata</i>	1897, 864	<i>sernalis</i>	1898, 693
<i>quadrimaculata</i> ..	1897, 864	<i>socialis</i>	1898, 639
<i>Asaphis deflorata</i>	1891, 425	<i>suffectalis</i>	1898, 645
<i>Asbecesta capense</i>	1899, 360	<i>Asopus fuscus</i>	1900, 816
<i>duvivieri</i>	1899, 359	<i>Asphæra brevicornis</i> ..	1892, 573
<i>marginata</i>	1899, 359	<i>clarki</i>	1894, 630
	1899, 380		1894, 631
<i>ornata</i>	1900, 255	<i>haroldi</i>	1894, 629
	1900, 266	<i>madagascariensis</i> ..	1892, 573
<i>ornaticollis</i>	1900, 255	<i>melanarthra</i>	1892, 573
<i>polita</i>	1899, 360	<i>melanocephala</i>	1894, 630
<i>Ascanius hirtipes</i>	1900, 822	<i>oblecta</i>	1894, 631
<i>Ascaris lumbricoides</i> ..	1894, 532	<i>plumbea</i>	1894, 631
<i>megalocephala</i>	1894, 533	<i>4-maculata</i>	1894, 631
	1894, 534	<i>xanthocephala</i>	1894, 630
<i>transfuga</i>	1894, 532		1894, 631
	1894, 533	<i>Aspidelaps bocagii</i>	1900, 455
	1894, 535	<i>Aspidomorpha</i> sp.	1892, 94
<i>Ascia striata</i>	1893, 159	<i>aruwimiensis</i>	1892, 94
<i>Asciodes titubalis</i>	1898, 725	<i>quadrimaculata</i> ..	1892, 93
<i>Ascotis selenaria</i>	1892, 131	<i>spectabilis</i>	1892, 93
<i>Asellus aquaticus</i>	1900, 268	<i>stolata</i>	1892, 93
	1900, 269	<i>tigrina</i>	1892, 93
	1900, 270	<i>togata</i>	1892, 94
<i>Asilus marinus</i>	1899, 439	<i>westermanni</i>	1892, 93
<i>Asio accipitrinus</i>	1900, 489	<i>Aspidonectes spirifer</i> ..	1895, 824
<i>clamator</i>	1892, 372	<i>Aspidosiphon elegans</i> ..	1898, 471
	1892, 387		1898, 473
	1892, 408	<i>klunzingeri</i>	1898, 471
	1892, 409		1898, 473
<i>otus</i>	1896, 627	<i>ravus</i>	1899, 56
<i>Aslauga marshalli</i>	1898, 908	<i>Aspidosoma hesperum</i> ..	1896, 777
<i>purpurascens</i>	1898, 908	<i>ignitum</i>	1898, 318
<i>Asmonax</i>	1892, 85		1898, 319
<i>whiteheadi</i>	1892, 85	<i>lepidum</i>	1898, 318
	1892, 90	<i>maculatum</i>	1896, 777
<i>Asopia abruptalis</i>	1898, 442	<i>polyzona</i>	1898, 318
<i>anthæcioides</i>	1897, 653	<i>superciliosum</i>	1898, 318
<i>archasialis</i>	1898, 702	<i>Aspidura trachyprocta</i> ..	1892, 481
<i>biblisalis</i>	1898, 645		1895, 705
<i>critheisalis</i>	1898, 728	<i>Aspilates perlineata</i>	1896, 646
<i>culiculalis</i>	1897, 659	<i>Aspongopus alternans</i> ..	1900, 823
<i>curtalis</i>	1898, 703	<i>cuprifer</i>	1900, 819
<i>depressalis</i>	1896, 650	<i>fuscus</i>	1900, 819
	1899, 286	<i>janus</i>	1900, 823
<i>dircealis</i>	1898, 645	<i>nepalensis</i>	1900, 819
<i>dotatalis</i>	1898, 645	<i>nigriventris</i>	1900, 819
<i>largalis</i>	1899, 264	<i>nubilus</i>	1900, 819
<i>lydialis</i>	1898, 699	<i>ochreus</i>	1900, 819
		<i>sanguinolentus</i>	1900, 819

	Page		Page
<i>Aspongopus siccifolius</i> ..	1900, 820	<i>Astictopterus subfas-</i>	
<i>vicinus</i>	1900, 823	<i>ciatus</i>	1892, 662
<i>Assiminea carinata</i>	1891, 347	<i>vibius</i>	1896, 78
<i>Assulina seminulum</i> ..	1897, 787	<i>xanites</i>	1892, 661
	1897, 788		1892, 662
<i>Astacus penicillatus</i>	1898, 1014		1893, 77
<i>Astenodipsas malaccana</i> .	1892, 507	<i>Astraea</i>	1899, 157
<i>Asterias volsellata</i>	1894, 396		1899, 747
	1894, 405	<i>affinis</i>	1899, 750
(<i>Stolasterias</i>) <i>vol-</i>		<i>denticulata</i>	1899, 748
<i>sellata</i>	1894, 405		1899, 750
<i>Asterina</i> sp.	1900, 289		1899, 764
<i>cephus</i>	1894, 396	<i>echinata</i>	1899, 760
<i>gibbosa</i>	1894, 409	<i>eximia</i>	1899, 747
<i>Asteriscus rosaceus</i>	1900, 297	<i>fragilis</i>	1899, 748
<i>Asterodon granulatus</i> ..	1893, 261		1899, 749
<i>grayi</i>	1893, 261	<i>fusco-viridis</i>	1899, 759
<i>pedicellaris</i>	1893, 261	<i>heliopora</i>	1899, 756
	1893, 262	<i>lobata</i>	1899, 749
<i>singularis</i>	1893, 262	<i>okeni</i>	1899, 749
<i>Asthana directa</i>	1896, 650		1899, 764
<i>erecta</i>	1896, 650	<i>pallida</i>	1899, 748
<i>Asthena flavilinea</i>	1893, 363	<i>purpurea</i>	1899, 760
<i>ochracea</i>	1893, 364	<i>puteolina</i>	1899, 749
	1893, 434	<i>rotumana</i>	1899, 750
<i>rufigrisea</i>	1893, 364		1899, 764
	1893, 434	<i>solidior</i>	1899, 756
<i>Asthenodipsas malac-</i>		<i>tenella</i>	1899, 761
<i>cana</i>	1896, 896	<i>versipora</i>	1899, 753
<i>Asthenosoma grubei</i> ..	1900, 278	<i>virens</i>	1899, 758
	1900, 279	<i>Astræopora listeri</i>	1898, 264
<i>heteractis</i>	1900, 274		1898, 265
	1900, 278	<i>ovalis</i>	1898, 265
	1900, 279	<i>punctifera</i>	1898, 265
	1900, 299	<i>tabulata</i>	1898, 264
<i>ijimai</i>	1900, 278		1898, 276
<i>urens</i>	1900, 278	<i>Astraptes aulestes</i>	1893, 26
	1900, 279	<i>Astrodermus coryphæn-</i>	
<i>varium</i>	1900, 279	<i>oides</i>	1899, 443
	1900, 279	<i>Astrogonium longi-</i>	
<i>Astictopterus armata</i> ..	1892, 663	<i>manum</i>	1900, 293
<i>butleri</i>	1892, 662	<i>meridionale</i>	1893, 261
	1892, 664	<i>miliare</i>	1893, 262
<i>gemmifer</i>	1892, 662	<i>paxillosum</i>	1893, 262
<i>jama</i>	1892, 662	<i>Astroides calycularis</i> ..	1899, 740
	1893, 93	<i>Astropecten andersoni</i> ..	1900, 288
	1893, 114		1900, 291
	1893, 115	<i>aurantiacus</i>	1900, 292
<i>johnstonii</i>	1896, 74	<i>brevispinus</i>	1900, 292
<i>ladana</i>	1892, 662	<i>javanicus</i>	1900, 288
	1892, 664		1900, 289
<i>nubilus</i>	1893, 115		1900, 291
<i>olivascens</i>	1892, 662	— <i>malaccanus</i>	1900, 289
	1893, 115		1900, 291
	1900, 511	<i>pallidus</i>	1891, 228
<i>salsala</i>	1892, 661	<i>pleiacanthus</i>	1900, 289
<i>siudu</i>	1892, 120		1900, 292
	1892, 662		1900, 299
	1892, 664	<i>polyacanthus</i>	1894, 394

	Page		Page
<i>Astropecten polyacanthus</i>	1894, 395	<i>Ateles melanochir</i>	1893, 590
	1894, 396		1893, 592
	1900, 292	<i>paniscus</i>	1891, 142
<i>schoenleini</i>	1894, 394	<i>Atella columbina</i>	1893, 653
<i>tenuispinus</i>	1892, 430		1894, 565
	1892, 433		1895, 261
<i>zebra</i>	1894, 394		1895, 720
	1900, 292		1896, 113
<i>Astrophyton clavatum</i> ..	1894, 395		1896, 531
<i>Astropyga radiata</i>	1894, 397		1896, 852
<i>Astrosia astræiformis</i> ..	1899, 743		1898, 53
<i>esperi</i>	1899, 743		1898, 399
<i>sinensis</i>	1899, 742	<i>phalantha</i>	1898, 822
<i>Astur</i> sp.	1894, 598		1894, 31
<i>alphonsi</i>	1892, 544		1897, 692
<i>badius</i>	1900, 490		1898, 53
<i>poliogaster</i>	1899, 510		1899, 420
<i>poliopsis</i>	1900, 490	<i>sinha</i>	1900, 920
<i>polyzonoides</i>	1895, 506		1900, 507
	1900, 3	<i>Atelocentra</i>	1898, 599
<i>sphenurus</i>	1895, 505		1899, 225
<i>trivirgatus</i>	1900, 489	<i>chloraspis</i>	1899, 226
<i>Astura erscalis</i>	1898, 690	<i>Atelocerus centro-</i>	
<i>guttatalis</i>	1898, 690	<i>lineatus</i>	1900, 820
<i>semifascialis</i>	1898, 690	<i>cervicornis</i>	1900, 817
<i>Asturina nitida</i>	1899, 515		1900, 820
<i>Asturinula monogram-</i>		<i>furcatus</i>	1900, 820
<i>mica</i>	1894, 599	<i>rugosus</i>	1900, 809
	1894, 601		1900, 820
	1900, 3	<i>sticticus</i>	1900, 819
<i>Astycus augias</i>	1893, 102	<i>varicornis</i>	1900, 820
<i>Astylus antillarum</i>	1898, 323	<i>variegatus</i>	1900, 814
	1898, 333		1900, 820
<i>octopustulatus</i>	1898, 323	<i>Atelopus cruciger</i>	1898, 119
<i>Astyochia pallene</i>	1893, 296	<i>elegans</i>	1898, 119
<i>paulina</i>	1893, 296	<i>ignescens</i>	1898, 119
<i>Asymbata roseiventris</i> ..	1898, 424	<i>Atergatis floridus</i>	1900, 569
<i>Asymmetron</i>	1899, 8		1900, 570
<i>Atalapha cinerea</i>	1898, 77		1900, 585
<i>Atalopedes cunaxa</i>	1893, 100		1900, 730
<i>huron</i>	1893, 91	<i>integerrimus</i>	1900, 730
	1893, 100	<i>lævigatus</i>	1900, 731
<i>mesogramma</i>	1893, 100	<i>marginatus</i>	1900, 730
<i>Atechna clarki</i>	1893, 746	<i>nitidus</i>	1900, 731
<i>interruptofasciata</i> ..	1898, 241	<i>roseus</i>	1900, 730
	1898, 242		1900, 731
<i>pardalina</i>	1898, 242	— <i>alba</i>	1900, 731
<i>Atelecyclus heterodon</i> ..	1898, 204	— <i>scrobiculata</i>	1900, 731
	1898, 205	<i>scrobiculatus</i>	1900, 731
	1898, 207	<i>Aterica cupavia</i>	1895, 728
	1898, 208	<i>galene</i>	1898, 52
	1898, 209	<i>ribensis</i>	1895, 728
<i>septemdentatus</i> ..	1898, 207	<i>Atethmia subusta</i>	1898, 368
<i>spinosulus</i>	1900, 519	<i>Athanas dimorphus</i>	1898, 1012
<i>Ateles marginatus</i>	1892, 113	<i>sulcatipes</i>	1898, 1000
	1893, 589		1898, 1011
	1893, 590		1898, 1015
	1893, 592	<i>Athanasus edwardsii</i> ..	1898, 1012
		<i>Athene ferruginea</i>	1900, 305

	Page		Page
<i>Athene glaux</i>	1900, 305	<i>Attractylis repens</i>	1896, 462
<i>spilogaster</i>	1895, 504	<i>Atretium schistosum</i> ..	1899, 664
<i>Atheneræa yama-mai</i> ..	1894, 134	<i>Atropophis borneensis</i> ..	1892, 507
<i>Atheris chlorechis</i>	1900, 456	<i>Atrytone delaware</i>	1893, 111
<i>squamiger</i>	1900, 456	<i>hobomok</i>	1893, 111
<i>Atheropoda flaccidalis</i> ..	1899, 218	<i>iowa</i>	1893, 93
<i>inflexalis</i>	1899, 218	1893, 111
<i>majoralis</i>	1899, 218	<i>logan</i>	1893, 111
<i>Atherura africana</i>	1894, 675	<i>pocahontas</i>	1893, 111
.....	1894, 676	<i>quadaquina</i>	1893, 111
.....	1894, 677	<i>zabulon</i>	1893, 111
.....	1896, 684	<i>Atta clypeata</i>	1896, 419
.....	1898, 887	<i>destructor</i>	1896, 418
<i>fasciculata</i>	1898, 887	<i>didita</i>	1896, 421
.....	1900, 364	<i>geminata</i>	1896, 419
<i>macrura</i>	1894, 675	<i>Attacus atlas</i>	1891, 179
.....	1894, 677	1892, 193
.....	1900, 364	1893, 278
.....	1900, 365	1894, 133
.....	1900, 882	1895, 137
<i>Athoracophorus bitenta-</i>		1896, 240
<i>culatus</i>	1891, 217	1897, 296
— <i>antipodarum</i> ..	1891, 217	1898, 80
<i>marmoratus</i>	1891, 217	1899, 293
<i>marmoreus</i>	1891, 217	1900, 181
<i>papillatus</i>	1891, 217	<i>cynthia</i>	1891, 179
<i>verrucosus</i>	1891, 217	1892, 193
<i>virgatus</i>	1891, 217	1893, 278
<i>Athrula saturnioides</i> ..	1896, 647	1894, 133
<i>Athyma amhara</i>	1891, 282	1895, 137
<i>cana</i>	1891, 282	1896, 240
<i>kanwa</i>	1891, 277	1897, 296
<i>kresna</i>	1891, 281	1898, 80
<i>mahesa ranga</i>	1891, 277	1899, 293
<i>nefte</i>	1892, 120	1900, 181
— <i>nivifera</i>	1891, 281	<i>hesperus</i>	1899, 293
<i>nivifera</i>	1891, 281	<i>lebeaui</i>	1895, 137
<i>opalina orientalis</i> ..	1891, 277	1895, 138
<i>orientalis</i>	1891, 277	1895, 139
<i>pravara</i>	1891, 277	1896, 241
<i>ranga</i>	1891, 277	<i>mythimna</i>	1896, 241
<i>selenophora</i>	1891, 281	1896, 242
.....	1891, 282	1898, 80
<i>sulpitia</i>	1891, 281	<i>pernyi</i>	1891, 179
<i>zeroa</i>	1891, 282	1892, 193
<i>Athyrma intorta</i>	1894, 589	1893, 278
<i>Atlantoxerus getulus</i> ..	1897, 933	1894, 133
<i>Atopocera</i>	1897, 169	1895, 137
<i>occultum</i>	1897, 169	1896, 240
<i>Atoxon tæniatum</i>	1899, 579	1898, 80
<i>Atractaspis bibronii</i> ...	1891, 308	<i>pryeri</i>	1899, 293
<i>boulengeri</i>	1900, 456	1899, 294
<i>corpulenta</i>	1900, 456	<i>ricini</i>	1891, 179
<i>microlepidota</i>	1895, 539	1895, 137
<i>rostrata</i>	1891, 308	1896, 240
<i>Atractus</i>	1898, 539	1898, 89
.....	1898, 540	1899, 293
<i>badius</i>	1898, 116	<i>roylei</i>	1893, 278
<i>multicinctus</i>	1898, 116	<i>Attagis gayi</i>	1891, 137

	Page		Page
<i>Attagis gayi</i>	1892, 402	<i>Aulacantha lævissima</i> ..	1898, 1026
<i>Attelabus</i> (<i>Pleurolabus</i>)			1898, 1032
<i>sp.</i>	1893, 742	<i>Aulacodus calamopha-</i>	
<i>Atteva fastuosa</i>	1897, 113	<i>gus</i>	1897, 938
<i>fulviguttata</i>	1897, 113	<i>peribocalis</i>	1896, 273
<i>lebeaui</i>	1897, 296	<i>psyllalis</i>	1896, 643
<i>pernyi</i>	1897, 296	<i>sclateri</i>	1897, 938
<i>punctella</i>	1897, 112	<i>semipalmatus</i>	1900, 803
	1897, 113	<i>swindernianus</i>	1891, 237
<i>ricini</i>	1897, 296		1892, 520
<i>siderea</i>	1897, 113		1892, 552
<i>Atticora andecola</i>	1896, 333		1892, 596
	1896, 334		1894, 251
<i>cinerea</i>	1891, 132		1894, 357
	1896, 333		1896, 795
<i>cyanoleuca</i>	1892, 374		1897, 938
	1896, 333		1900, 301
— <i>montana</i>	1892, 374	<i>Aulacophora conifera</i> ..	1900, 265
<i>fasciata</i>	1896, 333	<i>divisa</i>	1900, 265
<i>murina</i>	1896, 333	<i>mutica</i>	1900, 265
	1896, 334	<i>scutellata</i>	1899, 359
<i>tibialis</i>	1896, 334	<i>Aulacoptera</i>	1898, 595
	1899, 515		1898, 617
<i>Attus pictilis</i>	1898, 488	<i>fuscinervalis</i>	1898, 617
<i>Atya</i>	1899, 705	<i>Aulacorhamphus pra-</i>	
	1899, 708	<i>sinus</i>	1896, 557
<i>scabra</i>	1899, 709	<i>Aulacospira azpeitiae</i> ..	1892, 463
<i>wycki</i>	1898, 1003	<i>Aulamorphus</i>	1897, 572
<i>Atyaephyra</i>	1899, 705	<i>hollisi</i>	1897, 572
	1899, 708		1897, 577
<i>desmarestii</i>	1899, 708	<i>Aulocera loha</i>	1891, 251
<i>Atyoida</i>	1899, 707		1891, 266
	1899, 708	<i>Auloceros trigeminus</i> ..	1898, 1022
	1899, 709		1898, 1026
<i>potimirim</i>	1899, 707	(<i>Aulocera</i>) <i>tri-</i>	
<i>Atys naucum</i>	1891, 435	<i>geminus</i>	1898, 1027
<i>Auchenaspis biscutatus</i> ..	1895, 275	<i>Aulocoryne zetesios</i> ..	1898, 1023
<i>Auchenia</i>	1899, 146		1898, 1027
<i>glama</i>	1896, 986		1898, 1032
<i>pacos</i>	1896, 986	<i>Aulographis sp.</i>	1898, 1022
<i>vicugna</i>	1896, 987	<i>moorensis</i>	1898, 1022
<i>Auchenoglanis biscu-</i>			1898, 1026
<i>tata</i>	1895, 282		1898, 1032
	1900, 514	(<i>Aulographonium</i>)	
<i>Auchoteles perforatana</i> ..	1897, 651	<i>moorensis</i>	1898, 1026
<i>sobriana</i>	1897, 651	<i>Aulolepis typus</i>	1894, 660
<i>Aucula josoides</i>	1896, 647		1894, 663
<i>Audia mixtalis</i>	1899, 286		1894, 664
<i>Audinetia spinidens</i>	1900, 816	<i>Aulopoma lowi</i>	1891, 339
	1900, 824	<i>Aulosphaera flexuosa</i> ..	1898, 1023
<i>Augiades herculea</i>	1893, 103		1898, 1026
<i>sylvanus</i>	1893, 92	<i>Aulus japonicus</i>	1891, 429
	1893, 103	<i>Aurelia crucigera</i>	1896, 483
	1893, 131	<i>lineolata</i>	1896, 483
<i>venata</i>	1893, 103	<i>rufescens</i>	1896, 483
<i>Augocoris gigas</i>	1900, 822	<i>Auricula auris-judæ</i>	1891, 339
<i>gomesi</i>	1900, 822	<i>auris-midæ</i>	1891, 339
<i>Aulacantha lævissima</i> ..	1898, 1022	<i>Ausava triplaga</i>	1896, 638
		<i>Autallacta</i>	1893, 365

	Page		Page
<i>Autallacta lineata</i>	1893, 365	<i>Avicularia avicularia</i> ..	1896, 723
<i>subobliquaria</i>	1893, 365		1896, 741
<i>Autarotis euryala</i>	1895, 923		1896, 746
<i>Authæretis</i>	1898, 596		1896, 766
	1898, 711		1896, 778
<i>eridora</i>	1898, 711		1898, 892
<i>Autocharis amethystina</i> ..	1899, 221	— <i>variegata</i>	1896, 723
<i>Autochloris oratha</i>	1893, 281		1896, 743
<i>varipes</i>	1893, 281		1896, 766
<i>Autocosmia</i>	1898, 602	<i>glauca</i>	1896, 744
	1899, 233	<i>holmbergii</i>	1896, 744
<i>concinna</i>	1899, 234	<i>metallica</i>	1896, 744
<i>oliosalis</i>	1899, 234	<i>rutilans</i>	1896, 744
<i>Autodax iecanus</i>	1898, 478		1896, 745
<i>Automeris macareis</i>	1892, 290		1896, 746
<i>nopaltzin</i>	1892, 290	<i>velutina</i>	1896, 744
<i>rubicunda</i>	1892, 290	<i>vestiaria</i>	1896, 741
<i>rubescens</i>	1892, 290	<i>vulpina</i>	1896, 744
	1899, 293	<i>walckenaeria</i>	1896, 746
	1899, 294	<i>Axina carbonaria</i>	1892, 449
<i>tamphilus</i>	1892, 291	<i>cumingi</i>	1892, 449
<i>Automolis angulosa</i>	1896, 636	<i>garibaldiana</i>	1892, 449
<i>basalis</i>	1896, 636	<i>kobelti</i>	1892, 449
<i>chrysomelas</i>	1896, 636	<i>magistra</i>	1892, 449
<i>elissa</i>	1892, 277	<i>moreleti</i>	1892, 449
<i>flavicinctus</i>	1896, 636	<i>phloiodes</i>	1892, 449
<i>geometrica</i>	1896, 636	<i>schadenbergi</i>	1892, 449
<i>leucomela</i>	1896, 636	<i>siquijorensis</i>	1892, 449
<i>prætexta</i>	1896, 636	<i>zebuensis</i>	1892, 449
<i>reducta</i>	1896, 636	<i>Axiocerces amanga</i>	1893, 662
<i>saturata</i>	1896, 636		1895, 263
<i>Auxinobasis</i>	1891, 534		1896, 123
<i>brevipalpella</i>	1897, 95		1896, 831
<i>constans</i>	1897, 96	<i>harpax</i>	1893, 662
<i>flaviciliata</i>	1897, 95		1899, 965
<i>insularis</i>	1897, 94	<i>perion</i>	1893, 662
	1897, 95		1894, 342
<i>persimilella</i>	1891, 534		1894, 570
	1891, 547		1896, 123
	1891, 548		1896, 832
	1897, 95		1898, 370
<i>variolata</i>	1897, 94	<i>Axis maculata</i>	1900, 373
<i>Auxomitia minoralis</i> ..	1898, 640	<i>Aysa ravida</i>	1897, 879
<i>mirificalis</i>	1898, 672	<i>tenuis</i>	1897, 879
<i>Auzeodes</i>	1893, 404	<i>Azamora basiplaga</i>	1896, 648
<i>nigroseriata</i>	1893, 405		1897, 655
<i>Avahis langier</i>	1895, 143	<i>corusca</i>	1897, 655
	1899, 987	<i>melanospila</i>	1897, 655
(Microrhynchus)		<i>penicillana</i>	1897, 655
<i>laniger</i>	1894, 358	<i>tortriciformis</i>	1896, 648
<i>Avatha leucoptera</i>	1897, 925		1897, 655
<i>Avela diversa</i>	1896, 636	<i>Azanus gamra</i>	1896, 119
<i>Avicenna</i>	1900, 815		1896, 244
<i>inquinata</i>	1900, 815		1896, 250
	1900, 825		1896, 256
<i>Avicula cumingi</i>	1891, 435	<i>jesous</i>	1897, 843
<i>formosa</i>	1898, 828		1897, 924
<i>macroptera</i>	1891, 435		1898, 194
<i>tarentina</i>	1899, 822		1898, 404

	Page		Page
Azanus jesous	1898, 826	Baccha amphithoe	1893, 163
	1900, 13	apicalis	1893, 141
macalenga	1897, 843	babista	1893, 159
	1897, 844	basilis	1893, 159
moriqua	1897, 843	bicolor	1893, 137
	1898, 194		1893, 137
	1900, 929		1893, 163
natalensis	1893, 661	bigoti	1893, 135
	1896, 119		1893, 147
	1896, 250		1893, 148
	1898, 193	brevipennis	1893, 147
	1899, 966	cærulea	1893, 134
occidentalis	1894, 569	clavata	1893, 159
	1896, 852	conjuncta	1893, 135
plinius	1898, 194		1893, 136
sigillatus	1896, 119	crocata	1893, 133
	1896, 244		1893, 135
	1896, 250		1893, 155
	1896, 829		1893, 164
thebana	1900, 13	crocea	1893, 133
ubaldus	1897, 844		1893, 135
uranus	1897, 693		1893, 157
zena	1896, 244		1893, 164
	1896, 256	cultrata	1893, 133
	1897, 843		1893, 135
	1897, 844		1893, 151
	1898, 194		1893, 164
	1899, 966	dispar	1893, 141
Azara labiata	1899, 514		1893, 159
Azazia navigatorum....	1897, 613	elongata	1893, 135
rubricans	1893, 682		1893, 136
Azelina amyclaria	1896, 644	fallax	1893, 132
asilasaria	1896, 644		1893, 142
denticulata	1896, 644		1893, 163
fusaria	1896, 644	fervida	1893, 133
hædularia	1896, 639		1893, 135
immundaria	1896, 649		1893, 158
stolidata	1896, 644		1893, 164
stuposaria	1896, 649	flavens	1893, 133
Azeta uncas	1896, 638		1893, 135
Aziba macropterana....	1897, 630		1893, 153
Azilia guatemalensis ..	1897, 872		1893, 163
Azochis	1898, 601	gilva	1893, 133
gripusalis	1896, 641		1893, 135
	1899, 190		1893, 154
mactalis	1899, 190		1893, 164
ruffronalis	1899, 190	gratiosa	1893, 143
Azygophleps inclusa....	1894, 587	incompta	1893, 133
	1898, 382		1893, 135
			1893, 147
Babirussa alfurus	1892, 315		1893, 163
	1897, 810	levissima	1893, 133
Babycurus buttneri	1899, 835		1893, 135
johnstoni	1899, 835		1893, 146
kirki	1899, 835		1893, 163
Baccha adspersa	1893, 146	lineata	1893, 150
amphithoe	1893, 132	livida	1893, 135
	1893, 135		1893, 150
	1893, 142	luctuosa	1893, 135

	Page		Page
<i>Baccha moluccana</i>	1893, 138	<i>Baculus elongatus</i>	1899, 482
	1893, 144	<i>Badamia exclamationis</i> .	1892, 645
<i>notata</i>	1893, 150		1893, 124
<i>nubilipennis</i>	1893, 132		1893, 128
	1893, 136	<i>Bæcula chromatophila</i> .	1896, 639
	1893, 163	<i>Baginia notata</i>	1897, 933
	1893, 164	<i>Bagrus bayad</i>	1893, 626
<i>pedicellata</i>	1893, 139	<i>docmac</i>	1900, 969
<i>pulchrifrons</i>	1893, 132	<i>meridionalis</i>	1893, 619
	1893, 139		1893, 626
	1893, 141	<i>Bairdia attenuata</i>	1895, 5
	1893, 142	<i>foveolata</i>	1895, 6
	1893, 163	<i>hirsuta</i>	1895, 5
<i>pumila</i>	1893, 136	<i>minima</i>	1895, 6
	1893, 135	<i>Balæna japonica</i>	1897, 267
	1893, 148	<i>Balæniceps</i>	1898, 83
	1893, 164		1899, 11
<i>purpuricola</i>	1893, 138	<i>rex</i>	1900, 963
	1893, 159	<i>Balænoptera</i> sp.	1893, 496
<i>refulgens</i>	1893, 132		1895, 555
	1893, 138		1897, 267
	1893, 163	<i>edeni</i>	1895, 555
<i>rubricosa</i>	1893, 136	<i>juddi</i>	1892, 559
<i>rugosifrons</i>	1893, 147	<i>Balanus tintinnabulum</i>	
<i>sagittifera</i>	1893, 133	<i>occator</i>	1900, 796
	1893, 135		1900, 799
	1893, 144	<i>Balbis</i>	1897, 128
	1893, 163	<i>albicapitana</i>	1897, 128
<i>signifera</i>	1893, 133	<i>assumptana</i>	1897, 128
	1893, 135	<i>excitana</i>	1897, 129
	1893, 145	<i>figurana</i>	1897, 129
	1893, 163	<i>livens</i>	1897, 128
<i>silacea</i>	1893, 133	<i>Balearica chrysopelargus</i>	1894, 495
	1893, 135		1894, 496
	1893, 149	<i>pavonina</i>	1900, 964
	1893, 164	<i>regulorum</i>	1899, 828
<i>stenogaster</i>	1893, 147	<i>Balistes aculeatus</i>	1899, 940
<i>sulica</i>	1893, 132		1899, 955
	1893, 144	<i>Banasa imbuta</i>	1894, 174
	1893, 163	<i>lenticularis</i>	1894, 167
<i>triangulifera</i>	1893, 132		1894, 174
	1893, 138	<i>packardii</i>	1894, 174
	1893, 163	<i>Banassa rutilans</i>	1899, 286
<i>tripartita</i>	1893, 159	<i>Banepa atkinsoni</i>	1895, 904
<i>varia</i>	1893, 159	<i>Baniana inæqualis</i>	1896, 650
<i>vespæformis</i>	1893, 143	<i>intorta</i>	1894, 589
(<i>Syrphus</i>) <i>flavipennis</i>	1893, 150		1898, 383
<i>Bacteria bicornis</i>	1892, 207		1898, 423
<i>cyphus</i>	1892, 199	<i>pohli</i>	1896, 640
	1892, 208	<i>Banisia bifimbriata</i>	1897, 619
	1893, 606	<i>ordinaria</i>	1897, 619
<i>gracilis</i>	1892, 208	<i>Baoris</i> sp.	1896, 131
<i>linearis</i>	1892, 199	<i>alberti</i>	1896, 67
	1892, 208		1896, 103
<i>mexicana</i>	1898, 942	<i>amadhu</i>	1893, 672
<i>Bactra argutana</i>	1897, 124		1896, 73
<i>lanceolana</i>	1891, 501	<i>arela</i>	1896, 68
	1891, 543		1896, 103
	1897, 121	<i>argyrodes</i>	1896, 68

	Page		Page
Baoris assamensis.....	1893, 106	Baoris roncilgonis.....	1898, 57
auritinctus.....	1898, 416	scopulifera.....	1893, 106
	1898, 414	seriata.....	1893, 106
	1899, 975	sikkima.....	1893, 106
austeni.....	1893, 106	statura.....	1896, 69
ayresii.....	1896, 72	statorides.....	1896, 69
	1898, 200		1896, 104
bauri.....	1896, 71	subnotata.....	1896, 70
bevani.....	1893, 106	tarace.....	1896, 70
cingalensis.....	1893, 106	toona.....	1893, 106
cojo.....	1898, 57	uma.....	1893, 106
colaca.....	1893, 106	umbrata.....	1893, 106
contigua.....	1893, 106		1896, 131
cormassa.....	1893, 106	unicolor.....	1893, 106
eltota.....	1893, 106	unistriga.....	1896, 68
farri.....	1893, 106	xylos.....	1896, 67
fatuellus.....	1893, 106		1896, 103
	1893, 672	zelleri.....	1893, 106
	1894, 582	zephora.....	1896, 71
	1896, 66	Bapta griseola.....	1893, 386
	1896, 131	Baracus fenestratus....	1893, 673
	1898, 416		1896, 56
holtzii.....	1896, 71	inornatus.....	1893, 114
ilias.....	1896, 67		1896, 50
	1896, 104		1898, 201
inconspicua.....	1893, 106	lepeletieri.....	1893, 114
	1893, 672		1896, 50
	1894, 582	septentrionum....	1893, 114
	1895, 265		1893, 673
	1896, 131	subditus.....	1893, 114
jansonensis.....	1893, 106	tsita.....	1893, 114
kumara.....	1893, 106		1896, 50
leucophæa.....	1896, 68	vittatus.....	1893, 93
lugens.....	1896, 66		1893, 114
mabea.....	1896, 68	Barbatula leucolæma ..	1894, 603
malthina.....	1896, 69		1894, 604
maranga.....	1899, 975	scolopacea.....	1894, 600
marchalii.....	1896, 66	Barbus sp.....	1896, 218
marsena.....	1893, 106		1896, 224
melphis.....	1896, 69	bynni.....	1896, 223
monasi.....	1896, 70	intermedius.....	1894, 91
moolata.....	1892, 650	taitensis.....	1894, 91
	1893, 106	tanensis.....	1894, 90
murga.....	1896, 71		1894, 91
narooa.....	1893, 106	trimaculatus.....	1893, 619
neoba.....	1896, 71	trispilis.....	1899, 730
netopha.....	1896, 70	Barilius goha.....	1896, 920
	1898, 57	guentheri.....	1896, 920
— nyassæ.....	1896, 70	hainanensis.....	1899, 961
	1896, 103		1899, 962
niveicornis.....	1896, 71	Barisoa intentalis.....	1899, 285
oceia.....	1892, 649	Barnea manillensis....	1891, 395
	1893, 91	Bartramia longicauda ..	1892, 395
	1893, 106		1892, 408
	1893, 132	Basanistes huchonis....	1899, 497
pagana.....	1893, 106	salmonia.....	1899, 500
pellucida.....	1893, 106	Basicryptus irroratus ..	1900, 817
penicillata.....	1893, 106		1900, 825
philippina.....	1900, 945	rugicollis.....	1900, 824

	Page		Page
<i>Basileuterus bivittatus</i> .	1896, 331	<i>Bathysiphon filiformis</i> .	1895, 49
— <i>chrysogaster</i>	1896, 331	<i>Bathytroctes melano-</i>	
<i>coronatus</i>	1896, 331	<i>cephalus</i>	1898, 536
<i>hypoleucus</i>	1899, 516	<i>Batiana remotella</i>	1895, 973
<i>leucophrys</i>	1899, 510	<i>Batis puella</i>	1895, 489
<i>luteoviridis</i>	1896, 331	<i>Batrachedra albistri-</i>	
— <i>striaticeps</i>	1896, 331	<i>gella</i>	1891, 538
<i>uropygialis</i>	1896, 331		1891, 548
— <i>poliothrix</i>	1896, 331		1897, 104
<i>Basilinna leucotis</i>	1896, 286	<i>stigmatophora</i>	1897, 104
	1896, 289	<i>tarsimaculata</i>	1897, 105
	1896, 295	<i>Baudonia montana</i>	1897, 445
<i>Basiliscus galeritus</i>	1898, 114	<i>tumida</i>	1897, 445
<i>Basiothea idricus</i>	1896, 843	<i>Bazira xylinella</i>	1891, 516
<i>medea</i>	1896, 268		1891, 545
<i>Bassania amethystata</i>	1896, 644		1897, 175
<i>Bassaricyon alleni</i>	1895, 521	<i>Bdellophis vittatus</i>	1895, 401
	1900, 661-675		1895, 412
<i>gabbi</i>	1900, 662		1895, 414
	1900, 672		1898, 479
<i>Bassaris astuta</i>	1893, 614	<i>Bdellostoma bischoffi</i>	1893, 732
	1893, 729	<i>cirrhatum</i>	1892, 708
	1896, 784		1893, 732
<i>Bassariscus astutus</i>	1898, 129		1893, 733
	1898, 130	<i>heterotrema</i>	1893, 732
	1900, 667	<i>polytrema</i>	1893, 732
<i>Batara cinerea</i>	1899, 513	<i>Bdeogale puisa</i>	1892, 580
<i>Batagur</i> sp.	1899, 601	<i>Beara dichromella</i>	1899, 286
<i>affinis</i>	1896, 858	<i>nubiferella</i>	1899, 286
<i>baska</i>	1896, 858	<i>Beccaria cardoni</i>	1897, 464
	1896, 859	<i>papensis</i>	1897, 463
	1899, 602	<i>wallacei</i>	1897, 463
	1899, 610		1897, 464
<i>Batataria fusifascia</i>	1896, 647	<i>Beguma constellata</i>	1897, 626
<i>Bathybates</i>	1898, 495	<i>Begunna xanthoides</i>	1895, 972
	1899, 99	<i>Belenogaster saus-</i>	
	1899, 103	<i>surei</i>	1898, 386
<i>ferox</i>	1898, 495	<i>Belenois abyssinica</i>	1894, 579
	1899, 104		1897, 854
	1899, 143		1898, 380
<i>Bathybiaster loripes</i>	1891, 231		1900, 15
— <i>obesa</i>	1891, 230	<i>agrippina</i>	1893, 664
<i>pallidus</i>	1891, 229		1894, 345
	1891, 231		1894, 579
<i>vexillifer</i>	1891, 228	<i>anomala</i>	1898, 380
	1891, 231	<i>auriginea</i>	1893, 665
<i>Bathydema</i>	1893, 709		1895, 736
<i>socia</i>	1893, 705		1896, 128
	1893, 710	<i>boguensis</i>	1894, 345
<i>Bathyergerus</i>	1899, 1013		1897, 693
<i>maritimus</i>	1896, 160	<i>calypso</i>	1893, 663
	1894, 356		1893, 665
	1894, 362		1896, 852
	1894, 371	<i>crawshayi</i>	1893, 665
	1894, 375		1893, 666
	1899, 432		1894, 579
	1899, 433		1896, 851
<i>Bathysiphon filiformis</i>	1895, 12		1896, 852

	Page		Page
Belenois creona.....	1898, 380	Belenois peeli	1900, 63
	1898, 412	raffrayi	1891, 192
diminuta	1893, 666	sabrata	1893, 663
	1893, 684	severina.....	1893, 664
	1896, 851		1893, 665
	1896, 852		1894, 345
gidica.....	1893, 665		1894, 578
	1894, 346		1894, 579
	1894, 579		1896, 128
	1897, 693		1896, 852
	1897, 854		1897, 853
	1898, 380		1898, 56
	1898, 412		1898, 911
	1900, 15		1899, 971
ianthe.....	1893, 662	— infida	1895, 736
infida.....	1894, 345		1900, 937
	1894, 578	thysa	1893, 663
	1894, 593		1894, 346
	1895, 736		1894, 578
	1897, 853		1896, 852
	1898, 56		1898, 56
	1900, 937		1898, 412
instabilis	1895, 736		1899, 972
lasti	1894, 578	— sabrata.....	1896, 839
leucogyne	1896, 247	welwitschii	1893, 662
	1896, 256	westwoodi.....	1899, 425
liliana	1894, 580		1899, 971
	1898, 413	zochalia.....	1893, 665
lordaca	1893, 665		1894, 345
	1894, 558		1894, 579
	1894, 579		1894, 593
margaritacea.....	1891, 191		1898, 56
	1891, 194		1900, 913
mesentina	1893, 664		1900, 936
	1893, 665		1900, 937
	1894, 558	Belideus breviceps	1891, 140
	1894, 579	Bellia crassicolis.....	1896, 858
	1895, 263		1899, 602
	1896, 852		1899, 611
	1897, 853		1899, 615
	1898, 380	Bellone almeida	1899, 470
	1898, 822	ardeola	1899, 442
	1899, 425	Belonoptera frater-	
	1899, 812	cula	1897, 629
	1899, 871	frondicula	1897, 629
	1899, 978	nervicula	1897, 629
	1900, 17	patercula	1897, 629
	1900, 937	phyllula	1897, 628
— agrippina	1896, 128	selenioides.....	1897, 628
— auriginea	1895, 736		1897, 629
— lordaca	1896, 247	Bembex borrei	1896, 445
	1896, 255	glaucia	1896, 445
	1896, 256	indica	1896, 445
	1896, 257	sulphurescens	1896, 445
	1897, 925	trepanda	1896, 445
	1898, 56	Benhamia beddardi	1892, 670
	1898, 412		1892, 671
peeli	1900, 15		1900, 659

	Page		Page
Benhamia bolavi	1892, 632	Biduanda cineas	1895, 615
budgetti	1900, 653		1896, 679
	1900, 654	cinesia	1895, 558
	1900, 656		1895, 614
	1900, 658		1895, 615
	1900, 659	estella	1895, 558
büttikoferi	1892, 670		1895, 614
cæcifera	1900, 167-173	hewitsoni	1895, 559
cohytei	1892, 666		1895, 615
	1892, 680		1896, 679
crassa	1892, 666		1896, 683
	1892, 680	imitata	1895, 559
	1892, 681		1895, 613
	1892, 706		1895, 616
gracilis	1892, 683		1895, 617
indica	1896, 209		1896, 680
	1896, 210	scæva	1892, 641
inermis	1896, 211	similis	1895, 559
liberiensis	1900, 170		1895, 613
octonephra	1900, 657		1895, 616
schlegelii	1892, 668	staudingeri	1895, 559
scioana	1892, 668		1895, 615
stampflii	1900, 171		1895, 627
stuhlmanni	1892, 668	thænia	1895, 558
	1892, 670		1895, 614
			1895, 627
Benthousema mülleri ..	1898, 553	theda	1895, 614
Berambe gallaria	1896, 644	thesmia	1892, 641
Berardius arnuxii	1893, 219		1895, 558
	1893, 220		1895, 613
	1893, 223		1895, 614
	1893, 224	— unicolor	1895, 558
	1893, 227		1895, 613
hectori	1893, 227	unicolor	1895, 614
Berdura pupillalis	1899, 285	Biloculina comata	1895, 8
Berecynthus delirator ..	1894, 172		1895, 48
Bernicia brenta	1897, 467	depressa	1895, 7
magellanica	1896, 147		1895, 48
melanoptera	1891, 136	— murrhyna	1895, 7
poliocephala	1892, 472		1895, 48
rubidiceps	1892, 472	— serrata	1895, 7
Berta albiplaga	1893, 357		1895, 48
	1897, 434	murrhyna	1895, 7
Bertula excelsalis	1896, 649	ringens	1895, 8
Betæus minutus	1898, 1014		1895, 48
Bettongia lesueuri	1893, 451		1900, 141
	1893, 464	— striolata	1895, 8
	1897, 328		1895, 48
penicillata	1900, 779	tubulosa	1895, 7
	1900, 786		1895, 48
	1900, 788		1895, 54
Bettonia	1898, 418		1895, 55
ferruginea	1898, 418	Bindahara isabella	1891, 372
	1898, 444		1895, 625
Biatas nigropectus	1899, 510	phocas	1895, 559
Bibasis sena	1892, 648		1895, 625
	1893, 124	phocides	1892, 644
	1893, 128	Binoculus piscinus	1899, 454
Biduanda cineas	1895, 559		

	Page		Page
<i>Bipalium kewense</i>	1892, 258	<i>Bleptina abarusalis</i>	1896, 642
	1892, 542	<i>æatusalis</i>	1896, 642
<i>Birgus hirsutus</i>	1898, 459	<i>bizialis</i>	1896, 642
<i>laticauda</i>	1898, 458	<i>bogesalis</i>	1896, 642
<i>latro</i>	1898, 457	<i>cæpioalis</i>	1896, 642
	1898, 458	<i>ceusalis</i>	1896, 642
<i>Bison americanus</i>	1892, 76	<i>confusalis</i>	1896, 642
<i>europæus</i>	1899, 64	<i>diruptalis</i>	1896, 649
<i>Bithynis lar</i>	1898, 1008	<i>fadusalis</i>	1896, 642
<i>Bitis arietans</i>	1896, 217	<i>metopealis</i>	1896, 642
	1897, 801	<i>ophelasalis</i>	1896, 642
<i>gabonica</i>	1900, 455	<i>opiteralis</i>	1896, 642
<i>nasicornis</i>	1900, 455	<i>oppialis</i>	1896, 642
<i>Biton brunnipes</i>	1898, 523	<i>pagasusalis</i>	1896, 642
<i>fuscipes</i>	1898, 523	<i>penicillalis</i>	1896, 648
<i>tigrinum</i>	1898, 522	<i>pollesalis</i>	1896, 642
	1898, 524	<i>proliferalis</i>	1896, 640
<i>Biziura lobata</i>	1897, 466		1896, 648
	1897, 467	<i>responsalis</i>	1896, 648
	1899, 712	<i>stalemusalis</i>	1896, 642
<i>Blabera atropos</i>	1897, 904	<i>styruisalis</i>	1896, 642
<i>Blanus aporus</i>	1898, 916	<i>Blera apella</i>	1892, 333
<i>cinereus</i>	1895, 699	<i>bianca</i>	1892, 333
	1895, 706	<i>bolivari</i>	1894, 243
	1895, 707	<i>causia</i>	1892, 332
<i>strauchi</i>	1895, 706	<i>cerruroides</i>	1896, 647
<i>Blastobasis anthophaga</i>	1897, 96	<i>sida</i>	1892, 333
<i>argillacea</i>	1897, 91	<i>Blias prionoti</i>	1899, 491
<i>gracilis</i>	1897, 93	<i>Bliastes striolatus</i>	1892, 200
<i>grenadensis</i>	1897, 92		1892, 212
<i>phycidella</i>	1891, 535		1892, 221
	1897, 91		1893, 608
<i>roscidella</i>	1897, 91	<i>superbus</i>	1892, 200
<i>subolivacea</i>	1897, 92		1892, 211
<i>triangularis</i>	1897, 93		1892, 221
<i>Blatta americana</i>	1898, 243		1893, 607
	1898, 244	<i>Blissus leucopterus</i>	1893, 705
<i>maderæ</i>	1892, 205		1894, 185
<i>orientalis</i>	1898, 242	<i>Blosyrus carinatus</i>	1893, 748
	1900, 36	<i>vates</i>	1898, 368
<i>surinamensis</i>	1892, 205	<i>Boa constrictor</i>	1891, 448
<i>Blenniophidium</i>	1892, 583		1892, 479
<i>petropauli</i>	1892, 584		1892, 481
<i>Blennius pholis</i>	1899, 940		1892, 485
	1899, 956		1894, 502
<i>Blepharida regularis</i>	1900, 252		1894, 517
<i>Blepharoceras chilensis</i>	1897, 675		1894, 669
	1897, 676		1895, 704
<i>cinerosus</i>	1897, 676	<i>diviniloqua</i>	1894, 517
<i>rosellus</i>	1897, 675	<i>Boana semialba</i>	1896, 648
<i>sabulosus</i>	1897, 676	<i>Boarmia acaciaria</i>	1898, 383
<i>Blepharomastix colu-</i>		<i>consimilaria</i>	1896, 645
<i>bralis</i>	1896, 649	<i>contraria</i>	1896, 645
<i>datisalis</i>	1898, 702	<i>definaria</i>	1896, 645
<i>pulverulalis</i>	1898, 702	<i>delinquaria</i>	1896, 645
<i>romalis</i>	1898, 616	<i>denticularia</i>	1896, 645
<i>sagralis</i>	1898, 703	<i>detractaria</i>	1896, 645
<i>Blepharucha</i>	1899, 207	<i>guttularia</i>	1896, 645

	Page.		Page
Boarmia larentiata	1896, 645	Bocchoris terealis	1898, 651
locupletaria	1896, 645	trimaculalis	1898, 654
mollearia	1896, 645	trivitalis	1898, 651
	1896, 646	xanthialis	1898, 653
oppositaria	1898, 368	Bœotarcha	1898, 599
perspectata	1896, 646		1899, 225
stigmalaria	1896, 645	coëmaroalis	1899, 225
subapicata	1896, 646	demantrialis	1899, 225
synniaria	1896, 646	hyalinalis	1899, 225
tenerata	1896, 646	limbata	1899, 225
vacillaria	1896, 645	margarita	1899, 225
	1896, 646	martinalis	1899, 225
Bocanis marginalis	1896, 650	stigmatosalis	1899, 225
orionalis	1896, 640	tænialis	1899, 225
	1896, 650	Bolbomorphus theryi	1897, 461
Bocchoris	1898, 597		1897, 464
	1898, 649	Bolbonota hispinifera	1895, 58
acamasalis	1898, 651	Bolborhynchus andicola	1892, 402
actealis	1898, 653	aurifrons	1892, 387
adalís	1898, 650		1892, 404
adipalis	1898, 652		1892, 409
aptalis	1898, 653	orbignesius	1891, 132
argyralis	1898, 653		1891, 135
artificialis	1898, 653	Bolica armata	1896, 649
aurotinctalis	1898, 653	Boliscus decipiens	1899, 527
cæcalis	1898, 653		1899, 532
chalcidiscalis	1898, 652	Bolivina arenosa	1895, 24
ciliata	1898, 654		1895, 51
clathralis	1898, 652		1895, 54
clytialis	1898, 654	beyrichi	1895, 24
contortilinealis	1898, 651		1895, 51
danalis	1898, 651	limbata	1895, 23
darsanalis	1898, 651		1895, 51
euphranoralis	1898, 652		1900, 141
flavibrunnea	1898, 651	lobata	1894, 651
	1898, 761	nobilis	1895, 24
fracturalis	1898, 653		1895, 51
inductalis	1898, 650	obsoleta	1895, 24
inscisalis	1898, 651		1895, 51
insipidalis	1898, 652	punctata	1895, 23
iuspersalis	1894, 591		1895, 51
	1896, 274	robusta	1895, 24
	1898, 654		1895, 51
invertalis	1898, 650	textilarioides	1895, 23
junctifascialis	1898, 650		1895, 51
	1898, 761	Bombinator	1898, 5
marucalis	1898, 651	igneus	1891, 597
minima	1898, 652		1891, 601
onychinalis	1896, 273		1891, 603
	1898, 650		1891, 604
	1898, 651		1891, 621
pulvrealis	1898, 652		1891, 622
quaternalis	1898, 654		1891, 626
rotundalis	1898, 650		1891, 627
sphenocosma	1898, 652	— brevipes	1891, 621
stigmatalis	1898, 652	— typus	1891, 621
talís	1898, 654	pachypus	1891, 601
telphusalis	1898, 651		1891, 603

	Page		Page
<i>Bombinator pachypus</i> ..	1891, 604	<i>Bos bubalis</i>	1900, 706
	1891, 621		1900, 708
	1891, 626	<i>buffelus</i>	1893, 496
	1891, 627	<i>caffer</i>	1900, 680
<i>Bombus bryorum</i>	1896, 457	— <i>æquinoctialis</i> ..	1900, 953
<i>Bombyx neustria</i>	1891, 180	<i>depressicornis</i>	1896, 785
<i>oubie</i>	1894, 586		1900, 679
<i>phedonia</i>	1893, 677		1900, 686
	1894, 584	<i>frontalis</i>	1900, 303
<i>reflexa</i>	1897, 173		1900, 661
<i>Bomolocha exoletalis</i> ..	1898, 368		1900, 679
<i>Bomolochus ardeolæ</i> ..	1899, 442	<i>gaurus</i>	1894, 249
<i>belones</i>	1899, 442		1900, 303
<i>chatoessi</i>	1899, 442		1900, 369
<i>cornutus</i>	1899, 443		1900, 661
<i>denticulatus</i>	1899, 443	<i>gour</i>	1900, 369
<i>glyphisodontis</i>	1899, 443	<i>grunniens</i>	1893, 449
<i>gracilis</i>	1899, 442		1896, 988
<i>megaceros</i>	1899, 442		1900, 159
<i>parvulus</i>	1899, 443		1900, 680
<i>scomberesocis</i>	1899, 442	<i>indicus</i>	1900, 679
<i>soleæ</i>	1899, 443		1900, 686
<i>tetrodontis</i>	1899, 442	<i>mindorensis</i>	1900, 680
<i>tricerus</i>	1899, 443	<i>moschatus</i>	1900, 165
<i>Bonchis munitalis</i>	1897, 682	<i>sondaicus</i>	1893, 496
<i>scoparioides</i>	1897, 681		1898, 277
	1897, 682		1900, 303
<i>Bonesia murrayi</i>	1892, 92		1900, 369
<i>serricornis</i>	1892, 92		1900, 679
<i>Bononia niveilinea</i>	1896, 649		1900, 686
<i>Boodon lineatus</i>	1892, 555	— <i>birmanicus</i>	1898, 277
	1894, 88	<i>taurus</i>	1900, 148
	1895, 536		1900, 679
	1896, 216		1900, 680
	1897, 801		1900, 701
	1900, 452		1900, 704
<i>olivaceus</i>	1900, 452		1900, 708
<i>virgatus</i>	1900, 452		1900, 711
<i>Bootherium</i>	1900, 699	<i>Bostrychus</i> sp.	1900, 27
<i>bombifrons</i>	1900, 700	<i>longicornis</i>	1898, 329
<i>cavifrons</i>	1900, 700	<i>Bothriocera bicornis</i> ...	1895, 60
<i>Borborocetes mexicanus</i>	1898, 477	<i>signoreti</i>	1895, 60
	1898, 481	<i>undata</i>	1895, 60
	1898, 482	<i>Bothriomyrmex wrough-</i>	
<i>Boreophila</i>	1899, 252	<i>tonii</i>	1896, 411
<i>frigidalis</i>	1899, 235	<i>Bothrophthalmus linea-</i>	
<i>scandinavalis</i>	1899, 235	<i>tus</i>	1900, 452
<i>Borhyæna fera</i>	1899, 928	<i>Bothroponera rufi-</i>	
<i>Bos</i>	1900, 144-167	<i>pes</i>	1896, 412
<i>americanus</i>	1900, 680	<i>tesserinoda</i>	1896, 413
<i>arni</i>	1900, 303	<i>Bothrops atrox</i>	1894, 499
<i>banteng</i>	1891, 327		1894, 509
<i>bonasus</i>	1893, 175		1894, 516
	1900, 680		1894, 517
<i>bubalis</i>	1900, 370		1894, 518
	1900, 680		1895, 705
	1900, 701	<i>Botis, see</i> <i>Botys</i> .	
	1900, 704	<i>Botyodes</i>	1898, 505

	Page
Botyodes	1898, 709
asialis	1898, 709
.....	1898, 710
aurealis	1898, 710
caldusalis	1898, 710
crocopteralis	1898, 710
flavibasalis	1898, 710
fraterna	1898, 720
fulviterminalis	1898, 710
hirtusalis	1898, 710
leopardalis	1898, 723
maculalis	1898, 710
patulalis	1898, 710
principalis	1898, 710
rufalis	1898, 710
Botys abdominalis	1899, 273
abstrusalis	1899, 202
aburalis	1899, 272
acastalis	1898, 727
accipitralis	1898, 719
acerrimalis	1898, 638
acilialis	1896, 643
.....	1899, 287
acuminatalis	1899, 287
acutalis	1899, 175
additalis	1896, 649
.....	1899, 202
admensalis	1899, 204
adsocialis	1899, 272
aethiopata	1899, 269
affusalis	1899, 261
agavealis	1898, 658
agenoralis	1896, 641
.....	1898, 678
albidalis	1899, 257
albifrontalis	1899, 273
albofimbrialis	1899, 190
allalis	1898, 704
alvinalis	1898, 658
amasialis	1899, 270
amatalis	1899, 199
amboinalis	1899, 271
amiculatalis	1899, 245
amcenalis	1899, 189
amplalis	1898, 722
amplipennis	1898, 678
amurensis	1899, 251
amyntusalis	1898, 442
anaxialis	1899, 208
annulalis	1899, 287
annuligeralis	1898, 722
anticostalis	1898, 657
apertalis	1899, 204
.....	1899, 210
appositalis	1899, 270
approximalis	1899, 272
aquilalis	1899, 287
arabescalis	1899, 242

	Page
Botys arbiter	1898, 636
arsaltealis	1899, 260
asiusalis	1896, 641
.....	1898, 616
assutalis	1899, 250
atlanticum	1899, 271
atyriasis	1898, 685
aulicalis	1899, 273
auralis	1899, 189
.....	1899, 270
aurea	1898, 719
aureolalis	1898, 689
aurithoracalis	1899, 271
ausonialis	1899, 256
autoclesalis	1896, 643
azonialis	1896, 643
.....	1898, 639
badialis	1899, 212
badipennis	1899, 254
basalis	1899, 204
basipunctalis	1898, 722
basistrigalis	1899, 204
bellulalis	1899, 266
belusalis	1898, 703
bianoralis	1898, 698
bifenestralis	1899, 272
bilunulalis	1899, 287
bipunctalis	1899, 210
bornealis	1898, 637
boteralis	1898, 722
bourjotalis	1899, 212
bræsisalis	1899, 246
brevilinealis	1899, 287
bububatalis	1899, 236
butleri	1899, 272
butyrosa	1899, 255
cæsisalis	1899, 187
californicalis	1899, 265
caliginosalis	1899, 271
callidorsalis	1899, 259
campalis	1898, 655
canalis	1899, 287
candacalis	1898, 716
capitalis	1899, 199
carnealis	1899, 261
carnifex	1899, 264
carnosalis	1899, 272
catalaunalis	1894, 591
catasemalis	1899, 271
catenulalis	1899, 259
catonalis	1899, 258
cellatalis	1896, 649
.....	1899, 202
chalybealis	1898, 706
characteralis	1899, 260
chlorisalis	1896, 641
chrysotalis	1899, 272
cinctalis	1899, 208

	Page
<i>Botys cinctipetalis</i>	1899, 257
<i>cinerosa</i>	1899, 266
<i>citralis</i>	1899, 257
<i>citrina</i>	1899, 210
<i>citralis</i>	1899, 273
<i>claudialis</i>	1899, 273
<i>claudiusalis</i>	1896, 641
<i>clausalis</i>	1899, 271
<i>coactalis</i>	1899, 254
<i>codrusalis</i>	1898, 697
<i>cœciliæalis</i>	1899, 264
<i>coidalis</i>	1898, 644
<i>columbalis</i>	1899, 287
<i>commellalis</i>	1899, 257
<i>communalis</i>	1899, 274
<i>concinna</i>	1899, 274
<i>concoloralis</i>	1899, 270
<i>confovealis</i>	1899, 258
<i>conjunctalis</i>	1898, 659
<i>connexalis</i>	1898, 699
<i>consortalis</i>	1899, 270
<i>convectalis</i>	1898, 639
<i>cosialis</i>	1898, 715
<i>costalis</i>	1899, 250
<i>crassicornis</i>	1899, 225
<i>creonalis</i>	1898, 639
<i>crocatalis</i>	1899, 260
<i>crocealis</i>	1898, 719
<i>crudalis</i>	1899, 270
<i>cruralis</i>	1899, 212
<i>cubanal</i>	1898, 655
<i>cultralis</i>	1899, 251
<i>cydipeialis</i>	1898, 708
<i>cypreæalis</i>	1896, 641
	1898, 720
<i>daghestanica</i>	1899, 230
<i>damonalis</i>	1896, 641
<i>dascyllusalis</i>	1898, 702
<i>deceptalis</i>	1899, 270
<i>decisalis</i>	1898, 698
<i>defloralis</i>	1898, 625
<i>delavalis</i>	1899, 274
<i>delicatalis</i>	1898, 648
<i>demeter</i>	1898, 691
<i>designatalis</i>	1899, 270
<i>despicata</i>	1899, 265
<i>detritalis</i>	1899, 204
<i>dialis</i>	1899, 287
<i>differalis</i>	1898, 696
<i>diffusa</i>	1899, 266
<i>dilutalis</i>	1899, 287
<i>dimichealis</i>	1896, 643
<i>disjunctalis</i>	1898, 661
	1898, 720
<i>disparalis</i>	1899, 287
<i>dissectalis</i>	1899, 258
<i>dissolutalis</i>	1899, 261
<i>distinctalis</i>	1899, 272

	Page
<i>Botys divisalis</i>	1899, 247
<i>divulsalis</i>	1899, 211
<i>dolosalis</i>	1899, 274
<i>dorcalis</i>	1899, 270
<i>dotatalis</i>	1899, 266
<i>dracusalis</i>	1898, 713
<i>dryspealis</i>	1899, 286
<i>egenalis</i>	1899, 263
<i>elathealis</i>	1896, 641
<i>electralis</i>	1898, 702
<i>elycealis</i>	1899, 197
<i>eoidalis</i>	1899, 274
<i>epastalis</i>	1898, 698
<i>episcopalis</i>	1899, 287
<i>epitrota</i>	1899, 271
<i>eratalis</i>	1899, 264
<i>erectalis</i>	1899, 260
<i>eriggusalis</i>	1899, 246
<i>eubulealis</i>	1896, 641
<i>euphæsalis</i>	1899, 260
<i>eurytal</i>	1898, 678
<i>evinçalis</i>	1899, 274
<i>evippealis</i>	1896, 641
<i>expeditalis</i>	1899, 188
<i>explicitalis</i>	1899, 258
<i>extinctalis</i>	1899, 260
<i>facitalis</i>	1899, 245
<i>fasciculatalis</i>	1898, 638
<i>faustalis</i>	1898, 728
<i>ferraralis</i>	1899, 242
<i>ferruginalis</i>	1899, 272
<i>festalis</i>	1899, 260
<i>feudalis</i>	1899, 257
<i>fibulalis</i>	1899, 271
<i>fimbriatalis</i>	1899, 270
<i>fimbripunctalis</i>	1899, 181
<i>finitalis</i>	1899, 258
<i>flammeolalis</i>	1899, 274
<i>flavaginalis</i>	1899, 274
<i>flavinotalis</i>	1899, 235
<i>flavissimalis</i>	1899, 257
<i>flavoviolalis</i>	1899, 271
<i>flexalis</i>	1899, 274
<i>flexissimalis</i>	1898, 651
<i>fortificalis</i>	1899, 274
<i>frustalis</i>	1899, 261
<i>fuliginalis</i>	1896, 649
	1898, 658
<i>fumarialis</i>	1899, 272
<i>fuscinervalis</i>	1899, 271
<i>fuscocillialis</i>	1899, 271
<i>galbula</i>	1898, 649
<i>gastral</i>	1898, 666
<i>gealis</i>	1898, 706
<i>gelliasalis</i>	1896, 643
<i>geminatalis</i>	1899, 287
<i>gentilis</i>	1899, 257
<i>germanalis</i>	1898, 685

	Page
Botys germanalis.....	1899, 287
glacialis	1899, 245
glaucusalis	1898, 657
glirialis	1899, 287
glutalis	1899, 274
glyceralis	1899, 229
gnomalis	1898, 684
gracilalis	1899, 273
	1899, 287
gracilis	1898, 702
græcalis	1898, 242
græseri	1899, 271
graminalis	1899, 287
gravitalis	1899, 272
graviusalis	1896, 643
	1899, 248
gulosalis	1899, 257
guttulalis	1899, 235
	1899, 270
gyralis	1899, 259
hædulalis	1899, 273
haliusalis	1898, 922
halmusalis	1898, 698
hariolalis	1899, 213
harpalis	1899, 287
haruspica	1899, 264
harveyana	1899, 242
helvolalis	1899, 201
hercynalis	1899, 261
heronalis	1898, 727
hesperialis	1899, 287
histrionalis	1899, 199
holoxanthalis	1899, 272
hortalis	1898, 755
humeralis	1899, 198
humilalis	1899, 255
hyalinalis	1898, 738
hyperborealis	1899, 249
hypsidesalis	1898, 694
ictericalis	1899, 271
idonealis	1899, 287
illatalis	1898, 646
illepidalis	1899, 287
illisalis	1899, 183
ilusalis	1898, 702
imbrexalis	1896, 643
imbutalis	1898, 721
immaculalis	1899, 287
immundalis	1899, 202
imparatalis	1899, 287
impeditalis	1898, 642
	1899, 287
impulsalis	1899, 287
impuralis	1899, 287
inanitalis	1898, 725
incalis	1898, 700
ineffectalis	1896, 649
	1898, 702

	Page
Botys infixalis	1899, 287
inflammata	1899, 267
infundibulalis	1898, 622
	1899, 693
inhonestalis	1899, 202
inornatalis	1899, 273
inspersalis	1894, 591
insularis	1899, 273
intactalis	1898, 739
integralis	1899, 250
interficalis	1899, 272
interfusalis	1899, 254
interruptalis	1899, 287
intricatalis	1899, 259
	1899, 274
invenustalis	1898, 637
invinctalis	1899, 249
iolealis	1898, 638
iopasalis	1892, 129
itemasalis	1899, 254
janiralis	1899, 273
jasiusalis	1899, 204
jasonalis	1898, 685
jessica	1899, 242
jucundalis	1898, 645
korndorfferi	1898, 698
labeculalis	1899, 272
labutonalis	1899, 251
lacoalis	1899, 257
lacrimalis	1899, 254
lacunalis	1899, 272
lautalis	1899, 274
lavalis	1899, 208
lentalis	1899, 254
levalis	1898, 666
licealis	1899, 210
limitalis	1899, 269
linalis	1897, 663
lineolalis	1899, 271
longalis	1899, 287
lualis	1899, 287
luciferalis	1898, 747
	1899, 274
lucilla	1899, 177
lulualis	1899, 211
lutealis	1899, 257
lybialis	1899, 199
lycialis	1899, 204
lysanderalis	1899, 286
maderensis	1899, 271
magdalena	1899, 273
magistralis	1899, 257
magniferalis	1899, 260
mandarinalis	1899, 193
marculenta	1899, 208
margaronialis	1898, 668
marisalis	1898, 638
matronalis	1899, 265

	Page		Page
<i>Botys matronulalis</i>	1899, 273	<i>Botys ochracealis</i>	1899, 272
<i>medialis</i>	1899, 237	<i>ochrealis</i>	1899, 245
<i>medonalis</i>	1898, 759	<i>ochreocapitalis</i>	1899, 271
<i>megalopsalis</i>	1898, 640	<i>octosignalis</i>	1899, 273
<i>mehanga</i>	1895, 972	<i>oculatalis</i>	1899, 273
<i>melitealis</i>	1896, 641	<i>odiusalis</i>	1896, 641
	1898, 702		1898, 723
<i>melonalis</i>	1899, 257	<i>oedipodalis</i>	1899, 255
<i>memmialis</i>	1898, 655	<i>oemealis</i>	1898, 715
<i>meropialis</i>	1899, 273	<i>oenippealis</i>	1898, 697
<i>mestoralis</i>	1899, 219	<i>ofellusalis</i>	1898, 702
<i>metricalis</i>	1899, 274	<i>ogmiusalis</i>	1898, 666
<i>mettiusalis</i>	1899, 258	<i>ollaris</i>	1898, 644
<i>minoralis</i>	1898, 698	<i>olliusalis</i>	1898, 702
<i>minutalis</i>	1898, 706	<i>omicronalis</i>	1899, 271
<i>mnemusalis</i>	1896, 640	<i>onusalis</i>	1898, 689
<i>moeliusalis</i>	1898, 699	<i>onythesalis</i>	1899, 264
<i>molliculalis</i>	1898, 721	<i>oppilalis</i>	1899, 259
<i>moluccalis</i>	1898, 641	<i>orbitalis</i>	1899, 210
<i>molusalis</i>	1898, 703	<i>orobenalis</i>	1898, 723
<i>monesusalis</i>	1898, 733	<i>orontesalis</i>	1898, 685
<i>monticolalis</i>	1899, 262	<i>orphnealis</i>	1898, 713
<i>montulalis</i>	1899, 259	<i>oscitalis</i>	1899, 259
<i>multilinealis</i>	1893, 684	<i>otagalis</i>	1899, 231
<i>mungalis</i>	1899, 272	<i>otreusalis</i>	1899, 202
<i>murcialis</i>	1899, 271	<i>otysalis</i>	1898, 722
<i>murinalis</i>	1899, 271	<i>ovalis</i>	1895, 741
<i>muscerdalis</i>	1893, 684	<i>paleacalis</i>	1898, 725
<i>mutualis</i>	1899, 204	<i>palmalis</i>	1898, 720
<i>myopicalis</i>	1899, 248	<i>palpalis</i>	1898, 663
<i>myrinalis</i>	1899, 286	<i>pandamalis</i>	1892, 129
<i>mysippusalis</i>	1899, 255	<i>pandaralis</i>	1896, 641
<i>mysolalis</i>	1898, 719	<i>pangialis</i>	1899, 269
<i>neloalis</i>	1899, 202	<i>pantoppidani</i>	1899, 274
<i>nelumbialis</i>	1899, 273	<i>partialis</i>	1898, 740
<i>neoclesalis</i>	1898, 639	<i>patronalis</i>	1899, 274
<i>nephealis</i>	1899, 286	<i>pauciferalis</i>	1899, 210
<i>neridalis</i>	1899, 256	<i>paucilinealis</i>	1898, 725
<i>nerissalis</i>	1896, 641	<i>pauperalis</i>	1899, 270
<i>nesusalis</i>	1899, 287	<i>peleusalis</i>	1898, 684
<i>nexalis</i>	1899, 273	<i>pelialis</i>	1898, 679
<i>niavialis</i>	1896, 641	<i>penitalis</i>	1899, 273
	1899, 286	<i>peranthusalis</i>	1896, 641
<i>nicippealis</i>	1898, 690		1898, 666
<i>nigralis</i>	1899, 273	<i>percludalis</i>	1899, 274
<i>nigrodentalis</i>	1898, 725	<i>pergilvalis</i>	1899, 208
<i>nitidalis</i>	1899, 262	<i>perlalis</i>	1899, 274
<i>niveicillialis</i>	1899, 190	<i>perochrealis</i>	1899, 250
	1899, 246	<i>perpendicularis</i>	1898, 725
<i>nocmonalis</i>	1896, 643		1899, 270
	1899, 248	<i>persiusalis</i>	1896, 641
<i>notatalis</i>	1898, 652	<i>pertentalis</i>	1899, 273
<i>nurscialis</i>	1898, 638	<i>phaënnisalis</i>	1899, 196
<i>oajacalis</i>	1898, 679	<i>phanasalis</i>	1898, 733
<i>oblectalis</i>	1899, 273	<i>pharaxalis</i>	1899, 202
<i>oblunalis</i>	1899, 242	<i>philealis</i>	1899, 204
<i>obnigralis</i>	1899, 261	<i>phryganurus</i>	1898, 747
<i>occidentalis</i>	1899, 273	<i>phycidalis</i>	1899, 287

	Page
Botys pieralis	1896, 641
pigresalis	1899, 205
pilalis	1899, 258
placendalis	1899, 274
plagiatalis	1898, 722
plagiferalis	1898, 728
plebejalis	1899, 202
plectilis	1899, 255
plumbociliaris	1899, 245
polyclealis	1899, 287
polygamalis	1899, 273
posticalis	1899, 272
posticata	1899, 210
preteritalis	1898, 698
prasinalis	1899, 272
pratialis	1899, 249
principalis	1898, 728
principaloides	1899, 273
proceralis	1899, 264
propinqualis	1898, 729
protensa	1899, 242
proximalis	1898, 630
pruinialis	1898, 658
psychicalis	1898, 608
pullatalis	1899, 271
pyrenealis	1898, 759
pyrrhusalis	1896, 641
quadriguttalis	1898, 719
quadrimaculalis	1898, 724
quinquelinealis	1899, 257
quinquepunctalis	1898, 739
quirinalis	1896, 641
radiosalis	1899, 273
reductalis	1898, 699
remusalis	1896, 641
repetitalis	1899, 204
restrictalis	1898, 720
retowskyi	1899, 270
retractalis	1898, 684
rhodophilalis	1899, 216
rhœcusalis	1899, 263
rogatalis	1898, 760
romalis	1896, 641
roseipennalis	1899, 273
rubricetalis	1898, 704
ruficostalis	1899, 257
rufifimbrialis	1899, 264
ruptalis	1898, 639
ruralis	1898, 638
ruvicolalis	1898, 725
rutilalis	1898, 638
sabalis	1896, 641
samealis	1898, 699
samealis	1899, 273
sanguifualis	1898, 720

	Page
Botys saniosalis	1899, 190
saturalis	1898, 937
saxatilis	1899, 270
scapulalis	1899, 259
scitalis	1899, 248
scurralis	1899, 273
secernalis	1899, 274
sectalis	1898, 678
sedakovialis	1899, 271
selectalis	1898, 642
semifascialis	1898, 689
semifoedalis	1899, 287
semifulvalis	1899, 287
semizebralis	1898, 728
septentrionalis	1899, 265
seriazatis	1899, 187
serotinalis	1899, 202
serratilinealis	1898, 657
sexmaculalis	1899, 276
sexpunctalis	1899, 229
similalis	1899, 265
sinonalis	1898, 729
siriusalis	1899, 210
snellemanni	1899, 223
socialis	1899, 262
solemnalis	1899, 271
sordidalis	1898, 692
sororalis	1899, 272
stenopalis	1899, 272
stenopteralis	1899, 269
strenualis	1899, 254
strictalis	1898, 702
suavalis	1899, 263
suavidalis	1899, 274
subæqualis	1898, 713
subaurantialis	1899, 287
subcrocealis	1899, 263
subdentalis	1899, 192
subhyalinalis	1899, 287
subjectalis	1899, 260
subjunctalis	1898, 689
sublituralis	1898, 714
submarginalis	1898, 721
submarginalis	1898, 739
subochracealis	1899, 250
subviolalis	1899, 287
succandidalis	1899, 272
superbalis	1898, 700
suspicalis	1898, 639
sylvialis	1896, 641
syphaxalis	1899, 247
syringicola	1899, 255
tædialis	1899, 258
tardalis	1898, 722
temeratalis	1898, 725
tendinosalis	1898, 728
tendinosalis	1899, 265

	Page		Page
<i>Botys tenuialis</i>	1899, 261	<i>Botys vittalis</i>	1899, 270
	1899, 274	<i>zealis</i>	1899, 259
<i>terrícolas</i>	1899, 274	<i>Bouchis scoparioides</i> ..	1896, 649
<i>tesserulalis</i>	1899, 271	<i>Boulengerina annulata</i> .	1900, 455
<i>thaisalis</i>	1899, 287		1900, 456
<i>thalassinalis</i>	1898, 734	<i>brenneri</i>	1896, 929
<i>thalloalis</i>	1896, 641	<i>mucronata</i>	1896, 921
<i>thallophilalis</i>	1899, 273	<i>stormsi</i>	1895, 865
<i>theialis</i>	1899, 287		1895, 866
<i>thesealis</i>	1899, 257	<i>Boulengerula boulengeri</i> .	1898, 479
<i>thisoalis</i>	1898, 723	<i>Box lineatus</i>	1892, 134
<i>thoasalis</i>	1898, 657	<i>salpoides</i>	1892, 134
<i>thyasalis</i>	1898, 714	<i>vulgaris</i>	1892, 134
<i>thycesalis</i>	1899, 210	<i>Boysidia strophastoma</i> .	1894, 151
<i>tiliaralis</i>	1899, 287	<i>Brachiella appendiculata</i>	1899, 497
<i>tisiasalis</i>	1898, 708	<i>bicaudata</i>	1899, 501
<i>toralis</i>	1899, 273	<i>bispinosa</i>	1899, 501
<i>tortipennis</i>	1899, 287	<i>chaviesii</i>	1899, 502
<i>transversalis</i>	1897, 632	<i>chevreuxii</i>	1899, 502
<i>triarialis</i>	1899, 202	<i>fimbriata</i>	1899, 496
<i>triferalis</i>	1898, 689	<i>impudica</i>	1899, 497
<i>trigalis</i>	1898, 728	<i>insidiosa</i>	1899, 502
<i>trigonalis</i>	1899, 272	<i>lobiventris</i>	1899, 496
<i>trinalis pontica</i>	1899, 270	<i>lophii</i>	1899, 501
<i>tritális</i>	1899, 250	<i>malleus</i>	1899, 502
<i>tritealis</i>	1899, 219	<i>merlucii</i>	1899, 503
<i>tropicalis</i>	1899, 181	<i>multifimbriata</i>	1899, 503
<i>turmalis</i>	1899, 249	<i>parkeri</i>	1899, 502
<i>turnusalis</i>	1896, 641	<i>pastinacea</i>	1899, 502
	1898, 648	<i>rostrata</i>	1899, 501
<i>tytiusalis</i>	1896, 643	<i>thynni</i>	1899, 439
	1898, 643		1899, 502
<i>unifascialis</i>	1899, 261	<i>triglæ</i>	1899, 503
<i>unipunctalis</i>	1899, 210	<i>Brachionopus</i>	1897, 740
<i>urticaloides</i>	1898, 758	<i>robustus</i>	1897, 740
<i>ustalis</i>	1898, 699		1897, 774
<i>uxorculalis</i>	1899, 267	<i>Brachmia fulvidella</i> ..	1897, 62
<i>vandalusialis</i>	1899, 280	<i>Brachycrossata psori-</i>	
<i>varialis</i>	1899, 250	<i>copterella</i>	1891, 523
<i>variegalis</i>	1899, 273		1891, 546
<i>vastalis</i>	1899, 270	<i>Brachydesmus insculp-</i>	
<i>vecordalis</i>	1899, 202	<i>tus</i>	1892, 24
<i>velatalis</i>	1899, 271		1892, 27
<i>veminalis</i>	1899, 204	<i>proximus</i>	1892, 28
<i>venalalis</i>	1899, 272	<i>Brachymetopa black-</i>	
<i>venalis</i>	1899, 254	<i>burni</i>	1895, 894
<i>venosalis</i>	1899, 215	<i>deplanata</i>	1895, 894
	1899, 254	<i>discolor</i>	1895, 894
<i>ventralis</i>	1898, 653	<i>nitida</i>	1895, 894
<i>vestalis</i>	1899, 202	<i>Brachymetra albinervis</i> .	1893, 706
<i>vicarialis</i>	1899, 274		1894, 212
<i>villicalis</i>	1899, 273	<i>Brachyopa rufo-cyanea</i> .	1893, 163
<i>vinacalis</i>	1899, 196	<i>Brachysteles pallidus</i> ..	1894, 156
<i>vinilialis</i>	1899, 272		1894, 201
<i>virgata</i>	1899, 254	<i>Brachyteles hemidacty-</i>	
<i>virulenta</i>	1899, 266	<i>lus</i>	1892, 108
<i>visendalis</i>	1899, 274	<i>Brachythele antillensis</i> .	1898, 892
<i>vitalis</i>	1898, 644		1898, 899

	Page		Page
<i>Brachythele bicolor</i>	1897, 735	<i>Branta rufina</i>	1891, 486
<i>capensis</i>	1897, 736	<i>Brenthia pavonacella</i> ..	1891, 529
<i>Brachyuromys betsileo-</i>			1891, 547
<i>ensis</i>	1897, 696		1897, 120
	1897, 697	<i>Breviceps mossambicus</i> .	1892, 555
	1897, 699		1897, 801
	1897, 707	<i>verrucosus</i>	1891, 309
	1897, 708	<i>Brevoorta tyrannus</i>	1899, 472
	1897, 710	<i>Breynia australasie</i>	1894, 395
	1897, 713	<i>Briaræa scolopendra</i> ..	1897, 524
	1897, 714	<i>Brihaspa atrostigmella</i> .	1895, 910
	1897, 715	<i>bisangulata</i>	1895, 910
	1897, 716	<i>chrysostomus</i>	1898, 441
	1897, 717	<i>frontalis</i>	1895, 910
	1897, 720	<i>nigricostella</i>	1895, 910
<i>ramirohitra</i>	1896, 979	<i>pulverulenta</i>	1895, 910
	1897, 695	<i>Brissus carinatus</i>	1900, 274
	1897, 696		1900, 286
	1897, 697		1900, 287
	1897, 698	<i>columbarius</i>	1900, 287
	1897, 699	<i>scillæ</i>	1900, 287
	1897, 707	<i>unicolor</i>	1898, 850
	1897, 708		1900, 287
	1897, 709	<i>Britha hirtipalpis</i>	1896, 641
	1897, 713	<i>Britomartis buto</i>	1896, 673
	1897, 715	<i>cleoboides</i>	1896, 673
	1897, 716	<i>Brochymena annulata</i> ..	1900, 823
	1897, 720	<i>Bronchocela cristatella</i> .	1896, 871
	1899, 433		1899, 639
	1899, 434	<i>moluccana</i>	1896, 871
<i>Bracon</i> sp.....	1895, 782	<i>Brontiades procas</i>	1893, 41
	1900, 46	<i>Brookesia stumpffii</i>	1894, 725
<i>femoratus</i>	1895, 782	<i>Brookia baileyi</i>	1900, 661
<i>flavomaculatus</i>	1895, 781	<i>Brotogerys</i>	1899, 29
<i>platygaster</i>	1895, 782		1899, 30
<i>sancti-vincenti</i>	1895, 782		1899, 45
<i>vulgaris</i>	1895, 782		1899, 46
<i>xanthospilus</i>	1895, 781	<i>chiriri</i>	1899, 511
<i>Bradyornis murinus</i> ..	1895, 481	<i>Brujas basicincta</i>	1896, 638
	1900, 2	<i>laticincta</i>	1896, 638
<i>pallidus</i>	1895, 481	<i>Brycea peruviana</i>	1892, 283
<i>pumilus</i>	1890, 480	<i>Bryophila expetita</i>	1896, 639
<i>Bradypterus cinnamo-</i>		<i>Bryoptera leprosa</i>	1896, 645
<i>meus</i>	1900, 607	<i>Bryotropha</i> sp.	1891, 520
<i>Bradypus</i>	1899, 991-1017		1891, 545
<i>cuculliger</i>	1892, 314	<i>translucida</i>	1891, 520
	1893, 588		1891, 545
	1893, 589		1897, 73
	1893, 591	<i>Buarremon assimilis</i> ..	1896, 347
<i>tridactylus</i>	1893, 586	<i>brunneinuchus</i>	1896, 347
	1899, 315	<i>nationi</i>	1892, 402
	1899, 339	<i>poliophrys</i>	1896, 323
	1899, 991		1896, 347
	1899, 1017	<i>torquatus</i>	1896, 347
	1900, 69	<i>Bubalis</i>	1900, 164
<i>Branchiostoma spini-</i>			1900, 701
<i>cauda</i>	1892, 26	<i>sp.</i>	1900, 83
<i>Branchiura sowerbii</i> ..	1893, 486		1900, 954

	Page		Page
Bubalis albifrons	1892, 471	Bubalis tora	1892, 100
bo-elaphus	1898, 352		1892, 118
buselaphus	1895, 688		1900, 680
	1896, 809	tragocamelus	1900, 680
	1896, 983	Bubalus arnee	1900, 370
	1900, 303	moschatus	1900, 165
caama	1892, 99	planiceros	1898, 349
	1892, 258	Bubo sp.	1894, 600
	1893, 1		1894, 603
	1893, 2		1894, 605
	1894, 456	ascalaphus	1900, 305
	1895, 343	bubo	1896, 311
	1895, 362	cinerascens	1891, 468
	1900, 303		1891, 469
	1900, 686		1891, 476
cokii	1892, 99	clamator	1892, 387
	1892, 100	ignavus	1891, 469
	1892, 118		1896, 311
	1895, 868	lacteus	1891, 469
	1897, 450		1894, 594
	1897, 451		1895, 503
jacksoni	1895, 340	leucostictus	1894, 600
	1897, 451	mackinderi	1900, 599
	1900, 83	maculosus	1891, 469
	1900, 954	maximus	1894, 495
lelwel	1900, 83		1894, 498
	1900, 803		1896, 156
leucoprymnus	1893, 504	turcomanus	1900, 305
lichtensteini	1892, 553	virginianus	1891, 135
	1893, 504		1892, 387
	1893, 506	Bubulcus bubulcus	1895, 511
	1893, 723	ibis	1895, 511
	1894, 132	lucidus	1895, 511
	1894, 145	Buccinum australe	1891, 407
	1896, 796	— otaheitensi	1891, 407
	1897, 813	bellangeri	1891, 407
	1898, 393	biarmatum	1891, 412
	1900, 303	lineolatum	1891, 407
lunata	1893, 1	nodulosum	1891, 412
	1893, 2	politum	1891, 407
major	1896, 983	tahitense	1891, 407
	1898, 350	tritonoides	1891, 405
	1899, 936	Bucco capensis	1896, 313
mauritanica	1893, 614	Bucconides rosei-	
neumanni	1900, 83	collis	1896, 556
pumilus	1896, 783	Bucculatrix sp.	1897, 142
swaynei	1892, 98	flexuosa	1897, 144
	1892, 99	unipuncta	1897, 144
	1892, 100	Buceros flavirostris	1895, 499
	1892, 118	hemprichii	1895, 498
	1892, 257	melanoleucus	1894, 391
	1892, 258	nasutus	1896, 982
	1892, 303	Buchanga assimilis	1895, 462
	1895, 868		1900, 956
	1898, 767	atra	1900, 464
	1900, 83	cineracea	1900, 465
	1900, 680	innexa	1900, 465
tora	1892, 90	leucogenys	1900, 464

	Page		Page
Buchanga mouhoti	1900, 465	Bufo divergens	1899, 885
Buchholzia appendicu-			1899, 912
lata	1892, 696	dodsoni	1895, 540
Bucorax abyssinicus ..	1893, 614		1898, 477
	1895, 499	dombensis	1898, 477
	1895, 688	fergusonii	1894, 642
	1899, 824	galeatus	1899, 913
cafer	1895, 500	glaberrimus	1898, 123
Bucorvus abyssinicus ..	1895, 499	gracilipes	1900, 436
Budara conversata	1896, 647	hæmatiticus	1898, 123
Budorcas	1900, 165	hololius	1892, 348
	1900, 166	jerboa	1892, 506
	1900, 167		1892, 507
	1900, 706		1900, 883
	1900, 708		1900, 889
	1900, 715	lævissimus	1900, 436
	1900, 716	latifrons	1900, 435
	1900, 717		1900, 456
	1900, 718	luetkenii	1894, 642
taxicolor	1893, 449	macrotis	1892, 348
Budytes cinerecapillus .	1900, 467		1899, 885
flavus	1895, 473		1899, 911
taivanus	1900, 467	marinus	1892, 508
Bufo agua	1894, 480		1895, 87
	1895, 87		1898, 123
americanus	1899, 791	mauritanicus	1892, 23
andersoni	1892, 347	melanostictus	1896, 911
	1895, 637		1896, 914
	1895, 662		1899, 662
	1895, 663		1899, 910
arabicus	1895, 635		1899, 911
	1895, 637		1899, 959
asper	1892, 508		1900, 883
	1896, 912		1900, 888
	1899, 912	nigricans	1894, 642
	1900, 883	olivaceus	1892, 348
beddomii	1892, 348	pantherinus	1894, 480
biporcatus	1897, 197		1894, 481
	1897, 203	parietalis	1892, 347
	1897, 236	parvus	1896, 912
calamita	1891, 600		1899, 911
	1891, 602		1900, 888
	1891, 603	penangensis	1892, 348
	1891, 604		1896, 912
	1891, 607		1898, 477
	1891, 612		1899, 885
	1891, 613		1899, 908
	1891, 614		1899, 916
	1891, 619	pentoni	1894, 642
	1891, 626		1895, 635
	1891, 627		1895, 637
	1899, 170		1895, 662
celebensis	1897, 197	pulcher	1892, 348
	1897, 203	quadriporcatus	1892, 508
	1897, 236		1896, 912
coccifer	1898, 478		1899, 911
corniferus	1898, 123	regularis	1892, 508
	1898, 478		1892, 555

	Page		Page
<i>Bufo regularis</i>	1894, 88	<i>Bulimina ovata</i>	1895, 21
	1895, 540		1895, 50
	1896, 217	<i>pupoides</i>	1895, 22
	1897, 801		1895, 51
	1900, 435	<i>pyrula</i>	1895, 21
<i>spinulifer</i>	1894, 642		1895, 50
<i>steindachneri</i>	1898, 477	<i>rostrata</i>	1895, 23
<i>stomaticus</i>	1892, 347		1895, 51
<i>superciliaris</i>	1900, 436	<i>subcylindrica</i>	1895, 22
<i>surdus</i>	1894, 642		1895, 51
<i>taitanus</i>	1898, 477	<i>subornata</i>	1895, 23
<i>tuberosus</i>	1900, 435		1895, 51
<i>typhonius</i>	1893, 527	<i>Buliminus boivini</i>	1899, 587
	1898, 123	<i>catenatus</i>	1891, 310
<i>viridis</i>	1891, 600	<i>melanae</i>	1899, 586
	1891, 602	<i>metula</i>	1899, 587
	1891, 603	<i>ptychaxis</i>	1899, 587
	1891, 604	<i>stictus</i>	1891, 310
	1891, 612	<i>usaguricus</i>	1899, 586
	1891, 613	(<i>Cerastes</i>) <i>mamboi-</i>	
	1891, 625	<i>ensis</i>	1899, 587
	1891, 627	(<i>Coriulinus</i>) <i>metu-</i>	
	1892, 23	<i>loides</i>	1899, 587
	1892, 508		1899, 592
	1895, 540	(—) <i>nyasanus</i> ..	1899, 586
	1895, 663		1899, 592
	1896, 548	(<i>Rhachis</i>) <i>bohmi</i> ..	1899, 585
<i>vulgaris</i>	1891, 600	(—) <i>chiradzulu-</i>	
	1891, 602	<i>ensis</i>	1899, 586
	1891, 603		1899, 592
	1891, 604	(—) <i>stictus</i>	1893, 634
	1891, 607		1899, 586
	1891, 612	<i>Bulimulus blofeldi</i>	1892, 265
	1891, 620		1892, 270
	1891, 625	<i>costatus</i>	1892, 267
	1891, 627	<i>da-costae</i>	1892, 297
	1892, 24		1892, 299
	1895, 663	<i>exulatus</i>	1892, 266
	1896, 548		1892, 270
	1896, 911	<i>fossilis</i>	1892, 266
	1899, 170	<i>glandiniformis</i>	1892, 297
— <i>japonicus</i>	1899, 170		1892, 299
<i>Bulimina aculeata</i>	1895, 22	<i>helena</i>	1892, 266
	1895, 51		1892, 270
<i>affinis</i>	1895, 22	<i>koppeli</i>	1892, 297
	1895, 51		1892, 299
<i>buchiana</i>	1895, 22	<i>melanioides</i>	1892, 267
	1895, 51		1892, 270
<i>contraria</i>	1895, 22	<i>neglectus</i>	1892, 267
	1895, 51	<i>proteus</i>	1892, 266
<i>declivis</i>	1895, 22	<i>sealeianus</i>	1892, 266
	1895, 51	<i>subplicatus</i>	1892, 266
<i>elegans</i>	1895, 22		1892, 270
	1895, 51	<i>subtruncatus</i>	1892, 266
<i>elongata</i>	1895, 21		1892, 270
	1895, 51	<i>turtoni</i>	1892, 266
<i>inflata</i>	1895, 22		1892, 267
	1895, 51		1892, 270

	Page		Page
<i>Bulimulus virgulatus</i> ..	1892, 266	<i>Bungalotis sebrus</i>	1893, 28
<i>Bulimus atricallosus</i> ..	1895, 115	<i>Bungarus caeruleus</i>	1899, 689
<i>auris-vulpina</i>	1892, 259	<i>candidus</i>	1896, 893
	1892, 265		1897, 196
	1892, 270		1897, 201
<i>bilabiatus</i>	1892, 265		1897, 227
<i>cardinalis</i>	1892, 296		1899, 165
<i>compressilabris</i>	1892, 269		1899, 607
<i>darwinianus</i>	1892, 265		1899, 608
<i>eques</i>	1895, 115		1899, 665
<i>guentheri</i>	1892, 296		1899, 689
	1892, 299	— <i>multicinctus</i> ..	1899, 165
<i>kochii</i>	1892, 466	<i>fasciatus</i>	1896, 782
<i>melanostoma</i>	1892, 265		1896, 893
<i>oblongus</i>	1892, 271		1899, 607
<i>succinoides</i>	1892, 297		1899, 608
<i>trailli</i>	1892, 459		1899, 689
<i>Bulina solitella</i>	1895, 973		1900, 850
<i>Bulla ampulla</i>	1891, 421	<i>flaviceps</i>	1896, 894
<i>incommoda</i>	1891, 442		1899, 607
	1891, 445		1899, 608
(<i>Leiodomus</i>) <i>kurra-</i>			1899, 690
<i>chensis</i>	1891, 407	<i>semifasciatus</i>	1895, 705
<i>Bullia belangeri</i>	1891, 407	<i>Bunocephalus aleuropsis</i> .	1891, 235
<i>grayi</i>	1891, 406	<i>iheringii</i>	1891, 235
<i>mauritiana</i>	1891, 406	<i>Bunocnemis</i>	1894, 85
(<i>Leiodomus</i>) <i>kurra-</i>		<i>modestus</i>	1894, 85
<i>chensis</i>	1891, 407		1894, 91
(—) <i>lineolata</i> ..	1891, 407		1894, 722
(—) <i>tahitensis</i> ..	1891, 407		1895, 532
(<i>Pseudostrombus</i>)		<i>Buphaga africana</i>	1895, 462
<i>kurrachensis</i>	1891, 407	<i>erythrorhyncha</i> ..	1895, 461
<i>Bulweria</i>	1898, 90	<i>Burnesia sonitans</i>	1900, 471
<i>Bunæa barcas</i>	1898, 429	<i>Burria</i>	1900, 37
<i>cafraria</i>	1891, 179	<i>farinosa</i>	1900, 38
	1895, 138	<i>longixipha</i>	1900, 38
	1896, 241		1900, 63
<i>epithyrena</i>	1893, 678	<i>Butalis cinereoalba</i>	1900, 479
<i>nictitans</i>	1895, 270	<i>ferruginea</i>	1900, 479
<i>phædusa</i>	1898, 80	<i>subburnea</i>	1896, 279
	1898, 81	<i>Buteo abbreviatus</i>	1892, 397
(<i>Thyella</i>) <i>zambesia</i> .	1898, 429	<i>augur</i>	1895, 507
<i>Bundenbachia beneckei</i> .	1896, 1034	<i>auguralis</i>	1900, 598
<i>Bungalotis</i>	1893, 18	<i>buteo</i>	1896, 311
	1893, 28	<i>erythronotus</i>	1891, 135
<i>astrapæus</i>	1893, 28	<i>hemilasius</i>	1900, 490
<i>astylus</i>	1893, 28	<i>japonicus</i>	1900, 490
<i>erythus</i>	1893, 28	<i>plumipes</i>	1900, 490
<i>gonatus</i>	1893, 28	<i>vulgaris</i>	1896, 311
<i>heras</i>	1893, 28	<i>Buthraupis cucullata</i> ..	1896, 342
<i>midas</i>	1893, 18	— <i>cyanonota</i>	1896, 342
	1893, 28	— <i>intermedia</i>	1896, 343
	1893, 131	<i>Buthus acutecarinatus</i> ..	1900, 57
<i>nicephorus</i>	1893, 28		1900, 58
<i>pelignus</i>	1893, 28	<i>calviceps</i>	1900, 48
<i>phaselis</i>	1893, 28		1900, 54
<i>poligius</i>	1893, 28		1900, 57
<i>ramusis</i>	1893, 28		1900, 63

	Page		Page
<i>Buthus citrinus</i>	1899, 834	<i>Byblia acheloia</i>	1894, 561
<i>eminii</i>	1898, 499		1896, 113
	1900, 57		1896, 256
	1900, 58		1897, 692
	1900, 973		1897, 924
<i>europæus</i>	1892, 25		1898, 53
<i>hottentotta</i>	1899, 834		1898, 376
<i>leptochelys</i>	1892, 25		1898, 377
<i>occitanus</i>	1899, 834		1900, 922
	1900, 55	— <i>castanea</i>	1895, 729
	1900, 57		1896, 256
— <i>berberensis</i>	1900, 56	<i>anvatara</i>	1898, 375
	1900, 57		1898, 377
— <i>zeylensis</i>	1900, 56	<i>boydi</i>	1898, 375
	1900, 57		1898, 376
<i>polystictus</i>	1900, 57		1898, 377
	1900, 58		1898, 378
<i>trilineatus</i>	1900, 57		1898, 379
(<i>Prionurus</i>) <i>citri-</i>			1898, 391
<i>nus</i>	1899, 834		1900, 922
<i>Butleria agathocles</i> ..	1893, 79	<i>castanea</i>	1896, 525
<i>arsines</i>	1893, 79		1898, 377
<i>bissexguttatus</i>	1893, 79		1900, 922
<i>caicus</i>	1893, 79	<i>cora</i>	1894, 561
<i>caracates</i>	1893, 79	<i>goetzius</i>	1896, 113
<i>cœnides</i>	1893, 79		1898, 375
<i>conquenensis</i>	1893, 79		1898, 376
<i>cypselus</i>	1893, 79		1898, 377
<i>dimidiatus</i>	1893, 79		1898, 378
	1893, 131		1898, 379
<i>diraspes</i>	1893, 79		1900, 922
<i>eburones</i>	1893, 79	<i>ilithyia</i>	1894, 342
<i>epiphaneus</i>	1893, 79		1894, 557
<i>eryonas</i>	1893, 79		1894, 561
<i>evages</i>	1893, 79		1896, 256
<i>exornatus</i>	1893, 71		1896, 525
	1893, 79		1896, 532
<i>flavomaculatus</i>	1893, 79		1897, 692
<i>fructicolens</i>	1893, 79		1897, 924
— <i>pulcher</i>	1893, 79		1898, 370
— <i>quadrinotatus</i> ..	1893, 79		1898, 375
— <i>tractipennis</i>	1893, 79		1898, 376
<i>hesperioides</i>	1893, 79		1898, 376
<i>hilina</i>	1893, 79		1898, 378
<i>ibhara</i>	1893, 79		1898, 400
<i>jelskyi</i>	1893, 79		1898, 822
<i>oxaites</i>	1893, 79		1899, 420
<i>paniscoides</i>	1893, 79		1899, 965
<i>philippii</i>	1893, 79		1900, 12
<i>polycrates</i>	1893, 79	— <i>acheloia</i>	1897, 841
<i>polyspilus</i>	1893, 79	— <i>simplex</i>	1897, 840
<i>sotoi</i>	1893, 79	<i>vulgaris</i>	1896, 113
<i>valdivianus</i>	1893, 79		1896, 852
<i>vicina</i>	1893, 79		1898, 53
<i>Butorides cyanurus</i>	1896, 773		1898, 377
	1897, 469		1900, 922
<i>mauritanus</i>	1892, 544	<i>Bycanistes cristatus</i>	1900, 601
<i>virescens</i>	1892, 498	<i>Bythinia kintana</i>	1891, 347

	Page		Page
<i>Bythinia stanleyi</i>	1891, 310	<i>Cæcilia albiventris</i>	1895, 406
<i>Bythites fuscus</i>	1891, 227	<i>annulata</i>	1895, 412
		<i>bivittata</i>	1895, 407
<i>Cabalus carbo</i>	1896, 65	1895, 408	
	1896, 66	<i>buckleyi</i>	1895, 406
<i>Cabarda bizonoides</i>	1892, 122	1895, 407	
<i>molliculana</i>	1892, 122	1895, 414	
<i>Caberoles asanderaria</i> ..	1896, 644	<i>compressicauda</i> ..	1895, 411
<i>carcearia</i>	1896, 644	<i>dorsalis</i>	1895, 411
<i>fundaria</i>	1896, 644	<i>glutinosa</i>	1895, 403
<i>Cabirus julettus</i>	1893, 19	<i>gracilis</i>	1895, 406
	1893, 41	1895, 407	
<i>procas</i>	1893, 41	<i>guentheri</i>	1895, 406
<i>Cacatua</i>	1899, 21	<i>hypocyanea</i>	1895, 403
	1899, 23	<i>isthmica</i>	1895, 406
<i>cristata</i>	1893, 508	1898, 125	
	1893, 514	<i>lumbricoidea</i>	1895, 407
<i>ducorspi</i>	1899, 22	<i>malabarica</i>	1895, 409
	1899, 23	<i>natans</i>	1895, 411
	1899, 42	<i>ochrocephala</i>	1895, 409
<i>gymnopus</i>	1899, 23	<i>oxyura</i>	1895, 408
<i>leadbeateri</i>	1899, 23	<i>pachynema</i>	1895, 406
	1899, 24	1895, 407	
	1899, 25	<i>polyzona</i>	1895, 406
	1899, 42	1895, 407	
<i>philippinarum</i>	1893, 508	<i>rostrata</i>	1895, 406
<i>roseicapilla</i>	1899, 23	<i>seraphini</i>	1895, 408
	1899, 25	<i>squalostoma</i>	1895, 409
<i>triton</i>	1893, 508	<i>tentaculata</i>	1895, 406
<i>Caccabis chukar</i>	1900, 503	1895, 407	
<i>Cacergate leucosticta</i> ..	1900, 34	<i>viscosa</i>	1895, 403
<i>Cacocharis</i>	1891, 503	<i>Cæcilioides gundlachi</i> ..	1892, 269
<i>albimacula</i>	1891, 503	<i>Cæcina calathana</i>	1893, 19
	1891, 543	1893, 36	
	1891, 548	<i>compusa</i>	1893, 36
	1897, 125	<i>Cænides</i>	1896, 85
<i>Cacoecia gallicolens</i>	1897, 633	<i>balenga</i>	1896, 91
<i>jamaicana</i>	1891, 497	1896, 103	
	1891, 543	<i>benga</i>	1896, 86
	1897, 133	1896, 89	
<i>Cacographis osteolalis</i> .	1895, 902	1896, 103	
<i>Cacomantis merulinus</i> ..	1900, 484	<i>binoevatus</i>	1896, 88
<i>Cacosternum nanum</i> ..	1895, 540	1896, 103	
<i>Cacus insularis</i>	1895, 798	<i>calpis</i>	1896, 91
<i>Cacyreus lingeus</i>	1897, 845	<i>corduba</i>	1896, 90
	1898, 54	<i>cylinda</i>	1896, 89
	1898, 907	1896, 90	
	1899, 423	1896, 91	
	1899, 967	1896, 103	
	1899, 975	<i>dacela</i>	1896, 85
<i>marshalli</i>	1897, 845	1896, 86	
	1897, 857	1896, 103	
<i>pakemon</i>	1897, 845	1896, 104	
	1897, 857	<i>dacena</i>	1896, 89
	1900, 928	<i>ilerda</i>	1896, 91
<i>Cadorena sinuata</i>	1893, 684	<i>kangvensis</i>	1896, 87
<i>Caduga swinhoei</i>	1900, 505	1896, 103	
<i>Cadyanda lugens</i>	1896, 647	<i>lacida</i>	1896, 91

	Page		Page
<i>Cænides lacida</i>	1896, 103	<i>Caica</i>	1899, 45
<i>leonora</i>	1896, 85		1899, 46
	1896, 88	<i>melanocephala</i>	1899, 30
	1896, 103		1899, 31
<i>maracanda</i>	1896, 85	<i>Caiman latirostris</i>	1896, 632
	1896, 88	<i>niger</i>	1891, 148
	1896, 103		1891, 149
<i>orma</i>	1896, 90		1891, 150
<i>proxima</i>	1896, 92		1891, 151
<i>sextilis</i>	1896, 91		1891, 152
<i>sortia</i>	1896, 87		1891, 153
	1896, 103		1891, 155
<i>stoechri</i>	1896, 88		1891, 156
<i>waga</i>	1896, 90		1891, 157
<i>zoremba</i>	1896, 91		1891, 158
	1896, 104		1891, 159
<i>Cænipeta abscondens</i> ..	1896, 638		1891, 577
<i>illustrans</i>	1896, 638	<i>palpebrosus</i>	1896, 632
<i>suttea</i>	1896, 638	<i>sclerops</i>	1891, 152
<i>Cænogenes ochracea</i> ...	1891, 515		1896, 632
	1891, 544	<i>Cairina moschata</i>	1892, 399
	1897, 170		1892, 408
<i>pusilla</i>	1891, 514	<i>Calabaria reinhardti</i> ..	1900, 451
	1891, 544	<i>Caladenia maculata</i> ...	1896, 13
	1897, 55	<i>Calamaria acutirostris</i> ..	1897, 196
	1897, 170		1897, 200
<i>Cænolestes</i>	1899, 559		1897, 223
<i>fuliginosus</i>	1895, 871		1897, 237
	1895, 872	<i>albiventer</i>	1896, 886
<i>obscurus</i>	1895, 871		1899, 600
	1895, 872		1899, 605
	1895, 874		1899, 674
	1895, 877	<i>baluensis</i>	1893, 524
	1895, 878	<i>collaris</i>	1897, 196
<i>Cænotriccus ruficeps</i> ..	1896, 360		1897, 201
— <i>hapipteryx</i>	1896, 361		1897, 225
<i>Cærostris</i>	1899, 559		1897, 237
<i>albescens</i>	1899, 856	<i>curta</i>	1897, 196
	1899, 857		1897, 201
	1899, 884		1897, 224
<i>argostictus</i>	1899, 855		1897, 237
	1899, 857	<i>everetti</i>	1893, 525
<i>mitralis</i>	1898, 515	<i>gervaisii</i>	1897, 224
	1898, 516	<i>gracilis</i>	1897, 196
<i>nodulosa</i>	1898, 514		1897, 201
	1898, 524		1897, 224
	1899, 857		1897, 237
<i>petersii</i>	1899, 857	<i>leucocephala</i>	1896, 886
<i>rugosa</i>	1898, 516		1899, 605
<i>sexcupidata</i>	1898, 515		1899, 674
<i>simata</i>	1898, 516	<i>linnaei</i>	1896, 886
<i>turriga</i>	1899, 857		1897, 196
	1899, 884		1897, 201
<i>Cærvania clandestina</i> ..	1896, 640		1897, 225
<i>Cæsa viduella</i>	1899, 287		1899, 674
<i>Caica</i>	1899, 31	<i>longiceps</i>	1896, 886
	1899, 32	<i>lumbricoidea</i>	1896, 886
	1899, 44		1897, 225

	Page		Page
<i>Calamaria lumbricoidea</i> ..	1899, 615	<i>Calanus finmarchicus</i> ..	1898, 579
	1899, 674	<i>hyperboreus</i>	1898, 541
<i>muelleri</i>	1897, 196		1898, 544
	1897, 201	<i>propinquus</i>	1898, 547
	1897, 223	<i>Calappa hepatica</i>	1898, 545
	1897, 237		1900, 568
<i>nuchalis</i>	1897, 196		1900, 569
	1897, 200		1900, 572
	1897, 223		1900, 573
	1897, 237	<i>tuberculosa</i>	1900, 572
<i>pavimentata</i>	1896, 857	<i>Calarina albirenella</i>	1895, 965
	1896, 886	<i>Calasposoma bonvouloiri</i>	1898, 235
	1899, 606	<i>marshalli</i>	1898, 233
	1899, 675	<i>melancholicum</i>	1898, 235
<i>sagittaria</i>	1896, 879	<i>plumbeum</i>	1898, 233
	1899, 659	<i>pubescens</i>	1898, 235
<i>septentrionalis</i>	1899, 165	<i>pubipenne</i>	1898, 234
<i>siamensis</i>	1899, 675	<i>Calcarina defrancei</i>	1895, 44
<i>sumatrana</i>	1893, 525		1895, 54
	1896, 886	<i>hispidia</i>	1895, 44
	1899, 605		1895, 54
	1899, 674		1900, 141
<i>virgulata</i>	1897, 196	<i>nicobarensis</i>	1895, 6
	1897, 201		1895, 44
	1897, 225		1895, 54
<i>Calamelaps miolepis</i> ..	1891, 307	<i>Calcinus elegans</i>	1898, 457
<i>Calamochrous</i>	1898, 599		1898, 458
	1899, 227		1898, 461
<i>acutellus</i>	1899, 228		1898, 462
<i>brevipalpis</i>	1899, 228		1900, 116
<i>carnealis</i>	1899, 228	<i>gaimardi</i>	1898, 458
<i>chilonalis</i>	1899, 228		1898, 492
<i>dichroma</i>	1899, 228	<i>herbsti</i>	1898, 457
<i>feruginalis</i>	1899, 228		1898, 458
<i>roseobrunnea</i>	1899, 228		1898, 462
<i>ruficostalis</i>	1899, 228	— <i>lividus</i>	1898, 457
<i>straminea</i>	1899, 228		1898, 458
<i>tranquillalis</i>	1899, 227		1898, 462
	1899, 228	<i>latens</i>	1898, 457
<i>Calamoherpe canturians</i>	1900, 471		1898, 458
<i>minuta</i>	1900, 471		1898, 463
<i>Calamonastes simplex</i> ..	1895, 482	<i>tibicen</i>	1898, 462
<i>Calamotropha abjectella</i>	1895, 939		1900, 116
<i>argenteociliella</i> ..	1895, 941	<i>Caletes apterus</i>	1892, 199
<i>fuscicostella</i>	1895, 941		1892, 210
<i>robustella</i>	1895, 939		1892, 221
<i>Calandrella ruficeps</i>	1895, 471		1893, 606
<i>Calandritis andersoni</i> ..	1895, 471	<i>Calidris arenaria</i>	1892, 400
<i>ruficeps</i>	1895, 471		1892, 406
<i>Calanus cristatus</i>	1898, 546		1892, 408
<i>finmarchicus</i>	1898, 540		1900, 498
	1898, 541	<i>Caligeria bella</i>	1899, 462
	1898, 542	<i>difficilis</i>	1899, 462
	1898, 544	<i>Caligodes carangis</i>	1899, 446
	1898, 545	<i>laciniatus</i>	1899, 446
	1898, 546	<i>Caligula eucalypti</i>	1893, 279
	1898, 549	<i>japonica</i>	1893, 279
	1898, 578		1899, 293

	Page		Page
<i>Caligula simla</i>	1896, 240	<i>Caligus productus</i>	1899, 452
	1896, 241		1899, 460
<i>Caligus abbreviatus</i>	1899, 446		1899, 463
<i>aeglefini</i>	1899, 447	<i>rapax</i>	1899, 448
<i>alolongæ</i>	1899, 449	<i>robustus</i>	1899, 451
<i>americanus</i>	1899, 447	<i>salmonis</i>	1899, 451
<i>angustatus</i>	1899, 453	<i>scomberi</i>	1899, 455
<i>arii</i>	1899, 452	<i>scutatus</i>	1899, 450
<i>balistæ</i>	1899, 448	<i>stromatei</i>	1899, 449
<i>belones</i>	1899, 449	<i>tenax</i>	1899, 448
<i>bengoensis</i>	1899, 451	<i>thynni</i>	1899, 451
<i>bicuspidatus</i>	1899, 447	<i>torpedinus</i>	1899, 451
<i>brevipedis</i>	1899, 447	<i>trachynoti</i>	1899, 449
<i>carangis</i>	1899, 449	<i>trachypteri</i>	1899, 449
<i>coryphænæ</i>	1899, 451	<i>trichiuri</i>	1899, 453
<i>cossacki</i>	1899, 451	<i>vesper</i>	1899, 455
<i>crassus</i>	1899, 468	<i>vexator</i>	1899, 450
<i>centrodonti</i>	1899, 447	<i>Calina brachyura</i>	1899, 458
<i>chilodactyli</i>	1899, 449	<i>Calisto herophile</i>	1900, 198
<i>chorinemi</i>	1899, 451	<i>bysius</i>	1898, 362
<i>constrictus</i>	1899, 451	<i>Callagur picta</i>	1896, 858
<i>curtus</i>	1899, 447		1896, 859
<i>cybii</i>	1899, 452		1899, 602
<i>dakeri</i>	1899, 450		1899, 610
<i>diaphanus</i>	1899, 447		1899, 615
	1899, 452	<i>Callamesia striata</i>	1892, 121
<i>dubius</i>	1899, 450	<i>submaculans</i>	1892, 121
<i>elegans</i>	1899, 447	<i>Callaretia elliotti</i>	1895, 722
<i>elongatus</i>	1899, 448		1895, 739
<i>fallax</i>	1899, 451		1895, 742
<i>gurnardi</i>	1899, 448	<i>geometrica</i>	1895, 739
<i>hæmulonis</i>	1899, 448	<i>Callasopia rosealis</i>	1895, 921
<i>heckelii</i>	1899, 457	<i>Callawaycerinus con-</i>	
<i>hippoglossi</i>	1899, 454	<i>cavus</i>	1895, 968
<i>hirsutus</i>	1899, 450	<i>Callerebia orixa</i>	1891, 269
<i>imbricatus</i>	1899, 468	<i>Calliana pieridoides</i>	1891, 520
<i>infestans</i>	1899, 451		1892, 646
<i>irritans</i>	1899, 452		1893, 18
<i>isonyx</i>	1899, 450		1893, 31
<i>kroeyeri</i>	1899, 448	<i>Callianidea typa</i>	1898, 1000
<i>lacustris</i>	1899, 448		1898, 1001
<i>leptochilus</i>	1899, 448		1899, 1015
<i>longicaudus</i>	1899, 453	<i>Callichthys affinis</i>	1891, 234
<i>longipes</i>	1899, 452	<i>a-per</i>	1891, 234
<i>lumpi</i>	1899, 449		1898, 492
<i>minimus</i>	1899, 447	<i>hemiphractus</i>	1891, 234
<i>monacanthi</i>	1899, 450	<i>littoralis</i>	1895, 274
<i>mulleri</i>	1899, 447		1895, 275
<i>murrayanus</i>	1899, 450		1895, 285
<i>nanus</i>	1899, 447		1895, 299
<i>nordmannii</i>	1899, 454		1898, 492
<i>ornatus</i>	1899, 455		1899, 940
<i>paradoxus</i>	1899, 460		1899, 955
<i>parvus</i>	1899, 446	<i>longifilis</i>	1895, 525
<i>pectoralis</i>	1899, 454	<i>paleatus</i>	1891, 234
<i>pelamydis</i>	1899, 452		1895, 275
<i>phipsoni</i>	1899, 449		1895, 286
<i>platytarsi</i>	1899, 450	<i>pectoralis</i>	1895, 525

	Page		Page
<i>Callichthys thoracatus</i> ..	1895, 525	<i>Callimerus feæ</i>	1893, 571
(<i>Corydoras</i>) <i>paleatus</i>	1891, 234	<i>gracilis</i>	1893, 566
<i>Callidea abdominalis</i> ..	1900, 822	<i>hydnoceroides</i>	1893, 574
<i>aurifera</i>	1900, 822	<i>insolatus</i>	1893, 567
<i>bengalensis</i>	1900, 822	<i>latifrons</i>	1893, 567
<i>dispar</i>	1900, 822	<i>mirandus</i>	1893, 566
<i>formosa</i>	1900, 822	<i>mysticus</i>	1893, 571
<i>marginella</i>	1900, 820	<i>niveus</i>	1893, 571
<i>obtusa</i>	1900, 820		1893, 572
<i>pulchra</i>	1900, 822	<i>ornatus</i>	1893, 571
<i>purpurata</i>	1900, 820	<i>pictus</i>	1893, 572
<i>purpurea</i>	1900, 820		1893, 573
<i>regia</i>	1900, 822	<i>rusticus</i>	1893, 567
<i>roylii</i>	1900, 820	<i>suavis</i>	1893, 566
<i>taprobanensis</i>	1900, 822	<i>Callimormus juvenatus</i> ..	1893, 130
<i>Calliderma grayi</i>	1893, 261	<i>Calliodes apollina</i>	1893, 679
<i>Callidina alpium</i>	1897, 794	<i>glaucescens</i>	1893, 680
	1897, 796		1895, 251
<i>aspersa</i>	1897, 796	<i>pretiosissima</i>	1893, 680
<i>constricta</i>	1897, 796	<i>rivuligera</i>	1893, 679
<i>cornigera</i>	1897, 797	<i>Callionymus dracunculus</i>	1898, 284
<i>elegans</i>	1897, 796	<i>longicaudatus</i>	1891, 286
<i>habita</i>	1897, 797	<i>lyra</i>	1898, 281
<i>lata</i>	1897, 796		1898, 284
<i>musculosa</i>	1897, 796		1898, 286
<i>papillosa</i>	1897, 797		1898, 315
<i>plicata</i>	1897, 796		1899, 504
<i>pusilla</i>	1897, 797	<i>reevesii</i>	1898, 286
<i>russeola</i>	1897, 796	<i>Calliostoma similaris</i> ..	1898, 828
<i>tetraodon</i>	1897, 796	<i>Callioplea californica</i> ..	1896, 982
<i>tetrix</i>	1897, 797	<i>Calliphara excellens</i> ..	1900, 822
<i>venusta</i>	1897, 796	<i>Calliploea mazares</i>	1892, 120
<i>Callidrilus scrobifer</i>	1891, 174	<i>Callipsyche lava</i>	1896, 526
<i>Callidryas buguetii</i>	1894, 580	<i>Callirhoë basteriana</i> ..	1896, 482
	1898, 413	<i>Calliste argentea</i>	1896, 340
<i>eubule</i>	1896, 518	<i>berlepsi</i>	1896, 341
	1900, 200	<i>boliviana</i>	1896, 340
<i>florella</i>	1891, 61	<i>chilensis</i>	1896, 339
	1891, 99	<i>cyanicollis</i>	1896, 341
	1894, 68	<i>fulvicervix</i>	1896, 340
	1894, 347	<i>gyroloides</i>	1896, 340
<i>hyblæa</i>	1896, 254	<i>melanotis</i>	1896, 341
<i>pyrenne</i>	1894, 347	<i>nigricincta</i>	1896, 341
<i>sennæ</i>	1898, 365	<i>nigriviridis</i>	1896, 341
<i>thalestris</i>	1898, 365	— <i>berlepsi</i>	1896, 341
<i>Callilepis nocturna</i>	1898, 488	<i>parzudakii</i>	1896, 341
<i>Callimerus albosparsus</i> ..	1893, 572	<i>pretiosa</i>	1899, 513
<i>amabilis</i>	1893, 566	<i>pulchra</i>	1896, 340
	1893, 571	<i>punctulata</i>	1896, 340
<i>arenatus</i>	1893, 574	<i>schranksi</i>	1896, 332
<i>bellus</i>	1893, 571	<i>xanthocephala</i>	1896, 341
	1893, 572	<i>xanthogastra ros-trata</i>	1896, 339
<i>benedictus</i>	1893, 573		1896, 340
<i>dohertyanus</i>	1893, 572	<i>yeni</i>	1896, 339
<i>dulcis</i>	1893, 566	<i>Callithea sapphira</i>	1896, 776
	1893, 570	<i>Callocephalon galeatum</i> ..	1899, 24
<i>elegans</i>	1893, 566		

	Page		Page
<i>Callophis gracilis</i>	1896, 894	<i>Callula pulchra</i>	1899, 908
	1899, 607		1900, 857
	1899, 692		1900, 883
<i>maclellandii</i>	1899, 166		1900, 888
<i>maculiceps</i>	1896, 895	<i>variegata</i>	1892, 348
	1899, 607	<i>Callyrhynchus peruvianus</i>	1892, 376
	1899, 692		1892, 396
<i>Callopietria latreillei</i> ..	1896, 260	<i>Calobates boarula</i>	1900, 467
<i>vittata</i>	1896, 648	<i>Calocochlea caillaudi</i> ..	1892, 450
<i>yerburi</i>	1896, 260	<i>calobapta</i>	1892, 456
<i>Callosciurus prevostii</i> ..	1897, 933	<i>chlorochroa</i>	1892, 450
<i>Callosune alberta</i>	1897, 23	<i>chrysochila</i>	1892, 450
<i>anax</i>	1893, 664	<i>cineracea</i>	1892, 450
	1894, 66		1892, 451
	1896, 126	<i>circe</i>	1892, 450
	1897, 21	<i>cocomelos</i>	1892, 450
<i>casta</i>	1897, 33	<i>coronadoi</i>	1892, 450
<i>confusa</i>	1897, 22	<i>cretata</i>	1892, 450
<i>damarensis</i>	1897, 31		1892, 451
<i>deidamioides</i>	1897, 33	<i>cryptica</i>	1892, 450
<i>haevernicki</i>	1897, 31		1892, 451
<i>hetæra</i>	1894, 348	<i>damahoyi</i>	1892, 450
	1897, 17	<i>dataensis</i>	1892, 450
	1898, 408	<i>depressa</i>	1892, 450
<i>hildebrandti</i>	1894, 350	<i>dimera</i>	1892, 450
	1895, 735	<i>dubiosa</i>	1892, 450
	1896, 837	<i>erythrospera</i>	1892, 450
	1897, 24	<i>festiva</i>	1892, 450
<i>ignifer</i>	1894, 349	<i>fragilis</i>	1892, 450
<i>imperator</i>	1894, 348	<i>latitans</i>	1892, 450
<i>inornata</i>	1897, 33		1892, 451
<i>jalone natalensis</i> ..	1897, 29	<i>lignicolor</i>	1892, 450
	1897, 21	<i>melanochila</i>	1892, 450
<i>mrogoroana</i>	1897, 20	<i>mindanaensis</i>	1892, 450
<i>omphale</i>	1894, 348	<i>norrisii</i>	1892, 450
<i>phlegyas</i>	1894, 348	<i>pan.</i>	1892, 450
<i>phœnius</i>	1894, 349	<i>panaensis</i>	1892, 450
<i>pseudetrida</i>	1897, 35		1892, 451
<i>ramaquebana</i>	1897, 35	<i>ponderosa</i>	1892, 450
<i>vulnerata</i>	1894, 574	<i>pulcherrima</i>	1892, 450
	1896, 839	<i>retusa</i>	1892, 450
	1897, 25	<i>roissyana</i>	1892, 450
	1900, 934		1892, 456
<i>Calluga modesta</i>	1893, 383	<i>samarensis</i>	1892, 450
<i>Callula baleata</i>	1892, 508	<i>speciosa</i>	1892, 450
	1897, 197	<i>sphaerion</i>	1892, 450
	1897, 203		1892, 456
	1897, 236	<i>zonifera</i>	1892, 450
<i>celebensis</i>	1897, 236		1892, 451
<i>guttulata</i>	1892, 348	<i>Calocoris canus</i>	1894, 195
<i>macroductyla</i>	1892, 348	(Megacœlum) rubri-	
<i>pulchra</i>	1896, 908	<i>nervis</i>	1894, 191
	1897, 197	<i>Caloctenus guineensis</i> ..	1898, 15
	1897, 203	<i>luteovittatus</i>	1897, 880
	1897, 236	<i>penicilliger</i>	1897, 881
	1899, 903	<i>Calœnas nicobarica</i>	1899, 77
	1899, 906	<i>Calonota interrupta</i>	1896, 636
	1899, 907		

	Page		Page
<i>Calonota perspicua</i>	1896, 636	<i>Calotes versicolor</i>	1896, 872
<i>Calophasia upsilon</i>	1894, 588		1899, 603
	1898, 420		1899, 608
<i>Calophrynus brevis</i>	1898, 476		1899, 639
<i>calcaratus</i>	1898, 479		1899, 957
<i>heterochirus</i>	1900, 186		1900, 858
	1900, 187	<i>Calothorax lucifer</i>	1896, 288
<i>pleurostigma</i>	1892, 508	<i>Calothyrsa margaritifera</i>	1900, 33
	1896, 857	<i>pauli</i>	1900, 33
	1896, 908	<i>sehestedi</i>	1900, 33
	1899, 985	<i>Calotriton punctulatus</i> ..	1895, 150
	1899, 900	<i>Calpe emarginata</i>	1898, 383
<i>Calopsittacus</i>	1899, 25	<i>Calpodes agita</i>	1893, 105
	1899, 26	<i>ares</i>	1893, 105
	1899, 42		1898, 367
	1899, 43	<i>brino</i>	1893, 105
<i>novæ-hollandiæ</i> ..	1899, 25	<i>coscinia</i>	1896, 520
<i>Calopteron albicollis</i> ..	1898, 317	<i>epitus</i>	1893, 105
<i>amabile</i>	1898, 317	<i>ethlius</i>	1893, 91
<i>aulicum</i>	1898, 317		1893, 104
<i>bicolor</i>	1898, 317		1893, 105
<i>delicatum</i>	1898, 316		1896, 520
<i>denominatum</i>	1898, 317	<i>evadnes</i>	1893, 105
<i>distinguendum</i>	1898, 317	<i>lutetia</i>	1893, 105
<i>dominicanum</i> ..	1898, 317	<i>nero</i>	1893, 105
<i>elegantulum</i>	1898, 317	<i>nyctelius</i>	1893, 105
<i>nigritarse</i>	1898, 317	<i>ochramus</i>	1893, 105
<i>oblitum</i>	1898, 316	<i>ocola</i>	1893, 105
<i>pectinicornis</i>	1898, 317	<i>Caltoris bada</i>	1900, 511
<i>smithi</i>	1898, 315	<i>toona</i>	1900, 511
	1898, 333	<i>Calydisme socotrana</i> ..	1894, 336
<i>suave</i>	1898, 317	<i>Calyptocephalus grayi</i> ..	1893, 271
<i>Calosoma rugosum</i>	1900, 21	<i>Calyptomena hosei</i>	1892, 221
<i>Calospila posthumaria</i> ..	1896, 647	<i>whiteheadi</i>	1892, 221
<i>Caloteleia dorsalis</i>	1895, 797	<i>Calyptorhynchus banksi</i> ..	1893, 508
<i>grenadensis</i>	1895, 798		1893, 509
<i>striatifrons</i>	1895, 797		1898, 355
<i>Calotes celebensis</i>	1897, 208		1899, 22
<i>cristatellus</i>	1896, 871		1899, 24
	1897, 195	<i>macrorhynchus</i>	1898, 355
	1897, 198		1898, 356
	1897, 208	<i>stellatus</i>	1898, 355
	1899, 603		1898, 356
	1899, 608	<i>xanthonotus</i>	1899, 22
	1899, 639	<i>Calyptrea cicatricosa</i> ..	1891, 417
<i>emma</i>	1896, 782	(<i>Galerus</i>) sp.	1891, 418
	1899, 601	<i>Calyptura cristata</i>	1899, 515
	1899, 603	<i>Calysisme anynana</i>	1898, 374
	1899, 641		1898, 375
<i>intermedia</i>	1897, 208		1898, 379
<i>jubatus</i>	1897, 208	<i>mamerta</i>	1900, 505
<i>microlepis</i>	1899, 601	<i>socotrana</i>	1898, 374
	1899, 603	<i>Camadena vesper-</i>	
	1899, 641	<i>tilionis</i>	1897, 614
<i>mystaceus</i>	1899, 603	<i>Camæna palawanica</i> ..	1892, 459
	1899, 641	<i>trailli</i>	1892, 459
<i>smaragdinus</i>	1899, 639	<i>Camarrhynchus leuco-</i>	
<i>versicolor</i>	1896, 871	<i>pterus</i>	1892, 397

	Page		Page
<i>Camaroptera brevicau-</i>		<i>Camponotus bacchus</i> ..	1896, 405
data	1894, 603	barbatus	1896, 403
	1894, 604	compressus	1896, 404
<i>Cambarus pellucidus</i> ..	1898, 957	doryceus	1896, 403
<i>Cambogia albopunctata</i> ..	1896, 646	dulcis	1896, 405
insignata	1896, 645	flavo-marginatus ..	1896, 403
marcearia	1896, 646	fuscithorax	1896, 405
porphyrinata	1896, 647	herculeanus	1891, 642
procurata	1897, 611		1891, 643
turbata	1896, 647		1891, 644
<i>Camelopardalis æthio-</i>			1891, 645
picus	1897, 275		1891, 647
	1897, 277		1891, 648
antiquorum	1897, 275		1891, 651
	1897, 277		1891, 652
australis	1897, 275		1891, 653
	1897, 277	infuscus	1896, 404
biturigum	1897, 277	latitans	1896, 402
capensis	1897, 274	maculatus	1896, 404
	1897, 275	mitis	1896, 404
	1897, 277		1896, 405
giraffa	1897, 275	opaciventris	1896, 402
	1897, 276	prismaticus	1896, 403
	1897, 277	quadrilaterus	1896, 404
— æthiopica	1894, 136	redtenbacheri	1896, 403
	1897, 275	reticulatus	1896, 402
	1897, 277	rufoglaucus	1896, 403
sennaarensis	1897, 274	sericeus	1896, 402
	1897, 275	sesquipedalis	1896, 403
	1897, 277	simoni	1896, 403
<i>Camelus bactrianus</i>	1892, 371	taylori	1896, 404
	1894, 446	thraso	1896, 405
	1900, 147	varians	1896, 402
	1900, 686	yerburyi	1896, 402
dromedarius	1892, 371	<i>Campophaga nigra</i>	1900, 2
glama	1891, 386	saturata	1900, 478
<i>Camena anysis</i>	1895, 597	<i>Campophilus pollens</i> ..	1896, 324
cippus	1892, 636	<i>Camposcia retusa</i>	1900, 569
	1896, 673		1900, 573
cleobis	1892, 637		1900, 721
cleoboides	1892, 637	<i>Campothera abingdoni</i> .	1900, 3
	1892, 664	hausburgi	1900, 599
cotys	1892, 636	nubica	1895, 492
	1892, 637	tæniolæma	1900, 599
	1895, 597	<i>Campsomeris aureicollis</i>	1896, 430
cretheus	1896, 672	ceylonica	1896, 430
icetas	1892, 636	lindenii	1896, 430
	1892, 637	<i>Camptochilus reticula-</i>	
icetoides	1892, 636	tum	1897, 627
	1892, 664	<i>Camptolenes abyssinica</i> .	1898, 222
<i>Campanella dinema</i>	1896, 475		1900, 210
<i>Campanulina acuminata</i> .	1896, 483	pubifrons	1900, 209
	1896, 490	<i>Camptonyx rotundifrons</i>	1900, 579
repens	1896, 488	<i>Camptopleura ebenus</i> ..	1893, 55
turrita	1896, 488	iphicrates	1893, 55
<i>Camponotus agnatus</i> ..	1896, 405	theramenes	1893, 43
albipes	1896, 404		1893, 55
angusticollis	1896, 403		1893, 131

	Page		Page
<i>Camptopleura thra-</i>		<i>Cancer muricatus</i>	1900, 722
<i>sybulus</i>	1893, 55	<i>niger</i>	1900, 587
<i>Campylopterus largi-</i>		<i>ocyroë</i>	1900, 730
<i>pennis</i>	1892, 401	<i>olivaceus</i>	1900, 748
<i>obscurus</i>	1892, 401	<i>orbiculus</i>	1900, 525
<i>Campylorhynchus balte-</i>		<i>pagurus</i>	1898, 204
<i>atus</i>	1892, 398		1898, 205
	1892, 404		1898, 207
	1892, 408		1898, 208
<i>fasciatus</i>	1892, 404		1898, 209
<i>Campylotes desgodinsi</i>		<i>pelagicus</i>	1900, 745
<i>splendida</i>	1891, 257	<i>perlatus</i>	1900, 584
<i>histrionicus altissima</i>	1891, 258	<i>planatus</i>	1900, 524
<i>Cancellaria exigua</i>	1891, 439	<i>planissimus</i>	1900, 592
	1891, 445	<i>plicatus</i>	1900, 766
<i>fischeri</i>	1891, 440	<i>prymna</i>	1900, 578
<i>hystrix</i>	1891, 410	<i>quadratus</i>	1900, 756
<i>melanostoma</i>	1891, 410	<i>roseus</i>	1900, 730
<i>scalarina</i>	1891, 410	<i>sanguinolentus</i>	1900, 745
<i>verreauxi</i>	1891, 435	<i>savignyi</i>	1900, 732
<i>Cancer admete</i>	1900, 579	<i>scyllarus</i>	1898, 36
<i>æneus</i>	1900, 584	<i>serratus</i>	1900, 748
<i>anaglyptus</i>	1900, 588	<i>strigosus</i>	1900, 755
<i>arachnoides</i>	1900, 723	<i>styx</i>	1900, 574
<i>astutus</i>	1900, 769	<i>tetragonon</i>	1900, 754
<i>carnifex</i>	1900, 594	<i>tibicen</i>	1898, 462
<i>ceratophthalmus</i> ..	1900, 595	<i>vespertilio</i>	1900, 743
	1900, 751	<i>(Actæa) granulatus</i> ..	1900, 732
<i>clypeatus</i>	1898, 459	<i>(—) hirtissima</i> ..	1900, 583
<i>convexus</i>	1900, 585	<i>(Atergatis) floridus</i> ..	1900, 585
<i>craniolaris</i>	1900, 763		1900, 730
<i>cymodoce</i>	1900, 591	<i>(—) integerrimus</i> ..	1900, 730
<i>dorsipas</i>	1900, 769	<i>(Cymo) andreossyi</i> ..	1900, 581
<i>epheliticus</i>	1900, 736	<i>(—) melano-</i>	
<i>erinaceus</i>	1900, 766	<i>dactylus</i>	1900, 581
<i>facchino</i>	1900, 768	<i>(Pilumnus) setifer</i> ..	1900, 580
<i>floridus</i>	1900, 585		1900, 742
	1900, 730	<i>Cancroma</i>	1898, 85
<i>fornicatus</i>	1900, 728	<i>cochlearia</i>	1899, 515
<i>fossulata</i>	1900, 584		1899, 517
<i>frascone</i>	1900, 769	<i>Candace truncata</i>	1898, 543
<i>glaberrimus</i>	1900, 591		1898, 549
	1900, 744	<i>Candeina nitida</i>	1895, 39
<i>globosus</i>	1900, 764		1895, 53
<i>granulatus</i>	1900, 732	<i>Candazea centromaculata</i>	1900, 261
<i>grapsus</i>	1900, 592		1900, 266
<i>hastatus</i>	1900, 745	<i>dahlmani</i>	1899, 378
<i>hepaticus</i>	1900, 572		1900, 258
<i>huonii</i>	1900, 735	<i>duvivieri</i>	1897, 573
<i>integerrimus</i>	1900, 730	<i>femorata</i>	1899, 380
<i>irroratus</i>	1898, 205	<i>flaveola</i>	1899, 380
	1898, 206	<i>inconstans</i>	1897, 574
<i>latro</i>	1898, 458	<i>irregularis</i>	1897, 574
<i>limbatus</i>	1900, 732	<i>livingstonii</i>	1900, 263
<i>littoratus</i>	1900, 756	<i>mashonana</i>	1899, 380
<i>lunaris</i>	1900, 763		1900, 263
<i>maculatus</i>	1900, 585	<i>moliroensis</i>	1900, 262
<i>melissa</i>	1900, 586		

	Page		Page
Candezea nigratarsis....	1897, 573	Canis aureus.....	1898, 165
nigrocærulea.....	1897, 573		1898, 167
	1899, 378		1898, 168
nigrosuturalis	1900, 258		1898, 169
nigrotibialis	1899, 380		1898, 171
	1900, 263		1898, 172
o'neili	1900, 262		1898, 173
pectoralis	1899, 379		1899, 535
	1899, 380		1899, 536
punctato-lineata ..	1899, 377		1899, 537
salisburyensis.....	1899, 378		1899, 551
sulcicollis	1900, 261	— algeriensis	1899, 535
tenuicornis	1899, 379	— tripolitanus	1899, 535
	1900, 258	azaræ.....	1892, 109
variopennis	1897, 573		1892, 110
	1897, 574		1894, 298
	1897, 577		1894, 300
	1900, 262		1899, 928
Candisa auriflavalis	1897, 691	barbarus	1899, 535
Candyba punctata	1896, 637	bengalensis	1899, 546
Canis sp.	1893, 502	cancrivorus	1892, 106
	1894, 299		1894, 299
	1900, 953	cerdo	1899, 549
adustus	1896, 785	chama	1896, 506
	1899, 533		1899, 548
	1899, 534	chanco	1900, 301
	1899, 541	corsac.....	1896, 784
	1899, 542		1899, 544
ægyptiacus	1899, 543		1899, 546
anthus	1895, 548		1900, 301
	1897, 957	dalmaticus.....	1900, 301
	1899, 534	dingo	1897, 321
	1899, 535		1897, 372
	1899, 537		1897, 407
	1899, 538		1898, 154
	1899, 539	dorsalis	1899, 547
annubis	1899, 546	egyptius.....	1899, 543
aureus	1893, 493	famelicus	1899, 545
	1895, 548		1899, 546
	1897, 372		1899, 547
	1897, 387		1899, 548
	1897, 391	familiaris	1897, 372
	1897, 392		1897, 375
	1897, 394		1897, 382
	1897, 396		1897, 385
	1897, 398		1897, 387
	1897, 400		1897, 388
	1897, 402		1897, 389
	1897, 403		1897, 390
	1897, 407		1897, 391
	1898, 154		1897, 392
	1898, 156		1897, 393
	1898, 157		1897, 394
	1898, 158		1897, 395
	1898, 159		1897, 397
	1898, 160		1897, 398
	1898, 163		1897, 399
	1898, 164		1897, 402

	Page		Page
<i>Canis familiaris</i>	1897, 403	<i>Canis lateralis</i>	1899, 542
	1897, 404		1899, 543
	1897, 405	<i>latrans</i>	1900, 301
	1897, 406	<i>lupaster</i>	1899, 535
	1897, 407		1899, 536
	1898, 154		1899, 537
	1898, 156		1900, 101
	1898, 159	<i>lupus</i>	1897, 400
	1898, 160		1898, 172
	1898, 163		1899, 536
	1898, 164		1899, 537
	1898, 165	— <i>laniger</i>	1893, 449
	1898, 167	— <i>pallipes</i>	1899, 537
	1898, 168	<i>magellanicus</i>	1900, 77
	1898, 169		1900, 383
	1898, 171	<i>megalotis</i>	1899, 549
	1898, 172		1899, 550
	1898, 175	<i>mengesi</i>	1899, 538
	1900, 333		1899, 539
	1900, 874	<i>mesomelas</i>	1892, 109
<i>fenecus</i>	1899, 545		1894, 146
	1899, 549		1898, 154
<i>hadramauticus</i>	1899, 535		1898, 156
	1899, 536		1898, 157
	1900, 101		1898, 159
	1900, 301		1898, 160
<i>hagenbecki</i>	1899, 533		1898, 163
	1899, 538		1898, 164
	1899, 539		1898, 165
<i>holubi</i>	1899, 541		1898, 167
<i>hyænoides</i>	1899, 551		1898, 168
<i>jubatus</i>	1894, 299		1898, 169
	1894, 300		1898, 171
	1896, 785		1898, 172
	1897, 812		1898, 173
	1900, 77		1898, 764
	1900, 773		1899, 534
<i>lagopus</i>	1897, 373		1899, 538
	1897, 396		1899, 539
	1897, 398		1899, 540
	1897, 403		1899, 541
	1898, 154		1899, 542
	1898, 157		1899, 543
	1898, 159	— <i>schmidtii</i>	1899, 539
	1898, 160		1899, 540
	1898, 165	<i>niloticus</i>	1899, 543
	1898, 169		1899, 544
	1898, 171	<i>occidentalis</i>	1900, 301
	1898, 172	<i>ochropus</i>	1900, 301
	1898, 173	<i>pallidus</i>	1899, 544
<i>lalandi</i>	1899, 550		1899, 547
<i>lateralis</i>	1896, 784		1899, 550
	1896, 785	<i>pallipes</i>	1894, 450
	1896, 793		1899, 536
	1897, 812		1899, 537
	1899, 533		1900, 95
	1899, 540		1900, 101
	1899, 541	<i>pictus</i>	1899, 551

	Page		Page
<i>Canis riparius</i>	1899, 537	<i>Canistrum satyrus</i>	1892, 448
	1899, 538	<i>stabilis</i>	1892, 448
<i>rüppelli</i>	1899, 544		1892, 452
	1899, 547	<i>Canopus bubo</i>	1895, 740
<i>sabbar</i>	1899, 544	<i>rubripes</i>	1893, 677
<i>sacer</i>	1899, 537	<i>Cantao ocellatus</i>	1900, 822
<i>simensis</i>	1899, 534	<i>Cantharus bleekeri</i>	1899, 505
<i>simiensis</i>	1899, 535	<i>tissoti</i>	1891, 409
<i>sinus</i>	1899, 535	<i>Canthocamptus finni</i> ..	1893, 164
<i>variegatoides</i>	1899, 539		1893, 166
<i>variegatus</i>	1894, 391	<i>northumbicus</i>	1893, 165
	1899, 534	<i>trispinosus</i>	1893, 165
	1899, 537	<i>Cantoria elongata</i>	1896, 888
	1899, 538	<i>violacea</i>	1896, 888
	1899, 539		1899, 606
	1899, 540		1899, 679
	1899, 541	<i>Canuza euspilella</i>	1895, 950
	1899, 542	<i>Caouana olivacea</i>	1896, 860
	1899, 543		1899, 618
<i>virginianus</i>	1894, 531	<i>Caphyra rotundifrons</i> ..	1900, 569
<i>vulpecula</i>	1899, 544		1900, 579
<i>vulpes</i>	1897, 372		1900, 580
	1897, 376	<i>Caphys bilinea</i>	1897, 678
	1897, 391	<i>dubia</i>	1897, 678
	1897, 394	<i>fovealis</i>	1897, 679
	1897, 400	<i>pallida</i>	1897, 678
	1897, 409	<i>palmipes</i>	1897, 679
	1898, 73	<i>subrosealis</i>	1897, 678
	1898, 154	<i>Capido akaba</i>	1895, 578
	1898, 172	<i>aluta</i>	1895, 578
	1898, 186	<i>cærulea</i>	1895, 582
	1899, 292	<i>cassius</i>	1900, 199
	1899, 543	<i>cornuta</i>	1895, 575
	1899, 544	<i>Capila hainana</i>	1900, 510
— <i>ægyptiacus</i>	1899, 543	<i>jayadeva</i>	1892, 648
	1899, 544		1893, 18
— <i>atlantica</i>	1897, 957		1893, 30
	1899, 544	<i>Capito (Micropogon)</i>	
— <i>melanogaster</i> ..	1899, 544	<i>cayennensis</i>	1896, 557
<i>walgie</i>	1899, 535	<i>Capnodes basalis</i>	1896, 648
<i>wunderlichi</i>	1899, 541	<i>concinna</i>	1896, 648
	1899, 542	<i>extima</i>	1896, 640
<i>zerda</i>	1899, 545	<i>maculicosta</i>	1892, 128
	1899, 547	<i>mundicola</i>	1896, 648
	1899, 548	<i>rufinans</i>	1898, 368
	1899, 549	<i>Capnoptera sp.</i>	1900, 854
<i>(Lycaon) tricolor</i> ..	1899, 551		1900, 855
<i>(Vulpes) dorsalis</i> ..	1899, 547	<i>staudingeri</i>	1900, 854
<i>Canistrum balanoides</i> ..	1892, 448	<i>Caponina</i>	1891, 573
	1892, 452	<i>testacea</i>	1891, 573
<i>belcheri</i>	1892, 448	<i>Capra</i>	1900, 144-167
<i>breviculus</i>	1892, 448	<i>ægagrus</i>	1891, 386
<i>cinerosa</i>	1892, 448		1894, 3
<i>dilatata</i>	1892, 448		1899, 599
<i>euryzona</i>	1892, 448		1900, 303
<i>luzonica</i>	1892, 448	— <i>jourensis</i>	1899, 599
<i>ovoidea</i>	1892, 448	<i>caucasica</i>	1893, 175
	1892, 452		1893, 177

	Page		Page
Capra caucasica	1893, 729	Capromys fourrieri	1894, 280
	1893, 730		1894, 281
	1897, 811	melanurus	1892, 524
cylindricornis	1893, 730		1894, 252
	1894, 453		1894, 257
	1900, 303		1894, 259
dorcas	1894, 453		1894, 260
	1899, 599		1894, 262
grimmia	1892, 428		1894, 264
hircus	1891, 386		1894, 270
	1899, 599		1894, 277
	1900, 718		1894, 280
— thebaica	1897, 473		1894, 286
ibex	1900, 303	pilorides	1892, 596
megaceros	1896, 506		1892, 597
mengesi	1897, 900		1892, 598
	1897, 901		1894, 251
pyrenaica	1900, 686		1894, 259
severtzowi	1893, 730		1894, 260
	1894, 453		1894, 262
sibirica	1893, 449		1894, 264
	1895, 691		1894, 277
	1900, 303	Caprona adelica	1896, 19
— dauvergnei	1900, 114	canopus	1893, 62
— sacin	1900, 115		1896, 19
sinaitica	1891, 464		1898, 199
	1895, 555		1900, 913
	1897, 901		1900, 943
	1900, 104	erosula	1893, 62
sylvestris africana ..	1892, 428	jamesoni	1893, 669
walie	1894, 454		1896, 18
Capreolus	1900, 144-167	pillaana	1893, 44
caprea	1900, 686		1893, 62
pygargus	1899, 987		1893, 131
Capricornis sumatrensis ..	1896, 784		1893, 669
Caprimulgus æquicau-			1896, 19
datus	1892, 385	potiphera	1893, 62
decussatus	1892, 385	ransonnetii	1893, 62
donaldsoni	1895, 503	saraya	1893, 62
frænatus	1900, 600	syrichthus	1893, 62
indicus jotaka	1900, 486	taylorii	1893, 62
inornatus	1895, 503	Capsus caliginus	1894, 193
jotaka	1900, 486	Capulus compressus	1891, 437
lentiginosus	1900, 600		1891, 444
pruinus	1892, 384	Capys alpheus	1896, 831
trimaculatus	1900, 600	connexiva	1896, 831
Caprinia	1898, 597		1896, 850
	1898, 667	disjunctus	1896, 831
cirrhalis	1898, 668	Caradrina conducta	1894, 588
conchylalis	1898, 668	distans	1896, 639
conglobatalis	1898, 668	exigua	1896, 260
diaphanalisis	1898, 668	indicata	1894, 588
felderi	1898, 668	laphygmoides	1896, 639
hypheusalis	1898, 668	orbicularis	1894, 587
intermedia	1898, 668	Carales celer	1892, 282
periusalis	1898, 668	Caralisa editha	1896, 636
Caprocoris nigricornis ..	1900, 823	Caranx djeddaba	1899, 442
Capromys fourrieri	1894, 252	ferdau	1899, 446

	Page		Page
<i>Caranx lioglossus</i>	1892, 135	<i>Cardiosoma carnifex</i> ..	1900, 594
<i>melampygus</i>	1899, 452	<i>guanhami carnifex</i> ..	1900, 594
<i>rotteri</i>	1892, 135	<i>hirtipes</i>	1900, 569
<i>Carbula difficilis</i>	1900, 812	1900, 570
<i>fusca</i>	1900, 812	1900, 594
<i>indica</i>	1900, 812	<i>obscura</i>	1900, 594
<i>insocia</i>	1900, 812	<i>Cardita angisulcata</i>	1891, 435
.....	1900, 823	<i>variegata</i>	1891, 435
<i>melacantha</i>	1900, 812	(Beguina) guber-	
.....	1900, 824	<i>naculum</i>	1891, 429
<i>obscura</i>	1900, 812	<i>Cardium amboinense</i> ..	1891, 433
(Pentatoma) ob-		<i>australis</i>	1891, 428
<i>scura</i>	1900, 812	<i>edule</i>	1891, 397
<i>Carcantia</i>	1899, 284	<i>flavum</i>	1891, 435
<i>pterophoralis</i>	1899, 285	<i>marmoreum</i>	1891, 435
<i>Carcha hersilialis</i>	1897, 653	<i>pseudolima</i>	1891, 435
<i>violalis</i>	1897, 654	<i>rubicundum</i>	1891, 428
<i>Carcharias acutidens</i> ..	1892, 136	<i>rugosum</i>	1891, 428
<i>acutus</i>	1892, 135	<i>setosum</i>	1891, 428
<i>elliotti</i>	1892, 135	<i>Carduelis carduelis</i>	1896, 311
<i>glaucus</i>	1899, 466	<i>elegans</i>	1896, 311
.....	1899, 476	<i>Carea sp.</i>	1892, 124
<i>lamia</i>	1892, 136	<i>Carenochrous taczan-</i>	
<i>murrayi</i>	1892, 135	<i>owskii</i>	1896, 347
<i>obscurus</i>	1899, 468	<i>tricolor</i>	1896, 347
<i>pleurotænia</i>	1899, 476	<i>Caretta squamata</i>	1896, 860
<i>Carcharodus alceæ</i>	1893, 67	1899, 618
.....	1893, 68	<i>Carettochelys inculpta</i> .	1898, 851
.....	1896, 26	<i>Cariacus sp.</i>	1896, 986
— <i>australis</i>	1893, 67	1896, 988
— <i>nostras</i>	1893, 67	<i>campestris</i>	1894, 313
<i>althææ</i>	1893, 68	<i>inornatus</i>	1900, 302
— <i>boeticus</i>	1893, 68	<i>leucurus</i>	1896, 985
— <i>marrubii</i>	1893, 68	1896, 986
<i>dravira</i>	1893, 68	1896, 988
<i>elma</i>	1896, 26	<i>macrurus</i>	1900, 303
<i>gemina</i>	1893, 68	<i>mexicanus</i>	1900, 303
<i>lavateræ</i>	1893, 44	<i>nemorivagus</i>	1894, 503
.....	1893, 67	<i>paludosus</i>	1892, 175
.....	1896, 26	1896, 784
<i>malvæ</i>	1893, 67	<i>rufus</i>	1896, 986
<i>malvarum</i>	1893, 67	<i>savannarum</i>	1897, 303
<i>midea</i>	1896, 27	<i>simplicicornis</i>	1892, 175
<i>swinhoei</i>	1893, 67	<i>virginianus</i>	1896, 985
.....	1893, 68	1896, 988
<i>Carcinoplax integer</i>	1900, 750	<i>Cariama cristata</i>	1896, 150
<i>subinteger</i>	1900, 750	1897, 813
.....	1900, 770	1900, 304
— <i>hirsutior</i>	1900, 751	<i>Caridea</i>	1899, 708
<i>Carcinus mænas</i>	1897, 721	<i>Caridina brevirostris</i> ..	1899, 709
<i>Cardiastethus assimilis</i> .	1894, 201	<i>gracilirostris</i>	1899, 709
<i>consimilis</i>	1894, 156	<i>singhalensis</i>	1899, 709
<i>elegans</i>	1894, 156	<i>typus</i>	1899, 708
.....	1894, 201	1899, 709
<i>Cardinalis virginianus</i> ..	1896, 228	<i>vitiensis</i>	1898, 1001
<i>Cardioglossa</i>	1900, 445	1898, 1003
<i>gracilis</i>	1900, 446	1898, 1015
<i>Cardiosoma carnifex</i> ..	1900, 570	<i>weberi</i>	1898, 1003

	Page		Page
<i>Caridina wycki</i>	1898, 1001	<i>Caryophyllia sinuosa</i> ..	1899, 738
	1898, 1003	<i>Carystus bursa</i>	1893, 121
	1899, 705	<i>cerymicanus</i>	1896, 94
	1899, 706	<i>claudianus</i>	1893, 121
	1899, 707	<i>evander</i>	1896, 81
	1899, 708	<i>jolus</i>	1893, 93
	1899, 709		1893, 121
	1899, 711	<i>ladana</i>	1892, 662
<i>Carine glaux</i>	1895, 504	<i>laufella</i>	1896, 83
<i>spilogastra</i>	1895, 504	<i>marpesia</i>	1893, 121
<i>Caripræa mendaciaria</i> ..	1896, 646	<i>philander</i>	1896, 81
<i>Carmala flexata</i>	1896, 646	<i>phorcus</i>	1893, 121
<i>Carphibis spinicollis</i> ..	1895, 271	<i>thersander</i>	1896, 78
<i>Carpiliodes margaritatus</i> .	1900, 731	<i>xanthias</i>	1896, 78
<i>monticulosus</i>	1900, 570	<i>Casama vilis</i>	1897, 925
	1900, 585	<i>Casandria emittens</i>	1896, 638
<i>pallidus</i>	1900, 570	<i>Casarca rutila</i>	1900, 961
	1900, 586	<i>Cassicus albostris</i>	1896, 353
	1900, 595	<i>chrysopterus</i>	1896, 353
	1900, 741	<i>hæmorrhous</i>	1899, 513
<i>rugatus</i>	1900, 732	<i>leucorhamphus</i>	1896, 354
<i>rugipes</i>	1900, 732	<i>persicus</i>	1896, 354
<i>socius</i>	1900, 731	<i>solitarius</i>	1896, 354
	1900, 770	<i>Cassida sp.</i>	1893, 748
<i>tristis</i>	1900, 570	<i>bonnyana</i>	1892, 94
	1900, 585	<i>fuscopunctata</i>	1892, 95
<i>vaillantianus</i>	1900, 570	<i>hepatica</i>	1892, 94
	1900, 585	<i>hybrida</i>	1893, 747
<i>Carpilioxanthus vailliantianus</i>	1900, 585	<i>pallidula</i>	1892, 95
<i>Carpilius convexus</i>	1900, 570	<i>parummaculata</i> ..	1893, 747
	1900, 585	<i>signatipennis</i>	1892, 94
<i>maculatus</i>	1900, 570	<i>strigosa</i>	1892, 95
	1900, 585	<i>Cassidina</i>	1900, 558
<i>marginatus</i>	1900, 730	<i>emarginata</i>	1900, 559
<i>roseus</i>	1900, 730		1900, 560
<i>Carpocapsa assumptana</i> .	1897, 128		1900, 561
<i>grossana</i>	1897, 130		1900, 562
<i>pomonella</i>	1897, 130	<i>latistylis</i>	1900, 559
<i>splendana</i>	1897, 130		1900, 562
<i>transferrana</i>	1891, 501	<i>maculata</i>	1900, 559
	1891, 502		1900, 561
	1897, 123		1900, 562
<i>Carponycteris minima</i> ..	1893, 494	<i>neo-zealanica</i>	1900, 559
	1900, 341		1900, 562
	1900, 875	<i>typa</i>	1900, 559
<i>Carpophaga ænea</i>	1900, 501		1900, 560
<i>chathamensis</i>	1891, 312		1900, 561
<i>griseicapilla</i>	1900, 501		1900, 562
<i>novæ-zealandiæ</i> ..	1891, 312	<i>Cassidix oryzivora</i>	1899, 513
	1891, 313	<i>Cassidula auris-felis</i> ...	1891, 339
<i>sylvatica</i>	1900, 501	<i>mustelina</i>	1891, 339
<i>Carterocephalus palæmon</i>	1893, 89	<i>Cassidulina bradyi</i>	1895, 25
<i>Carthara albicosta</i>	1896, 648		1895, 51
<i>Carupa læviuscula</i>	1900, 568	<i>calabra</i>	1895, 25
	1900, 578		1895, 51
<i>Caryophyllia clavus</i> ..	1898, 995	<i>lævigata</i>	1895, 26
<i>glabrescens</i>	1899, 735		1895, 51
		<i>murrhina</i>	1895, 6

	Page		Page
<i>Cassidulina murrhina</i> ..	1895, 25	<i>Castalius margaritaceus</i> ..	1894, 343
	1895, 51		1895, 733
<i>parkeriana</i>	1895, 26		1900, 913
	1895, 51		1900, 929
<i>subglobosa</i>	1895, 25	<i>mekena</i>	1894, 343
	1895, 51		1897, 844
<i>Cassina obscura</i>	1894, 642	—, var.	1898, 404
	1894, 644	<i>peculiaris</i>	1899, 966
	1894, 646	<i>resplendens</i>	1896, 108
	1895, 54		1896, 120
	1896, 217	<i>rosimon</i>	1892, 628
<i>senegalensis</i>	1893, 618		1895, 558
<i>Cassis erinaceus</i>	1891, 412		1895, 586
<i>fauroti</i>	1891, 435	<i>roxus</i>	1892, 628
<i>glaucia</i>	1891, 411		1895, 558
<i>nodulosa</i>	1891, 412		1895, 587
<i>pila</i>	1891, 412	<i>Castaneira spinosa</i>	1897, 882
<i>torquata</i>	1891, 412	<i>Castnia endelechia</i>	1893, 280
	1891, 435	<i>eudesmia</i>	1893, 281
<i>turgida</i>	1891, 412	<i>Castor canadensis</i>	1892, 596
<i>vibex</i>	1891, 412		1892, 597
<i>Castalia chandra</i>	1891, 273		1894, 252
<i>Castalius azureus</i>	1893, 661		1894, 269
<i>calice</i>	1894, 568		1894, 277
	1894, 569		1894, 282
	1896, 120		1894, 284
	1896, 829		1894, 291
	1896, 852		1894, 356
	1897, 844	<i>fiber</i>	1891, 243
	1898, 907		1893, 180
<i>carana</i>	1891, 636		1893, 612
<i>cretosus</i>	1894, 568		1894, 356
<i>elna</i>	1892, 628	<i>Casuarina armata</i>	1897, 647
	1895, 558	<i>crumena</i>	1897, 648
	1895, 586	<i>Casuarinus australis</i>	1899, 291
	1900, 508	<i>beccarii</i>	1899, 291
<i>ethion</i>	1892, 628		1899, 789
	1895, 558	<i>bennetti</i>	1899, 291
	1895, 586		1899, 774
<i>gregorii</i>	1894, 568		1899, 775
	1894, 593	<i>bicarunculatus</i>	1899, 291
	1899, 418		1899, 774
	1899, 421	<i>casuarinus</i>	1899, 774
<i>hintza</i>	1896, 108		1899, 775
	1896, 120	— <i>australis</i>	1899, 774
	1898, 194		1899, 775
	1899, 422	— <i>beccarii</i>	1899, 774
<i>hypoleucus</i>	1893, 660	— <i>intensus</i>	1899, 774
	1894, 14	— <i>salvadorii</i>	1899, 775
	1894, 607		1899, 774
	1896, 828	— <i>scilateri</i>	1899, 774
	1899, 966		1899, 776
<i>lactinatus</i>	1891, 636	— <i>viollicollis</i>	1899, 774
	1896, 525		1899, 775
	1897, 924	<i>intensus</i>	1899, 789
<i>leucon</i>	1893, 661	<i>laglaizei</i>	1899, 775
<i>margaritaceus</i>	1891, 636	<i>loriæ</i>	1899, 774
	1891, 638		

	Page		Page
Casuaris loriæ	1899, 775	Catamenia analoïdes ..	1892, 407
occipitalis	1899, 291		1892, 408
papuanus	1899, 291	homochrea	1896, 350
	1899, 774	inornata	1892, 402
	1899, 775	— minor	1896, 349
— edwardsi	1899, 775	rufirostris	1896, 349
philipi	1899, 774	Catamerus fairmairei ..	1893, 742
	1899, 775	intermedius	1893, 742
picticollis	1899, 774	revoili	1893, 741
	1899, 775		1893, 742
— hecki	1899, 775	rugosus	1893, 741
salvadorii	1899, 291		1893, 742
tricarunculatus	1899, 775	transvaalensis	1893, 742
uniappendiculatus ..	1892, 471	Cataonia	1899, 277
	1899, 774	monocerialis	1899, 285
	1899, 775	Catapocilma bubases ..	1892, 640
	1899, 776	elegans	1892, 640
	1900, 306		1892, 641
— aurantiacus	1899, 774		1895, 558
	1900, 306		1895, 612
— occipitalis	1899, 774	subochrea	1892, 640
	1899, 775		1892, 664
violicollis	1899, 291	Catapsephis	1898, 594
westermanni	1896, 783		1898, 612
Casyapa caristus	1893, 29	apicipuncta	1898, 612
corvus	1893, 18	Catarrhactes catarrhac-	
	1893, 29	tes	1898, 981
critomedia	1893, 29	chrysocome	1898, 959
lalita	1892, 657		1898, 960
maracanda	1896, 88		1898, 961
odix	1893, 29		1898, 963
phanæus	1892, 657		1898, 965
Cataclysmæ argyridia ..	1894, 592		1898, 967
	1894, 593		1898, 969
Cataclysta æalis	1896, 643		1898, 971
æglesalis	1896, 643		1898, 975
bisectalis	1899, 287		1898, 980
cæsoalis	1896, 643		1898, 981
egressalis	1895, 959		1898, 983
fraterna	1898, 637		1898, 985
insulalis	1896, 650		1898, 986
pantheralis	1896, 640		1898, 988
pegasalis	1896, 640		1898, 989
phædralis	1896, 640	chrysolophus	1898, 959
principalis	1895, 959		1898, 960
	1896, 640		1898, 961
robinsonii	1895, 959		1898, 963
Catacteniza euvexalis ..	1899, 285		1898, 965
Catadupa integrana	1897, 661		1898, 977
Catagela admotella ..	1895, 916		1898, 978
leucania	1895, 973		1898, 983
Catamblyrhynchus dia-			1898, 984
dema	1896, 350		1898, 985
— citrinifrons	1896, 350		1898, 986
Catamenia analis	1892, 376	pachyrhynchus	1898, 981
	1892, 403		1898, 983
analoïdes	1892, 376		1898, 985
	1892, 403		1898, 986

	Page		Page
Catarrhactes schlegeli ..	1898, 959	Catochrysops glauca ..	1896, 119
	1898, 960		1896, 828
	1898, 963		1898, 193
	1898, 964	hippocrates	1896, 119
	1898, 981		1898, 404
sclateri	1898, 981	hypoleucus	1898, 403
Cataulacus simoni	1896, 417		1898, 907
taprobanae	1896, 416	ignota	1897, 843
Caterva catenaria	1896, 649		1898, 193
Catharia	1899, 235	lithargyria	1891, 369
Catharistes atratus	1892, 388	mahallokoæna	1897, 843
	1892, 408		1898, 193
aura	1892, 396		1898, 907
— perniger	1892, 388	niobe	1898, 187
	1892, 408		1898, 193
perniger	1892, 389	osiris	1893, 660
urubu	1892, 396		1894, 557
Catharsius platycerus ..	1893, 748		1894, 568
Cathartes atratus	1896, 778		1896, 118
urubitinga	1896, 784		1896, 852
Catharylla contiguella .	1895, 948		1897, 692
fuscipes	1895, 944		1897, 693
interrupta	1895, 948		1898, 54
lusella	1895, 944		1898, 403
nummulalis	1895, 944		1898, 826
rufisignella	1895, 948	pandava	1892, 627
Cathorama herbarium ..	1898, 325		1895, 558
	1898, 327		1895, 585
Catoblepas gnu	1900, 691	parsimon	1895, 732
gorgon	1894, 131		1896, 119
Catochrysops ariadne ..	1898, 193		1897, 842
	1898, 201		1897, 843
asopus	1893, 660	patala	1892, 444
	1896, 244	patricia	1897, 842
	1896, 256		1898, 54
	1897, 692		1898, 192
	1897, 842	peculiaris	1899, 421
	1898, 192		1899, 965
asteris	1896, 533		1899, 975
	1896, 828	perpulchra	1896, 828
barkeri	1898, 192		1898, 403
caffrariae	1897, 843		1899, 421
cnejus	1891, 369	platissa	1891, 369
	1892, 435		1892, 435
	1892, 444		1892, 444
	1895, 558		1892, 445
	1895, 585	plebeia	1898, 192
	1896, 244		1898, 201
	1896, 256	procera	1897, 842
contracta	1896, 244	sancti-thomæ	1893, 556
	1896, 250	strabo	1891, 369
	1896, 256		1892, 444
	1899, 810		1892, 627
dolorosa	1897, 843		1895, 558
	1898, 193		1895, 585
ella	1893, 556		1900, 508
gigantea	1898, 907	vitiensis	1892, 437
glauca	1896, 108	Catonia	1895, 61

	Page		Page
<i>Catonia intricata</i>	1895, 61	<i>Causus rostratus</i>	1892, 555
<i>Catophaga albina</i>	1900, 509	<i>Cavernularia glans</i>	1894, 376
<i>Catopsilia agarithe</i>	1900, 201	<i>lütkeni</i>	1894, 378
<i>aleurona</i>	1896, 255	<i>malabarica</i>	1894, 376
<i>eubule</i>	1900, 200		1894, 378
<i>florella</i>	1893, 664		1894, 379
	1894, 347	<i>Cavia aperea</i>	1894, 309
	1894, 578	<i>australis</i>	1898, 211
	1895, 720		1899, 928
	1896, 128	<i>boliviensis</i>	1898, 211
	1896, 247	<i>capensis</i>	1892, 60
	1896, 254	<i>cobaya</i>	1894, 252
	1896, 255		1894, 256
	1896, 256		1894, 257
	1896, 528		1894, 260
	1896, 536		1894, 261
	1896, 852		1894, 263
	1897, 693		1894, 264
	1897, 777		1894, 265
	1897, 924		1894, 270
	1898, 55		1894, 276
	1898, 198		1894, 277
	1898, 371		1894, 278
	1898, 381		1894, 280
	1898, 412		1894, 281
	1898, 824		1894, 282
	1898, 911		1894, 283
	1899, 424		1894, 284
	1900, 14		1894, 287
	1900, 935		1894, 289
— <i>aleurona</i>	1896, 256		1894, 290
— <i>hyblæa</i>	1896, 256		1894, 291
— <i>pyrene</i>	1896, 256		1894, 292
	1899, 812		1894, 293
<i>hyblæa</i>	1896, 255	<i>cutleri</i>	1893, 340
<i>pyranthe</i>	1900, 509	<i>porcellus</i>	1891, 244
<i>pyrene</i>	1893, 664		1892, 596
	1894, 577		1892, 605
	1895, 263	<i>rupestris</i>	1896, 987
	1895, 735	<i>(Kerodon) bolivi-</i>	
	1896, 255	<i>ensis</i>	1893, 341
	1898, 381	<i>Cavifrons biundulalis</i> ..	1899, 287
	1900, 935	<i>Cavolina uncinata</i>	1895, 5
<i>statira</i>	1900, 200	<i>Cebrennus æthiopiæ</i> ..	1900, 52
<i>Catorintha mendica</i>	1893, 705	<i>Cecrops latreillii</i>	1899, 465
<i>selector</i>	1894, 179	<i>Cecropterus aunus</i>	1893, 32
<i>Catostomus macrolepi-</i>		<i>bipunctatus</i>	1893, 32
<i>dotus</i>	1899, 481	<i>cincta</i>	1893, 32
<i>Catuna crithea</i>	1895, 728	<i>itylus</i>	1893, 32
	1896, 852	<i>neis</i>	1893, 32
<i>Caulastræa</i>	1899, 735	<i>phrynicus</i>	1893, 32
	1900, 125	<i>zarex</i>	1893, 18
<i>Caustoloma acutipennis</i> .	1897, 614		1893, 31
<i>Causus jacksoni</i>	1894, 88		1893, 32
<i>rhombeatus</i>	1891, 303	<i>Celæna canifimbria</i>	1896, 649
	1893, 618	<i>expuncta</i>	1896, 637
	1895, 539	<i>inquieta</i>	1896, 639
	1897, 801	<i>plagiata</i>	1896, 637

	Page		Page
<i>Celaena subobliqua</i>	1896, 639	<i>Celaenorrhinus meditrina</i> 1896,	103
<i>tetera</i>	1896, 639	<i>mokeezi</i>	1893, 50
	1896, 650		1896, 15
<i>Celaenorrhinus</i> am-			1897, 856
<i>bareesa</i>	1893, 49	<i>munda</i>	1893, 49
<i>area</i>	1893, 50	<i>nigricans</i>	1892, 661
<i>asmara</i>	1893, 49	<i>omeia</i>	1892, 657
<i>astrigera</i>	1893, 49	<i>opalinus</i>	1900, 942
<i>atratus</i>	1896, 13		1900, 943
	1896, 14		1900, 946
<i>aurivittata</i>	1893, 50	<i>patula</i>	1892, 660
	1893, 115	<i>pero</i>	1892, 660
<i>badia</i>	1893, 49		1893, 49
<i>biseriata</i>	1893, 49	<i>pinwilli</i>	1892, 661
	1896, 13	<i>plagifera</i>	1892, 660
	1896, 103	<i>proxima</i>	1893, 49
	1900, 942	<i>pulomaya</i>	1892, 659
	1900, 943		1893, 49
<i>boadicea</i>	1893, 49	<i>putra</i>	1893, 49
	1896, 14	<i>pyrrha</i>	1892, 659
	1896, 103		1893, 49
<i>cacus</i>	1892, 661	<i>rutilans</i>	1896, 12
	1893, 49	<i>shema</i>	1893, 49
<i>chamunda</i>	1892, 661	<i>simula</i>	1893, 49
	1893, 49	<i>spilothyrus</i>	1893, 49
<i>chrysoglossa</i>	1896, 14	<i>sumitra</i>	1892, 659
	1896, 103		1892, 660
<i>clitus</i>	1892, 660		1893, 49
<i>collucens</i>	1896, 13	<i>thrax</i>	1896, 60
<i>consertus</i>	1893, 49	<i>Celeia</i> sp.	1892, 124
<i>cynapes</i>	1893, 49	<i>Celeus ochraceus</i>	1896, 773
<i>dhanada</i>	1893, 50	<i>Cemiostoma coffeella</i>	1897, 142
	1893, 115	<i>Cenchrea dorsalis</i>	1895, 69
<i>eligiüs</i>	1893, 43	<i>exquisita</i>	1895, 69
	1893, 49	<i>Centetes ecaudatus</i>	1892, 503
<i>fusca</i>	1893, 49		1894, 356
<i>galenus</i>	1893, 49		1894, 375
	1896, 12		1896, 975
	1900, 942		1900, 772
<i>homeyeri</i>	1896, 15	<i>Centruscus niloticus</i>	1898, 816
<i>humbloti</i>	1896, 14	<i>Centrites oreas</i>	1891, 132
<i>illustris</i>	1896, 12		1896, 359
<i>interniplaga</i>	1896, 13	<i>Centromyrmex feæ</i>	1896, 415
<i>ladana</i>	1893, 115	<i>Centronotus gunellus</i>	1899, 940
<i>leucocerca</i>	1892, 661	<i>Centropages typicus</i>	1898, 541
	1893, 49		1898, 543
<i>luehderi</i>	1896, 15	<i>Centropus</i> sp.	1894, 598
<i>lugens</i>	1893, 49	<i>bengalensis</i>	1900, 485
<i>macrostictus</i>	1896, 14	<i>burchelli</i>	1900, 2
<i>maculata</i>	1893, 49	<i>natalensis</i>	1897, 189
	1896, 13	<i>rufipennis</i>	1900, 485
	1896, 103	<i>senegalensis</i>	1894, 606
	1900, 942		1900, 958
	1900, 943	<i>sinensis</i>	1900, 485
<i>maculosa</i>	1892, 659	<i>supercilius</i>	1895, 494
	1893, 49	<i>viridis</i>	1900, 485
<i>meditrina</i>	1893, 49	<i>Centropyx viridistriga</i>	1894, 724
	1896, 12	<i>Centrurus gambiensis</i>	1899, 836

	Page
<i>Centrurus margaritatus</i>	1899, 836
<i>Cephalolepis delandii</i> ..	1899, 510
<i>Cephalophus</i> , <i>see</i> <i>Cephalophus</i> .	
<i>Cephalomys prorsus</i> ..	1899, 560
<i>Cephalophus</i>	1900, 701
	1900, 704
	1900, 707
	1900, 713
<i>sp.</i>	1896, 984
<i>abyssinicus</i>	1892, 415
	1892, 427
	1892, 429
	1900, 83
	1900, 686
<i>aequatorialis</i>	1895, 341
	1898, 393
	1898, 394
<i>anchitæ</i>	1892, 426
<i>aureus</i>	1892, 419
	1892, 420
<i>badius</i>	1892, 420
	1892, 422
	1892, 471
<i>bicolor</i>	1892, 427
<i>breviceps</i>	1892, 420
	1892, 422
<i>callipygus</i>	1892, 415
	1892, 422
<i>campbelli</i>	1892, 428
	1900, 303
<i>coronatus</i>	1892, 415
	1892, 424
	1892, 427
	1892, 429
	1896, 506
	1896, 984
	1898, 350
	1900, 303
<i>doriae</i>	1892, 414
	1892, 415
	1892, 424
	1900, 686
<i>dorsalis</i>	1891, 327
	1892, 415
	1892, 420
	1892, 422
	1900, 686
— <i>castaneus</i>	1892, 420
	1892, 421
	1900, 714
— <i>typicus</i>	1892, 420
	1892, 421
<i>grimmi</i>	1892, 414
	1892, 415
	1892, 425
	1892, 427
	1892, 428

	Page
<i>Cephalophus grimmi</i> ..	1892, 429
	1892, 554
	1893, 504
	1895, 362
	1896, 796
	1897, 451
	1899, 828
	1899, 832
	1900, 686
<i>harveyi</i>	1897, 813
	1899, 773
<i>hecki</i>	1898, 393
<i>jentiuki</i>	1892, 415
	1892, 417
	1892, 421
<i>leucogaster</i>	1892, 415
	1892, 420
	1892, 422
	1900, 686
<i>longiceps</i>	1892, 416
	1892, 417
	1892, 418
<i>lugens</i>	1898, 393
	1898, 394
	1899, 553
	1899, 771
<i>maxwelli</i>	1892, 415
	1892, 424
	1892, 426
	1892, 427
	1892, 429
	1898, 350
	1899, 828
<i>melanoprymnus</i> ..	1892, 416
	1892, 417
	1892, 418
<i>melanorheus</i>	1892, 415
	1892, 426
	1892, 427
	1898, 393
	1898, 394
	1900, 714
<i>monticola</i>	1892, 415
	1895, 362
	1898, 393
	1898, 394
	1899, 830
	1899, 833
<i>natalensis</i>	1892, 415
	1892, 419
	1895, 341
	1895, 362
	1899, 773
	1899, 832
<i>niger</i>	1892, 415
	1892, 425
<i>nigrifrons</i>	1892, 415
	1892, 419

	Page		Page
<i>Cephalophus nigrifrons</i> .	1892, 471	<i>Ceraphron subopacus</i> ..	1895, 788
	1899, 773	<i>Cerastes cornutus</i>	1895, 705
<i>ogilbyi</i>	1892, 415		1897, 2
<i>pluto</i>	1892, 425	<i>vipera</i>	1892, 23
<i>punctulatus</i>	1892, 425	<i>Cerataarcha</i>	1898, 595
<i>ruficrista</i>	1892, 414		1898, 709
<i>rufilatus</i>	1892, 415	<i>umbrosa</i>	1898, 709
	1892, 423	<i>Ceratina picta</i>	1896, 454
	1896, 984	<i>simillima</i>	1896, 454
	1896, 988	<i>viridis</i>	1896, 454
	1898, 350	<i>Ceratites jaspideus</i>	1900, 33
	1899, 771	<i>Ceratium furca</i>	1898, 1029
	1899, 772	<i>tripos</i>	1898, 1029
	1900, 303	— <i>baltica</i>	1898, 1029
	1900, 686	— <i>horrida</i>	1898, 1029
<i>spadix</i>	1892, 415	— <i>macroceros</i>	1898, 1029
	1892, 418	— <i>longipes</i>	1898, 1029
<i>sylvicultrix</i>	1892, 414	— <i>scotica</i>	1898, 1029
	1892, 415	— <i>tergestina</i>	1898, 1029
	1892, 416	<i>Ceratoclasia metalis</i>	1898, 660
	1892, 417	<i>rooalis</i>	1898, 660
	1892, 418	<i>tenebralis</i>	1898, 660
	1892, 421	<i>verecundalis</i>	1898, 655
	1892, 471		1898, 713
	1894, 456	<i>Ceratocombus</i> <i>brasili-</i>	
	1896, 785	<i>ensis</i>	1894, 156
	1900, 714		1894, 196
<i>whitfieldi</i>	1892, 425		1894, 197
<i>Cephalopterus ornatus</i> ..	1896, 370	<i>minutus</i>	1894, 156
<i>Cephis galleriellus</i>	1895, 972		1894, 196
<i>Cephonodes hylas</i>	1893, 674	<i>Ceratodus</i>	1897, 602
	1896, 269	<i>forsteri</i>	1894, 632
	1896, 843		1894, 633
<i>Ceracis bifureus</i>	1898, 332		1894, 637
	1898, 333		1895, 889
<i>furcifer</i>	1898, 331		1896, 786
	1898, 332		1898, 492
<i>militaris</i>	1898, 331		1898, 586
<i>tricornis</i>	1898, 332	<i>Ceratogymna atrata</i> ..	1894, 597
<i>unicornis</i>	1898, 332		1894, 602
<i>Ceralces ferrugineus</i> ..	1893, 746	<i>Ceratogyrus</i>	1897, 745
<i>natalensis</i>	1893, 746		1897, 754
<i>ornata</i>	1893, 748	<i>darlingi</i>	1897, 754
<i>Ceramodactylus damæus</i>	1898, 912		1897, 774
<i>doræ</i>	1895, 636	<i>marshalli</i>	1897, 754
	1895, 637		1897, 774
<i>pulcher</i>	1898, 912	<i>Ceratomantis saussurei</i> .	1900, 852
<i>Cerapachys ceylonica</i> ..	1896, 424	<i>Ceratonia amyntor</i>	1891, 180
<i>femoralis</i>	1896, 424		1895, 138
<i>Ceraphron basalis</i>	1895, 743		1896, 241
	1895, 788		1898, 80
	1895, 789		1899, 293
<i>grenadensis</i>	1895, 787		1900, 182
	1895, 788	<i>undulosa</i>	1897, 296
<i>politifrons</i>	1895, 788		1898, 80
	1895, 789		1899, 293
<i>rugifrons</i>	1895, 788		1900, 182
<i>subopacus</i>	1895, 787	<i>Ceratophrys cristiceps</i> ..	1898, 477

	Page		Page
<i>Ceratoplax lævis</i>	1900, 751	<i>Cercocebus agilis</i>	1900, 303
<i>Ceratopria flavipes</i>	1895, 807	<i>albigena</i>	1893, 256
<i>grenadensis</i>	1895, 807		1894, 594
<i>Ceratorhina monocerata</i>	1896, 545		1895, 338
<i>princeps</i>	1896, 546		1895, 339
	1893, 739		1896, 784
	1893, 740		1900, 303
<i>Ceratorrhina calidana</i>	1891, 500	<i>aterrimus</i>	1894, 594
	1891, 543	<i>congius</i>	1899, 827
	1891, 548		1899, 828
	1897, 133	<i>Cercolabes caudivol-</i>	
<i>Ceratotriccus furcatus</i>	1899, 510	<i>vulus</i>	1895, 358
<i>Ceratrichia aretina</i>	1893, 117	<i>Cercoleptes brachyotis</i>	1900, 301
	1896, 35	<i>caudivulvulus</i>	1893, 592
<i>argyrosticta</i>	1893, 117		1897, 373
	1896, 80		1897, 389
<i>flava</i>	1893, 117		1898, 154
	1896, 79		1898, 184
	1896, 104		1900, 661-675
<i>nothus</i>	1893, 117	<i>Cercomacra approxi-</i>	
	1896, 79	<i>mans</i>	1896, 383
<i>phocion</i>	1893, 117	<i>hypomelæna</i>	1896, 383
	1893, 132	<i>tyrannina</i>	1896, 383
	1896, 79	<i>Cercopithecus albigu-</i>	
<i>punctata</i>	1896, 79	<i>laris</i>	1893, 250
<i>punctulata</i>	1896, 53		1893, 251
<i>quaterna</i>	1896, 16		1893, 256
<i>semilutea</i>	1896, 79		1893, 257
<i>stellata</i>	1893, 673		1893, 441
	1894, 15		1893, 442
	1894, 607		1893, 506
	1895, 265		1893, 691
	1896, 48		1894, 137
	1896, 52		1896, 789
	1898, 416		1897, 306
<i>tetrastigma</i>	1896, 15		1897, 310
<i>Cerberus rhynchops</i>	1895, 820		1898, 586
	1895, 825		1900, 179
	1896, 888		1900, 801
	1897, 196		1900, 912
	1897, 201	<i>— moloneyi</i>	1897, 927
	1897, 226	<i>ascanius</i>	1893, 244
	1899, 606		1893, 245
	1899, 679		1893, 246
<i>Cercaria cystophora</i>	1893, 498	<i>aterrimus</i>	1893, 256
<i>Cerceris emortualis</i>	1896, 446		1895, 338
<i>fervens</i>	1896, 445		1895, 339
<i>humbertiana</i>	1896, 446	<i>boutourlini</i>	1893, 256
<i>instabilis</i>	1896, 446		1893, 441
<i>novaræ</i>	1896, 445		1893, 442
<i>rufinodis</i>	1896, 446		1893, 443
<i>velox</i>	1896, 446	<i>brazzæ</i>	1893, 254
<i>viscosus</i>	1896, 446		1893, 255
<i>Cerchneis cinnamomina</i>	1892, 388		1893, 443
<i>tinnunculus</i>	1895, 510		1896, 780
	1900, 491		1896, 783
	1900, 959		1900, 801

	Page		Page
<i>Cercopithecus buetti-</i>		<i>Cercopithecus martini</i> ..	1893, 244
<i>koferi</i>	1893, 244		1893, 245
<i>burnetti</i>	1893, 251	<i>melanogenys</i>	1893, 244
<i>callitrichus</i>	1893, 247		1893, 245
	1893, 248		1893, 246
	1893, 616		1893, 257
<i>campbelli</i>	1893, 250	<i>moloneyi</i>	1893, 250
	1893, 251		1893, 252
<i>cephus</i>	1893, 244		1896, 789
	1893, 246	<i>mona</i>	1893, 250
	1894, 359		1893, 256
<i>cynomolgus</i>	1900, 316		1893, 257
<i>cynosurus</i>	1893, 247		1894, 359
	1894, 359	<i>monoides</i>	1893, 256
	1897, 305	<i>neglectus</i>	1893, 250
	1897, 310		1893, 253
<i>diadematus</i>	1893, 253		1893, 443
<i>diana</i>	1893, 253		1900, 801
	1893, 254	<i>nictitans</i>	1893, 244
	1893, 257		1893, 246
	1893, 443		1893, 257
	1894, 484	<i>nigripes</i>	1893, 253
	1896, 783		1893, 254
— <i>ignitus</i>	1893, 255	<i>ochraceus</i>	1893, 257
	1894, 484	<i>omensis</i>	1900, 801
— <i>typicus</i>	1893, 255	<i>opisthostictus</i>	1893, 725
<i>erxlebeni</i>	1893, 253	<i>palatinus</i>	1893, 257
	1893, 254	<i>patas</i>	1893, 249
	1894, 485		1900, 952
<i>erythrarchus</i>	1893, 137	<i>petaurista</i>	1893, 244
	1893, 247		1893, 245
	1893, 249		1893, 257
	1893, 258		1894, 1
<i>erythrogaster</i>	1893, 250		1897, 306
	1893, 252		1897, 310
	1894, 1	<i>picturatus</i>	1893, 257
<i>erythrotus</i>	1893, 244	<i>pluto</i>	1892, 97
	1893, 246		1893, 253
<i>flavidus</i>	1893, 256		1895, 341
<i>grayi</i>	1893, 256		1896, 789
	1894, 484	<i>pogonias</i>	1893, 243
<i>griseo-viridis</i>	1893, 247		1893, 254
	1893, 248	<i>pygerythrus</i>	1893, 247
<i>griseus</i>	1893, 248		1893, 248
<i>labiatus</i>	1893, 251		1893, 249
	1893, 356		1893, 258
<i>lalandii</i>	1893, 247	<i>pyrrhonotus</i>	1893, 249
	1893, 248		1893, 250
	1893, 615		1893, 257
	1893, 616	<i>reloway</i>	1893, 257
	1897, 306	<i>ruber</i>	1893, 249
	1897, 310		1893, 250
<i>leucampyx</i>	1893, 250		1893, 257
	1893, 253		1894, 359
	1896, 789	<i>rafo-viridis</i>	1900, 303
<i>l'hoësti</i>	1898, 586		1891, 465
<i>ludio</i>	1893, 244		1893, 246
	1893, 245		1893, 259

	Page		Page
<i>Cercopithecus rufo-</i>		<i>Ceredon rupestris</i>	1894, 287
<i>viridis</i>	1893, 258		1894, 288
<i>sabæus</i>	1893, 247		1894, 289
	1893, 248		1894, 293
	1893, 258	<i>Ceriagrion glabrum</i>	1898, 386
	1900, 952	<i>Cerianthus lloydii</i>	1897, 806
<i>samango</i>	1893, 250	<i>Cerithidea bombayana</i> ..	1891, 391
	1893, 251	<i>Cerithium cæruleum</i> ..	1891, 416
	1893, 252	<i>caillaudi</i>	1891, 391
	1893, 256	<i>columna</i>	1891, 417
	1893, 725	<i>mammillatum</i>	1891, 396
<i>schmidti</i>	1893, 244	<i>rippelli</i>	1891, 416
	1893, 245	<i>subalatum</i>	1891, 416
	1893, 246	<i>torresi</i>	1891, 417
<i>signatus</i>	1893, 257	<i>tuberculatum</i>	1891, 417
<i>stairsi</i>	1892, 580	<i>yerburyi</i>	1891, 417
	1893, 250		1891, 436
	1893, 252	(<i>Pirenella</i>) <i>mammil-</i>	
	1893, 443	<i>latum</i>	1891, 391
	1893, 612		1891, 396
	1896, 609	(<i>Vertagus</i>) <i>kochi</i> ..	1891, 416
<i>stampffii</i>	1893, 257	(—) <i>obeliscus</i> ..	1891, 416
<i>stuhlmanni</i>	1895, 341	<i>Cervoula picta</i>	1900, 347
	1900, 801	<i>Cerocala</i> sp.	1896, 529
<i>talapoin</i>	1899, 827	<i>munda</i>	1900, 19
<i>tantalus</i>	1893, 258		1900, 63
	1897, 311	<i>vermiculosa</i>	1898, 383
<i>temmincki</i>	1893, 258	<i>Cerochroa maculicollis</i> .	1892, 92
<i>wernerii</i>	1893, 258	<i>Ceroma johnstoni</i>	1898, 523
<i>wolfi</i>	1893, 258		1898, 524
	1894, 83	<i>ornatum</i>	1898, 524
<i>zechi</i>	1900, 773	<i>variatum</i>	1898, 523
<i>Cerebratulus coloratus</i> .	1900, 826		1898, 524
<i>haddoni</i>	1900, 829	<i>Ceronaba cinctaria</i>	1896, 649
	1900, 830	<i>Ceropalesis caffer</i>	1893, 744
	1900, 831	<i>revoli</i>	1900, 33
<i>lacteus</i>	1900, 826	<i>Cerorhineta calidana</i> ..	1891, 499
<i>queenslandicus</i>	1900, 827	<i>Certhiola bartolemica</i> ..	1892, 499
	1900, 830	<i>peruviana</i>	1896, 337
	1900, 831	<i>Certina muscistrigata</i> ..	1896, 644
<i>robustus</i>	1900, 829		1896, 645
<i>spadix</i>	1900, 828	<i>Cerura</i> sp.	1897, 296
<i>torresianus</i>	1900, 826		1897, 297
	1900, 830	<i>interrupta</i>	1897, 297
	1900, 831	<i>Cervicapra arundinum</i> ..	1893, 728
<i>Ceredon rupestris</i>	1894, 252		1894, 146
	1894, 256		1895, 358
	1894, 257		1896, 797
	1894, 260		1899, 555
	1894, 261		1899, 828
	1894, 263		1900, 429
	1894, 264		1900, 686
	1894, 272	<i>bohor</i>	1897, 453
	1894, 276		1900, 83
	1894, 282		1900, 804
	1894, 283		1900, 805
	1894, 284		1900, 955

	Page		Page
<i>Cervicapra chanleri</i>	1897, 453	<i>Cervus cashmirianus</i> ..	1892, 117
	1900, 805		1893, 447
<i>clarkei</i>	1891, 197		1896, 933
<i>fulvorufula</i>	1897, 897		1900, 686
	1897, 898	<i>caspicus</i>	1897, 38
	1899, 828	<i>chilensis</i>	1900, 383
	1900, 686	<i>dama</i>	1894, 490
— <i>subalbina</i>	1897, 897		1897, 41
<i>lalandii</i>	1895, 359		1899, 3
<i>redunca</i>	1898, 350		1900, 147
	1899, 936		1900, 150
<i>thomasi</i>	1900, 429		1900, 686
<i>Cervulus lachrymans</i> ..	1900, 686		1900, 706
<i>muntjac</i>	1892, 227	<i>dauidianus</i>	1895, 688
	1893, 496		1896, 784
	1899, 295		1896, 932
	1900, 371		1898, 281
	1900, 686	<i>duvauceli</i>	1896, 985
<i>reevesi</i>	1893, 591		1896, 988
	1900, 686		1899, 829
<i>Cervus</i>	1900, 77		1899, 830
<i>sp.</i>	1893, 496		1900, 686
	1896, 985	<i>dybowski</i>	1893, 444
<i>affinis</i>	1892, 117		1893, 448
	1893, 445		1897, 38
	1893, 447		1897, 40
	1893, 449		1897, 41
	1896, 933		1897, 42
<i>alfredi</i>	1900, 686	<i>elaphus</i>	1892, 117
<i>aristotelis</i>	1899, 830		1893, 444
<i>axis</i>	1897, 39		1893, 445
	1897, 41		1893, 446
	1897, 44		1893, 447
	1897, 45		1896, 831
	1899, 3		1896, 933
	1900, 373		1900, 147
	1900, 686		1900, 150
<i>barbarus</i>	1896, 932		1900, 156
	1896, 933		1900, 158
	1896, 934		1900, 159
	1898, 280		1900, 686
<i>bedfordianus</i>	1896, 932	<i>eldi</i>	1895, 520
	1896, 933		1899, 830
	1896, 934		1900, 372
	1897, 43	— <i>platyceros</i>	1899, 829
	1897, 815		1899, 830
<i>belgrandi</i>	1899, 716	<i>equinus</i>	1893, 496
<i>camelopardalis</i>	1897, 276		1896, 985
<i>canadensis</i>	1893, 446		1896, 988
	1893, 447		1900, 373
	1896, 931	<i>euopsis</i>	1897, 38
	1896, 933		1897, 39
	1896, 982		1897, 40
	1896, 985	<i>eustephanus</i>	1893, 447
— <i>asiaticus</i>	1897, 815		1896, 932
<i>carnutorum</i>	1899, 716		1896, 933
			1896, 934

	Page		Page
<i>Cervus eustephanus</i>	1897, 418	<i>Cervus pseudaxis</i>	1897, 43
	1897, 810	<i>rusa</i>	1896, 985
	1897, 815	<i>schomburgki</i>	1894, 314
	1899, 987		1900, 303
	1900, 775		1900, 372
<i>hippelaphus</i>	1893, 493	<i>sica</i>	1897, 37
	1893, 496		1897, 38
	1896, 988		1897, 40
	1900, 373		1897, 41
<i>hortulorum</i>	1897, 38		1897, 43
	1897, 42		1897, 44
	1897, 43		1897, 45
	1897, 44		1897, 46
	1897, 45	— <i>manchuricus</i> ..	1897, 39
	1897, 46		1897, 42
<i>humilis</i>	1896, 507		1897, 44
<i>kopschi</i>	1897, 38		1897, 46
	1897, 40	— <i>typicus</i>	1897, 39
	1897, 41		1897, 42
<i>kuhli</i>	1900, 686		1897, 46
<i>luehdorfi</i>	1896, 931	<i>sika</i>	1897, 39
	1896, 932	<i>simplicornis</i>	1894, 14
	1896, 933	<i>taëvanus</i>	1897, 45
	1896, 934		1897, 46
	1897, 418	<i>taiouanus</i>	1897, 45
	1900, 773	<i>tarandus</i>	1900, 680
<i>manchuricus</i>	1897, 38	<i>thoroldi</i>	1893, 444
	1897, 40		1893, 445
	1897, 41		1893, 448
	1897, 42		1893, 449
	1897, 43		1896, 933
	1897, 44		1897, 42
	1897, 45	<i>unicolor</i>	1900, 372
— <i>minor</i>	1897, 40		1900, 882
<i>mandarinus</i>	1897, 38	<i>verticornis</i>	1899, 716
	1897, 44	<i>virginianus</i>	1896, 985
	1897, 45	<i>xanthopygus</i>	1896, 931
	1897, 46		1896, 933
<i>maral</i>	1892, 117		1897, 815
	1895, 688		1898, 588
	1896, 618	<i>yarkandensis</i>	1892, 117
	1896, 933		1893, 447
	1896, 934		1896, 933
	1896, 984	(Elaphurus) <i>davidi-</i>	
	1897, 813	<i>anus</i>	1898, 588
— <i>songaricus</i>	1900, 775	<i>Ceryle aleyon</i>	1896, 605
<i>minor</i>	1900, 303	<i>americana</i>	1892, 406
<i>nariyanus</i>	1893, 444		1896, 604
	1893, 447		1896, 605
	1893, 448	— <i>cabanisi</i>	1892, 386
<i>paludosus</i>	1894, 314		1892, 405
<i>pergracilis</i>	1892, 311		1892, 406
<i>perpusillus</i>	1892, 311	<i>cabanisi</i>	1892, 386
<i>porcinus</i>	1900, 374	<i>guttata</i>	1900, 487
	1900, 686	<i>inda</i>	1899, 513
	1900, 883	<i>lugubris</i>	1900, 487
<i>pseudaxis</i>	1897, 38	<i>rudis</i>	1895, 496
	1897, 42		1900, 2

	Page		Page
<i>Ceryle rudis</i>	1900, 487	<i>Chalcides boulengeri</i> ..	1892, 20
	1900, 958		1894, 725
<i>stellata</i>	1896, 605	<i>delisii</i>	1894, 725
<i>torquata</i>	1892, 399	<i>mauritanicus</i>	1898, 918
	1892, 408	<i>mionecton</i>	1892, 18
<i>varia</i>	1900, 487		1892, 481
<i>Cestopoda amplexens</i> ..	1899, 507		1892, 490
<i>cygniformis</i>	1899, 507	<i>ocellatus</i>	1892, 16
<i>lize</i>	1899, 507		1892, 17
<i>Cetengraulis juruensis</i> ..	1898, 44		1892, 18
<i>Cetonia impressa</i>	1893, 740		1895, 535
<i>Cettia canturiens</i>	1900, 471		1896, 215
<i>minuta</i>	1900, 471	— <i>tiligugu</i>	1892, 17
<i>Ceuthmochares australis</i> ..	1894, 597	<i>sepoides</i>	1892, 6
	1894, 598		1892, 17
<i>Ceyx tridactyla</i>	1900, 487		1892, 18
<i>Chabuata ampla</i>	1896, 638		1892, 24
<i>Chabula reniferalis</i>	1898, 651		1895, 649
<i>vedrualis</i>	1898, 652	<i>sphenopsiformis</i> ..	1892, 18
<i>Chærocampa alecto</i>	1896, 268	(<i>Gongylus</i>) <i>ocellatus</i>	1895, 635
<i>capensis</i>	1891, 180		1895, 636
<i>celerio</i>	1894, 583		1895, 651
	1896, 268	<i>Chalcidoptera</i>	1898, 597
<i>elpenor</i>	1891, 180		1898, 664
	1893, 279	<i>ædilis</i>	1898, 665
	1894, 134	<i>appensalis</i>	1898, 665
	1895, 138	<i>atrilobalis</i>	1898, 664
	1900, 856	<i>bilunalis</i>	1898, 665
<i>eson gracilis</i>	1896, 843	<i>emissalis</i>	1898, 664
<i>gracilis</i>	1896, 843		1898, 66
<i>nerii</i>	1894, 134	<i>pryeri</i>	1898, 665
<i>osiris</i>	1893, 674		1898, 761
	1896, 853	<i>rubra</i>	1898, 665
<i>Chætastur moorei</i>	1894, 396	<i>rufilinealis</i>	1898, 665
	1894, 404	<i>straminalis</i>	1898, 664
<i>Chætocnema antennata</i> ..	1897, 561	<i>Chalcococcyx maculatus</i>	1900, 484
	1897, 563	<i>Chalcoëla aurifera</i>	1895, 959
<i>gahani</i>	1897, 560	<i>iphitalia</i>	1895, 959
	1897, 562	<i>Chalcomitra hunteri</i> ..	1895, 475
<i>longicornis</i>	1897, 561	<i>kirki</i>	1900, 2
<i>mashonana</i>	1897, 563	<i>Chalcopelia afra</i>	1895, 518
<i>natalensis</i>	1897, 563		1900, 3
<i>semiregulata</i>	1897, 562		1900, 966
<i>subaterrima</i>	1900, 254	<i>Chalcophaps indica</i>	1900, 502
<i>subquadrata</i>	1897, 561	<i>Chalcosia indistincta</i> ..	1892, 121
<i>wollastoni</i>	1897, 563	<i>Chalcosoma atlas</i>	1892, 591
<i>Chætomyx subspinosus</i> ..	1894, 357	<i>Chalcostigma oliva-</i>	
<i>Chætoneura nearchus</i> ..	1893, 57	<i>ceum</i>	1892, 402
<i>Chættonotus</i>	1897, 790	<i>Chalinites cecropia</i>	1897, 684
<i>Chætopelma</i>	1897, 747	<i>olealis</i>	1897, 684
<i>Chætostomus aculeatus</i> ..	1895, 526	<i>proclea</i>	1897, 684
<i>bachi</i>	1898, 44	<i>Chalinolobus nigro-</i>	
<i>cirrhosus</i>	1891, 234	<i>griseus</i>	1897, 319
	1891, 235	<i>Chalybion bengalensis</i> ..	1896, 438
	1892, 310	<i>violaceum</i>	1896, 438
<i>gigas</i>	1895, 526	<i>Chalyboclydon</i>	1893, 366
<i>guairensis</i>	1895, 275	<i>marginata</i>	1893, 366
<i>Chalcides boulengeri</i> ..	1892, 17		1893, 434

	Page		Page
Charaxes azota.....	1894, 16	Charaxes ephyra	1891, 81
	1894, 18		1894, 43
	1894, 40		1894, 44
	1895, 250		1895, 255
	1895, 253	ethalion	1893, 648
— nyasana	1898, 823		1893, 649
balfouri	1898, 373		1894, 42
bohemani	1891, 81		1894, 43
	1893, 649		1894, 44
	1894, 16		1895, 255
	1894, 43		1895, 720
	1894, 44		1896, 823
	1895, 256	etheocles	1891, 80
	1895, 720		1895, 255
	1896, 822	eupale	1895, 720
	1896, 852	fabius	1893, 648
	1898, 824	guderiana	1891, 61
brutus	1895, 253		1891, 81
	1895, 720		1893, 648
	1898, 822		1894, 18
	1898, 823		1894, 42
calliclea	1895, 253		1894, 82
candiope	1891, 80		1894, 561
	1894, 562		1895, 254
	1895, 254		1895, 720
	1895, 725		1896, 822
	1896, 533		1896, 852
	1896, 852		1898, 823
	1898, 824		1900, 916
	1899, 976	hamatus.....	1895, 254
	1900, 916	hansalii	1895, 251
castor.....	1894, 40		1898, 370
	1894, 41	hollandi.....	1893, 648
	1895, 251		1895, 255
	1896, 525		1896, 533
	1896, 852		1900, 916
— flavifasciatus ..	1895, 251	jahlusa	1897, 839
	1896, 852	jalyus	1891, 284
	1898, 823	jasius	1894, 134
cithæron	1893, 649		1899, 293
	1894, 45		1900, 181
	1895, 256	jocaste	1893, 648
	1895, 720		1895, 256
	1898, 397	kirkii	1893, 648
	1898, 824		1897, 923
cynthia	1894, 40	lactetinctus	1898, 823
	1895, 252	lasti	1894, 18
	1895, 253		1894, 39
delphis	1891, 283		1894, 82
druceanus	1895, 252		1895, 252
	1895, 720		1895, 253
	1896, 110		1895, 720
	1896, 822	laticinctus	1898, 904
durnfordi	1891, 256	leoninus.....	1895, 253
	1891, 284		1895, 270
ephyra	1891, 61		1895, 728
	1891, 80		1896, 823

	Page		Page
Charaxes lunawara	1891, 284	Charaxes varanes	1894, 39
lysianassa	1894, 40		1895, 256
macclounii	1895, 252		1898, 51
	1895, 270		1898, 397
	1898, 824		1898, 824
manica	1894, 18		1899, 963
	1894, 43	violetta	1894, 46
	1894, 82		1896, 851
	1895, 255		1896, 852
	1896, 822	viridicostatus	1895, 254
	1900, 915	whytei	1893, 649
monteiri	1893, 556		1893, 684
neanthes	1893, 650		1894, 14
	1896, 533		1894, 607
	1897, 692		1895, 250
	1898, 397		1895, 255
nichetes	1895, 253		1895, 270
	1895, 254		1895, 720
nyasana	1895, 250	xipharis	1894, 45
	1895, 253	zoolina	1894, 38
ogovensia	1895, 254		1896, 533
phæus	1894, 42		1896, 823
	1894, 44		1898, 397
	1895, 255		1900, 916
	1896, 852	Charema albociliata	1898, 684
pithodoris	1893, 649	carbonalis	1898, 686
pollux	1894, 18	fuscipennis	1898, 698
	1894, 41	Charidea inachia	1892, 277
	1895, 252	jynx	1893, 283
	1895, 720	orbana	1893, 283
	1898, 823		1893, 310
rosæ	1895, 255	Charieis	1900, 36
	1900, 915	peeli	1900, 37
saturnus	1891, 80		1900, 63
	1893, 647	Charilina anabilis	1893, 674
	1894, 41		1894, 583
	1894, 42		1895, 739
	1894, 43		1896, 844
	1895, 251	Charltona aurantifascia	1895, 970
	1895, 720	bivittella	1895, 970
	1896, 851	cervinella	1895, 970
	1896, 852	consociella	1895, 971
	1898, 188	desistalis	1895, 971
	1898, 904	discella	1895, 971
— laticinctus	1896, 822	inconspicuellæ	1895, 971
	1896, 852	kala	1895, 970
schreiberi	1891, 283	laminata	1895, 970
selousi	1894, 14	ortella	1895, 971
	1894, 18	Charopinus dalmanni	1899, 498
	1894, 45	hypocephalus	1899, 498
	1894, 82	ramosus	1899, 498
	1894, 607	Charops bimaculata	1895, 778
	1895, 255	Chartergus chartarius	1896, 775
talagugæ	1893, 649	Charybdis affinis	1900, 747
tiridates	1893, 649	Chasiempis dolei	1891, 165
	1894, 341		1891, 166
	1896, 852	gayi	1891, 164

	Page		Page
<i>Chasiempis gayi</i>	1891, 165	<i>Chelone virgata</i>	1896, 860
	1891, 166		1899, 618
<i>ibidis</i>	1891, 164	<i>viridis</i>	1891, 158
	1891, 166	<i>Chen caerulescens</i>	1899, 414
<i>ridgwayi</i>	1891, 164		1899, 415
	1891, 165	<i>hyperboreus</i>	1899, 414
	1891, 166	<i>rossi</i>	1900, 305
<i>sandvicensis</i>	1897, 892	<i>Chenalopex ægyptiacus</i>	1895, 510
<i>sandwichensis</i>	1891, 164		1900, 597
	1891, 165		1900, 961
	1891, 166	<i>Cheritra freja</i>	1892, 640
<i>slateri</i>	1891, 164		1895, 610
	1891, 165	— <i>ochracea</i>	1895, 558
	1891, 166		1895, 610
<i>Chasmorhynchus niveus</i>	1899, 712	<i>pallida</i>	1895, 558
<i>Chaulelasmus streperus</i>	1895, 401		1895, 610
<i>Chauna chavaria</i>	1895, 350	<i>Cheritrella truncipennis</i>	1892, 639
	1895, 351	<i>Chersydrus granulatus</i>	1895, 705
	1895, 352		1896, 878
	1895, 353		1897, 196
	1895, 356		1897, 200
	1895, 357		1897, 217
	1895, 358		1899, 604
	1896, 137		1899, 658
	1896, 146	<i>Chettusia coronata</i>	1895, 514
<i>derbiana</i>	1894, 555	<i>Chiasmia strigata</i>	1893, 412
	1895, 350		1893, 434
	1895, 352	<i>Chilades acca</i>	1900, 111
	1895, 353	<i>messapus</i>	1900, 111
	1895, 356	<i>sebagadis</i>	1900, 111
	1895, 357	<i>trochilus</i>	1896, 244
	1895, 358		1896, 256
	1897, 467		1900, 930
<i>Cheiloceps musca</i>	1895, 68	<i>Chilena donaldsoni</i>	1898, 436
<i>Cheiridisia inornata</i>	1898, 226	<i>prompta</i>	1898, 436
	1898, 242	<i>sabrina</i>	1900, 20
<i>Cheirogaleus coquereli</i>	1895, 142		1900, 63
	1895, 147	<i>Chilina fluminea</i>	1899, 514
<i>smithi</i>	1891, 454	<i>Chilo aditellus</i>	1895, 915
(<i>Microcebus</i>) <i>smithi</i>	1891, 454	<i>alleni</i>	1895, 957
<i>Cheiromeles torquatus</i>	1898, 59	<i>carnifex</i>	1895, 972
<i>Cheiroptaster giganteus</i>	1896, 1032	<i>centrellus</i>	1895, 958
<i>Chelidon urbica</i>	1891, 473	<i>ceres</i>	1895, 958
<i>Chelidoptera tenebrosa</i>		<i>ceylonica</i>	1895, 957
<i>brasiliensis</i>	1899, 515	<i>cicatrellus</i>	1895, 958
<i>Chelisoches morio</i>	1895, 892	<i>cinnamomellus</i>	1895, 958
<i>Chelone imbricata</i>	1896, 860	<i>companellus</i>	1895, 953
	1899, 601	<i>crambidoides</i>	1895, 953
	1899, 602	<i>culmicolellus</i>	1895, 953
	1899, 618	<i>demotellus</i>	1895, 956
<i>mydas</i>	1896, 860	<i>dichromellus</i>	1895, 955
	1899, 601	<i>dubia</i>	1895, 956
	1899, 602	<i>fuscidentalis</i>	1895, 956
	1899, 618	<i>gensanellus</i>	1895, 957
<i>olivacea</i>	1896, 860	<i>gratiosellus</i>	1895, 915
	1899, 618	<i>halterellus</i>	1895, 958
<i>villica</i>	1897, 296	<i>heracleus</i>	1895, 958

	Page		Page
<i>Chilo ignitalis</i>	1895, 956	<i>Chiridota lævis</i>	1898, 846
<i>incanellus</i>	1895, 955	<i>liberata</i>	1898, 835
<i>infuscatellus</i>	1895, 958		1898, 845
<i>infusellus</i>	1895, 956		1898, 846
<i>irrectellus</i>	1895, 958		1898, 847
<i>lativittalis</i>	1895, 958	<i>pisanii</i>	1898, 846
<i>luniferalis</i>	1895, 957	<i>rotifera</i>	1898, 846
<i>lutellus</i>	1895, 956	<i>Chirixalus doriae</i>	1894, 642
<i>neuricellus</i>	1895, 953	<i>Chirocentris dorab</i>	1899, 453
<i>nigristigmellus</i>	1895, 955		1899, 940
<i>obliquilinelus</i>	1895, 957	<i>Chirodica chalcoptera</i> ..	1900, 249
<i>obliteratellus</i>	1895, 953	<i>fulvicornis</i>	1900, 250
<i>orizæaellus</i>	1895, 957	<i>puncticollis</i>	1900, 249
<i>paramattellus</i>	1895, 958	<i>wollastoni</i>	1900, 250
<i>phragmitellus</i>	1895, 958	<i>Chirogale melanotis</i>	1896, 974
<i>plejadellus</i>	1895, 957	<i>Chiroleptes dahlui</i>	1895, 867
<i>prodigealis</i>	1895, 958		1898, 477
<i>pulverulentus</i>	1895, 957	<i>Chiromantis petersii</i> ..	1894, 88
<i>purpurealis</i>	1895, 956		1895, 540
<i>respersalis</i>	1895, 958	<i>rufescens</i>	1900, 445
<i>schistellus</i>	1895, 954	<i>xerampelina</i>	1898, 475
<i>scissellus</i>	1895, 958	<i>Chiromeles torquatus</i> ..	1893, 495
<i>simplex</i>	1895, 955		1900, 350
	1895, 957	<i>Chiromys madagascari-</i>	
<i>spatiosellus</i>	1895, 958	<i>ensis</i>	1891, 458
<i>spectabilis</i>	1895, 961		1893, 185
<i>spurcatellus</i>	1895, 916		1894, 359
<i>suppresalis</i>	1895, 957	<i>Chironectes minimus</i> ..	1893, 341
<i>surinamellus</i>	1895, 958		1894, 355
<i>torrentellus</i>	1895, 958		1896, 507
<i>validus</i>	1895, 955		1896, 513
<i>vinosellus</i>	1895, 955	<i>palmatius</i>	1894, 465
<i>virgatus</i>	1895, 951	<i>variegatus</i>	1894, 355
<i>xylinalis</i>	1895, 956	<i>Chiropacha dives</i>	1900, 37
<i>Chilomenes lunata</i>	1892, 96	<i>gilva</i>	1900, 37
<i>Chilonycteris davyi</i>	1895, 546	<i>Chiropodomys gliroides</i> .	1900, 361
<i>Chilostomella ovoidea</i> ..	1895, 26	<i>major</i>	1893, 495
	1895, 51	<i>pusillus</i>	1893, 495
<i>Chimæra monstrosa</i>	1895, 889	<i>Chiruromys forbesi</i>	1893, 213
	1899, 497	<i>Chiton affinis</i>	1891, 392
<i>Chimarrogale himalayica</i>	1893, 495	<i>antiquus</i>	1891, 421
	1899, 574	<i>carinatus</i>	1891, 392
<i>styani</i>	1899, 574	<i>discrepans</i>	1891, 396
<i>Chinchilla lanigera</i>	1894, 251	<i>insculptus</i>	1891, 392
	1896, 982	<i>magnificus</i>	1895, 684
<i>Chionis alba</i>	1893, 178	<i>muricatus</i>	1891, 392
	1895, 520	<i>scutiger</i>	1891, 392
	1897, 470	<i>siculoides</i>	1891, 392
<i>minor</i>	1895, 520	<i>siculus</i>	1891, 392
<i>Chiracanthium inclu-</i>			1891, 396
<i>sum</i>	1897, 878		1891, 398
<i>viride</i>	1897, 878	<i>stangeri</i>	1891, 392
<i>Chiridota australiana</i> ..	1898, 846	<i>(Acanthochites)</i>	
<i>contorta</i>	1898, 846	<i>discrepans</i>	1891, 392
<i>dunedinensis</i>	1898, 846		1891, 396
<i>intermedia</i>	1898, 835		1891, 398
	1898, 846	<i>(Acanthopleura)</i>	
	1898, 848	<i>spiniger</i>	1891, 402

	Page		Page
<i>Chiton</i> (<i>Callistochiton</i>)		<i>Chloritis brevidens</i>	1891, 336
<i>adenensis</i>	1891, 421		1892, 465
	1891, 436	<i>brevipila</i>	1891, 336
(<i>Ischnochiton</i>) <i>yer-</i>		<i>breviseta</i>	1891, 336
<i>buryi</i>	1891, 420	<i>buxtoni</i>	1891, 336
	1891, 436	<i>caliginosa</i>	1891, 336
<i>Chitra indica</i>	1896, 861		1892, 465
	1899, 621	<i>crassula</i>	1891, 336
<i>Chlænius</i> sp.	1900, 21	<i>deliberata</i>	1891, 336
<i>Chlamydothorus</i> ..	1899, 991-1017	<i>deliciosa</i>	1891, 336
<i>truncatus</i>	1899, 315	<i>erinaceus</i>	1891, 336
	1899, 338	<i>franciscanorum</i>	1891, 336
	1899, 991	<i>gabata</i>	1891, 336
	1899, 1017		1894, 150
<i>Chlamydothrys</i> <i>ster-</i>		<i>gaimardi</i>	1891, 336
<i>corea</i>	1897, 789	<i>gruneri</i>	1891, 336
<i>Chlamydosaurus kingi</i> ..	1895, 687	<i>hardouini</i>	1891, 335
	1895, 712		1891, 336
	1895, 719	<i>herziana</i>	1891, 336
<i>Chlamydoselachus</i> <i>an-</i>		<i>hombrois</i>	1891, 336
<i>guineus</i>	1899, 954	<i>hungerfordiana</i>	1891, 336
<i>Chlamys incisus</i>	1899, 468	<i>lepidotricha</i>	1891, 336
<i>natalensis</i>	1897, 264	<i>leytensis</i>	1891, 336
<i>Chliaria amabilis</i>	1896, 675	<i>malayana</i>	1891, 335
	1896, 676		1891, 336
<i>kina</i>	1892, 639		1891, 348
<i>merguia</i>	1892, 639	<i>malbatensis</i>	1891, 336
	1895, 604	<i>penangensis</i>	1891, 335
<i>minima</i>	1895, 558	<i>philippinensis</i>	1891, 336
	1895, 605		1892, 465
	1895, 627	<i>platytropis</i>	1894, 150
	1896, 676		1894, 156
<i>othona</i>	1892, 639	<i>procumbens</i>	1891, 336
	1895, 605	<i>quieta</i>	1891, 336
<i>phemis</i>	1896, 675		1892, 465
	1896, 676	<i>samuiana</i>	1891, 336
<i>skapane</i>	1896, 675		1894, 150
<i>tora</i>	1892, 639	<i>sanziana</i>	1891, 336
	1896, 676		1892, 460
<i>Chloëon</i> (<i>Ephemera</i>)			1892, 461
<i>dimidiatum</i>	1898, 956		1892, 465
<i>Chloræa amœna</i>	1892, 449	<i>sauliæ</i>	1892, 465
<i>antonii</i>	1892, 449	<i>spinosissima</i>	1891, 336
<i>benguetensis</i>	1892, 449		1892, 465
<i>constricta</i>	1892, 449	<i>submissa</i>	1891, 336
<i>dryope</i>	1892, 449	<i>tomentosa</i>	1891, 336
<i>fibula</i>	1892, 449	<i>wrayi</i>	1891, 335
<i>geotrochus</i>	1892, 449		1891, 336
<i>gmeliniana</i>	1892, 449	<i>Chlorocebus cynosurus</i> ..	1893, 247
<i>hanleyi</i>	1892, 449	<i>engythithia</i>	1893, 247
<i>hügeli</i>	1892, 449	<i>ruber</i>	1893, 250
<i>pelewana</i>	1892, 449	<i>rufo-viridis</i>	1893, 258
<i>sirena</i>	1892, 449	<i>sabæus</i>	1893, 248
<i>thersites</i>	1892, 449	<i>Chlorochrysa bourcierii</i> .	1896, 341
<i>Chlorinoides aculeatus</i> .	1900, 724	<i>calliparea</i>	1896, 341
<i>Chlorion azureum</i>	1896, 438	<i>Chlorodiella</i>	1900, 587
<i>compressum</i>	1896, 441	<i>Chlorodius</i> sp.	1900, 116
<i>lobatum</i>	1896, 438	<i>barbatus</i>	1900, 570

	Page		Page
Chlorodius barbatus....	1900, 587	Chlorospingus verticalis .	1896, 346
	1900, 596	Chlumetia guttiventris .	1899, 287
exaratus.....	1900, 738	Choaspes amara	1892, 646
gracilis	1900, 738	benjamini	1892, 646
niger	1900, 569		1892, 647
	1900, 570		1893, 129
	1900, 587	chuza	1892, 646
	1900, 737	crawfurdi	1892, 646
pilumnoides	1900, 737	harisa	1892, 646
ungulatus	1900, 587	vasutana	1892, 646
Chlorodontoptera.....	1893, 351	Chobera.....	1899, 191
æruginata	1893, 352	Chœrodes assyllusaria..	1896, 644
chalybeata	1893, 352	contemnaria	1896, 644
Chlorodopsis pilum-		invariaria	1896, 643
noides	1900, 737	Chœronycteris peruana .	1893, 335
spinipes	1900, 569	Cholcepus	1899, 991-1017
	1900, 588	didactylus	1893, 588
(Cyclodius) ornata .	1900, 569		1893, 589
	1900, 570		1893, 591
	1900, 588		1899, 315
Chloronerpes brasiliensis	1899, 515		1899, 339
Chloropeta icterina	1900, 608		1899, 991
masaica	1900, 609		1899, 1017
natalensis	1900, 609		1900, 69
Chlorophanes atricapilla.	1896, 337	Chondracanthus alatus .	1899, 493
pulcherrima stigma-		angustatus	1899, 493
tura	1896, 337	brevicollis	1899, 493
spiza	1899, 515	chylomycteri.....	1899, 493
— cœrulescens	1896, 337	clavatus	1899, 492
Chlorophis emini	1900, 968	cornutus	1899, 491
heterodermus	1900, 452		1899, 492
irregularis	1891, 306	crassicornis	1899, 493
	1897, 801	delarochiana	1899, 495
	1900, 452	elongatus	1899, 493
Chlorophonia torrejoni .	1896, 338	fluræ	1899, 492
viridis	1899, 513	genypteri	1899, 494
Chloropipo unicolor....	1896, 368	gibbosus	1899, 494
uniformis	1896, 368	gobinus	1899, 495
Chloropsis lazulina	1900, 478	gurnardi	1899, 490
Chloroselas azurea	1899, 963	horridus.....	1899, 493
	1899, 967	levis	1899, 498
	1899, 968	limandæ	1899, 492
	1899, 975	lophii	1899, 494
esmeralda	1896, 251		1899, 495
	1897, 776	lotellæ	1899, 493
	1899, 963	macrurus	1899, 492
	1899, 967	merluccii	1899, 494
	1896, 968	nodosus	1899, 494
pseudozeritis.....	1896, 251	ophidii	1899, 492
	1899, 968	psetti	1899, 492
tamaniba	1899, 963	radiatus	1899, 494
	1899, 967	sicyasis	1899, 492
	1899, 968	soleæ	1899, 492
Chlorospingus auricu-		triglæ.....	1899, 441
laris	1896, 345		1899, 490
chrysogaster	1896, 346	tuberculatus	1899, 495
cinereocephalus ..	1896, 346	xyphiæ	1899, 494
leucogaster	1896, 346	zei	1899, 495

	Page		Page
<i>Chondracanthus zeus</i> ..	1899, 495	<i>Chromis aurata</i>	1899, 137
<i>Chondrilla nuda</i>	1900, 127	<i>aureus</i>	1899, 127
	1900, 130	<i>buettikoferi</i>	1899, 128
<i>Chondrosia plebeja</i>	1900, 127	<i>burtani</i>	1893, 631
	1900, 129		1893, 632
	1900, 130		1899, 127
<i>ramsayi</i>	1900, 129	<i>cæruleomaculatus</i> ..	1899, 123
<i>reniformis</i>	1900, 127	<i>callipterus</i>	1893, 619
	1900, 129		1893, 623
<i>Chondrostoma nasus</i> ..	1898, 282		1893, 628
<i>Choneziphius packardi</i> .	1893, 224		1896, 916
<i>planirostris</i>	1893, 219		1899, 132
<i>planus</i>	1893, 219	<i>castanea</i>	1898, 132
<i>Chordeiles acutipennis</i> .	1892, 406	<i>chapmani</i>	1899, 140
— <i>pruinus</i>	1892, 384	<i>desfontainii</i>	1899, 135
	1892, 404	<i>diagramma</i>	1893, 632
	1892, 406		1898, 496
	1892, 409	<i>dumerilii</i>	1899, 116
<i>peruvianus</i>	1892, 384	<i>faidherbi</i>	1899, 120
<i>Choregia aurofasciana</i> ..	1891, 529	<i>fasciatus</i>	1899, 133
	1897, 121	<i>flavii-josephi</i>	1899, 135
<i>fulgens</i>	1891, 529	<i>frederici</i>	1898, 151
	1897, 121	<i>galilæus</i>	1899, 114
<i>ignita</i>	1891, 529	<i>guentheri</i>	1899, 112
	1897, 121	<i>guineensis</i>	1899, 124
(Simæthis) auro-		<i>heudelotii</i>	1899, 118
<i>fasciana</i>	1897, 121	<i>horei</i>	1893, 630
<i>Choria separata</i>	1894, 240		1893, 632
<i>Chorina aculeata</i>	1900, 724		1899, 122
<i>Chorinemus saliens</i>	1899, 451	<i>humilis</i>	1899, 124
<i>Chorisochismus dentex</i> .	1894, 423	<i>jallæ</i>	1899, 123
	1894, 430	<i>johustoni</i>	1893, 619
<i>Chorisoneura mysteca</i> ..	1893, 600		1893, 622
	1893, 601		1893, 628
<i>Choristoneura apicalis</i> ..	1893, 130		1899, 130
	1896, 83	<i>kirki</i>	1893, 619
	1896, 104		1893, 624
<i>Choristostigma</i>	1899, 213		1893, 628
<i>Chorophilus feriarum</i> ..	1894, 643		1896, 915
<i>ornatus</i>	1894, 643		1899, 128
<i>Chrestosema flavipes</i> ..	1895, 753	<i>lateralis</i>	1899, 118
<i>pallidipes</i>	1895, 753	<i>latus</i>	1899, 125
<i>robusta</i>	1895, 754	<i>lethrinus</i>	1893, 619
<i>Chromidotilapia</i>	1898, 151		1893, 622
	1899, 99		1893, 628
	1899, 104		1899, 129
<i>frederici</i>	1898, 151	<i>levallanti</i>	1899, 140
	1899, 104	<i>livingstonii</i>	1898, 146
<i>kingsleyæ</i>	1898, 151	<i>macrocentra</i>	1899, 117
	1898, 152	<i>macrocephalus</i>	1899, 115
	1899, 104	<i>magdaleneæ</i>	1899, 120
	1899, 143	<i>melanopleura</i>	1899, 123
	1899, 718	<i>menzalensis</i>	1899, 119
<i>Chromis</i>	1899, 105	<i>microcephalus</i>	1899, 114
<i>acuticeps</i>	1899, 134		1899, 126
<i>affinis</i>	1899, 127	<i>microstomus</i>	1899, 114
<i>andersoni</i>	1899, 140	<i>moffati</i>	1898, 140
<i>andreæ</i>	1899, 120	<i>mossambicus</i>	1896, 915

	Page		Page
Chromis mossam-		Chromis williamsi	1893, 624
bicus	1899, 111		1893, 628
	1899, 113		1899, 132
	1899, 120	zillii	1899, 120
natalensis	1899, 113	(Ctenochromis) phi-	
ngamensis	1898, 146	lander	1899, 136
nigripinnis	1899, 115	(Haplochromis) ob-	
niloticus	1896, 218	liquidens	1899, 131
	1899, 111	(Tilapia) mossam-	
	1899, 112	bicus	1899, 111
	1899, 113	Chromodes armenia-	
	1899, 114	calis	1896, 640
	1899, 118		1898, 728
	1899, 120	Chrotogonus lugubris ..	1900, 40
	1899, 125	Chrysalidina dimorpha ..	1895, 20
nuchisquamulatus ..	1899, 131		1895, 50
ogowensis	1899, 126	Chrysalis antonii	1892, 453
	1899, 717	aspersa	1892, 453
ovalis	1899, 119	chrysaladiformis ..	1892, 453
paterfamilias	1899, 125	electrica	1892, 453
pleuromelas	1899, 118	mindoroensis	1892, 453
polycentra	1899, 128	Chrysantheda nitida ..	1896, 775
rangii	1899, 126		1896, 776
rendalli	1896, 915	Chrysauge bifasciata ..	1897, 691
	1899, 126	catenulata	1897, 691
simonis	1899, 125	chrysomelas	1897, 691
smithi	1899, 140	divida	1897, 691
sparmanni	1899, 118	flavelata	1897, 691
	1899, 140	kadenii	1897, 691
spilurus	1894, 89	latifasciata	1897, 691
	1894, 91	unicolor	1897, 691
	1896, 219	Chrysicthys	1899, 718
	1899, 112	auratus	1899, 718
squamipinnis	1893, 619		1899, 719
	1893, 621	büttikoferi	1899, 721
	1893, 630		1899, 722
	1896, 915		1899, 723
	1899, 117		1899, 724
strigigena	1899, 128		1899, 725
	1899, 129		1899, 732
subocularis	1893, 619	cameronensis	1899, 729
	1893, 621		1899, 732
	1893, 628		1900, 514
	1899, 130	coriscanus	1899, 724
	1899, 132	cranchii	1899, 730
tanganicæ	1893, 630	furcatus	1899, 728
	1899, 113	kingsleyæ	1899, 728
tetrastigma	1893, 619		1899, 729
	1893, 623		1899, 732
	1893, 628	lagoensis	1899, 725
	1899, 130		1899, 726
tholloni	1899, 121	macrops	1899, 719
thumbergi	1898, 146		1899, 721
tiberiadis	1899, 114		1899, 725
tristrami	1896, 218		1899, 726
	1899, 120		1899, 727
	1899, 124	nigrodigitatus	1899, 726
vorax	1899, 125		1899, 727
williamsi	1893, 619		1899, 730

	Page		Page
<i>Chrysichthys nigro-</i>		<i>Chrysopelea ornata</i>	1899, 606
<i>digitatus</i>	1900, 514		1899, 633
<i>ogowensis</i>	1899, 723		1899, 680
	1899, 724		1899, 682
<i>persimilis</i>	1899, 727		1899, 683
	1899, 728		1899, 684
	1899, 729	<i>rhodopleuron</i>	1897, 227
	1899, 732	<i>rubescens</i>	1896, 390
<i>walkeri</i>	1899, 720		1899, 682
<i>Chrysis cyanura</i>	1896, 458	<i>Chrysophanus abbottii</i> .	1894, 570
<i>fuscipennis</i>	1896, 458		1896, 832
<i>nobilis</i>	1896, 458		1899, 418
<i>oculata</i>	1896, 459		1899, 423
<i>principalis</i>	1896, 459		1899, 427
<i>pulchellus</i>	1896, 459		1900, 913
<i>spinolæ</i>	1896, 458		1900, 924
<i>splendida</i>	1896, 458	<i>gigantea</i>	1899, 966
<i>Chrysochloris aurea</i>	1892, 314	<i>hypoleucus</i>	1899, 963
	1892, 316	<i>orus</i>	1897, 849
<i>Chrysococyx cupreus</i> ..	1894, 598		1898, 195
	1900, 2	<i>peculiaris</i>	1899, 906
<i>Chrysocoris atricapillus</i> .	1900, 822	<i>phlæas</i>	1900, 924
<i>auratus</i>	1900, 822	<i>Chrysophlegma ricketti</i> .	1900, 482
<i>dilaticollis</i>	1900, 822	<i>styani</i>	1900, 482
<i>eques</i>	1900, 822	<i>wrayi</i>	1900, 482
<i>patricius</i>	1900, 822	<i>Chrysophrys aurata</i>	1899, 479
<i>stockerus</i>	1900, 822	<i>sarba</i>	1899, 451
<i>Chrysocraspeda vinosa</i> ..	1892, 132		1899, 471
<i>Chrysomela africana</i> ..	1898, 241	<i>Chrysoplectrum otriades</i>	1893, 17
<i>badeni</i>	1900, 241		1893, 24
<i>clavicornis</i>	1898, 336		1893, 25
<i>livingstoni</i>	1900, 240		1893, 131
<i>natalensis</i>	1898, 240	<i>Chrysoptilus atricollis</i> ..	1892, 385
<i>opulenta</i>	1892, 92		1892, 386
<i>tenuipes</i>	1897, 870		1892, 403
<i>Chrysomitris atrata</i>	1891, 132		1892, 406
	1891, 134	<i>chrysonotus</i>	1892, 386
	1896, 353	<i>peruvianus</i>	1892, 385
<i>capitalis</i>	1892, 377		1892, 403
	1892, 403		1892, 406
	1892, 407	<i>Chrysoiritis</i>	1897, 848
	1896, 352	<i>oreas</i>	1897, 849
<i>icterica</i>	1892, 377	<i>Chrysorychia amanga</i> ..	1891, 90
<i>siemiradzkii</i>	1892, 403		1894, 55
<i>uropygialis</i>	1892, 398		1894, 56
	1892, 405	<i>cruenta</i>	1894, 18
	1892, 409		1894, 55
<i>Chrysommatodes</i>	1899, 180		1894, 56
<i>æreoflavalis</i>	1899, 181		1894, 82
<i>Chrysopelea chryso-</i>			1894, 607
<i>chlora</i>	1896, 891	<i>harpax</i>	1891, 89
	1899, 606		1894, 55
	1899, 685		1894, 56
<i>ornata</i>	1892, 507		1894, 342
	1896, 782	<i>tjoane</i>	1891, 89
	1896, 890	<i>Chrysothrix sciurea</i>	1894, 359
	1897, 196	<i>Chrysotis</i>	1899, 12
	1897, 201		1899, 19
	1897, 227		1899, 30

	Page		Page
<i>Chrysotis</i>	1899, 32	<i>Cidaria eductata</i>	1896, 646
	1899, 44	<i>effrenata</i>	1896, 647
	1899, 45	<i>emberizata</i>	1896, 646
	1899, 46	<i>exquisita</i>	1893, 375
<i>aestiva</i>	1899, 30		1893, 433
	1899, 511	<i>intercalata</i>	1896, 646
	1899, 517	<i>intertexta</i>	1893, 374
	1900, 304		1893, 433
<i>auripalliata</i>	1899, 509	<i>patulata</i>	1896, 646
<i>bodin</i>	1893, 509	<i>perspicuata</i>	1896, 646
<i>boqueti</i>	1900, 772	<i>rostrifera</i>	1893, 412
<i>brasiliensis</i>	1899, 513	<i>Cidaris baculosa</i>	1894, 395
<i>erythrura</i>	1893, 509		1894, 397
	1893, 514	<i>curvatispinis</i>	1892, 543
<i>farinosa</i>	1899, 515	<i>metularia</i>	1894, 399
<i>guldingi</i>	1893, 512		1898, 849
	1896, 230	<i>Cidarites annulifera</i>	1900, 274
<i>hecki</i>	1894, 457	<i>lütkeni</i>	1900, 274
	1900, 304	<i>Cigaritis abbottii</i>	1894, 570
<i>leucocephala</i>	1893, 509		1896, 832
	1893, 512	<i>taikosama</i>	1900, 924
<i>levaillanti</i>	1893, 509	<i>Cillurus nigrofu-</i>	
<i>pretii</i>	1899, 513	<i>mosus</i>	1892, 381
<i>schmidtii</i>	1899, 509	<i>Cimex albopunctatus</i> ..	1894, 173
<i>versicolor</i>	1893, 509	<i>bellator</i>	1894, 180
<i>viridignalis</i>	1893, 509	<i>carinatus</i>	1894, 209
<i>xanthopteryx</i>	1900, 304	<i>clavata</i>	1900, 809
<i>Chrysos niveopicta</i>	1894, 526	<i>crenator</i>	1894, 172
<i>Chthonerpeton indistinctum</i>	1895, 411	<i>cruciatus</i>	1900, 814
<i>petersii</i>	1895, 411	<i>culiciformis</i>	1894, 210
<i>Chunga burmeisteri</i>	1893, 614	<i>delirator</i>	1894, 172
	1897, 469	<i>filiformis</i>	1894, 180
	1900, 304	<i>fimbriatus</i>	1900, 814
<i>Churia arcuata</i>	1896, 263	<i>fusca</i>	1894, 178
<i>Chylomycterus jaculiferus</i>	1899, 493	<i>histrio</i>	1900, 815
<i>Ciampa defixella</i>	1895, 972	<i>lectularia</i>	1894, 202
<i>Cichla aenea</i>	1899, 481	<i>melacanthus</i>	1900, 812
<i>cindaphia</i>	1899, 239	<i>papillosus</i>	1900, 817
<i>impuralis</i>	1899, 250	<i>perditor</i>	1894, 173
<i>incensalis</i>	1899, 245	<i>picta</i>	1894, 179
<i>Cichladusa guttata</i>	1895, 484	<i>prasinus</i>	1900, 811
<i>Cichlerminia fuscata</i> ..	1892, 498	<i>reticularis</i>	1894, 171
<i>Cicindela clathrata</i>	1893, 747	<i>sagitta</i>	1894, 172
<i>Ciconia</i>	1898, 93	<i>scorbuticus</i>	1894, 179
<i>alba</i>	1891, 477	<i>spinidens</i>	1900, 816
	1891, 478	<i>trilineata</i>	1894, 170
	1891, 479	<i>upsilon</i>	1894, 172
	1896, 145	<i>victor</i>	1894, 173
	1896, 233	<i>viridissima</i>	1900, 811
<i>boyciana</i>	1900, 304	<i>viridulus</i>	1894, 176
<i>ciconia</i>	1900, 962		1900, 813
<i>episcopus</i>	1896, 232	<i>Cinclodes bifasciatus</i> ..	1891, 132
<i>nigra</i>	1892, 471		1891, 134
	1896, 145	<i>fuscus</i>	1896, 371
<i>Cidaria dentistrigata</i> ..	1893, 374		1891, 134
	1893, 433		1892, 398
			1892, 408
			1896, 371

	Page		Page
<i>Cinclodes nigrifumosus</i> ..	1892, 382	<i>Circobotys marginalis</i> ..	1899, 191
	1892, 383		1899, 194
	1892, 403	<i>phycidalis</i>	1899, 179
<i>rivularis</i>	1892, 398	<i>Circus æruginosus</i>	1900, 489
	1896, 324	<i>cineraceus</i>	1891, 176
	1896, 371	<i>macrurus</i>	1895, 508
<i>taczanowskii</i>	1892, 372		1900, 489
	1892, 381		1900, 959
	1892, 383	<i>melanoleucus</i>	1900, 489
	1892, 403	<i>ranivorus</i>	1900, 3
	1892, 409	<i>spilonotus</i>	1900, 489
	1896, 323	<i>swainsoni</i>	1895, 505
<i>Cinclus cinclus</i>	1896, 311	<i>Cirina forda</i>	1894, 134
<i>leucophæus</i>	1896, 327		1899, 293
<i>melanogaster</i>	1896, 311	<i>Cirolana latistylis</i>	1900, 795
<i>Cinetomorpha</i>	1891, 558		1900, 797
<i>puberula</i>	1891, 559	<i>Cirrædia satellifera</i>	1896, 639
<i>silvestris</i>	1891, 559	<i>Cirrhochrista ætheialis</i> ..	1895, 918
<i>simplex</i>	1891, 559	<i>bracteolalis</i>	1895, 919
<i>Cingilia humeralis</i>	1896, 649	<i>brizoalis</i>	1895, 918
<i>Cinixys belliana</i>	1894, 85	<i>diaphana</i>	1895, 974
	1894, 594	<i>figuratalis</i>	1895, 918
<i>erosa</i>	1900, 447	<i>fumipalpis</i>	1895, 919
<i>homeana</i>	1900, 447	<i>pulchellalis</i>	1895, 918
<i>Cinnamopterus tenui-</i>		<i>punctulata</i>	1895, 919
<i>rostris</i>	1900, 602	<i>semibrunnea</i>	1895, 918
<i>Cinnamopteryx rubi-</i>		<i>Cirrhochroa bajadeta</i> ..	1891, 274
<i>ginosa</i>	1895, 468	<i>orissa</i>	1891, 274
<i>Cinnicerthia olivascens</i> ..	1896, 327	<i>Cirrocephala venosa</i>	1898, 682
<i>peruana</i>	1896, 327	<i>Cirsodes acuminata</i>	1896, 644
<i>unibrunnea</i>	1896, 327	<i>Cis fuscatus</i>	1898, 331
<i>Cinnyris albiventris</i>	1895, 474	<i>nubilus</i>	1898, 331
<i>amethystina</i>	1896, 286	<i>pusillus</i>	1898, 330
	1896, 292	<i>Cissopis leveriana minor</i> ..	1896, 348
	1896, 295	<i>major</i>	1899, 513
<i>auriceps</i>	1896, 292	<i>minor</i>	1896, 348
<i>chloropygius</i>	1894, 603	<i>Cisthene petrovna</i>	1892, 283
	1894, 605	<i>Cisticola sp.</i>	1894, 598
	1894, 606		1894, 604
<i>falkensteini</i>	1900, 2	<i>cinereola</i>	1895, 483
<i>habessinica</i>	1895, 474	<i>cisticola</i>	1900, 472
<i>hunteri</i>	1895, 475	<i>dodsoni</i>	1895, 483
<i>jugularis</i>	1896, 290	<i>hæsitata</i>	1895, 483
<i>kirki</i>	1900, 605	<i>hunteri</i>	1900, 607
<i>mediocris</i>	1900, 605	<i>lugubris</i>	1895, 483
<i>osiris</i>	1895, 474	<i>marginalis</i>	1895, 483
<i>rhizophoræ</i>	1900, 468	<i>marginata</i>	1895, 483
<i>Cinosternum leucosto-</i>		<i>procera</i>	1900, 607
<i>mum</i>	1898, 108	<i>schoenicola</i>	1900, 472
<i>Cionoderus</i>	1895, 66	<i>somalica</i>	1895, 483
<i>lineatus</i>	1895, 66	<i>terrestris</i>	1900, 607
<i>Circe corrugata</i>	191, 423	<i>Cistissa expansa</i>	1896, 647
<i>intermedia</i>	1891, 423	<i>Cistothorus graminicola</i> ..	1896, 329
<i>rosea</i>	1897, 833	<i>polyglottus</i>	1896, 329
<i>scripta</i>	1891, 424		1899, 512
<i>(Crista) pectinata</i> ..	1891, 424	<i>Cistudo amboinensis</i> ..	1899, 614
<i>(Lioconcha) calli-</i>		<i>Citharichthys spilo-</i>	
<i>pyga</i>	1891, 424	<i>pterus</i>	1891, 357

	Page		Page
<i>Citharinus geoffroi</i> . . .	1896, 218	<i>Clausilia cumingiana</i> ..	1892, 468
	1896, 223	<i>dohertyi</i>	1892, 468
	1900, 513	<i>epistomium</i>	1892, 298
<i>Cittociela brevicauda</i> .	1900, 474	<i>excurrans</i>	1892, 468
<i>macrura minor</i>	1900, 474	<i>filicostata</i>	1891, 339
<i>minor</i>	1900, 474	<i>heldii</i>	1892, 468
<i>tricolor</i>	1900, 474	<i>javana</i>	1892, 468
<i>Cittura cyanotis</i>	1896, 604	<i>junghuhni</i>	1892, 468
	1896, 605	<i>magistra</i>	1892, 298
<i>sanghirensis</i>	1896, 604		1892, 299
	1896, 605	<i>moluccensis</i>	1892, 468
<i>Cixius (Catonia) cincti-</i>		<i>moritzii</i>	1892, 468
<i>frons</i>	1895, 62	<i>nigricans</i>	1891, 147
<i>Cladiscus attenuatus</i> ..	1893, 569	<i>obesa</i>	1892, 468
<i>decoratus</i>	1893, 570	<i>orientalis</i>	1892, 468
<i>distortus</i>	1893, 569	<i>penangensis</i>	1891, 339
<i>obeliscus</i>	1893, 570	<i>perversa</i>	1891, 147
<i>ruficornis</i>	1893, 570	<i>rugosa</i>	1891, 145
<i>sanguinicollis</i>	1893, 567		1891, 146
	1893, 569		1891, 147
<i>strangulatus</i>	1893, 567	<i>salacana</i>	1892, 468
<i>Cladomelea longipes</i> ..	1899, 858	<i>schwaneri</i>	1892, 468
<i>Cladophora fracta</i> . . .	1893, 262	<i>sumatrana</i>	1892, 468
	1893, 267	<i>(Phædusa) corti-</i>	
<i>Clarias budgetti</i>	1900, 513	<i>cina</i>	1895, 443
<i>gariepinus</i>	1896, 220	<i>(—) nevilleana</i> ..	1895, 443
<i>lazera</i>	1894, 89	<i>(—) wüllerstorffi</i> .	1895, 443
	1896, 219	<i>(Pseudouenia) fili-</i>	
	1899, 715	<i>costata tenui-</i>	
	1900, 969	<i>costa</i>	1891, 338
<i>liocephalus</i>	1898, 496	<i>(—) kapayanensis</i>	1891, 339
<i>magur</i>	1895, 274	<i>Clavagella adenensis</i> ..	1891, 435
	1895, 275	<i>Clavatulula muricata</i> . . .	1891, 404
	1895, 277	<i>Clavella hippoglossi</i> . . .	1899, 474
	1895, 278	<i>mulli</i>	1899, 474
	1895, 284	<i>tenuis</i>	1899, 474
	1899, 940	<i>uncinata</i>	1899, 505
	1899, 955	<i>vulgaris</i>	1899, 474
<i>mossambicus</i>	1896, 220	<i>Clavigralla tæniola</i> . . .	1894, 180
<i>nieuhoftii</i>	1895, 274	<i>Clavularia australiensis</i> .	1892, 595
	1895, 275	<i>celebensis</i>	1892, 595
	1895, 277	<i>flava</i>	1892, 595
<i>senegalensis</i>	1900, 513	<i>garciae</i>	1892, 595
<i>smithii</i>	1896, 219	<i>ramosa</i>	1892, 595
	1896, 220	<i>reptans</i>	1892, 595
<i>Clarotes</i>	1899, 718	<i>viridis</i>	1892, 595
<i>laticeps</i>	1894, 89		1892, 596
<i>Clathrina primordialis</i> ..	1900, 127	<i>Clavulina angularis</i> . . .	1895, 21
	1900, 129		1895, 50
— <i>protogenes</i>	1900, 129	<i>communis</i>	1895, 21
<i>protogenes</i>	1900, 129		1895, 50
<i>Clathrulina elegans</i> . .	1897, 789	<i>parisiensis</i>	1895, 21
<i>Clausilia alticola</i>	1892, 468		1895, 50
<i>bidentata</i>	1891, 145	<i>Clemmys leprosa</i>	1892, 11
	1891, 147	<i>Cleobis cubæ</i>	1897, 890
<i>bornensis</i>	1892, 468	<i>Cleopatra bulimoides</i> ..	1893, 637
<i>cornea</i>	1892, 468	<i>emini</i>	1893, 638
<i>corticina</i>	1892, 468	<i>johnstoni</i>	1893, 637

	age	Page
<i>Cleopatra johnstoni</i>	1893, 641	484
<i>mweruensis</i>	1893, 637	940
	1893, 641	947
<i>Clepsicosma irida</i>	1899, 285	485
<i>Clerada apicicornis</i>	1893, 705	397
<i>Clerome arcesilaus</i>	1891, 272	643
<i>assama</i>	1891, 272	643
<i>faunula</i>	1891, 272	644
<i>gracilis</i>	1891, 272	253
(<i>Melanocyma</i>) <i>faunula</i>	1891, 272	488
(<i>Xanthotænia</i>) <i>bussiris</i>	1891, 272	489
<i>Clerus dulcis</i>	1893, 566	513
<i>mollisfascia</i>	1893, 579	596
<i>rufiventris</i>	1893, 568	637
<i>subfasciatus</i>	1893, 577	639
<i>Clettharra minorella</i> ..	1896, 262	640
<i>valida</i>	1899, 287	639
<i>Clibanarius æquabilis</i> ..	1898, 457	640
	1898, 463	
<i>corallinus</i>	1898, 457	724
	1898, 463	916
<i>globosimanus</i>	1898, 463	916
<i>obesomanus</i>	1898, 463	916
<i>zebra</i>	1898, 457	179
	1898, 463	512
<i>Clibanornis dendrocolaptoides</i>	1899, 514	513
<i>Cliniodes</i>	1898, 598	986
	1898, 748	986
<i>cyllarusalis</i>	1898, 748	66
<i>euphrosinalis</i>	1898, 749	80
<i>opalalis</i>	1898, 748	54
	1898, 749	120
<i>paradisalis</i>	1898, 749	33
<i>paucilinealis</i>	1898, 749	93
<i>rutilalis</i>	1898, 749	120
<i>saburrealis</i>	1898, 749	122
<i>semilunalis</i>	1898, 749	940
<i>subcostalis</i>	1898, 748	955
<i>Clio (Styliola) subula</i> ..	1895, 5	118
<i>Clitellio arenarius</i>	1892, 354	686
<i>Clæosiphon aspergillum</i> ..	1898, 471	794
	1898, 473	726
	1899, 56	727
<i>Clonistria linearis</i>	1893, 605	727
<i>Clostera anachoreta</i>	1893, 279	868
<i>Clotho arietans</i>	1892, 555	452
	1894, 88	83
<i>rhinoceros</i>	1893, 618	954
	1893, 620	
<i>Clubiona inclusa</i>	1897, 878	326
<i>Clupea harengus</i>	1899, 940	471
	1899, 947	504
	1899, 955	505
<i>mattowacca</i>	1899, 485	506
<i>pilchardus</i>	1894, 164	726
<i>Clupea sprattus</i>	1899, 484	
	1899, 940	
<i>tyrannus</i>	1899, 947	
<i>Clypeaster scutiformis</i> ..	1894, 397	
<i>Clysia absconditaria</i> ..	1896, 643	
<i>tasima</i>	1896, 643	
<i>vitiligata</i>	1896, 644	
<i>Clythra intersecta</i>	1897, 253	
<i>Clytia johnstonii</i>	1896, 488	
	1896, 489	
<i>Clytolæma rubinea</i>	1899, 513	
<i>Cnaphalocrocis</i>	1898, 596	
	1898, 637	
<i>bifurcalis</i>	1898, 639	
<i>medinalis</i>	1898, 638	
<i>perpersalis</i>	1898, 640	
<i>sanitalis</i>	1898, 639	
<i>similis</i>	1898, 640	
<i>Cnemidophorus arubensis</i>	1894, 724	
<i>hyperythrus</i>	1898, 916	
<i>immutabilis</i>	1898, 916	
<i>leachii</i>	1898, 916	
<i>Cnemophilus macgregori</i> ..	1891, 179	
<i>Cnipolegus cyanirostris</i> ..	1899, 512	
<i>nigerrimus</i>	1899, 513	
<i>Coassus sp.</i>	1896, 986	
<i>rufus</i>	1896, 986	
<i>superciliaris</i>	1896, 986	
<i>Cobalus atrio</i>	1896, 66	
	1896, 80	
<i>corvinus</i>	1896, 80	
<i>duplex</i>	1896, 54	
<i>physcellia</i>	1893, 120	
<i>subfasciatus</i>	1896, 33	
<i>virbius</i>	1893, 93	
	1893, 120	
<i>Cobarda sequens</i>	1892, 122	
<i>Cobitis tænia</i>	1899, 940	
	1899, 955	
<i>Cobus sp.</i>	1892, 118	
<i>buffoni</i>	1900, 686	
<i>cob</i>	1899, 794	
<i>crawshayi</i>	1893, 726	
	1893, 727	
<i>defassa</i>	1892, 471	
	1893, 727	
	1895, 868	
	1897, 452	
	1900, 83	
	1900, 954	
<i>ellipsiprymnus</i>	1891, 326	
	1892, 471	
	1893, 504	
	1893, 505	
	1893, 506	
	1893, 726	

	Page		Page
<i>Cobus ellipsiprymnus</i> ..	1893, 727	<i>Coccinella bipunctata</i> ..	1895, 857
	1894, 131	<i>connectens</i>	1898, 340
	1894, 316	<i>decempunctata</i>	1895, 857
	1896, 785		1895, 859
	1897, 452	<i>maculata</i>	1898, 339
	1900, 682	<i>sanguinea</i>	1898, 339
<i>kob</i>	1895, 341	<i>septempunctata</i> ..	1895, 857
	1895, 688		1895, 859
	1896, 983	<i>surinamensis</i>	1898, 336
	1898, 350	<i>thoracica</i>	1898, 341
	1899, 936	<i>Coccothraustes cocco-</i>	
<i>lechée</i>	1891, 373	<i>thraustes</i>	1896, 311
	1893, 724	<i>melanura</i>	1900, 305
	1893, 728	<i>personatus</i>	1899, 596
	1900, 686	<i>vulgaris</i>	1891, 472
<i>leucotis</i>	1900, 85		1891, 476
	1900, 954		1896, 311
<i>mariae</i>	1898, 352	<i>Coccystes cafer</i>	1894, 600
	1899, 982		1900, 2
	1899, 983	<i>Coccyzus melano-</i>	
	1900, 84	<i>coryphus</i>	1892, 386
	1900, 954		1892, 408
<i>nigricans</i>	1899, 794		1892, 409
<i>penricii</i>	1899, 828	<i>Cochlicopa terebellum</i> .	1892, 266
<i>senganus</i>	1899, 794	<i>Cochlodryas florida</i> ...	1892, 451
	1899, 795	<i>polychroa</i>	1892, 451
<i>sing-sing</i>	1892, 471	<i>Cochlostyla fischeri</i> ...	1892, 464
	1893, 614	<i>graellsii</i>	1892, 462
	1893, 728	<i>indusiata</i>	1892, 467
<i>smithemani</i>	1899, 982	<i>jayana</i>	1891, 45
	1899, 983	<i>lais</i>	1892, 460
	1899, 984		1892, 467
<i>thomasi</i>	1895, 869	<i>librosa</i>	1892, 462
	1895, 870	<i>palavanensis</i>	1892, 462
	1897, 452	<i>physalis</i>	1892, 467
	1900, 686	<i>pulcherrima</i>	1892, 450
	1900, 954	<i>rustica</i>	1892, 452
<i>unctuosus</i>	1893, 727	<i>satyrus</i>	1892, 462
	1893, 728		1895, 98
	1895, 341		1895, 100
	1895, 688	— <i>graellsii</i>	1892, 462
	1896, 785	<i>speciosa</i>	1892, 466
	1897, 813	<i>thomsoni</i>	1892, 467
	1898, 281	<i>tukanensis</i>	1892, 467
	1898, 350	<i>viridis</i>	1892, 452
	1899, 936	<i>zamboangæ</i>	1892, 460
<i>vardoni</i>	1892, 98	<i>Codonium genmi-</i>	
	1893, 723	<i>ferum</i>	1896, 473
	1893, 724	<i>Coeliades dubius</i>	1893, 130
	1893, 728	<i>Coelioxys capitata</i>	1896, 454
	1897, 452	<i>confusus</i>	1896, 454
	1899, 982	<i>Coelites epiminthia</i>	1891, 259
	1900, 686	<i>euptychioides</i>	1891, 259
— <i>loderi</i>	1899, 983	— <i>humilis</i>	1891, 259
	1899, 984	<i>humilis</i>	1891, 259
— <i>senganus</i>	1899, 795	<i>nothis</i>	1891, 259
<i>Coccinella bipunctata</i> ..	1895, 854	<i>Cœlodasys pegasis</i>	1892, 331
	1895, 855	<i>tonac</i>	1892, 330

	Page		Page
<i>Cœlodendrum ramosis-</i>		<i>Cœnobia brunnea</i>	1898, 459
<i>simum</i>	1898, 1023	<i>cavipes</i>	1898, 460
	1898, 1027	<i>clypeatus</i>	1898, 459
<i>Cœlodon</i>	1899, 152	<i>olivieri</i>	1898, 459
<i>Cœlogenys paca</i>	1891, 244	<i>perlatus</i>	1898, 457
	1892, 596		1898, 458
	1892, 603		1898, 459
	1892, 604		1899, 938
	1893, 591	<i>purpurea</i>	1898, 459
	1894, 251	<i>rugosus</i>	1898, 457
	1894, 271		1898, 458
	1894, 273		1898, 460
	1894, 287		1899, 938
	1894, 516	— <i>pulcher</i>	1898, 457
	1898, 867		1898, 458
<i>Cœloma tortricalis</i>	1897, 653		1898, 460
<i>Cœlopeltis lacertina</i>	1892, 20	<i>spinosus</i>	1898, 458
	1892, 482		1898, 459
	1892, 485		1899, 938
	1892, 486	<i>Cœnobius flavitarsis</i> ..	1897, 264
	1895, 705	<i>nigritellus</i>	1897, 264
	1895, 818	<i>plagiatus</i>	1900, 218
	1895, 825	<i>suffriani</i>	1897, 264
<i>moilensis</i>	1895, 637	<i>Cœnopsammia ehren-</i>	
	1895, 656	<i>bergiana</i>	1900, 119
<i>producta</i>	1892, 20	<i>Cœnostola eruptalis</i> ...	1898, 685
	1895, 656	<i>quadriferestralis</i> ..	1899, 287
<i>Cœloplegma murray-</i>		<i>Cœreba cœrulea</i>	1896, 337
<i>anum</i>	1898, 1023	<i>chloropyga</i>	1896, 337
	1898, 1026	<i>magnirostris</i>	1896, 337
— <i>tritonis</i>	1898, 1027	<i>Cogia breviceps</i>	1899, 919
<i>Cœlops frithi</i>	1900, 344	<i>calchas</i>	1893, 32
<i>Cœloria</i>	1899, 740	<i>hassan</i>	1893, 18
<i>sp.</i>	1899, 159		1893, 32
<i>arabica leptochile</i> ..	1899, 741	<i>terranea</i>	1893, 32
<i>astrœiformis</i>	1899, 743	<i>Colabata lineosa</i>	1896, 637
	1899, 763	<i>Coladenia dan</i>	1892, 659
<i>bottai</i>	1899, 741		1893, 49
<i>dædalea</i>	1899, 741	<i>fatih</i>	1893, 49
	1899, 742	<i>indrani</i>	1892, 659
	1899, 743		1893, 43
	1899, 744		1893, 49
	1899, 763	<i>kehelatha</i>	1893, 49
<i>edwardsi</i>	1899, 741	<i>tissa</i>	1893, 49
	1899, 744	<i>Colænis cillene</i>	1896, 514
	1899, 763	<i>delila</i>	1898, 363
<i>esperi</i>	1899, 743		1900, 198
	1899, 763	<i>julia</i>	1896, 514
<i>pachychila</i>	1899, 740	<i>Colaptes puna</i>	1892, 402
<i>sinensis</i>	1899, 742	<i>rupicola</i>	1891, 132
	1899, 763		1891, 135
	1900, 126	<i>Colasposoma sp.</i>	1892, 91
<i>Cœlostathma disco-</i>			1893, 746
<i>punctata</i>	1897, 136	<i>abdominale</i>	1897, 548
<i>parallelana</i>	1897, 136		1900, 221
<i>Cœnina aurivena</i>	1898, 433	<i>alutaceum</i>	1900, 221
<i>flavivena</i>	1898, 433		1900, 222
<i>pœciliaria</i>	1898, 433	<i>antiquum</i>	1900, 221

	Page		Page
<i>Colasposoma aruwimi-</i>		<i>Colias pyrene</i>	1894, 577
<i>ense</i>	1892, 91		1895, 263
<i>conradi</i>	1900, 221		1895, 735
<i>cyaneocupreum</i>	1893, 746		1896, 254
<i>fairmairei</i>	1892, 91		1899, 812
	1900, 224	<i>sareptensis</i>	1898, 822
<i>foveatum</i>	1897, 548	<i>Coliipasser jacksoni</i>	1900, 603
	1900, 223	<i>Colius</i> sp.	1900, 958
<i>foveipenne</i>	1900, 223	<i>affinis</i>	1900, 600
<i>kraatzi</i>	1897, 547	<i>capensis</i>	1893, 528
<i>melancholicum</i>	1897, 549		1896, 157
<i>obscurum</i>	1900, 223	<i>erythromelon</i>	1900, 2
<i>pradieri</i>	1900, 224	<i>leucotis</i>	1895, 502
<i>pubescens</i>	1897, 548		1900, 305
	1900, 222	<i>macrurus</i>	1895, 502
<i>semihirsutum</i>	1898, 232	<i>Collaria explicata</i>	1893, 705
	1898, 233	<i>Collozoum</i> sp.	1898, 1022
<i>senegalense</i>	1897, 549		1898, 1024
<i>subaureum</i>	1900, 222	<i>ellipsoides</i>	1898, 1024
<i>thoracicum</i>	1898, 235	<i>inermis</i>	1898, 1024
<i>transvalense</i>	1897, 549	<i>Colobocentropus atratus</i> ..	1900, 117
<i>vestita</i>	1898, 235	<i>Colobocephalus castel-</i>	
<i>villosum</i>	1898, 235	<i>latus</i>	1894, 667
<i>Colastes grenadensis</i> ..	1895, 782		1894, 668
<i>Colbusa pentagonalis</i> ..	1894, 589	<i>Colobomatus bergyllæ</i> ..	1899, 480
	1894, 593		1899, 507
	1898, 423	<i>lamnæ</i>	1899, 479
<i>Coleophora picticornis</i> .	1897, 102	<i>Colobus abyssinicus</i>	1900, 800
<i>pulchricollis</i>	1897, 102	— <i>poliurus</i>	1900, 800
<i>troglydytella</i>	1897, 102	<i>angolensis</i>	1892, 97
<i>Coleosoma blandum</i>	1897, 862		1895, 341
<i>Coleura afra</i>	1895, 544		1896, 788
	1895, 546	<i>bicolor</i>	1894, 359
<i>Colias edusa</i>	1893, 279	<i>caudatus</i>	1895, 341
	1893, 663		1900, 174
	1896, 833		1900, 800
	1897, 693	<i>guereza</i>	1895, 341
	1897, 850		1898, 587
	1900, 932	<i>matschiei</i>	1900, 800
— <i>electra</i>	1894, 570	<i>palliatas</i>	1892, 97
	1895, 633		1896, 788
	1896, 125		1897, 927
	1897, 850	<i>polycomus</i>	1896, 987
<i>electra</i>	1894, 67	<i>ursinus</i>	1894, 359
	1894, 347	<i>Colochirus tuberculosus</i> ..	1894, 394
	1896, 528	<i>Colostethus latinasus</i> ..	1898, 119
	1896, 536		1898, 476
	1898, 370	<i>Colpa iris</i>	1896, 430
	1898, 822	<i>Colpodaspis pusilla</i>	1894, 664
— <i>edusa</i>	1899, 424		1894, 666
	1899, 969		1894, 668
	1900, 932		1894, 669
<i>helice</i>	1896, 125	<i>Colubatha metaspilalis</i> .	1899, 287
<i>hyale</i>	1897, 850	<i>Coluber boddaerti</i>	1891, 355
— <i>electra</i>	1898, 197		1891, 356
<i>marnoana</i>	1898, 822		1894, 501
	1900, 14		1894, 507
<i>pyrene</i>	1893, 664		1894, 509

	Page		Page
<i>Coluber boddaerti</i>	1894, 514	<i>Columbella fabula</i>	1891, 406
	1894, 518	<i>pacifica</i>	1891, 406
<i>corais</i>	1894, 501	<i>pardalina</i>	1891, 406
	1894, 508	<i>propinqua</i>	1891, 405
	1894, 509		1891, 435
	1894, 512	<i>vulpecula</i>	1891, 405
<i>erythrurus</i>	1894, 518	<i>zebra</i>	1891, 406
	1897, 196	(<i>Anachis</i>) <i>misera</i> ..	1891, 406
	1897, 197	(<i>Conidea</i>) <i>flava</i>	1891, 406
	1897, 200	<i>Columbia transmon-</i>	
	1897, 221	<i>tana</i>	1895, 302
<i>fasciolatus</i>	1896, 882	<i>Columbigallina cruzi-</i>	
<i>hexagonotus</i>	1896, 882	<i>ana</i>	1892, 394
<i>hodgsonii</i>	1899, 668		1892, 407
<i>janseni</i>	1897, 196	<i>griseola</i>	1892, 394
	1897, 200		1892, 408
	1897, 220		1892, 409
<i>korros</i>	1896, 882	<i>passerina</i>	1891, 194
<i>lacrymans</i>	1895, 655		1891, 195
<i>longissimus</i>	1895, 705		1892, 500
<i>mandarinus</i>	1899, 165	<i>Colurus caudatus</i>	1897, 799
<i>melanurus</i>	1896, 883	<i>Colymbus adamsi</i>	1894, 94
	1899, 605		1899, 1044
	1899, 668	<i>fluviatilis</i>	1895, 515
<i>oxycephalus</i>	1896, 882	<i>glacialis</i>	1899, 1020
	1897, 221		1899, 1042
	1899, 605		1899, 1046
	1899, 668	<i>septentrionalis</i>	1896, 142
<i>phyllophis</i>	1899, 165		1897, 468
<i>porphyraceus</i>	1896, 882		1899, 1020
	1899, 165		1899, 1038
	1899, 605		1899, 1042
	1899, 668		1899, 1046
<i>radiatus</i>	1896, 783	<i>torquatus</i>	1899, 1044
	1896, 883	<i>Comibæna</i> sp.	1896, 853
	1899, 601	<i>leucospilata</i>	1898, 58
	1899, 605	<i>megaspilaria</i>	1892, 133
	1899, 669	<i>Comodica acontistes</i> ..	1897, 158
<i>schokari</i>	1895, 655	<i>Comostola cærulea</i>	1893, 354
<i>tæniurus</i>	1899, 600		1893, 433
	1899, 605	<i>Compsa saturata</i>	1896, 647
	1899, 668	<i>Compsocoma sumptuosa</i> .	1896, 343
	1900, 859	<i>Compsognathus lon-</i>	
(<i>Compsosoma</i>) <i>me-</i>		<i>gipes</i>	1895, 719
<i>lanurus</i>	1895, 705	<i>Compsophila iocosma</i> ..	1895, 909
(<i>Elaphis</i>) <i>quatuor-</i>		<i>Compsoschema</i>	1897, 142
<i>lineatus</i>	1895, 705	<i>bimarginellum</i>	1897, 142
(<i>Pituophis</i>) <i>cateni-</i>		<i>Compsosoma mela-</i>	
<i>fer</i>	1895, 705	<i>nurum</i>	1892, 481
<i>Columba albitorques</i> ..	1895, 516		1892, 485
<i>guinea</i>	1895, 517	<i>Compsothlypis pitia-</i>	
<i>guineensis</i>	1895, 517	<i>yumi</i>	1896, 330
<i>livia</i>	1891, 473	<i>Conchlostyla satyrus</i> ..	1895, 99
	1891, 474	<i>Conchodytes melea-</i>	
	1891, 476	<i>grinæ</i>	1898, 1001
	1896, 153		1898, 1007
<i>palumbus</i>	1891, 195	<i>Conchœcia maxima</i> ..	1897, 523
<i>punicea</i>	1900, 501		1898, 578

	Page		Page
Conchylia smithi	1898, 417	Conilurus boweri.....	1897, 332
Conchylis sp.	1891, 501	hirsutus	1897, 322
	1891, 543	macrurus	1897, 322
	1897, 137	penicillatus	1897, 321
angulatana	1891, 501		1897, 322
	1897, 137		1897, 323
bunteana	1891, 501	Conirostrum atro-	
	1891, 543	cyaneum	1896, 335
	1897, 138	cinereum	1891, 132
	1897, 139		1891, 133
lacteipalpis	1891, 500		1892, 374
	1891, 543		1892, 404
	1897, 139		1896, 335
lepidana	1897, 139		1893, 336
prolectana.....	1891, 500	— littorale	1896, 336
	1891, 543	cyaneum	1896, 335
	1897, 138	ferrugineiventre ..	1896, 335
tectonica	1891, 501	sitticolor	1896, 335
	1891, 543	Connochætes	1900, 164
	1897, 138	albo-jubatus	1900, 773
vicinitana	1891, 501	gnu	1893, 325
	1891, 543		1894, 595
	1897, 138		1895, 360
Conchylodes	1898, 598		1895, 688
	1898, 674		1898, 586
argentalis	1898, 675		1899, 828
baptalis	1898, 620		1900, 771
bryophilalis	1898, 674	gorgon	1893, 614
	1898, 761		1896, 506
concinnaalis	1898, 675	johnstoni	1899, 771
corycialis	1898, 620	taurinus.....	1893, 507
diphtheralis.....	1898, 674		1895, 161
hebræalis	1898, 674		1895, 360
hedonialis	1898, 675		1896, 796
nolkenialis	1898, 675		1897, 451
ovulalis	1898, 675		1900, 773
paucipunctalis ...	1898, 620	— albo-jubatus ..	1896, 617
platinalis	1898, 675	— johnstoni	1896, 616
salamisalis	1898, 674		1896, 796
striginalis	1898, 675	— typicus.....	1896, 617
zebra	1898, 675	Conocephalus frater ..	1892, 200
Condyloleomia meta-			1892, 215
pachys	1897, 673	guttatus.....	1892, 200
participalis	1897, 673		1892, 214
Condyloirrhiza	1898, 600		1893, 608
sublutaalis	1898, 720	heteropus	1892, 200
vestigialis	1899, 218		1892, 215
	1899, 219	infuscatu	1892, 200
Conepatus mapurito....	1894, 303		1892, 214
	1894, 358		1893, 608
— monzoni	1894, 302	macropterus	1892, 200
Conger conger	1895, 274		1892, 215
	1895, 292	maxilloso.....	1892, 200
	1895, 294		1892, 214
vulgaris	1898, 565		1893, 608
	1899, 475	muticus.....	1892, 200
Congericola pallida	1899, 475		1892, 214
Conilurus boweri	1897, 321		1893, 608

	Page		Page
<i>Conocephalus punctipes</i>	1892, 200	<i>Conus capitaneus</i>	1891, 399
	1892, 215	<i>catus</i>	1891, 401
	1893, 608	<i>cervus</i>	1891, 402
<i>surinamensis</i>	1892, 200	<i>ceylanensis</i>	1891, 402
	1892, 215	<i>coffea</i>	1891, 401
	1893, 608	<i>condensus</i>	1891, 402
<i>Conodontes boisvilletti</i> ..	1891, 248	<i>corbula</i>	1891, 402
<i>Conogethes lictor</i>	1898, 685	<i>coronatus</i>	1900, 117
<i>nubifera</i>	1898, 693	<i>cuvieri</i>	1891, 402
<i>semistrigalis</i>	1898, 689	<i>dillwynii</i>	1891, 401
<i>umbrosa</i>	1898, 693	<i>discrepans</i>	1891, 401
<i>Conopophaga castaneiceps</i>	1896, 385	<i>erythræensis</i>	1891, 401
	1896, 386	<i>flavidus</i>	1891, 400
— <i>brunneinucha</i> ..	1896, 385	<i>fulvocinctus</i>	1891, 435
<i>melanops</i>	1899, 515	<i>generalis</i>	1891, 400
	1899, 516	<i>geographus</i>	1891, 402
<i>nigrigenys</i>	1899, 516	<i>hamilli</i>	1891, 401
<i>Conoryctes ditrigonus</i> ..	1893, 199	<i>hebræus</i>	1900, 117
<i>Consoprium divisum</i> ..	1896, 636	<i>induratus</i>	1891, 401
<i>Constantia vulgaris</i>	1896, 273	<i>innotabilis</i>	1891, 487
(<i>Zonora</i>) <i>rufimarginalis</i>	1896, 273		1891, 491
<i>Contopus ardesiacus</i>	1896, 367	<i>inscriptus</i>	1891, 400
<i>virens richardsoni</i> ..	1896, 367	<i>insignis</i>	1891, 400
<i>Conurus</i>	1899, 29	<i>keatii</i>	1891, 400
	1899, 30	<i>legatus</i>	1891, 402
	1899, 31		1891, 403
	1899, 32	<i>lineatus</i>	1891, 400
	1899, 41	<i>magus</i>	1891, 435
	1899, 44	<i>maldivus</i>	1891, 400
	1899, 45	<i>millepunctatus</i>	1891, 435
	1899, 46	<i>minus</i>	1891, 402
<i>æruginosus</i>	1899, 29	<i>mirmillo</i>	1891, 401
<i>aureus</i>	1893, 510	<i>monile</i>	1891, 400
<i>cruentatus</i>	1893, 510	<i>multicatenatus</i>	1891, 400
<i>frontatus</i>	1892, 399	<i>musivum</i>	1891, 402
	1892, 407	<i>nigropunctatus</i>	1891, 401
	1892, 409	<i>nussatella</i>	1891, 403
<i>hæmorrhous</i>	1899, 29	<i>panniculus</i>	1891, 402
<i>holochlorus</i>	1896, 784		1891, 403
<i>leucotis</i>	1899, 29	<i>paulucciæ</i>	1891, 402
<i>rubritorques</i>	1896, 784	<i>piperatus</i>	1891, 401
<i>Conus abbas</i>	1891, 402	<i>planiliratus</i>	1891, 401
	1891, 403	<i>quadratamaculatus</i> ..	1891, 401
<i>achatinus</i>	1891, 435	<i>quercinus</i>	1891, 399
<i>acuminatus</i>	1891, 400	<i>rattus</i>	1891, 399
<i>adansonii</i>	1891, 401	<i>recurvus</i>	1891, 402
<i>adenensis</i>	1891, 401	<i>rubescens</i>	1891, 402
	1891, 435	<i>scriptus</i>	1891, 402
<i>adustus</i>	1891, 401	<i>spirogloxus</i>	1891, 400
<i>aplustre</i>	1891, 400	<i>striatus</i>	1891, 400
<i>archiepiscopus</i>	1891, 402	<i>sulphuratus</i>	1891, 435
<i>armatus</i>	1891, 402	<i>sumatrensis</i>	1891, 399
<i>bayani</i>	1891, 400	<i>suratensis</i>	1891, 400
<i>betulinus</i>	1891, 400	<i>tæniatus</i>	1891, 402
<i>canonicus</i>	1891, 402	<i>tessellatus</i>	1891, 399
		<i>textile</i>	1891, 402
		<i>textilina</i>	1891, 402
		<i>tigrinus</i>	1891, 402

	Page		Page
<i>Conus tigrinus</i>	1891, 435	<i>Coracias abyssinica</i>	1891, 476
<i>traversianus</i>	1891, 401		1900, 957
<i>tulipa</i>	1891, 402	<i>caudatus</i>	1900, 2
<i>verriculum</i>	1891, 402		1900, 600
<i>vicarius</i>	1891, 402	<i>garrula</i>	1891, 470
<i>virgo thomasi</i>	1891, 400		1891, 471
<i>vulpinus</i>	1891, 401	<i>lorti</i>	1895, 496
<i>Copeodes aurantiaca</i> ..	1893, 98	<i>nævius</i>	1895, 496
<i>nanus</i>	1893, 98	<i>pilosa</i>	1891, 471
<i>procris</i>	1893, 91		1895, 496
	1893, 97	<i>Coracopsis</i>	1899, 34
	1893, 98		1899, 35
<i>Cophanta funestalis</i>	1899, 287		1899, 44
<i>Cophophryne sikkim-</i>			1899, 45
<i>ensis</i>	1892, 348	<i>nigra</i>	1899, 32
<i>Copiophora brevicornis</i> ..	1892, 200		1899, 33
	1892, 214	<i>vasa</i>	1893, 435
<i>Copris harrisi</i>	1900, 24		1895, 162
<i>Copsychus saularis</i>	1900, 474		1899, 32
<i>Coptobasis</i> sp.	1894, 591		1899, 33
<i>ænealis</i>	1898, 714	<i>Coralliocaris brevirostris</i>	1898, 1000
<i>andamanalis</i>	1898, 715		1898, 1006
<i>biocellata</i>	1898, 713		1898, 1007
<i>colomboensis</i>	1898, 723		1898, 1015
<i>incrassata</i>	1898, 714	<i>macrophthalma</i> ..	1898, 1007
<i>leonalis</i>	1898, 725	<i>Coralliophila wahlbergi</i> ..	1891, 426
<i>luminalis</i>	1898, 714		1891, 444
<i>müllingeri</i>	1898, 725	<i>Coralliopsis perieri</i>	1899, 62
<i>ovalis</i>	1895, 741	<i>Corallium johnsoni</i>	1899, 63
<i>spretalis</i>	1898, 725	<i>nobile</i>	1899, 57
<i>tricolor</i>	1894, 591	<i>rubrum</i>	1899, 57
<i>Coptocephala falken-</i>		<i>secundum</i>	1899, 62
<i>steini</i>	1900, 214	<i>Corallus cookii</i>	1894, 513
<i>Coptochilus altum</i>	1892, 469	— <i>melanea</i>	1894, 517
<i>anostoma</i>	1892, 469	— <i>ruschenbergii</i> ..	1894, 499
<i>doriæ</i>	1892, 469		1894, 501
<i>quadras</i>	1892, 464		1894, 517
<i>sectilabrum</i>	1891, 346	<i>Coraphites melanauchen</i>	1895, 472
	1892, 469	<i>Corasia ægrota</i>	1892, 450
<i>sumatranum</i>	1892, 469	<i>æruginosa</i>	1892, 450
<i>Coptodisca rhizophoræ</i> ..	1897, 143	<i>albaisensis</i>	1892, 449
<i>splendoriferella</i>	1897, 143	<i>aurata</i>	1892, 449
<i>Coptodon</i>	1899, 105	<i>broderipii</i>	1892, 450
<i>zillii</i>	1899, 119	<i>cærulea</i>	1892, 449
<i>Coptoloma albicapitana</i> ..	1891, 505	<i>cromyodes</i>	1892, 450
	1891, 544	<i>elisabethæ</i>	1892, 449
	1897, 128	<i>erubescens</i>	1892, 449
<i>figurana</i>	1891, 505	<i>filaris</i>	1892, 450
	1891, 544	<i>halichlora</i>	1892, 449
	1897, 129	<i>intorta</i>	1892, 450
<i>Coptosoma maculata</i> ..	1900, 819	<i>irosinensis</i>	1892, 449
<i>nepalensis</i>	1900, 819	<i>lais</i>	1892, 450
<i>transversa</i>	1900, 819	<i>leucophthalma</i>	1892, 466
<i>Copurus colonus</i>	1896, 357	<i>limansanensis</i>	1892, 450
— <i>fuscicapileus</i> ..	1896, 358	<i>livido-cincta</i>	1892, 449
<i>fuscicapileus</i>	1896, 358	<i>magtanensis</i>	1892, 450
<i>Coracias abyssinica</i>	1891, 470	<i>papyracea</i>	1892, 450
	1891, 471	<i>psittacina</i>	1892, 449

	Page		Page
<i>Corasia pudibunda</i>	1892, 449	<i>Coriscus sericans</i>	1894, 205
<i>puella</i>	1892, 450	<i>signatus</i>	1894, 205
<i>reginæ</i>	1892, 450	<i>Corizus hyalinus</i>	1894, 180
<i>valenciensis</i>	1892, 450	<i>pictipes</i>	1894, 181
<i>virgo</i>	1892, 450	<i>sidæ</i>	1894, 181
<i>zamboangæ</i>	1892, 450	<i>zidæ pictipes</i>	1893, 705
	1892, 457	<i>Cornifrons</i>	1898, 602
	1895, 99		1899, 276
<i>Corbicula astartina</i>	1891, 310	<i>pulveralis</i>	1899, 277
<i>fluminalis</i>	1900, 970	<i>simalis</i>	1899, 277
<i>malaccensis</i>	1891, 348	<i>ulceratalis</i>	1899, 276
<i>radiata</i>	1891, 310	<i>Cornufer baluensis</i>	1898, 474
<i>Corbula crassa</i>	1891, 435	<i>johnstoni</i>	1900, 439
<i>taheitensis</i>	1891, 430	<i>Cornuspira carinata</i>	1895, 11
<i>Cordylopeza nigrinodis</i>	1897, 675		1895, 49
<i>Coregonus oxyrhynchus</i>	1899, 940	<i>Corone ismenoides</i>	1893, 130
<i>williamsonii</i>	1895, 300	<i>Coronella baliodeira</i>	1896, 885
<i>Corematodus</i>	1896, 918		1899, 673
	1899, 99	<i>nototænia</i>	1891, 307
	1899, 104	<i>olivacea</i>	1893, 618
<i>shiranus</i>	1896, 919	— <i>dumerilii</i>	1893, 618
	1898, 152		1894, 87
	1899, 104	(<i>Ophibolus</i>) <i>getula</i>	1895, 705
	1899, 143	<i>Coronta surrepens</i>	1896, 638
<i>Corematura chrysogastra</i>	1896, 635	<i>Corsira nigrescens</i>	1900, 874
<i>Coremia fringillata</i>	1896, 646	<i>Coruncala latipennis</i>	1896, 648
<i>lateraria</i>	1896, 646	<i>Corvina nigra</i>	1899, 479
<i>Coreoperca herzi</i>	1899, 960		1899, 485
<i>whiteheadi</i>	1899, 960		1899, 940
	1899, 962	<i>nigrita</i>	1900, 515
<i>Corinna consobrina</i>	1897, 884	<i>unimaculata</i>	1899, 486
	1897, 887	<i>Corvinella corvina</i>	1899, 933
<i>lacertosa</i>	1897, 884	<i>Corvultur albicollis</i>	1895, 459
	1897, 885		1897, 189
<i>napæa</i>	1897, 884		1900, 602
	1897, 888	<i>crassirostris</i>	1895, 458
<i>pallidoguttata</i>	1897, 884	<i>Corvus</i>	1899, 17
	1897, 885	<i>capellanus</i>	1896, 226
<i>punicea</i>	1897, 884		1896, 227
	1897, 887		1896, 228
<i>subsignata</i>	1897, 884	<i>capellus</i>	1894, 495
	1897, 886		1894, 498
<i>tomentosa</i>	1897, 884	<i>corax</i>	1899, 15
	1897, 886	<i>corone</i>	1891, 471
<i>Corinnomma albobar-</i>			1891, 476
<i>batum</i>	1897, 883	<i>frugilegus</i>	1891, 628
<i>Coris giofredi</i>	1898, 284		1895, 401
<i>greenoughi</i>	1898, 1002	<i>levaillanti</i>	1900, 461
<i>julis</i>	1898, 284		1900, 462
<i>Corisa cubæ</i>	1894, 224	<i>scapulatus</i>	1897, 189
<i>reticulata</i>	1894, 224		1900, 956
<i>Coriscium albonargina-</i>		<i>sinensis</i>	1900, 461
<i>tum</i>	1897, 154	<i>torquatus</i>	1900, 462
<i>attenuatum</i>	1897, 154	<i>Corybissa congruana</i>	1897, 651
<i>Coriscus capsiformis</i>	1893, 706	<i>Corycia magica</i>	1892, 128
	1894, 205	<i>Corydalla cryptoleuca</i>	1896, 636
<i>crassipes</i>	1894, 205	<i>richardi</i>	1900, 467
<i>roripes</i>	1893, 706	<i>Corydia collaris</i>	1892, 205

	Page		Page
<i>Corymorpha galanthus</i> ..	1896, 464	<i>Cosmophila mesogona</i> ..	1896, 263
<i>nana</i>	1896, 475	<i>punctifera</i>	1896, 639
<i>nutans</i>	1896, 459	<i>sabulifera</i>	1896, 263
	1896, 463		1900, 18
	1896, 464	<i>Cosmopsarus regius</i>	1895, 459
	1896, 465	<i>Cosmopteryx abnormalis</i>	1897, 106
	1896, 467	<i>attenuatella</i>	1897, 55
	1896, 499		1897, 105
<i>prolifer</i>	1896, 466		1897, 106
<i>Coryna apicipustulata</i> ..	1893, 742	<i>gemmiferella</i>	1891, 536
<i>Coryne briareus</i>	1896, 461		1891, 548
<i>fritillaria</i>	1896, 467		1897, 55
<i>implexa</i>	1896, 461		1897, 105
<i>pelagica</i>	1896, 461		1897, 106
(<i>Amphicodon</i>)		<i>lespedezæ</i>	1891, 536
<i>fritillaria</i>	1896, 467		1891, 548
(<i>Corymorpha</i>)			1897, 55
<i>fritillaria</i>	1896, 466		1897, 105
<i>Corynodes bimaculi-</i>		<i>sancti-vincentii</i>	1891, 536
<i>collis</i>	1900, 227		1891, 548
<i>bonnyi</i>	1892, 91		1897, 106
<i>compressicornis</i> ..	1892, 91	<i>similis</i>	1897, 106
	1893, 745	<i>Cosmosoma auge</i>	1898, 367
<i>cyaneus</i>	1892, 91	<i>harpalyce</i>	1892, 275
<i>dejeani</i>	1893, 745	<i>marginatum</i>	1896, 635
<i>nigripennis</i>	1900, 227	<i>plutona</i>	1894, 226
<i>raffrayi</i>	1900, 228	<i>tigris</i>	1894, 226
<i>zombæ</i>	1893, 745	<i>Cossedia erateinalis</i> ...	1899, 287
<i>Coryphaena hippurus</i> ..	1899, 461	<i>Cossula notodontoides</i> ..	1892, 328
(<i>Macrurus</i>) <i>rupestris</i>	1899, 494	<i>præclava</i>	1892, 328
<i>Coryphosphingus pileatus</i>	1899, 515	<i>Cossus horrifer</i>	1892, 327
<i>Coryphospiza albifrons</i> .	1899, 512	<i>parilis</i>	1892, 327
<i>Corystes cassivelaunus</i> .	1898, 208	<i>Cossypha barteloti</i>	1894, 604
	1898, 209	<i>donaldsoni</i>	1895, 484
<i>Corythæola cristata</i>	1894, 598	<i>heuglini</i>	1895, 484
<i>Corythaica carinata</i>	1894, 203	<i>subrufescens</i>	1895, 484
<i>Corythaix</i> sp.	1894, 605	<i>Cossyphus bodjanus</i> ...	1899, 454
	1894, 606	<i>Costria abnoba</i>	1892, 327
<i>chlorochlamys</i>	1896, 154	<i>Cotæna mediana</i>	1896, 647
<i>schuetti</i>	1894, 598	<i>Cothonaspis atricornis</i> ..	1895, 745
<i>Corythomantis greeningi</i>	1898, 478	<i>Cotile rupestris</i>	1891, 473
<i>Corythopsis anthoides</i>		<i>Cotinga cincta</i>	1894, 457
<i>humivagans</i>	1896, 386		1899, 515
<i>Corythornis cyanostigma</i>	1900, 2	<i>Cottobara concinna</i>	1896, 650
<i>Corythuca</i> sp.	1893, 706	<i>Cottus bubalis</i>	1898, 308
<i>decens</i>	1894, 204	<i>gobio</i>	1899, 495
<i>gossypii</i>	1893, 706	<i>scorpio</i>	1899, 940
	1893, 717		1899, 956
<i>Corythura cinnamomea</i> .	1894, 604	<i>Coturnix communis</i>	1891, 474
<i>Coscinaræa</i>	1898, 533		1891, 476
<i>mæandrina</i>	1898, 535		1896, 311
<i>monile</i>	1898, 535		1900, 503
<i>Cosmetira punctata</i>	1896, 484	<i>coturnix</i>	1896, 311
	1897, 824		1900, 503
<i>salinarum</i>	1897, 835	<i>Cotuza drepanoides</i>	1892, 128
<i>Cosmocreon</i>	1899, 252	<i>Cotyle riparia</i>	1900, 956
<i>Cosmophila erosa</i>	1896, 263	<i>Cotyleceps</i>	1895, 63
	1898, 424	<i>decorata</i>	1895, 64

	Page		Page
Crabro fuscipennis	1896, 447	Crambus bogotanellus	1899, 248
palitans	1896, 446	bolterellus	1895, 940
	1896, 459	bonusculalis	1895, 935
Crambidia corcovada	1894, 240	brachypterellus	1895, 938
petrola	1894, 240	cacuminellus	1895, 933
Crambomorpha argentea	1894, 240	caliginosellus	1895, 928
marcata	1894, 240	callirhous	1895, 940
virginia	1894, 240	camurellus	1895, 928
Crambus abbreviatellus	1895, 927	candiellus	1895, 935
abtrusellus	1895, 933	candifer	1895, 934
aculiellus	1895, 936	cantiellus	1895, 929
acutangulus	1895, 929	carpenterellus	1895, 936
acutellus	1895, 973	caucasicus	1895, 940
æniociliellus	1895, 941	chalybirostris	1895, 935
æthonellus	1895, 940	chillanicus	1895, 930
agitatellus	1895, 936	chrysographellus	1898, 441
albellus	1895, 936	chrysonuchellus	1895, 934
albilinellus	1895, 941	chrysoperellus	1895, 937
albistrigellus	1895, 927	ciliciellus	1895, 941
alboclavellus	1895, 936	colchicellus	1895, 941
alexandriensis	1895, 928	coloradellus	1895, 941
alienellus	1895, 935	combinellus	1895, 924
alpestris	1899, 185	commixtalis	1895, 973
alpina	1899, 185	comptulatalis	1895, 940
anceps	1895, 928	conchellus	1895, 932
angustatellus	1895, 941	concinialis	1895, 272
angustipennis	1895, 932	concinellus	1895, 935
anticellus	1895, 926	concolorellus	1895, 940
argentarius	1895, 936	confusellus	1895, 933
argenticilia	1895, 937	corsicellus	1895, 932
argentilineellus	1895, 939	coulonellus	1895, 928
argentistrigellus	1895, 928	craterellus	1895, 934
	1895, 941	crenaeus	1895, 931
argillaceus	1895, 939	culmellus	1895, 935
argyrophorus	1895, 936	cuneiferellus	1895, 928
atkinsoni	1895, 927	cuneolalis	1895, 940
atlanticus	1895, 929	curtellus	1895, 929
— canariensis	1895, 929	cyclopicus	1895, 932
atrosignatus	1895, 940	cypridalis	1895, 940
attenuatus	1895, 935	cyrenaicellus	1895, 940
aurantilineellus	1895, 927	decolorellus	1895, 929
aureliellus	1895, 930	decorellus	1895, 935
auricinctalis	1895, 937	decrenellus	1895, 931
aurifimbrialis	1895, 935	delatalis	1895, 927
aurifimbriellus	1895, 937	delectalis	1895, 940
aurifusellus	1895, 973	delicatellus	1895, 941
aurivittatus	1895, 936	deliellus	1895, 930
aurosus	1895, 968	delineatellus	1895, 939
b-hrensellus	1895, 941	demissalis	1895, 963
biarmicus	1895, 933	descludellus	1895, 941
bidens	1895, 936	desertellus	1895, 929
biformellus	1895, 941	detomatellus	1895, 941
biothanatalis	1895, 940	diatræellus	1895, 931
bipunctellus	1895, 937	dielota	1895, 926
biradiellus	1895, 940	digitellus	1895, 928
bisectellus	1895, 932	dileucellus	1895, 934
bizonellus	1895, 929	dimidiatellus	1895, 940
bogotanellus	1895, 973	dimidiellus	1895, 924

	Page		Page
<i>Crambus dimorphellus</i>	1895, 932	<i>Crambus heliotis</i>	1895, 932
<i>diplogrammus</i>	1895, 928	<i>helviusalis</i>	1895, 973
<i>diplorrhous</i>	1895, 940	<i>hemigiellus</i>	1895, 935
<i>dirutellus</i>	1895, 973	<i>hemiochrellus</i>	1895, 929
<i>dissectus</i>	1895, 935	<i>hemixanthellus</i>	1895, 927
<i>distictellus</i>	1895, 938	<i>hortuellus</i>	1895, 934
<i>distinctellus</i>	1895, 937	<i>hulstellus</i>	1895, 940
<i>dividellus</i>	1895, 927	<i>humerehellus</i>	1895, 973
<i>divisellus</i>	1895, 941	<i>humidellus</i>	1895, 940
<i>dumetellus</i>	1895, 935	<i>immaturellus</i>	1895, 938
<i>duplicatus</i>	1895, 928	<i>immunellus</i>	1895, 933
<i>duplicellus</i>	1895, 934	<i>impersonatellus</i>	1895, 953
<i>edonis</i>	1895, 926	<i>impurellus</i>	1895, 938
<i>elegans</i>	1895, 933	<i>incertellus</i>	1895, 933
<i>elegantellus</i>	1895, 936	<i>inclaralis</i>	1895, 938
<i>encophorus</i>	1895, 931	<i>inconspicuellus</i>	1895, 939
<i>enneagrammos</i>	1895, 968	<i>incrassatellus</i>	1895, 932
<i>ephorus</i>	1895, 940	<i>indotatellus</i>	1895, 973
<i>epineurus</i>	1895, 928	<i>infixellus</i>	1899, 265
<i>ericellus</i>	1895, 935	<i>innotatellus</i>	1895, 926
<i>ermineus</i>	1895, 973	<i>inornatellus</i>	1895, 938
<i>euryptellus</i>	1895, 930	<i>inquinatellus</i>	1895, 928
<i>exesus</i>	1895, 930	<i>interminellus</i>	1895, 929
<i>expansellus</i>	1895, 933	<i>interruptus</i>	1895, 928
<i>exsiccalis</i>	1895, 928	<i>involutellus</i>	1895, 932
<i>extorralis</i>	1895, 940	<i>isochytus</i>	1895, 936
<i>falcarius</i>	1895, 930	<i>italellus</i>	1895, 741
<i>falklandicellus</i>	1895, 930	<i>kindermanni</i>	1895, 941
<i>falsellus</i>	1895, 933	<i>kobelti</i>	1895, 933
<i>famulellus</i>	1895, 934	<i>labradoriensis</i>	1895, 933
<i>fascelinellus</i>	1895, 928	<i>laciniehellus</i>	1895, 928
<i>fernandesellus</i>	1895, 931	<i>laevigatellus</i>	1895, 939
<i>figuratellus</i>	1895, 929	<i>laevigatus</i>	1895, 930
<i>fissiradiellus</i>	1895, 929	<i>languidellus</i>	1895, 930
<i>flavipedellus</i>	1895, 937	<i>laqueatellus</i>	1895, 936
<i>flexuosellus</i>	1895, 932	<i>latellus</i>	1895, 937
<i>floridus</i>	1895, 936	<i>latiradiellus</i>	1895, 932
<i>foedellus</i>	1895, 973	<i>latistrius</i>	1895, 930
<i>fucatellus</i>	1895, 937	<i>leachellus</i>	1895, 936
<i>fulgidellus</i>	1895, 930	<i>leptogrammellus</i>	1895, 927
<i>fulvitinctellus</i>	1895, 929	<i>leucænalis</i>	1895, 932
<i>furcatellus</i>	1895, 932	<i>leucaniellus</i>	1895, 953
<i>fuscicostellus</i>	1895, 928	<i>leucocinctus</i>	1895, 972
<i>gausapalis</i>	1895, 940	<i>leuconotus</i>	1895, 936
<i>geniculeus</i>	1895, 929	<i>leuconotus</i>	1895, 940
<i>gestatellus</i>	1895, 941	<i>leucozonellus</i>	1896, 269
<i>girardellus</i>	1895, 938	<i>licnigiellus</i>	1896, 283
<i>goodellianus</i>	1895, 935	<i>ligonellus</i>	1895, 933
<i>gracilis</i>	1895, 942	<i>ligonellus</i>	1895, 928
<i>grammiculellus</i>	1895, 929	<i>lineosellus</i>	1895, 953
<i>graphellus</i>	1895, 940	<i>lithargyrellus</i>	1895, 930
<i>grisetinctellus</i>	1895, 933	<i>lucellus</i>	1895, 934
<i>hamellus</i>	1895, 935	<i>luctiferellus</i>	1895, 932
<i>hapaliscus</i>	1895, 935	<i>luteellus</i>	1895, 930
<i>haplotomus</i>	1895, 931	<i>luteolellus</i>	1895, 929
<i>harpophorus</i>	1895, 932	<i>maculalis</i>	1895, 933
<i>hastiferellus</i>	1895, 936	<i>malacellus</i>	1895, 935
<i>heliocaustus</i>	1895, 940		

	Page		Page
<i>Crambus mandschuricus</i>	1895, 937	<i>Crambus profluellus</i>	1895, 940
<i>margaritellus</i>	1895, 932	<i>psychellus</i>	1895, 941
<i>matricellus</i>	1895, 930	<i>pudibundellus</i>	1895, 928
<i>melanospilellus</i>	1895, 973	<i>pulchellus</i>	1895, 936
<i>melanosticta</i>	1895, 937	<i>punctivenellus</i>	1895, 934
<i>minuellus</i>	1895, 928	<i>purellus</i>	1895, 937
<i>mixtalis</i>	1895, 933	<i>pusionellus</i>	1895, 933
<i>mcestellus</i>	1895, 933	<i>pyramidellus</i>	1895, 932
<i>monotæniellus</i>	1895, 941	<i>quadrinotellus</i>	1895, 929
<i>morrisonellus</i>	1895, 935	<i>quinquearealis</i>	1895, 935
<i>multilinellus</i>	1895, 941	<i>radicellus</i>	1895, 931
<i>multiradiellus</i>	1895, 939	<i>radiellus</i>	1895, 932
<i>mutabilis</i>	1895, 928	<i>ramosellus</i>	1895, 928
<i>myellus</i>	1895, 932		1895, 931
<i>mytilellus</i>	1895, 932	<i>rangona</i>	1895, 931
<i>nemorellus</i>	1895, 941	<i>recalvus</i>	1895, 940
<i>nexalis</i>	1895, 932	<i>repandus</i>	1895, 926
<i>nigricosta</i>	1895, 938	<i>rotuellus</i>	1895, 973
<i>nigripunctellus</i>	1895, 937	<i>ruptellus</i>	1895, 972
<i>nigrociliellus</i>	1895, 938	<i>uricolellus</i>	1895, 935
<i>niveihumellus</i>	1895, 938	<i>sabuliferus</i>	1895, 957
<i>nivellus</i>	1895, 926	<i>sabulinus</i>	1895, 973
	1895, 936	<i>sabulosellus</i>	1895, 973
<i>noikeniellus</i>	1895, 935	<i>salinellus</i>	1895, 930
<i>obliterans</i>	1895, 934	<i>saltuellus</i>	1895, 936
<i>occidentalis</i>	1895, 936	<i>satrapellus</i>	1895, 936
<i>occultilinea</i>	1895, 973	<i>saxonellus</i>	1895, 930
<i>ochracellus</i>	1895, 972	<i>selasellus</i>	1895, 930
<i>ochristrigellus</i>	1895, 938	<i>semifusellus</i>	1895, 936
<i>oculalis</i>	1895, 937	<i>semiradiellus</i>	1895, 914
<i>cenescensellus</i>	1895, 933	<i>sericina</i>	1895, 938
<i>offectalis</i>	1895, 940	<i>sericinellus</i>	1895, 938
<i>oncolobus</i>	1895, 940	<i>siclellus</i>	1895, 941
<i>oregonicus</i>	1895, 935	<i>silvellus</i>	1895, 935
<i>orientellus</i>	1895, 941	<i>simplex</i>	1895, 938
<i>ornatellus</i>	1895, 936	<i>sinensellus</i>	1895, 972
<i>osellus</i>	1895, 929		1899, 228
<i>paleatellus</i>	1895, 929	<i>siriellus</i>	1895, 940
<i>paludellus</i>	1895, 926	<i>sophonellus</i>	1895, 940
<i>palustrellus</i>	1895, 935	<i>sparsellus</i>	1895, 933
<i>paraxenus</i>	1895, 940	<i>speculalis</i>	1895, 932
<i>partellus</i>	1895, 957	<i>spiculellus</i>	1895, 931
<i>pascuellus</i>	1895, 935	<i>splendidellus</i>	1895, 936
<i>patulellus</i>	1895, 972	<i>spuriellus</i>	1895, 928
<i>pauperellus</i>	1895, 932	<i>staudingeri</i>	1895, 941
<i>pectinifer</i>	1895, 926	<i>stilatus</i>	1895, 940
<i>pedias</i>	1895, 931	<i>straminellus</i>	1895, 930
<i>perllellus</i>	1895, 930	<i>striatellus</i>	1895, 928
<i>permutatellus</i>	1895, 941	<i>subæqualis</i>	1895, 936
<i>perspicenus</i>	1895, 974	<i>subflavellus</i>	1895, 929
<i>perxellus</i>	1895, 926	<i>sublicellus</i>	1895, 931
<i>pinellus</i>	1895, 932	<i>submarginellus</i>	1895, 973
<i>poliellus</i>	1895, 930	<i>tenuistrigatus</i>	1895, 928
<i>polyactinellus</i>	1895, 935	<i>terminellus</i>	1895, 933
<i>porcellanellus</i>	1895, 937	<i>terrellus</i>	1895, 928
<i>præfectellus</i>	1895, 936	<i>terristellus</i>	1895, 940
<i>pratellus</i>	1895, 935	<i>tersellus</i>	1895, 929
<i>profanellus</i>	1895, 929	<i>teterellus</i>	1895, 928

	Page		Page
<i>Crambus textellus</i>	1895, 928	<i>Cratorhagus tetramera</i> ..	1897, 747
<i>tincticostellus</i>	1895, 973	<i>Crax alberti</i>	1896, 989
	1899, 228	<i>albini</i>	1893, 614
<i>todarius</i>	1895, 936	<i>globicera</i>	1897, 470
<i>tonsalis</i>	1895, 926	<i>pinima</i>	1898, 348
<i>toparius</i>	1895, 935	<i>selateri</i>	1898, 348
<i>trabeatellus</i>	1895, 929	<i>sulcicrostris</i>	1899, 510
<i>transcissalis</i>	1895, 931	<i>Cremastogaster anthra-</i>	
<i>trichostomus</i>	1895, 933	<i>cina</i>	1896, 422
<i>trichusalis</i>	1895, 940	1896, 423
<i>trisectus</i>	1895, 928	<i>apicalis</i>	1896, 423
<i>tristellus</i>	1895, 930	<i>brunnea</i>	1896, 423
<i>trivirgatus</i>	1895, 973	<i>brunnescens</i>	1896, 423
<i>trivittalis</i>	1895, 968	<i>contenta</i>	1896, 422
<i>trogodytellus</i>	1895, 924	<i>deponens</i>	1896, 423
<i>truncatellus</i>	1895, 933	<i>dohrni</i>	1896, 422
<i>tuhualis</i>	1895, 932	<i>forticulus</i>	1896, 423
<i>ulæ</i>	1895, 929	<i>pellens</i>	1896, 423
<i>uliginosellus</i>	1895, 935	<i>ransonneti</i>	1896, 422
<i>undatus</i>	1895, 928	<i>rogenhoferi</i>	1896, 422
<i>unicolorellus</i>	1895, 927	<i>subnuda</i>	1896, 422
<i>unistriatellus</i>	1895, 930	<i>Cremastus annulipes</i> ..	1895, 798
<i>vallicolellus</i>	1895, 941	<i>insularis</i>	1895, 779
<i>vapidus</i>	1895, 931	<i>Crenatula mytiloides</i> ..	1891, 434
<i>vectifer</i>	1895, 941	<i>picta</i>	1891, 434
<i>venalis</i>	1895, 973	<i>viridis</i>	1891, 434
<i>verellus</i>	1895, 933	<i>Crenicichla saxatilis</i> ..	1898, 492
<i>vetustellus</i>	1895, 972	<i>Crenid-minas concordia</i> ..	1898, 52
<i>vigens</i>	1895, 937	<i>crawshayi</i>	1898, 52
<i>violacentellus</i>	1895, 927	<i>Crenis amazilia</i>	1891, 76
<i>vitellus</i>	1895, 931	1891, 77
<i>vulgaris</i>	1895, 932	<i>benguelæ</i>	1891, 61
<i>vulgivagellus</i>	1895, 935	1891, 77
<i>whiteleyi</i>	1895, 973	<i>boisduvali</i>	1900, 919
<i>xanthogrammus</i> ..	1895, 932	1894, 36
<i>xiphiellus</i>	1895, 930	1895, 720
<i>yokohamæ</i>	1895, 936	1898, 52
<i>zeellus</i>	1895, 940	1898, 53
<i>zermattensis</i>	1895, 930	1899, 964
<i>zonellus</i>	1895, 957	<i>concordia</i>	1891, 61
<i>Crameria subtilis</i>	1897, 112	1891, 77
<i>Craspedia actuaria</i>	1896, 267	1895, 251
<i>derasata</i>	1898, 383	<i>crawshayi</i>	1893, 654
<i>jacta</i>	1896, 267	1893, 684
<i>lactaria</i>	1898, 383	1895, 251
<i>pulverosaria</i>	1898, 383	1895, 260
<i>Craspidaster glauco-</i>		1895, 629
<i>notus</i>	1900, 289	1896, 825
.....	1900, 290	<i>dædalus</i>	1899, 964
.....	1900, 299	<i>howensis</i>	1899, 964
<i>hesperus</i>	1900, 290	<i>natalensis</i>	1891, 61
.....	1900, 291	1891, 76
<i>Crateropus hartlaubi</i> ..	1895, 487	1891, 77
<i>smithi</i>	1895, 487	1891, 107
<i>squamiceps</i>	1897, 813	1893, 556
<i>Crato urbicus</i>	1894, 174	1893, 654
<i>Cratomorphus dorsalis</i> ..	1893, 320	1895, 260
<i>Cratorhagus concolor</i> ..	1897, 747	<i>pechueli</i>	1891, 77

	Page		Page
<i>Crenis pechuelii</i>	1895, 629	<i>Crioceris madagascari-</i>	
<i>rosa</i>	1891, 77	<i>ensis</i>	1897, 243
	1891, 78	<i>militaris</i>	1900, 206
	1893, 654	<i>Criodrilus lacuum</i>	1892, 145
	1895, 629	<i>Criophthona</i>	1898, 602
	1896, 826		1899, 234
<i>Creontiades</i> (<i>Megacœ-</i>		<i>finitima</i>	1899, 234
<i>lum</i>) <i>rubrinervus</i> . 1894, 191		<i>haliaphra</i>	1899, 234
<i>Crepidodera carinata</i> ..	1899, 352	<i>harmodia</i>	1899, 234
<i>cristata</i>	1899, 352	<i>Cristellaria aculeata</i> ..	1894, 652
<i>freereensis</i>	1899, 351	<i>crepidula</i>	1895, 34
<i>longicornis</i>	1899, 351		1895, 52
<i>madagassa</i>	1897, 564	<i>cultrata</i>	1893, 33
<i>marshalli</i>	1899, 351		1895, 52
<i>natalensis</i>	1899, 350	<i>fragaria</i>	1894, 652
<i>picticornis</i>	1897, 564	<i>obtusata subalata</i> ..	1895, 33
<i>tosta</i>	1899, 350		1895, 52
<i>varicornis</i>	1897, 564	<i>orbicularia</i>	1895, 33
<i>zambiensis</i>	1899, 349		1895, 52
<i>Crepidula</i> (<i>Ergæa</i>) <i>walshi</i>	1891, 418	<i>reniformis</i>	1895, 33
<i>Cresera</i>	1894, 232		1895, 52
<i>annulata</i>	1894, 232	<i>rotulata</i>	1895, 33
<i>Cresphontes monsoni</i> ..	1900, 814		1895, 52
	1900, 825	<i>tenuis</i>	1895, 33
<i>nigro-maculatus</i> ..	1900, 814		1895, 52
<i>Cressonia juglandis</i>	1893, 279	<i>wetherelli</i>	1894, 652
<i>Cretonia platyphæella</i> ..	1899, 287	<i>Crocbothemis erythræa</i> .	1898, 386
<i>Crex crex</i>	1896, 311	<i>Crochiphora</i>	1899, 194
<i>pratensis</i>	1896, 149	<i>Crocidolomia</i>	1898, 599
	1896, 311		1898, 758
<i>Cricetodon cadurcense</i> ..	1897, 717	<i>binotalis</i>	1896, 274
<i>Cricetomys gambianus</i> .	1892, 550		1898, 759
	1893, 503	<i>luteolalis</i>	1898, 759
	1896, 160	<i>palindialis</i>	1898, 759
	1896, 793	<i>suffusalis</i>	1898, 758
<i>Cricetus frumentarius</i> ..	1896, 160	<i>Crocidophora</i>	1898, 601
	1897, 704		1899, 191
<i>longicaudatus</i>	1899, 576	<i>acutangulalis</i>	1899, 194
(<i>Cricetulus</i>) <i>obscu-</i>		<i>adornatalis</i>	1899, 193
<i>rus</i>	1899, 575	<i>amœnalis</i>	1899, 192
(—) <i>triton</i>	1899, 575	<i>aurimargo</i>	1899, 193
<i>Cricula trifenestrata</i> ..	1891, 179	<i>calvatalis</i>	1899, 191
	1892, 193	<i>curvilinealis</i>	1899, 192
	1892, 194	<i>discolorata</i>	1899, 193
	1893, 278	<i>distinctalis</i>	1899, 193
	1896, 240	<i>epicrocalis</i>	1899, 191
	1897, 296	<i>evenoralis</i>	1899, 193
	1899, 293	<i>fasciata</i>	1899, 193
<i>Criniger kikuyuensis</i> ..	1900, 608	<i>flavicinctalis</i>	1899, 240
<i>pallidus</i>	1900, 478	<i>flavofasciata</i>	1899, 193
<i>Crimpus</i>	1896, 277	<i>fulvidalis</i>	1899, 192
<i>leucozonipus</i>	1896, 277	<i>fuscalis</i>	1899, 194
	1896, 283	<i>gladialis</i>	1899, 193
<i>Crioceris antennalis</i>	1897, 243	<i>habisalis</i>	1899, 193
<i>cylindricollis</i>	1897, 243	<i>heterogenalis</i>	1899, 193
<i>dimidiaticornis</i>	1897, 243	<i>huronalis</i>	1899, 194
<i>elongata</i>	1898, 215	<i>limbata</i>	1899, 191
<i>livida</i>	1897, 243	<i>limbolalis</i>	1899, 192

	Page		Page
<i>Crocidophora lutusalis</i>	1899, 192	<i>Crocodilus intermedius</i>	1891, 7
<i>multidentalis</i>	1899, 192	<i>niloticus</i>	1891, 149
<i>nycterina</i>	1899, 193		1896, 632
<i>pallida</i>	1899, 193		1897, 800
<i>pallidulalis</i>	1899, 193		1900, 447
<i>ptyophora</i>	1899, 192		1900, 967
	1899, 193	<i>palustris</i>	1891, 7
<i>pustuliferalis</i>	1899, 192		1891, 150
<i>serratissimalis</i>	1899, 192		1891, 151
<i>sinisalis</i>	1899, 194		1891, 157
<i>stenophilalis</i>	1899, 194		1891, 158
<i>tuberculalis</i>	1899, 192		1896, 629
<i>Crociosema plebeiana</i>	1891, 506		1896, 862
	1891, 544		1899, 602
	1897, 127		1899, 622
<i>Crocidura</i> sp.	1892, 315		1899, 625
	1893, 501	<i>pondicerianus</i>	1896, 862
	1896, 792		1899, 623
	1897, 929	<i>porosus</i>	1896, 629
	1897, 930		1896, 632
	1898, 771		1896, 862
	1900, 174		1897, 195
<i>anchietæ</i>	1897, 929		1897, 197
<i>annellata</i>	1897, 930		1897, 203
<i>aranea</i>	1892, 9		1899, 602
	1893, 449		1899, 622
	1895, 547		1899, 623
<i>cærulea</i>	1900, 337		1899, 625
<i>crossei</i>	1897, 954	<i>robustus</i>	1894, 108
<i>doriæ</i>	1893, 495	<i>siamensis</i>	1899, 602
<i>foetida</i>	1893, 495		1899, 623
<i>fuliginosa</i>	1893, 495	<i>spenceri</i>	1891, 7
<i>hedenborgi</i>	1891, 182	<i>foliopicus</i>	1891, 7
<i>hirta</i>	1897, 930	<i>vulgaris</i>	1896, 862
<i>leucura</i>	1898, 762		1899, 625
<i>lixa</i>	1897, 926	<i>Cropera testacea</i>	1898, 427
	1897, 930	<i>Crossarchus fasciatus</i>	1893, 501
<i>murina</i>	1894, 449		1893, 502
	1898, 762		1894, 140
	1900, 337		1896, 793
	1900, 874		1897, 931
<i>russula</i>	1895, 547		1898, 392
	1898, 771	<i>mungo</i>	1893, 501
<i>silacea</i>	1897, 930	<i>somaticus</i>	1898, 763
<i>varilla</i>	1897, 930	<i>Crossobamon eversmanni</i>	1891, 629
<i>whitakeri</i>	1897, 954	<i>Crossophora miscellalis</i>	1899, 285
(<i>Pachyura</i>) <i>etrusca</i>	1895, 547	<i>Crossoptilon tibetanum</i>	1891, 464
<i>Crocisa emarginata</i>	1896, 454	<i>Crossopus fodiens</i>	1896, 568
<i>histrionica</i>	1896, 453	<i>Crossotus</i> sp.	1900, 33
<i>ramosa</i>	1896, 453	<i>nataleusis</i>	1900, 33
<i>scutellaris</i>	1896, 453	<i>plumicornis</i>	1900, 33
<i>Crocodilus americanus</i>	1896, 632	<i>Crotalus durissus</i>	1892, 482
<i>biporcatus</i>	1899, 625		1892, 484
<i>cataphractus</i>	1899, 934		1892, 485
	1899, 936		1892, 487
	1900, 447		1895, 705
<i>champsoides</i>	1891, 7		1895, 708
<i>hastingsiæ</i>	1891, 7	<i>horridus</i>	1894, 501

	Page		Page
<i>Crotalus horridus</i>	1894, 502	<i>Cryptocephalus poricollis</i>	1897, 262
	1894, 509	<i>salisburyensis</i>	1900, 216
	1895, 705	<i>scutellatus</i>	1892, 566
	1895, 708	<i>severini</i>	1900, 215
<i>Crotophaga ani</i>	1892, 406	<i>smaragdulus</i>	1897, 258
<i>casatii</i>	1892, 396	<i>strigicollis</i>	1900, 215
<i>major</i>	1896, 773	<i>sulcifrons</i>	1897, 256
<i>sulcirostris</i>	1892, 386		1898, 224
	1892, 405	<i>tempesturis</i>	1897, 256
	1892, 406	<i>trisulcatus</i>	1897, 258
<i>Crudaria leroma</i>	1897, 849	<i>unicinctus</i>	1897, 259
	1898, 54		1898, 225
	1898, 195	<i>vittiger</i>	1897, 261
<i>Crymona hastatalis</i>	1896, 640		1897, 262
<i>receptalis</i>	1896, 640	<i>v-nigrum</i>	1900, 217
	1896, 649	<i>westwoodi</i>	1897, 256
<i>Crypsirhina nigra</i>	1900, 464		1897, 465
<i>Cryptocephalus africa-</i>		<i>Cryptocercus bicolor</i>	1896, 217
<i>nus</i>	1898, 223	<i>Cryptocosma perlalis</i>	1897, 692
	1898, 225	<i>Cryptodrilus spatulifer</i>	1895, 226
<i>aggregatus</i>	1897, 257		1895, 227
<i>alluaudi</i>	1897, 261	<i>Cryptodromia hilgendorfi</i>	1900, 568
<i>angustofasciatus</i>	1898, 225		1900, 571
<i>araticollis</i>	1897, 255	<i>Cryptognatha melanura</i>	1898, 341
	1900, 216		1898, 343
<i>armatus</i>	1897, 262	<i>Cryptographis rogen-</i>	
<i>atrocinctus</i>	1897, 260	<i>hoferi</i>	1898, 739
	1898, 223	<i>Cryptolechia immunda</i>	1897, 100
<i>bifasciatus</i>	1897, 257	<i>isabella</i>	1897, 101
	1897, 260	<i>lativittella</i>	1897, 99
<i>bimaculicollis</i>	1897, 259	<i>soraria</i>	1897, 100
	1897, 265	<i>strigosella</i>	1891, 527
	1898, 225		1897, 89
<i>contrarius</i>	1897, 261	<i>tenera</i>	1897, 100
<i>decemnotatus</i>	1897, 254	<i>Cryptoloba</i>	1893, 343
<i>decoratus</i>	1897, 266	<i>aerata</i>	1893, 344
<i>denticulatus</i>	1897, 264	<i>minor</i>	1893, 344
	1900, 215	<i>subusta</i>	1893, 344
<i>dohrni</i>	1892, 566	<i>trinotata</i>	1893, 344
	1892, 579		1893, 434
<i>epipleuralis</i>	1898, 223	<i>Cryptolopha bicolor</i>	1900, 477
	1898, 242	<i>fulvifacies</i>	1900, 481
<i>erythromelas</i>	1897, 258	<i>Cryptonychus murrayi</i>	1892, 93
	1900, 217	<i>Cryptophractus pilosus</i>	1894, 655
	1900, 218	<i>Cryptopodia fornicata</i>	1900, 728
<i>flavo-ornatus</i>	1900, 217	<i>Cryptopone testacea</i>	1896, 416
<i>jucundus</i>	1897, 262	<i>Cryptoprocta ferox</i>	1894, 357
<i>latefasciatus</i>	1897, 256		1895, 430
<i>livingstonii</i>	1897, 253		1895, 431
	1897, 265		1895, 432
<i>marshalli</i>	1897, 263		1895, 434
	1897, 265		1896, 974
<i>natalensis</i>	1897, 255		1897, 372
	1897, 265		1897, 388
	1900, 216		1897, 408
<i>nigrofrontalis</i>	1898, 223		1898, 153
<i>nigrosuturalis</i>	1897, 254		1898, 183
<i>ornaticollis</i>	1900, 214		1898, 185

	Page		Page
<i>Cryptoprocta ferox</i>	1900, 301	<i>Ctenus carsoni</i>	1898, 13
<i>Cryptops anomolans</i>	1892, 26		1898, 20
<i>numidicus</i>	1892, 26		1898, 21
<i>punctatus</i>	1892, 26		1898, 22
<i>Cryptopsophis multipli-</i>			1898, 24
<i>catus</i>	1895, 409		1898, 26
	1895, 414		1898, 32
<i>Cryptostemma fasciata</i>	1894, 156		1898, 518
	1894, 197	<i>corniger</i>	1898, 13
<i>Crypturus obsoletus</i>	1899, 513		1898, 20
<i>pileatus</i>	1899, 515		1898, 26
<i>Ctenoblepharis adpersus</i> 1891, 3			1898, 32
<i>jamesi</i>	1891, 3	<i>erythrochelis</i>	1899, 872
	1894, 723	<i>finbriatus</i>	1898, 14
<i>Ctenochilus pilipalpus</i>	1893, 690		1898, 15
<i>Ctenochromis</i>	1899, 105		1898, 28
<i>callipterus</i>	1899, 132	<i>johnstoni</i>	1898, 13
<i>kirkii</i>	1899, 129		1898, 17
<i>nuchisquamulatus</i>	1899, 131		1898, 20
<i>obliquidens</i>	1899, 131		1898, 21
<i>pectoralis</i>	1899, 130		1898, 25
<i>sauvagei</i>	1899, 131		1898, 32
<i>strigigena</i>	1899, 128	<i>kingsleyi</i>	1898, 13
<i>Ctenodactylus gundi</i>	1892, 10		1898, 19
	1895, 687		1898, 20
	1896, 988		1898, 21
<i>massonii</i>	1896, 988		1898, 22
<i>Ctenomys brasiliensis</i>	1894, 308		1898, 23
	1894, 309		1898, 24
	1899, 928		1898, 32
<i>magellanicus</i>	1894, 308		1899, 871
	1894, 309		1899, 872
	1898, 211	<i>lycosinus</i>	1898, 14
	1900, 76		1898, 18
<i>Ctenoplana</i>	1899, 8	<i>marginatus</i>	1898, 28
<i>Ctenoptilum agni</i>	1893, 44	<i>marshalli</i>	1898, 13
<i>multiguttata</i>	1892, 656		1898, 20
	1895, 60		1898, 26
<i>vasava</i>	1892, 656		1898, 32
	1893, 44	<i>modestus</i>	1898, 14
	1893, 60		1898, 18
<i>Ctenucha azteca</i>	1892, 278	<i>occidentalis</i>	1898, 13
<i>Ctenus aculeatus</i>	1898, 15		1898, 20
	1898, 18		1898, 21
<i>albo-fasciatus</i>	1898, 19		1898, 23
<i>andrewsi</i>	1898, 19		1898, 24
<i>auricularis</i>	1899, 872		1898, 32
<i>boliviensis</i>	1898, 19		1899, 871
<i>burtoni</i>	1898, 13		1899, 872
	1898, 20	<i>pallidus</i>	1898, 14
	1898, 25		1898, 17
	1898, 32		1898, 18
	1899, 870		1898, 29
	1899, 871	<i>pulchri ventris</i>	1898, 14
	1899, 873		1898, 18
<i>capulinus</i>	1899, 871	<i>reidyi</i>	1898, 19
	1899, 872	<i>rivulatus</i>	1899, 872
	1899, 873		1899, 884

	Page		Page
<i>Otenus scopulatus</i>	1899, 871	<i>Cuculus intermedius</i> ..	1893, 318
	1899, 872	<i>micropterus</i>	1893, 316
	1899, 873		1893, 317
	1899, 884		1893, 319
<i>spenceri</i>	1898, 13		1900, 484
	1898, 19	<i>passerinus</i>	1893, 317
	1898, 20	<i>poliocephalus</i>	1893, 315
	1898, 23		1893, 316
	1898, 32		1893, 317
<i>spinosissimus</i>	1898, 14		1893, 318
	1898, 17	<i>saturatus</i>	1893, 316
	1898, 28		1893, 319
	1898, 29	<i>solitarius</i>	1894, 597
<i>syriacus</i>	1898, 14		1894, 598
	1898, 17		1894, 600
	1898, 29	<i>sonnerati</i>	1893, 316
<i>torvus</i>	1898, 14	<i>striatus</i>	1893, 316
	1898, 18		1893, 317
	1898, 29	<i>Cucumaria africana</i>	1898, 843
<i>vagus</i>	1898, 14	<i>assimilis</i>	1898, 843
	1898, 16	<i>Culcita</i> sp.	1894, 396
	1898, 20		1894, 403
<i>velox</i>	1898, 14		1894, 413
	1898, 15	<i>arenosa</i>	1900, 296
	1898, 18		1900, 297
	1898, 20	<i>coriacea</i>	1900, 297
	1898, 32	<i>grex</i>	1898, 849
<i>vividus</i>	1898, 14	<i>novæ-guinææ</i>	1900, 288
	1898, 16		1900, 296
	1898, 18	— <i>arenosa</i>	1900, 288
	1898, 19		1900, 289
	1898, 20		1900, 296
(<i>Leptoctenus</i>) <i>agihor</i>	1899, 873	— <i>plana</i>	1900, 288
	1899, 874	<i>pentangularis</i>	1894, 394
	1899, 884	<i>schmideliana</i>	1900, 288
(—) <i>lycosinus</i> ..	1899, 873		1900, 296
(—) <i>modestus</i> ..	1899, 873		1900, 297
<i>unilineatus</i>	1897, 880	— <i>africana</i>	1900, 288
<i>Ctypanus obtusa</i>	1896, 648	— <i>ceylonica</i>	1900, 288
<i>Cubana</i>	1895, 62	— <i>novæ-guinææ</i> ..	1900, 288
<i>irrorata</i>	1895, 63	<i>Culicivora reguloides</i> ..	1892, 380
<i>tortrix</i>	1895, 62	<i>stenura</i>	1899, 513
<i>Cucullæa concamerata</i> ..	1891, 432	<i>Culladia admigratella</i> ..	1895, 924
<i>Cucullia scrophulariæ</i> ..	1891, 180		1899, 290
<i>Cuculus affinis</i>	1893, 316	<i>suffusella</i>	1895, 925
<i>canoroides</i>	1893, 319	<i>Cultellus</i> sp.	1891, 429
<i>canorus</i>	1892, 2	<i>cultellus</i>	1891, 435
	1893, 315	<i>Cuon primævus</i>	1900, 333
	1893, 316	<i>Cuora amboinensis</i>	1899, 614
	1893, 317	<i>Cupido adana</i>	1895, 584
	1893, 319	<i>agnata</i>	1892, 627
	1895, 494		1895, 583
<i>clamosus</i>	1894, 601	<i>alecto</i>	1895, 580
<i>himalayanus</i>	1893, 315	<i>almora</i>	1895, 579
	1893, 316	<i>angusta</i>	1895, 577
	1893, 317	<i>arinia</i>	1893, 549
<i>intermedius</i>	1893, 317		1893, 550
		<i>aruana</i>	1895, 576

	Page		Page
Cupido bæticus	1894, 343	Curetis tagalica	1896, 672
cagaya	1895, 572	thetis	1892, 634
cassius	1900, 199	Curieta lutealis	1897, 683
celeno	1895, 583	oppositalis	1897, 683
cnejus	1895, 585	Cursorius cinctus	1895, 513
cœlius	1893, 548	temmincki	1900, 3
cyanea	1893, 549	Curvella delicata	1899, 588
damis	1893, 539	nyassana	1899, 588
	1893, 541		1899, 592
gaika	1894, 343	whytei	1899, 588
hymetus	1893, 547		1899, 592
icarus	1896, 829	Curvipes fuscatus	1895, 193
juba	1894, 342	Cuscus sp.	1900, 779
lacturnus	1895, 577	Cuspicóna inquinata ..	1900, 815
lingeus	1893, 556	Cuspidaria adenensis ..	1891, 435
moriqua	1894, 342	teres	1891, 438
pactolus	1895, 577	lischkei	1891, 438
philostratus	1893, 543	(Myonera) lischkei ..	1891, 438
pierpersii	1893, 548		1891, 444
pindus	1893, 551	Cutina albopunctella ..	1899, 287
roxus	1895, 587	Cyaniriodes libna	1895, 557
schaeffera	1893, 545		1895, 565
	1895, 585		1896, 653
sperchius	1893, 551		1896, 682
talmora	1895, 570	Cyaniris albidisca	1895, 574
	1896, 655	albocæruleus	1892, 622
taygetus	1893, 546		1895, 571
wallacei	1893, 543	argiolus	1895, 571
Cupidopsis jobates ..	1897, 843		1895, 575
	1898, 193	cælestina	1895, 573
	1898, 404	camenæ	1896, 651
Cupiennius	1898, 27		1896, 655
Cupipes gervaisianus ..	1892, 26	ceyx	1895, 572
Cupitha purrea	1892, 652	chenelli	1892, 623
	1893, 112	cossæa	1896, 655
tympanifera	1892, 652	dilectissima	1895, 557
	1893, 92		1895, 571
	1893, 111		1895, 626
	1893, 112	dilectus	1891, 253
Curetis æsopus	1895, 558		1892, 622
	1895, 594		1900, 507
	1896, 672	duponchellii	1895, 573
barsone	1895, 594	jynteana	1892, 622
bulis	1892, 634		1892, 623
	1900, 508	lambi	1892, 622
insularis	1895, 594		1895, 572
	1896, 651	lavendularis	1892, 622
	1896, 672	lutra	1895, 557
malayica	1895, 558		1895, 573
	1895, 595		1895, 626
minima	1895, 558	marginata	1892, 622
	1895, 594	melæna	1892, 622
nesophila	1895, 558	oreas	1900, 507
	1895, 594	phuste	1895, 557
phædrus	1895, 594		1895, 573
sperthis	1900, 508		1895, 627
tagalica	1895, 558	placida	1891, 253
	1895, 594		1892, 623

	Page		Page
<i>Cyaniris placida</i>	1895, 572	<i>Cyanorhamphus ulietanus</i>	1893, 530
	1895, 573	<i>unicolor</i>	1893, 530
<i>placidula</i>	1895, 557		1895, 337
	1895, 572	<i>Cyanotis azaræ</i>	1896, 361
	1895, 626		1899, 513
<i>plauta</i>	1895, 557		1899, 514
	1895, 574	<i>rubrigastra</i>	1892, 398
	1895, 626		1892, 408
	1896, 655		1892, 409
<i>puspa</i>	1891, 253		1896, 362
	1892, 622	— <i>alticola</i>	1896, 361
	1895, 557	<i>Cyathocrinus acinotubus</i>	1895, 994
	1895, 572	<i>ramosus</i>	1895, 994
	1895, 573	<i>Cyathopoma aries</i>	1892, 467
	1900, 507	<i>cornu</i>	1892, 467
<i>puspinus</i>	1892, 622	<i>everetti</i>	1895, 115
<i>ripte</i>	1895, 557		1895, 127
	1895, 574	<i>meridionale</i>	1892, 467
	1895, 626	<i>natalicium</i>	1895, 444
<i>selma</i>	1895, 557		1895, 453
	1895, 573		1895, 454
	1895, 626	<i>Cybele</i>	1893, 695
	1896, 655	<i>obscura</i>	1893, 695
<i>sonchus</i>	1896, 651		1893, 696
	1896, 655		1893, 704
	1896, 682	<i>vincenti</i>	1893, 695
<i>strophis</i>	1895, 557		1893, 696
	1895, 573		1893, 704
	1895, 626	<i>Cybernetes yetaba</i>	1899, 513
<i>transpectus</i>	1892, 622	<i>Cybicola armata</i>	1899, 474
	1893, 537	<i>Cybium commersoni</i> ..	1899, 451
<i>Cyanocephalus babouin</i> ..	1894, 594	<i>guttatum</i>	1899, 449
<i>mergens</i>	1894, 594	<i>lineolatum</i>	1899, 452
<i>Cyanocorax cæruleus</i> ..	1899, 513	<i>petus</i>	1897, 272
<i>yncas</i>	1896, 354		1897, 273
<i>Cyanolesbia gorgo</i>	1896, 288	<i>sara</i>	1897, 272
	1896, 293		1897, 273
<i>Cyanops faber</i>	1900, 483	<i>solaudri</i>	1897, 272
<i>franklini</i>	1896, 555		1897, 273
<i>Cyanoptila cyanomelæna</i> ..	1900, 480	<i>verany</i>	1897, 272
<i>Cyanorhamphus auck-</i>			1897, 273
<i>landicus</i>	1893, 529	<i>Cybolomia</i>	1898, 600
<i>auriceps</i>	1893, 529		1899, 228
	1893, 530	<i>albilinealis</i>	1899, 229
<i>cooki</i>	1893, 530	<i>dulcinalis</i>	1899, 229
<i>cyanurus</i>	1893, 530	<i>extorthis</i>	1899, 229
<i>erythronotus</i>	1893, 530	<i>fractilinealis</i>	1899, 229
<i>erythrotis</i>	1893, 529	<i>gratiosalis</i>	1899, 229
	1893, 530	<i>inglorialis</i>	1899, 229
<i>forbesi</i>	1893, 529	<i>lutosalis</i>	1899, 229
	1893, 530	<i>nemausalis</i>	1899, 229
<i>hochstetteri</i>	1893, 529	<i>ossealis</i>	1899, 229
<i>malherbei</i>	1893, 530	<i>pentadalis</i>	1899, 228
<i>novæ zealandiæ</i> ..	1893, 529		1899, 229
	1893, 530	<i>siccalis</i>	1899, 229
<i>rowleyi</i>	1893, 529	<i>Cyclammina cancellata</i> ..	1895, 18
<i>saisseti</i>	1893, 530		1895, 50
<i>subflavescens</i>	1893, 530	<i>pusilla</i>	1895, 18

	Page		Page
<i>Cyclammia pusilla</i>	1895, 50	<i>Cyclophorus expansus</i> . .	1891, 341
<i>Cyclanorbis senegalensis</i>	1899, 935	<i>foliaceus</i>	1891, 343
	1899, 937		1895, 439
	1900, 967	<i>intermedius</i>	1899, 591
<i>Cyclarcha atristrigalis</i>	1898, 623	<i>kina-baluensis</i>	1895, 118
<i>flavinervis</i>	1898, 623		1895, 127
<i>pallidicostalis</i>	1898, 623	<i>labatensis</i>	1891, 340
<i>Cyclax</i> (<i>Cyclomaia</i>)		<i>leai</i>	1895, 439
<i>suborbicularis</i>	1900, 569	<i>lowi</i>	1891, 341
	1900, 575	<i>malayanus</i>	1891, 341
<i>Cyclemys amboinensis</i>	1896, 859		1894, 153
	1897, 195	<i>moerchianus</i>	1895, 444
	1897, 197		1895, 452
	1897, 203	<i>penangensis</i>	1891, 340
	1899, 602	<i>perdix</i>	1895, 452
	1899, 614	— <i>roepstorffiana</i>	1895, 444
<i>dhor</i>	1896, 859		1895, 452
	1899, 600	<i>plateni</i>	1892, 463
	1899, 602		1895, 98
	1899, 613	<i>porphyreticus</i>	1895, 452
<i>mouhotii</i>	1899, 602	<i>quadrasii</i>	1892, 463
	1899, 614		1895, 98
<i>oldhamii</i>	1896, 859		1895, 99
	1899, 613	<i>regelspergeri</i>	1891, 340
<i>platynota</i>	1896, 858	<i>semisulcatus</i>	1891, 341
	1899, 602	<i>sericatus</i>	1892, 466
	1899, 612	<i>smithi</i>	1892, 464
	1899, 613	<i>talloti</i>	1895, 119
	1899, 615	<i>tenebricosus</i>	1892, 461
	1899, 658	<i>triliratus</i>	1892, 462
<i>Cyclocausta trilineata</i>	1895, 906		1895, 99
<i>Cyclocena gestatalis</i>	1898, 727	<i>turbo</i>	1895, 451
<i>Cyclocypeus guembeli-</i>		<i>woodianus</i>	1892, 463
<i>anus</i>	1895, 48		1895, 98
	1895, 54	<i>zollingeri</i>	1895, 452
<i>Cycloderma aubryi</i>	1900, 447	(<i>Cyclohelix</i>) <i>berke-</i>	
<i>frenatum</i>	1893, 618	<i>leyanus</i>	1895, 444
<i>Cyclodius ornatus</i>	1900, 588	(—) <i>crocatus</i>	1895, 444
<i>Cyclomaia margaritata</i>	1900, 575	(—) <i>foliaceus</i>	1895, 444
<i>Cycloneda delauneyi</i>	1898, 340	(—) <i>leai</i>	1895, 444
<i>pallidula</i>	1898, 340	(—) <i>nicobaricus</i>	1895, 444
<i>rubida</i>	1898, 340		1895, 451
<i>sanguinea</i>	1898, 339	(<i>Hijabia</i>) <i>intermedius</i>	1899, 591
<i>Cyclopalpia virescens</i>	1897, 680	(—) <i>wahlbergi</i>	1899, 591
<i>Cyclophorus acutimar-</i>		<i>Cyclopides abjecta</i>	1896, 49
<i>ginatus</i>	1892, 463	<i>ægipan</i>	1893, 90
	1895, 98		1893, 670
<i>aurantiacus</i>	1891, 341		1896, 48
	1894, 153	<i>amena</i>	1896, 51
<i>baylei</i>	1891, 341	<i>amonæus</i>	1896, 50
<i>borneensis</i>	1891, 341		1896, 103
	1895, 119	<i>argenteogutta</i>	1896, 50
<i>charpentieri</i>	1895, 452	<i>argenteostriatus</i>	1893, 90
<i>cochranei</i>	1895, 119		1896, 49
	1895, 127	<i>barberæ</i>	1896, 56
<i>crocatus</i>	1895, 451	<i>bernieri</i>	1896, 52
<i>cucullatus</i>	1894, 153	<i>brunneostigma</i>	1896, 51
<i>diplochilus</i>	1894, 153	<i>callicles</i>	1891, 102
	1894, 156	<i>capenas</i>	1896, 55

	Page		Page
<i>Cyclopides capenas</i>	1896, 130	<i>Cyclopides paola</i>	1896, 50
<i>cariate</i>	1896, 54	<i>pardalina</i>	1896, 51
<i>carmides</i>	1896, 27	<i>perexcellens</i>	1896, 842
<i>carsoni</i>	1898, 57		1896, 850
<i>catocalinus</i>	1896, 28		1898, 57
<i>cheles</i>	1893, 90	<i>phidyle</i>	1896, 52
	1896, 48	<i>phocæus</i>	1896, 79
<i>chersias</i>	1896, 54	<i>punctulata</i>	1896, 53
<i>derbice</i>	1894, 73	<i>quadrisignatus</i>	1893, 670
	1896, 55		1893, 684
<i>dispar</i>	1896, 52		1894, 582
<i>empyreus</i>	1896, 27		1896, 49
<i>formosus</i>	1896, 49		1896, 108
<i>howa</i>	1896, 28		1896, 130
<i>inornatus</i>	1896, 50		1896, 842
	1897, 856		1900, 913
<i>lepeletierii</i>	1896, 50		1900, 944
<i>leucopyga</i>	1896, 28		1900, 945
<i>limpopona</i>	1893, 90	<i>rhadama</i>	1896, 51
<i>lynx</i>	1896, 52	<i>romi</i>	1896, 51
<i>macomo</i>	1896, 55	<i>sacclavus</i>	1896, 52
<i>malchus</i>	1896, 28	<i>sator</i>	1896, 75
<i>malgacha</i>	1893, 90	<i>stellata</i>	1896, 52
	1893, 671	<i>subvittatus</i>	1892, 653
	1894, 72		1893, 97
	1896, 48	<i>syrinx</i>	1896, 49
<i>meninx</i>	1893, 90		1896, 51
	1897, 49	<i>tsita</i>	1896, 50
<i>metis</i>	1893, 72	<i>uniformis</i>	1896, 49
	1893, 90	<i>willemi</i>	1893, 90
	1893, 131		1894, 71
	1893, 670		1896, 48
	1893, 671		1896, 49
	1894, 71		1896, 851
	1894, 72		1896, 852
	1894, 353	<i>Cycloplasis basiplagata</i> .	1897, 143
	1896, 48	<i>Cyclops africanus</i>	1893, 165
	1896, 130		1893, 166
	1897, 856	<i>bisetosus</i>	1897, 792
	1898, 200	<i>orientalis</i>	1893, 164
	1900, 944		1893, 165
	1900, 945		1893, 166
<i>midas</i>	1893, 671	<i>Cyclopterus lumpus</i>	1899, 449
	1895, 265		1899, 489
	1895, 270		1899, 940
	1895, 737		1899, 956
	1896, 49	<i>spinosus</i>	1899, 488
	1896, 130		1899, 496
	1896, 842	<i>Cyclorhis guianensis</i> . .	1896, 332
	1900, 913	<i>wiedi</i>	1899, 516
	1900, 944	<i>Cyclosa caroli</i>	1897, 873
<i>mineni</i>	1894, 14	<i>formosa</i>	1898, 513
	1894, 18		1899, 855
	1894, 72	<i>insulana</i>	1899, 855
	1894, 82	<i>thorelli</i>	1897, 873
	1894, 607	<i>triquetra</i>	1897, 873
	1895, 265	<i>Cyclosæmia albata</i>	1893, 52
	1896, 52	<i>anastomosis</i>	1893, 52
<i>mirza</i>	1896, 51	<i>earina</i>	1893, 52

	Page		Page
<i>Cyclosæmia elelea</i>	1893, 52	<i>Cydia pomonana</i>	1897, 130
<i>falisca</i>	1893, 52	<i>pomonella</i>	1897, 130
<i>fissimacula</i>	1893, 52	<i>Cydnus capicola</i>	1900, 819
<i>herennius</i>	1893, 43	<i>indicus</i>	1900, 819
.	1893, 52	<i>insularis</i>	1900, 819
<i>lathæa</i>	1893, 52	<i>latipes</i>	1900, 820
<i>lyrcæa</i>	1893, 52	<i>nepalensis</i>	1900, 819
<i>Cyclosia ficta</i>	1892, 121	<i>nigricans</i>	1900, 819
<i>Cyclosomus</i> sp.	1893, 748	<i>obscurus</i>	1900, 819
<i>Cyclostoma calcareum</i>	1891, 310	<i>piceus</i>	1900, 820
<i>pusillum</i>	1895, 124	<i>serripes</i>	1900, 820
<i>Cyclothurus</i>	1899, 991-1017	<i>subferrugineus</i>	1894, 171
<i>didactylus</i>	1899, 815	1900, 820
.	1899, 338	<i>Cydonia</i>	1893, 700
.	1899, 991	<i>lunata</i>	1893, 747
.	1899, 1017	<i>luteola</i>	1893, 700
<i>Cyclotus angulatus</i>	1892, 467	1893, 704
<i>blanchetianus</i>	1892, 299	<i>Cydosis aurea</i>	1897, 112
<i>euzonus</i>	1892, 462	<i>nobilitella</i>	1891, 534
.	1895, 99	1891, 541
<i>filo-liratus</i>	1892, 298	<i>punctella</i>	1897, 112
.	1892, 299	<i>Cygaritis aranda</i>	1891, 90
<i>hungerfordianus</i>	1891, 339	<i>Cygnus americanus</i>	1894, 606
.	1891, 340	<i>atratus</i>	1896, 784
<i>linitus</i>	1895, 125	<i>buccinator</i>	1896, 147
<i>palawanicus</i>	1895, 99	<i>melanocoryphus</i>	1894, 606
.	1895, 124	1899, 513
.	1895, 127	1899, 514
— <i>parva</i>	1895, 124	<i>nigricollis</i>	1898, 456
<i>pusillus</i>	1895, 99	<i>Cyiza punctalis</i>	1899, 287
.	1895, 124	<i>Cylichna ordinaria</i>	1891, 442
.	1895, 127	1891, 445
<i>sordidus</i>	1892, 462	<i>Cylidrus fasciatus</i>	1892, 90
.	1895, 99	— <i>spinolæ</i>	1892, 90
<i>suluanus</i>	1892, 461	<i>Cyligramma fluctuosa</i>	1898, 421
<i>suturalis</i>	1891, 340	<i>latona</i>	1893, 681
(<i>Platyrhaphæ</i>) <i>hun-</i>		1894, 589
<i>gerfordianus</i>	1891, 339	1895, 270
<i>Cycloxanthus lineatus</i>	1900, 735	1896, 853
<i>Cyclynius</i>	1896, 830	1898, 421
<i>æquatorialis</i>	1896, 830	<i>limacina</i>	1893, 681
.	1900, 929	1894, 589
<i>juno</i>	1896, 830	1898, 422
.	1896, 850	<i>rudilinea</i>	1893, 681
.	1900, 929	1896, 853
<i>noquasa</i>	1897, 846	1898, 422
.	1897, 857	<i>Cylindrophis lineatus</i>	1896, 878
.	1900, 929	1899, 600
<i>sharpei</i>	1900, 929	1899, 604
.	1900, 946	1899, 657
<i>Cyenus budegassæ</i>	1899, 476	<i>rufus</i>	1892, 481
<i>gracilis</i>	1899, 475	1892, 482
<i>pallida</i>	1899, 475	1892, 506
<i>Cydalima elwesialis</i>	1898, 732	1895, 704
<i>Cydia aspidiscana</i>	1897, 130	1896, 877
<i>flavicollis</i>	1897, 130	1897, 196
<i>hohenwartiana</i>	1897, 130	1897, 200
<i>monetulana</i>	1897, 130	1897, 217

	Page		Page
<i>Cylindrophis rufus</i>	1899, 604	<i>Cynælurus jubatus</i>	1898, 182
	1899, 656	<i>Cynalopex pallidus</i>	1899, 544
	1899, 697	<i>Cynanisa isis</i>	1898, 80
<i>Cylloceps</i>	1893, 711	<i>Cynhyæna</i>	1899, 551
<i>pellicia</i>	1893, 705	<i>picta</i>	1899, 551
	1893, 712	<i>Cynictis penicillata</i>	1894, 357
<i>Cyllogenes janetæ</i>	1891, 269		1897, 398
<i>Cyllogramma latona</i> ..	1900, 5		1898, 153
	1900, 19		1898, 159
<i>Cymænes tripuncta</i>	1893, 130	<i>Cynocephalus anubis</i> ..	1894, 359
<i>Cymatophora temperans</i> .	1896, 639	<i>babuin</i>	1893, 592
<i>Cymatura bifasciata</i>			1899, 935
<i>nigripennis</i>	1893, 744	<i>hamadryas</i>	1898, 351
<i>Cymbachus formosus</i> ..	1897, 460	<i>langheldi</i>	1900, 303
	1897, 464	<i>maimon</i>	1893, 592
<i>pulchellus</i>	1897, 460	(Hamadryas) ægyptiacus.....	1894, 359
<i>Cymbalopora poeyi</i>	1895, 39	<i>Cynodon</i>	1899, 558
	1895, 53	<i>Cynogale bennetti</i>	1893, 495
(<i>Tretomphalus</i>) <i>bul-</i>			1894, 296
<i>loides</i>	1895, 39		1900, 331
	1895, 53	<i>Cynoglossus senegal-</i>	
<i>Cymo andreossyi</i>	1900, 581	<i>ensis</i>	1900, 516
	1900, 740	<i>Cynomys ludovicianus</i> .	1894, 356
— <i>melanodactylus</i>	1900, 568	<i>Cynonycteris amplexi-</i>	
	1900, 569	<i>caudata</i>	1898, 59
	1900, 581	<i>collaris</i>	1898, 61
	1900, 582	<i>Cynopithecus niger</i>	1900, 303
	1900, 740	<i>Cynopterus brachyotis</i> .	1898, 76
<i>melanodactylus</i> ..	1900, 582	<i>ecaudatus</i>	1893, 494
	1900, 740	<i>lucasii</i>	1893, 494
<i>Cymodroma melano-</i>			1900, 341
<i>gaster</i>	1899, 411		1900, 875
<i>Cymoriza abrotalis</i>	1896, 643	<i>maculatus</i>	1893, 494
<i>ætalis</i>	1896, 643	<i>marginatus</i>	1893, 494
<i>badiusalis</i>	1896, 643		1894, 358
<i>bocusalis</i>	1896, 643		1900, 340
<i>bolusalis</i>	1896, 643		1900, 875
<i>damescalis</i>	1896, 643	<i>spadiceus</i>	1892, 227
<i>narcissusalis</i>	1896, 643		1893, 494
<i>Cymothoa eremita</i>	1899, 470	<i>sphinx</i>	1900, 191
<i>serrata</i>	1900, 552		1900, 875
<i>Cymothoe hobarti</i>	1899, 976	<i>titthæcheilus</i>	1900, 340
<i>theobene</i>	1893, 653	<i>Cynotherium sardoum</i> ..	1900, 834
<i>Cymus virescens</i>	1893, 705		1900, 835
<i>Cynæda</i>	1898, 600	<i>Cynthia erota</i>	1900, 507
<i>dentalis</i>	1899, 230	<i>Cyon bourreti</i>	1900, 834
	1899, 231	<i>deccanensis</i>	1893, 449
<i>furiosa</i>	1899, 231	<i>europæus</i>	1900, 834
<i>Cynælurus jubatus</i>	1894, 357	<i>rutilans</i>	1893, 496
	1896, 987		1900, 333
	1897, 371	<i>sardous</i>	1900, 833
	1897, 383	<i>Cyonasua</i>	1899, 558
	1897, 388	<i>argentina</i>	1899, 559
	1897, 391	<i>Cyphastrea</i>	1899, 761
	1897, 392	<i>chalcidicum</i>	1899, 761
	1898, 153	<i>savignyi</i>	1899, 761
	1898, 158		1899, 764

	Page		Page
<i>Cyphipelta conifrons</i> ..	1893, 163	<i>Cyrestis nivalis</i>	1891, 282
<i>Cyphonisia obesa</i>	1897, 741	<i>nivea</i>	1891, 282
	1899, 845	<i>periander</i>	1891, 282
<i>Cyphonistes vallatus</i> ..	1893, 748	<i>rahria</i>	1891, 283
<i>Cypra crocipes</i>	1898, 427	<i>risa</i>	1891, 283
<i>Cypræa annulus</i>	1891, 416	<i>thyodamas</i>	1900, 507
	1900, 118	<i>Cyrtarachne longipes</i> ..	1899, 858
<i>arabica</i>	1891, 415	<i>Cyrtauchenius flaviceps</i> ..	1898, 506
	1900, 118	<i>terricola</i>	1898, 507
— <i>reticulata</i>	1900, 118	<i>zebra</i>	1897, 732
<i>carneola</i>	1891, 415		1898, 507
<i>caurica</i>	1891, 415	<i>Cyrtocapsus caliginæus</i> ..	1893, 705
<i>cruenta</i>	1891, 415		1894, 193
	1891, 416	<i>Cyrtocarenum rufidens</i> ..	1897, 727
<i>erosa</i>	1891, 415	<i>Cyrtodactylus affinis</i> ..	1898, 455
<i>erythræensis</i>	1891, 416		1899, 627
<i>europæa</i>	1894, 668	<i>Cyrtognatha serrata</i> ..	1897, 873
<i>felina</i>	1891, 415	<i>Cyrtogone herilla</i>	1895, 138
<i>fimbriata</i>	1891, 415		1895, 139
<i>helvola</i>	1891, 415		1896, 241
<i>isabella</i>	1891, 415	<i>Cyrtomenus ciliatus</i> ..	1894, 170
<i>lynx</i>	1900, 118	<i>Cyrtophora angolensis</i> ..	1899, 853
<i>moneta</i>	1900, 118		1899, 854
<i>pantherina</i>	1891, 415		1899, 855
<i>pulchra</i>	1891, 415	<i>citricola</i>	1898, 512
<i>talpa</i>	1891, 415		1899, 853
<i>turdus</i>	1891, 415		1899, 854
<i>undata</i>	1891, 415		1899, 855
	1891, 416	<i>larinioides</i>	1899, 854
<i>vitellus</i>	1891, 415	<i>margaritata</i>	1899, 854
	1900, 118	<i>tuberculata</i>	1897, 872
<i>Cyprinus brama</i>	1899, 501	<i>unicolor</i>	1899, 854
<i>carpio</i>	1899, 443	<i>Cyrtophyllus concavus</i> ..	1892, 214
	1899, 940	<i>crepitans</i>	1892, 198
	1899, 955		1892, 200
<i>gonorhynchus</i>	1896, 500		1892, 213
<i>jeses</i>	1899, 477		1892, 221
	1899, 500	<i>perspicillatus</i>	1892, 214
<i>leuciscus</i>	1899, 500	<i>Cyrtoxiphus gundlachi</i> ..	1892, 200
<i>nasus</i>	1896, 500		1892, 220
<i>squamosseus</i>	1896, 500	<i>vittatus</i>	1892, 200
	1896, 502		1892, 220
<i>Cypselus andecola</i>	1892, 384		1893, 610
<i>pacificus</i>	1900, 486	<i>Cystignathus ocellatus</i> ..	1895, 93
<i>parvus</i>	1895, 503	<i>Cystineura cana</i>	1896, 514
<i>subfurcatus</i>	1900, 486		1896, 515
<i>tinus</i>	1900, 486	<i>teleboas</i>	1898, 363
<i>Cyrene</i>	1893, 698	<i>Cystopelta petterdi</i>	1891, 225
<i>decorata</i>	1893, 698	<i>Cystophora cristata</i>	1892, 106
	1893, 704	<i>Cytæandra areolata</i>	1897, 817
<i>Cyrestis camillus</i>	1894, 342		1897, 818
	1895, 729		1897, 835
<i>cocles</i>	1891, 282	<i>Cytæis octopunctata</i> ..	1896, 477
<i>earli</i>	1891, 282	<i>Cythara guentheri</i>	1893, 491
<i>eiegans</i>	1895, 729		1893, 492
	1899, 977	<i>ringens</i>	1893, 491
<i>formosa</i>	1891, 282		1893, 492
<i>nivalis</i>	1891, 256	<i>Cythere acanthoderma</i> ..	1895, 5

	Page		Page
<i>Cythere dictyon</i>	1895, 5	<i>Daimio celebica</i>	1893, 47
<i>radula</i>	1895, 6	<i>felderi</i>	1893, 47
<i>scabrocuneata</i>	1898, 204	<i>moorei</i>	1893, 47
<i>serratula</i>	1895, 6	<i>narada</i>	1893, 47
<i>serrulata</i>	1895, 5	<i>permena</i>	1893, 47
<i>Cytherea crocea</i>	1891, 423	<i>phisara</i>	1893, 47
<i>deshayesii</i>	1891, 423	<i>sinica</i>	1893, 47
(<i>Callista</i>) <i>florida</i> ..	1891, 423	<i>tithys</i>	1893, 43
(—) <i>guineensis</i> ..	1891, 435		1893, 47
(—) <i>inflata</i>	1891, 435	<i>Daira perlata</i>	1900, 116
(—) <i>mactroides</i> ..	1891, 435		1900, 569
(—) <i>triradiata</i> ..	1891, 435	<i>variolosa</i>	1900, 584
(—) <i>umbonella</i> ..	1891, 423	<i>Dalaca assa</i>	1894, 236
(<i>Caryatis</i>) <i>hebraea</i> ..	1891, 423	<i>munmia</i>	1892, 330
(—) <i>yerburyi</i> ..	1891, 423	<i>oreas</i>	1892, 330
(<i>Tivela</i>) <i>ponderosa</i> ..	1891, 423	<i>pyrtanes</i>	1892, 329
<i>Cytherella polita</i>	1895, 5	<i>serta</i>	1894, 236
	1895, 6	<i>terea</i>	1892, 330
<i>Dacalana burmana</i>	1892, 636	<i>Dalara falcata</i>	1896, 634
	1895, 595	<i>Dalcera tijucana</i>	1892, 322
<i>vidura</i>	1892, 636	<i>Dalima intricata</i>	1893, 396
	1895, 558	<i>patnaria</i>	1893, 398
	1895, 595	<i>Dalmera fumata</i>	1894, 238
<i>Dacelo</i>	1899, 12	<i>tijucana</i>	1894, 238
	1899, 40	<i>Dalpada clavata</i>	1900, 809
<i>cervina</i>	1896, 606		1900, 823
<i>gaudichaudi</i>	1897, 471	<i>nigricollis</i>	1900, 823
<i>semicærulea</i>	1895, 497	<i>Dalsira modesta</i>	1900, 824
<i>tschelicutensis</i>	1895, 497	<i>Dama</i>	1900, 159
<i>Dacnis angelica</i>	1896, 337	<i>vulgaris</i>	1896, 855
<i>cayana</i>	1896, 336		1897, 901
	1896, 337	<i>Damalis albifrons</i>	1896, 982
	1899, 513	<i>caama</i>	1891, 321
— <i>glaucogularis</i> ..	1896, 336	<i>lunata</i>	1891, 327
	1896, 337	<i>pygarga</i>	1896, 982
<i>nigripes</i>	1899, 513	<i>tora</i>	1891, 321
<i>pulcherrima</i>	1896, 338	<i>Damaliscus albifrons</i> ..	1900, 303
<i>speciosa</i>	1899, 515	<i>jimela</i>	1895, 868
	1899, 516		1897, 451
<i>Dactylopsila trivirgata</i> ..	1897, 330		1900, 949
<i>Dactylosphaerium vi-</i>		<i>korrigum</i>	1896, 983
<i>trium</i>	1897, 787		1898, 350
<i>Dactylota kinkerella</i> ..	1891, 522		1899, 935
<i>Dadocrinus gracilis</i>	1895, 1000		1899, 936
	1895, 1001	<i>pygargus</i>	1896, 983
<i>Dafila acuta</i>	1895, 401		1900, 161
	1900, 961	<i>tiang</i>	1900, 85
<i>modesta</i>	1891, 289		1900, 949
	1891, 298		1900, 950
	1891, 300		1900, 954
<i>spinicauda</i>	1891, 136	<i>Damayantia beccarii</i> ..	1895, 241
	1891, 176	<i>dilecta</i>	1891, 24
	1891, 177		1895, 242
	1891, 178		1895, 248
	1899, 513	<i>doriæ</i>	1895, 244
<i>Daimio bhagava</i>	1893, 47	<i>smithi</i>	1895, 242
			1895, 243

	Page		Page
<i>Damayantia smithi</i>	1895, 244	<i>Daphnella lactea</i>	1893, 491
	1895, 245	<i>spenceræ</i>	1893, 490
	1895, 248		1893, 492
	1895, 249	<i>subula</i>	1893, 491
<i>Damia capitata</i>	1900, 207	<i>Daphnis nerii</i>	1896, 268
	1900, 266		1896, 853
<i>frontalis</i>	1900, 208	<i>Daption capensis</i>	1892, 401
	1900, 266	<i>Daptonura salacia</i>	1898, 365
<i>mashonana</i>	1898, 217	<i>Daraba</i>	1899, 275
<i>Damis albastola</i>	1893, 550	<i>extensalis</i>	1899, 275
<i>epicoritus</i>	1893, 550	<i>idmonealis</i>	1899, 275
<i>sebæ</i>	1893, 539	<i>vitellialis</i>	1899, 288
<i>Damon medius</i>	1899, 837	<i>Darapsa myron</i>	1895, 138
— <i>johnstoni</i>	1899, 838		1896, 241
<i>tibialis</i>	1899, 838		1897, 296
<i>Damonia subtrijuga</i>	1899, 602		1899, 293
	1899, 610	<i>Daremma undulosa</i>	1896, 241
	1899, 621	<i>Dargida niphanda</i>	1896, 639
<i>Danaga biformis</i>	1898, 695	<i>Daritis marginalis</i>	1896, 636
<i>Danaïs chrysippus</i>	1891, 61	<i>Darmistidus</i>	1893, 706
	1891, 79	<i>maculatus</i>	1893, 705
	1893, 553		1893, 707
	1894, 18	<i>Darna inca</i>	1892, 286
— <i>alcippus</i>	1894, 18	<i>Darpa hanria</i>	1893, 44
<i>eresimus</i>	1896, 514		1893, 58
<i>formosa</i>	1894, 335	<i>Dasmeuda alcimusata</i> ..	1896, 644
<i>genutia</i>	1891, 258	<i>Dastira hippialis</i>	1897, 661
<i>limniace petiverana</i> ..	1894, 558	<i>imitatrix</i>	1897, 690
<i>ochlea</i>	1893, 644	<i>Dasychlorus passeti</i>	1900, 224
<i>plexippus</i>	1896, 514	<i>varicolor</i>	1900, 224
	1900, 198	<i>Dasycnemis depressalis</i> ..	1897, 660
<i>tytia</i>	1891, 252	<i>Dasymys incomtus</i>	1896, 794
<i>Danis absyrtus</i>	1893, 545	<i>kaiseri</i>	1897, 936
<i>ceramica</i>	1893, 547	<i>Dasyomma fuscum</i>	1891, 261
<i>cyanea</i>	1893, 549	<i>Dasyptelis palmarum</i> ..	1893, 619
<i>danis</i>	1893, 539	<i>scabra</i>	1892, 476
<i>macleayi</i>	1893, 546		1893, 618
<i>salamandri</i>	1893, 546		1893, 619
<i>sebæ</i>	1893, 539		1894, 87
	1893, 540		1895, 705
	1893, 546		1896, 715
<i>serapis</i>	1893, 539		1897, 1
<i>syrius</i>	1893, 541		1897, 801
<i>taygetus</i>	1893, 546	<i>Dasyprocta azaræ</i>	1892, 596
<i>Dantona busalis</i>	1896, 643		1892, 602
	1899, 288	<i>cristata</i>	1894, 251
<i>discerpta</i>	1896, 639		1894, 277
	1896, 643	<i>variegata</i>	1893, 340
<i>Dapedius sp.</i>	1893, 565	<i>Dasyproctus ceylonicus</i> ..	1896, 447
<i>granulatus</i>	1893, 565	<i>Dasyptilus</i>	1899, 34
<i>Dapha valensalis</i>	1899, 288		1899, 44
<i>Daphnella diluta</i>	1893, 490	<i>pecqueti</i>	1899, 32
<i>elata</i>	1893, 490		1899, 33
	1893, 492	<i>Dasypus</i>	1899, 154
<i>flammea</i>	1893, 490		1899, 991-1017
	1893, 491	<i>minutus</i>	1893, 590
<i>fusco-picta</i>	1893, 490	<i>sexcinctus</i>	1894, 307
	1893, 492		1894, 356

	Page		Page
<i>Dasypus sexcinctus</i>	1899, 315	<i>Deidamia inscripta</i>	1893, 279
	1899, 316		1896, 241
	1899, 339	<i>Deilephila alecto</i>	1892, 194
	1899, 991		1897, 296
	1899, 1017		1899, 293
<i>villosus</i>	1894, 307		1900, 182
	1899, 315	<i>elpenor</i>	1898, 80
	1899, 316		1899, 293
	1899, 991		1900, 182
<i>Dasyurus</i>	1899, 558	<i>euphorbiae</i>	1891, 180
<i>hallucatus</i>	1897, 333		1892, 194
<i>maculatus</i>	1892, 110		1893, 279
	1900, 779		1894, 134
	1900, 786		1895, 138
	1900, 788		1896, 241
<i>maugæi</i>	1895, 136		1897, 296
<i>ursinus</i>	1891, 140		1898, 80
	1891, 143		1899, 293
	1892, 369		1900, 182
<i>viverrinus</i>	1894, 466	<i>galii</i>	1891, 180
	1900, 790		1892, 194
	1900, 793		1893, 279
<i>Daulia indecora</i>	1899, 288		1898, 80
<i>Daulis sanguinea</i>	1898, 339		1899, 293
<i>Dausara</i>	1898, 600	<i>lineata</i>	1895, 138
<i>amethysta</i>	1899, 223	<i>livornica</i>	1896, 268
<i>orionalis</i>	1899, 223		1900, 20
<i>talliusalis</i>	1899, 222	<i>nicæa</i>	1892, 194
<i>Davana phalantalis</i>	1899, 288		1899, 293
<i>Davara azonaxsalis</i>	1896, 643	<i>osiris</i>	1893, 674
	1899, 288	<i>porcellus</i>	1898, 80
<i>Davila consanguineus</i> ..	1894, 186	<i>ranzani</i>	1894, 69
<i>pallescens</i>	1894, 187	<i>syriaca</i>	1897, 296
<i>Deana</i>	1899, 226		1897, 297
<i>Deba</i>	1898, 595	<i>vespertilio</i>	1891, 180
<i>althealis</i>	1898, 708		1894, 134
<i>milvinalis</i>	1898, 657		1895, 138
<i>surrectalis</i>	1898, 708		1899, 293
<i>Debis bhairava</i>	1891, 262	<i>Deinotrichia</i>	1893, 419
<i>chandica</i>	1891, 264	<i>cervina</i>	1893, 419
<i>dinarbas</i>	1891, 264	<i>livida</i>	1893, 419
<i>latiaris</i>	1891, 262	<i>scotosiaria</i>	1893, 419
<i>mekara</i>	1891, 263		1893, 420
<i>serbonis</i>	1891, 264		1893, 433
<i>sidonis</i>	1891, 264	<i>Deiopeia albocincta</i>	1895, 267
<i>sinorix</i>	1891, 262	<i>aurea</i>	1897, 112
<i>kansa</i>	1891, 263	<i>cingulifera</i>	1894, 583
<i>vindhya</i>	1891, 263		1895, 266
<i>Decaria abdominalis</i>	1899, 346	<i>leonina</i>	1895, 266
<i>obscura</i>	1900, 251		1895, 267
<i>tricolor</i>	1900, 251	<i>ocellina</i>	1894, 583
<i>Decastis columnaris</i>	1895, 875		1895, 266
	1895, 878		1896, 135
<i>Decelia terrosalis</i>	1899, 285		1896, 846
<i>Defrancia infracincta</i> ..	1893, 491	<i>pulchella</i>	1893, 677
	1893, 492		1894, 583
<i>mauritiana</i>	1893, 491		1896, 135
	1893, 492		1896, 258

	Page		Page
<i>Deiopeia pulchella</i>	1896, 529	<i>Dendrogale frenata</i>	1892, 225
	1896, 853	<i>murina</i>	1892, 225
	1897, 777		1893, 495
	1898, 57	<i>Dendrohyrax arborea</i> ..	1892, 72
	1898, 371		1892, 74
	1898, 382		1892, 75
	1898, 383	<i>bakeri</i>	1892, 70
	1900, 18	<i>blainvillei</i>	1892, 70
<i>serrata</i>	1895, 267	<i>dorsalis</i>	1892, 72
<i>speciosa</i>	1898, 367		1892, 75
<i>Delma impar</i>	1894, 723	<i>emini</i>	1892, 73
<i>Delothraupis castanei-</i>		<i>grayi</i>	1892, 52
<i>ventris</i>	1896, 342		1892, 56
<i>Delphinus</i> sp.	1893, 496		1892, 72
<i>delphis</i>	1900, 376	<i>validus</i>	1892, 74
	1900, 377	<i>Dendroica aestiva</i>	1896, 331
<i>densirostris</i>	1893, 229	<i>aureola peruviana</i> ..	1892, 398
<i>plumbeus</i>	1900, 376		1892, 404
<i>Deltocephalus acumi-</i>			1892, 408
<i>natus</i>	1895, 80	<i>blackburniae</i>	1896, 331
<i>colonus</i>	1895, 80	<i>caerulea</i>	1896, 330
<i>cuneatus</i>	1895, 79	<i>Dendrolagus bennetti</i> ..	1895, 131
<i>retorsus</i>	1895, 78		1895, 133
<i>virgulatus</i>	1895, 78		1896, 713
<i>Demoleus paradoxus</i> ..	1899, 460	<i>bennettianus</i>	1894, 693
<i>productus</i>	1899, 460		1894, 694
<i>Dendraspis angusticeps</i> .	1896, 217		1900, 779
<i>jamesoni</i>	1900, 455	<i>inustus</i>	1900, 790
<i>polylepis</i>	1894, 88		1895, 131
<i>Dendrelaphis caudo-</i>			1895, 132
<i>lineatus</i>	1896, 884		1895, 134
	1899, 605		1895, 135
	1899, 671	<i>lunholtzi</i>	1899, 693
<i>terrificus</i>	1897, 196	<i>Dendromys lovati</i>	1899, 986
	1897, 197		1900, 82
	1897, 200		1900, 84
	1897, 221	<i>mesomelas</i>	1892, 552
<i>Dendrobates affinis</i>	1899, 516		1893, 503
<i>maculifrons</i>	1899, 515		1896, 794
<i>poicephalus</i>	1897, 783		1897, 935
<i>spilogaster</i>	1899, 516		1900, 176
<i>tinctorius</i>	1898, 119	<i>mystacalis</i>	1895, 342
<i>valdizani</i>	1896, 323	<i>nigrifrons</i>	1900, 176
<i>Dendrocincla turdina</i> ...	1899, 515	<i>pumilio</i>	1893, 503
<i>Dendrocitta sinensis</i> ...	1900, 463		1897, 935
<i>Dendrocolaptes picum-</i>		<i>typicus</i>	1900, 83
<i>nus</i>	1899, 513	<i>Dendroneura</i>	1891, 509
<i>validus</i>	1896, 378	<i>praestans</i>	1891, 509
<i>Dendrocopus cabanisi</i> ..	1900, 482		1891, 510
<i>major</i>	1897, 294		1891, 544
<i>quadrifasciatus</i>	1895, 311		1891, 548
<i>Dendrocyena eytoni</i>	1900, 305	<i>simplex</i>	1897, 141
<i>viduata</i>	1892, 399		1897, 141
	1892, 408	<i>Dendrophis formosus</i> ..	1896, 883
	1900, 960		1899, 605
<i>Dendroeca petechia rufi-</i>			1899, 670
<i>capilla</i>	1892, 499	<i>pictus</i>	1892, 482
<i>ruficapilla</i>	1892, 499		1895, 705

	Page		Page
<i>Dendrophis pictus</i>	1896, 883	<i>Dero limosa</i>	1892, 349
	1897, 196	<i>obtusa</i>	1892, 349
	1897, 200	<i>perrieri</i>	1892, 349
	1897, 221	<i>Derocalymma analis</i>	1900, 36
	1899, 605	<i>bottegiana</i>	1900, 36
	1899, 669	<i>Deroplatys trigonodera</i> ,	1900, 852
	1899, 670	<i>Desmaceila sp.</i>	1900, 128
<i>Dendrophyllia ehren-</i>			1900, 137
<i>bergiana</i>	1900, 119	<i>Desmia</i>	1898, 596
<i>Dendropicus hemprichii</i> .	1895, 491		1898, 630
<i>Dendronis chuncho-</i>		<i>acriasalis</i>	1899, 288
<i>tambo</i>	1896, 376	<i>afflictalis</i>	1896, 274
	1896, 377	<i>bajulalis</i>	1898, 632
<i>ocellata</i>	1896, 376	<i>bulisalis</i>	1896, 642
	1896, 377		1898, 631
<i>rostripallens</i>	1896, 376	<i>ceresalis</i>	1898, 631
<i>triangularis</i>	1896, 376	<i>chryseis</i>	1898, 633
— <i>bogotensis</i>	1896, 376		1898, 761
— <i>erythropygia</i> ..	1896, 376	<i>confusalis</i>	1898, 713
<i>Dendryphantes capi-</i>		<i>crudalis</i>	1899, 288
<i>tatus</i>	1893, 698	<i>discrepans</i>	1898, 632
<i>octo-punctatus</i>	1893, 697	<i>divisalis</i>	1898, 631
	1893, 704	<i>extrema</i>	1898, 632
<i>Dentalina acicula</i>	1895, 31	<i>funebrealis</i>	1898, 632
<i>adolphina</i>	1895, 32	<i>funeralis</i>	1898, 630
<i>Dentex argyrozona</i>	1899, 504		1898, 631
<i>vulgaris</i>	1899, 450	<i>geminalis</i>	1898, 631
	1899, 479	<i>illectalis</i>	1892, 129
<i>Derbeta nigrifimbria</i> ..	1897, 666	<i>impuralis</i>	1899, 288
<i>Dercas verhuelli</i>	1900, 508	<i>intermicalis</i>	1898, 631
<i>wallichii</i>	1891, 251	<i>jovealis</i>	1898, 633
<i>Derchis horridalis</i>	1899, 288	<i>maculalis</i>	1898, 631
<i>Dermestes vulpinus</i>	1900, 22	<i>melaleucalis</i>	1898, 632
<i>Dermochelys coriacea</i> ..	1891, 8		1898, 761
	1896, 857	<i>nacialis</i>	1898, 633
	1899, 600	<i>nerinalis</i>	1896, 642
	1899, 602	<i>notalis</i>	1898, 632
	1899, 609	<i>odontoplaga</i>	1898, 633
<i>Dermophis albiceps</i>	1895, 404	<i>paucimaculalis</i>	1898, 632
<i>brasiliensis</i>	1895, 412	<i>pentodontalis</i>	1898, 631
<i>brevirostris</i>	1895, 405	<i>personalis</i>	1899, 288
<i>crassus</i>	1895, 405	<i>pervialis</i>	1899, 288
<i>gregorii</i>	1894, 643	<i>pisusalis</i>	1896, 642
	1894, 646		1898, 632
	1895, 405	<i>ploralis</i>	1898, 632
<i>mexicanus</i>	1895, 404	<i>prognealis</i>	1898, 631
	1895, 405	<i>propinquialis</i>	1898, 631
<i>proximus</i>	1895, 410	<i>quadrinotalis</i>	1899, 288
<i>simus</i>	1895, 410	<i>rhinthonalis</i>	1898, 623
<i>syntremus</i>	1895, 405	<i>sepulchralis</i>	1898, 632
<i>thomensis</i>	1894, 85	<i>sertorialis</i>	1899, 288
	1894, 88	<i>strigivitalis</i>	1898, 632
	1894, 646	<i>subdivisalis</i>	1898, 631
	1895, 405	<i>tages</i>	1898, 631
(Siphonops) <i>mexi-</i>		<i>ufeus</i>	1896, 642
<i>canus</i>	1895, 706		1898, 368
<i>Dero digitata</i>	1892, 349		1898, 631
<i>furcata</i>	1892, 349	<i>viduatalis</i>	1898, 633

	Page		Page
Desmodus	1898, 76	Deudorix strephanus ..	1896, 651
	1898, 78		1896, 681
rufus	1898, 76		1896, 683
Desmognathus brimley-		suffusa	1896, 643
orum	1898, 479		1896, 682
Desmophyllum sp.	1899, 61	timoleon	1895, 587
Deudorix anabasis	1895, 623	utimutis	1892, 644
anta	1896, 526	varuna	1895, 623
antalus	1891, 84	viridens	1891, 371
	1894, 52		1891, 373
barthema	1892, 643	woodfordi	1891, 371
	1895, 623		1891, 373
cærulea	1894, 17	Deuterollyta majuscula .	1899, 238
	1894, 53	Deuterotherium dis-	
	1900, 925	tichum	1899, 561
chozeba	1895, 623	Deva commoda	1893, 682
dariaves	1898, 406	Devara charisia	1893, 289
deliochus	1895, 621		1893, 290
diara	1896, 651		1893, 310
	1896, 681	chepta	1893, 290
	1896, 683		1893, 310
dinochares	1891, 84	pallor	1893, 289
diocles	1898, 406		1893, 310
diovis	1891, 371	subsericea	1893, 289
domitia	1895, 624		1893, 290
epijarbas	1891, 371	Diacamma geometrica ..	1896, 413
	1892, 446	vagans	1896, 413
	1892, 642	Diacantha beninensis ..	1892, 92
	1895, 559	conifera	1893, 739
	1895, 620		1893, 746
	1896, 681		1893, 747
intermedius cæru-		distincta	1893, 746
lescens	1895, 623	divisa	1893, 747
kinabalina	1895, 622		1900, 265
licinia	1891, 84	mutica	1893, 747
livia	1896, 526		1900, 265
	1896, 533	Diacme	1899, 252
	1898, 370	Diadema anthedon	1895, 725
mathewi	1892, 435	deceptor	1894, 562
	1892, 446	mima	1895, 257
metajarbas	1895, 623	misippus	1891, 79
obscurata	1891, 60		1894, 17
	1891, 84		1894, 37
	1891, 85		1894, 341
	1891, 107	saxatile	1894, 395
	1894, 53		1894, 397
orseis	1892, 642		1900, 117
	1895, 622		1900, 273
perse	1891, 85		1900, 274
petosiris	1892, 643		1900, 277
pheretima	1892, 644	wahlbergi	1895, 256
	1895, 623	Diaa dorsata	1899, 524
schistacea	1895, 622	placata	1899, 524
sequeira	1892, 644		1899, 532
similis	1896, 682	Diaglypta radiata	1895, 780
staudingeri	1895, 559	Dialectica	1897, 150
	1895, 621	apicepunctella	1897, 152
	1895, 627	permixtella	1897, 152

	Page		Page
<i>Dialectica rendalli</i>	1897, 151	<i>Diastræa venosata</i>	1895, 954
<i>sanctæ-crucis</i>	1897, 151	<i>Diathrausta octomacu-</i>	
<i>Dialexia punctipennis</i>	1898, 338	<i>lalis</i>	1895, 964
<i>Dianæa diadema</i>	1896, 475	<i>Dibamus novæ-guineæ</i>	1897, 196
<i>flavidula</i>	1896, 488		1897, 199
<i>phosphorica</i>	1896, 488		1897, 216
<i>Dianthea nobilis</i>	1897, 807	<i>Dibolia africana</i>	1900, 253
<i>Dianthœcia eros</i>	1896, 639	<i>bimaculata</i>	1900, 253
<i>Diaphanes apicalis</i>	1892, 89	<i>intermedia</i>	1900, 254
	1892, 90	<i>trimeni</i>	1900, 254
<i>Diaphania vitralis</i>	1898, 737	<i>Diboloides</i>	1897, 553
<i>Diaphantania conspicu-</i>		<i>bicolor</i>	1897, 553
<i>alis</i>	1899, 285		1897, 577
<i>Diapherodes gigas</i>	1892, 198	<i>Dibolosoma</i>	1897, 559
	1892, 199	<i>quadripustulatum</i>	1897, 560
	1892, 208	<i>Dicæum cruentatum</i>	1900, 468
	1893, 606	<i>minullum</i>	1900, 469
<i>Diapheromera femorata</i>	1891, 180	<i>Dicepolia</i>	1899, 227
	1894, 135	<i>Dicerataspis</i>	1895, 744
<i>Diaphorophyia blissetti</i>	1894, 601	<i>grenadensis</i>	1895, 744
<i>castanea</i>	1894, 599	<i>Dichætometopia tessel-</i>	
	1894, 606	<i>lata</i>	1899, 417
<i>Diapria grenadensis</i>	1895, 804	<i>Dicheilonema bispino-</i>	
	1895, 805	<i>sum</i>	1894, 531
	1895, 806	<i>Dichocrocis</i>	1898, 597
<i>melanopleura</i>	1895, 805		1898, 688
	1895, 806	<i>actinialis</i>	1898, 690
<i>peraffinis</i>	1895, 805	<i>auritincta</i>	1898, 693
	1895, 806	<i>bilinealis</i>	1898, 690
<i>smithii</i>	1895, 804	<i>bistrigalis</i>	1898, 690
	1895, 805	<i>cernatis</i>	1898, 688
<i>unicolor</i>	1895, 805	<i>clioalis</i>	1898, 688
	1895, 806		1898, 690
<i>Diasemia</i>	1898, 600	<i>credulalis</i>	1898, 693
<i>accalis</i>	1899, 213	<i>definita</i>	1898, 691
<i>completalis</i>	1899, 213	<i>diminutiva</i>	1898, 691
<i>elegantalis</i>	1899, 213	<i>eubulealis</i>	1898, 693
<i>erubescens</i>	1899, 214	<i>evaxalis</i>	1898, 689
<i>grammalis</i>	1899, 213	<i>festivalis</i>	1898, 688
<i>inabsconsalis</i>	1899, 214		1898, 691
<i>janassialis</i>	1899, 213	<i>fluminalis</i>	1898, 689
<i>leucophæalis</i>	1899, 213	<i>frenatalis</i>	1898, 690
<i>litterata</i>	1899, 213	<i>fuscifimbria</i>	1898, 690
<i>matura</i>	1899, 213	<i>fuscoalbalis</i>	1898, 692
<i>plumbosignalis</i>	1899, 213	<i>hæmactalis</i>	1898, 691
<i>rambusialis</i>	1899, 213	<i>megillalis</i>	1898, 692
<i>reconditalis</i>	1899, 213	<i>nigrilinealis</i>	1898, 691
<i>spilonotalis</i>	1899, 213	<i>pactolica</i>	1898, 692
<i>Diastoma squamosa</i>	1891, 524	<i>pandamalis</i>	1892, 129
	1891, 546		1898, 690
	1897, 100	<i>plenistigmalis</i>	1898, 692
<i>Diastræa canella</i>	1895, 954	<i>pluto</i>	1898, 690
<i>differentialis</i>	1895, 954	<i>plutusalis</i>	1898, 691
<i>lineolata</i>	1895, 953	<i>pseudpœonalis</i>	1898, 688
<i>mauriciella</i>	1895, 953	<i>punctiferalis</i>	1898, 688
<i>saccharalis</i>	1895, 953		1898, 690
<i>striatalis</i>	1895, 954	<i>punctilinealis</i>	1898, 691
		<i>pyrrhalis</i>	1898, 692

	Page		Page
<i>Dichocrocis recurrens</i> ..	1898, 692	<i>Dictyotus roei</i>	1900, 810
<i>renidata</i>	1898, 692	<i>semimarginatus</i> ..	1900, 810
<i>rigidalis</i>	1898, 692	<i>tasmanicus</i>	1900, 810
<i>sabatalis</i>	1898, 690	<i>vilis</i>	1900, 810
<i>spoliatalis</i>	1898, 688	<i>Dicymolomia decora</i> ..	1895, 959
.....	1898, 693	<i>diminutalis</i>	1895, 959
<i>strigimarginalis</i> ..	1898, 693	<i>julianalis</i>	1895, 959
<i>surusalis</i>	1898, 689	<i>metalliferalis</i>	1895, 959
<i>tharsalea</i>	1898, 691	<i>pegasalis</i>	1895, 959
<i>tripunctapex</i>	1898, 691	1898, 369
.....	1898, 761	<i>sauberi</i>	1895, 959
<i>xanthocyma</i>	1898, 689	<i>Dicyphus separatus</i> ...	1894, 194
<i>xuthusalis</i>	1898, 689	<i>Didactylota</i>	1891, 522
<i>zebralis</i>	1898, 692	<i>bicolor</i>	1891, 522
<i>Dichogama</i>	1898, 597	1891, 546
.....	1898, 676	1897, 77
<i>amabilis</i>	1898, 677	<i>Didelphys</i>	1899, 558
<i>bergii</i>	1898, 677	1899, 566
<i>decoralis</i>	1898, 676	<i>sp.</i>	1900, 779
<i>fernaldi</i>	1898, 677	<i>albiventris</i>	1894, 459
<i>gudmanni</i>	1898, 677	1894, 460
<i>innocua</i>	1898, 676	<i>alboguttata</i>	1894, 466
<i>krugii</i>	1898, 676	1894, 467
<i>redtenbacheri</i>	1898, 676	<i>americana</i>	1894, 466
.....	1898, 677	<i>aurita</i>	1894, 355
<i>smithi</i>	1898, 677	1894, 457
<i>Dichogaster damonis</i> ..	1893, 485	1894, 459
<i>hupferi</i>	1892, 684	1894, 460
<i>mimus</i>	1892, 684	<i>azarae</i>	1894, 314
.....	1900, 171	1894, 355
<i>parvus</i>	1898, 445	1894, 459
.....	1898, 449	1894, 460
<i>Dichotis</i>	1899, 215	1894, 531
<i>Dicotyles</i>	1899, 801	1895, 136
<i>labiatus</i>	1892, 175	<i>brevicaudata</i>	1892, 314
<i>torquatus</i>	1892, 175	1892, 316
<i>Dicranaspis idas</i>	1893, 24	<i>californica</i>	1894, 458
<i>Dicrurus afer</i>	1895, 462	<i>cancrivora</i>	1894, 459
<i>assimilis</i>	1899, 933	1894, 460
<i>divaricatus</i>	1895, 462	1894, 531
<i>macrocerus</i>	1900, 464	1895, 136
<i>splendens</i>	1900, 305	<i>cinerea</i>	1894, 461
<i>Dictenus</i>	1896, 846	<i>crassicaudata</i>	1894, 315
<i>inconstans</i>	1896, 846	1894, 355
.....	1896, 850	<i>derbiana</i>	1896, 987
<i>Dictyocha sp.</i>	1898, 1029	<i>dimidiata</i>	1895, 131
<i>fibula</i>	1898, 1029	<i>dorsigera</i>	1892, 316
<i>rhombus</i>	1898, 1029	<i>elegans</i>	1894, 355
<i>speculum</i>	1898, 1029	1894, 461
<i>stapedia</i>	1898, 1029	1894, 462
<i>Dictyocysta elegans</i> ...	1898, 1029	<i>grisea</i>	1894, 461
<i>Dictyophora cultellator</i> .	1895, 59	<i>lanigera</i>	1896, 987
<i>emarginata</i>	1895, 58	<i>lepida</i>	1894, 462
<i>Dictyotus aequalis</i>	1900, 810	<i>marsupialis</i>	1893, 341
<i>affinis</i>	1900, 810	1894, 355
<i>cænosus</i>	1900, 810	1894, 359
<i>pallipes</i>	1900, 810	1894, 367
.....	1900, 825	1894, 376

	Page		Page
<i>Didelphys marsupialis</i> ..	1894, 458	<i>Dinematura carcharo-</i>	
	1894, 459	<i>donte</i>	1899, 463
	1896, 789	<i>elongata</i>	1899, 463
	1900, 779	<i>ferox</i>	1899, 463
	1900, 786	<i>hamiltoni</i>	1899, 463
	1900, 788	<i>lammæ</i>	1899, 463
— <i>azaræ</i>	1894, 458	<i>latifolia</i>	1899, 463
— <i>typica</i>	1894, 458	<i>producta</i>	1899, 463
<i>murina</i>	1892, 314	<i>serrata</i>	1899, 463
	1892, 316	<i>thynni</i>	1899, 462
<i>nudicaudata</i>	1894, 531	<i>Dinemellia dinemelli</i> ..	1895, 469
<i>opossum</i>	1894, 460	<i>Dinemoura affinis</i>	1899, 464
<i>philander</i>	1892, 314	<i>alata</i>	1899, 464
	1892, 316	<i>braccata</i>	1899, 464
	1894, 355	<i>Dinidor dispar</i>	1900, 820
	1896, 987	<i>melanoleuca</i>	1900, 820
<i>velutina</i>	1894, 461	<i>punctiger</i>	1900, 823
<i>virginiana</i>	1891, 138	<i>tesselatus</i>	1900, 808
	1891, 145		1900, 820
	1894, 458	<i>unicolor</i>	1900, 808
	1894, 531		1900, 820
<i>Didosaurus mauritanus</i> ..	1892, 543	<i>variolosus</i>	1900, 820
	1892, 666	<i>Dinocoris amplus</i>	1900, 808
<i>Didus ineptus</i>	1892, 544	<i>piceus</i>	1900, 808
	1892, 545	<i>tesselatus</i>	1900, 808
<i>Dieba anthus</i>	1899, 535	<i>tripterus</i>	1900, 823
<i>Diedrocephala flavi-</i>		<i>unicolor</i>	1900, 808
<i>ceps</i>	1895, 76	<i>Dinoderus bifoveatus</i> ..	1898, 330
<i>Diostogyna ribensis</i>	1895, 728	<i>minutus</i>	1898, 330
<i>Diffugia areolata</i>	1897, 787	<i>substriatus</i>	1898, 330
<i>constricta</i>	1897, 787	<i>Dinodon septentrionalis</i> ..	1899, 165
	1897, 788	— <i>ruhstrati</i>	1899, 165
<i>globulosa</i>	1897, 787	<i>Dinopsis anchietæ</i>	1899, 847
<i>microstoma</i>	1897, 787	<i>aspectans</i>	1899, 847
<i>pyriformis</i>	1897, 787	<i>bubo</i>	1899, 846
<i>Digitibranchus nilo-</i>		<i>Dinopsis spinosus</i>	1891, 554
<i>ticus</i>	1891, 174	<i>Dinornis maximus</i>	1891, 481
<i>Diglena permollis</i>	1897, 798	<i>Dinotherium</i>	1899, 562
<i>Diglossa brunneiventris</i> ..	1896, 334	<i>Diocus gobinus</i>	1899, 495
<i>pectoralis</i>	1896, 334	<i>Diodon hystrix</i>	1899, 469
<i>personata</i>	1896, 334	<i>sexmaculatus</i>	1899, 483
<i>Diglossopsis cærulescens</i> ..	1896, 334	<i>Diodosida roseipennis</i> ..	1898, 432
	1896, 335	<i>Diogenes pallescens</i>	1898, 457
— <i>pallida</i>	1896, 334		1898, 463
<i>Diglyphosema flavipes</i> ..	1895, 744	<i>Dioleus boscii</i>	1893, 705
<i>Dilobates</i>	1900, 443	<i>irroratus</i>	1900, 822
<i>platycephalus</i>	1900, 444	<i>Diomedea</i>	1899, 1025
	1900, 456	<i>albatrus</i>	1894, 162
<i>Dilophonota ello</i>	1898, 367	<i>brachyura</i>	1893, 505
<i>Dilophus carunculatus</i> ..	1895, 459	<i>exulans</i>	1893, 756
<i>Dilophyrus grandis</i>	1899, 637		1899, 382
<i>Diloxis</i>	1897, 640		1899, 383
	1897, 670		1899, 385
<i>ochriplaga</i>	1897, 671		1899, 390
<i>Dindica crocina</i>	1893, 349		1899, 392
<i>möllerii</i>	1893, 349		1899, 393
<i>Dinematichthys iluo-</i>			1899, 400
<i>ceteoides</i>	1891, 227		1899, 401

	Page		Page
<i>Diomedea exulans</i>	1899, 411	<i>Diplodactylus inter-</i>	
<i>immutabilis</i>	1893, 505	<i>medius</i>	1898, 913
<i>irrorata</i>	1892, 401	<i>porogaster</i>	1898, 913
<i>melanophrys</i>	1897, 468	<i>robustus</i>	1898, 913
<i>nigripes</i>	1899, 387	<i>Diplodon densirostris</i> ..	1893, 229
<i>regia</i>	1897, 190	<i>Diplodonta rotundata</i> ..	1891, 430
<i>Dione affinis</i>	1893, 756	<i>Diploglossus bivittatus</i> ..	1894, 724
<i>erubescens</i>	1900, 725	<i>nuchalis</i>	1894, 732
<i>vanillæ</i>	1891, 423	<i>nuchalis</i>	1898, 916
<i>Diophtis charila</i>	1900, 198	<i>nuchalis</i>	1898, 920
<i>charon</i>	1893, 292	<i>nuchalis</i>	1898, 923
<i>cheledonis</i>	1893, 310	<i>Diplognatha hebraea</i>	1893, 740
<i>chloris</i>	1893, 294	<i>silicea</i>	1893, 740
<i>cyma</i>	1893, 310	<i>Diplommata aldrichi</i> ..	1891, 22
<i>egla</i>	1893, 293	<i>ambigua</i>	1892, 513
<i>ilderdina</i>	1893, 293	<i>ambigua</i>	1892, 520
<i>noctiluces</i>	1893, 310	<i>angulata</i>	1892, 516
<i>onega</i>	1893, 294	<i>animula</i>	1892, 516
<i>otanes</i>	1893, 292	<i>animula</i>	1892, 520
<i>pallene</i>	1893, 294	<i>balabacensis</i>	1895, 99
<i>pandates</i>	1893, 294	<i>balabacensis</i>	1895, 122
<i>phelina</i>	1893, 293	<i>balabacensis</i>	1895, 127
<i>roraima</i>	1893, 294	<i>baritensis</i>	1895, 100
<i>trailii</i>	1893, 310	<i>baritensis</i>	1895, 123
<i>Dioptrornis fischeri</i>	1893, 294	<i>baritensis</i>	1895, 127
<i>Diorrhada maculiceps</i> ..	1893, 293	<i>battemalvensis</i>	1895, 444
<i>Diospage rebus</i>	1893, 310	<i>brunonis</i>	1895, 124
<i>scintillans</i>	1893, 294	<i>butleri</i>	1892, 512
<i>triplax</i>	1893, 292	<i>butleri</i>	1892, 520
<i>Diphaulacosoma</i>	1893, 310	<i>carneola</i>	1895, 454
<i>levipenne</i>	1893, 293	<i>chennelli</i>	1892, 512
<i>Diphrix prolatella</i>	1893, 293	<i>chennelli</i>	1892, 516
<i>Diphthera orion</i>	1900, 608	<i>chennelli</i>	1892, 520
<i>Diphylla</i>	1897, 576	<i>commutata</i>	1892, 513
<i>Dipleurosoma hemi-</i>	1893, 675	<i>commutata</i>	1892, 520
<i>sphaericum</i>	1893, 675	<i>compacta</i>	1892, 515
<i>sphaericum</i>	1893, 684	<i>compacta</i>	1892, 520
<i>sphaericum</i>	1893, 675	<i>concinna</i>	1891, 22
<i>Diplocardiacommunis</i> ..	1892, 574	<i>concinna</i>	1892, 519
<i>Diplocynodon hantoni-</i>	1892, 574	<i>concolor</i>	1892, 520
<i>ensis</i>	1892, 579	<i>concolor</i>	1895, 123
<i>spenceri</i>	1895, 957	<i>concolor</i>	1895, 127
<i>Diplodactylus byrnei</i> ..	1893, 279	<i>convoluta</i>	1892, 510
<i>Diphyllo</i>	1898, 76	<i>decorosa</i>	1892, 510
<i>Dipleurosoma hemi-</i>		<i>decorosa</i>	1892, 520
<i>sphaericum</i>	1897, 826	<i>delicata</i>	1892, 517
<i>sphaericum</i>	1897, 827	<i>delicata</i>	1892, 520
<i>sphaericum</i>	1897, 828	<i>distincta</i>	1892, 514
<i>sphaericum</i>	1897, 835	<i>distincta</i>	1892, 520
<i>irregulare</i>	1897, 826	<i>dohertyi</i>	1892, 513
<i>Diplocardia communis</i> ..	1892, 671	<i>dohertyi</i>	1892, 520
<i>communis</i>	1893, 486	<i>domuncula</i>	1892, 518
<i>Diplocynodon hantoni-</i>		<i>domuncula</i>	1892, 520
<i>ensis</i>	1891, 7	<i>elongata</i>	1892, 511
<i>spenceri</i>	1891, 7	<i>elongata</i>	1892, 520
<i>Diplodactylus byrnei</i> ..	1898, 913	<i>garoensis</i>	1892, 511
<i>conspicillatus</i>	1898, 913		
<i>gracilis</i>	1898, 913		

	Page
<i>Diplommattina garoensis</i>	1892, 520
<i>gibberosa</i>	1892, 519
.....	1892, 520
<i>gracilis</i>	1891, 344
<i>insignis</i>	1892, 510
<i>jamitiaca</i>	1892, 510
.....	1892, 519
<i>japvoensis</i>	1892, 516
.....	1892, 520
<i>jatingana</i>	1892, 516
<i>khunhoensis</i>	1892, 515
.....	1892, 520
— <i>minor</i>	1892, 515
<i>labiosa</i>	1892, 512
<i>lapillus</i>	1892, 515
.....	1892, 520
<i>minuta</i>	1892, 517
<i>mirabilis</i>	1891, 345
<i>munipurensis</i>	1892, 518
.....	1892, 520
<i>nengloensis</i>	1892, 514
.....	1892, 520
<i>nevilli</i>	1891, 343
<i>nicobarica</i>	1895, 444
.....	1895, 454
— <i>battamalvensis</i> ..	1895, 454
<i>pachycheilus</i>	1892, 510
.....	1892, 514
<i>parvula</i>	1892, 517
.....	1892, 519
<i>recta</i>	1895, 99
.....	1895, 122
<i>roebelini</i>	1892, 461
<i>rubicunda</i>	1895, 99
.....	1895, 122
<i>scalaria</i>	1892, 510
<i>sherfaiensis</i>	1892, 516
.....	1892, 517
<i>strubelli</i>	1895, 124
<i>subrubella</i>	1892, 517
.....	1892, 520
<i>subtilis</i>	1892, 517
<i>succinea</i>	1892, 519
.....	1892, 520
<i>superba</i>	1891, 344
.....	1891, 345
<i>thomsoni</i>	1892, 514
.....	1892, 520
<i>tumida</i>	1892, 509
.....	1892, 510
.....	1892, 511
.....	1892, 512
.....	1892, 520
<i>unicrenata</i>	1892, 516
.....	1892, 520
<i>venustula</i>	1892, 518
.....	1892, 520
(Sinica) <i>canalicu-</i>	
<i>lata</i>	1891, 343

	Page
<i>Diplommattina</i> (Sinica)	
<i>canaliculata</i>	1891, 348
(—) <i>diminuta</i> ..	1891, 344
.....	1891, 348
(—) <i>nevilli</i>	1891, 343
(—) <i>samuiana</i> ..	1894, 155
.....	1894, 156
(—) <i>superba</i>	1891, 344
(—) <i>ventriculus</i> ..	1891, 343
.....	1891, 348
<i>Diploneura islandica</i> ..	1896, 466
<i>Diplophyrus grandis</i> ..	1896, 871
<i>Diplura æquatorialis</i> ..	1896, 755
.....	1896, 761
<i>bicolor</i>	1896, 761
<i>cousini</i>	1896, 755
.....	1896, 761
<i>gymnognatha</i>	1896, 761
<i>longicauda</i>	1896, 755
.....	1896, 761
<i>longipalpis</i>	1897, 738
.....	1897, 771
<i>macrura</i>	1896, 754
.....	1896, 755
<i>rogenhoferi</i>	1896, 755
.....	1896, 761
<i>sanguinea</i>	1896, 754
<i>soricina</i>	1896, 761
<i>Dipcena calcarata</i>	1897, 863
<i>meckeli</i>	1897, 863
<i>valmonti</i>	1897, 863
<i>Diporophora winneckii</i> ..	1898, 915
<i>Dipriodon robustus</i>	1893, 211
.....	1893, 212
<i>Dipsadoboa assimilis</i> ..	1900, 454
<i>unicolor</i>	1900, 454
<i>Dipsadomorphus blan-</i>	
<i>dingii</i>	1900, 454
<i>cynodon</i>	1896, 889
.....	1899, 606
.....	1899, 681
<i>dendrophilus</i>	1896, 889
.....	1897, 196
.....	1897, 201
.....	1897, 226
.....	1899, 601
.....	1899, 606
.....	1899, 680
.....	1899, 684
.....	1899, 689
.....	1900, 850
.....	1900, 859
— <i>gemicincta</i> ..	1897, 226
<i>drapiezii</i>	1896, 889
.....	1899, 606
.....	1899, 681
<i>flavescens</i>	1897, 196
.....	1897, 201
.....	1897, 226

	Page		Page
Dipsadomorphus gokool.	1896, 889	Diptychophora epiphæa.	1895, 942
	1899, 606	exsectella	1895, 943
	1899, 680	griseolalis	1895, 943
irregularis	1897, 196	harmonica	1895, 943
	1897, 201	heliotypa	1895, 943
	1897, 226	holanthos	1895, 942
jaspideus	1896, 889	inornata	1895, 973
	1899, 606	interrupta	1895, 942
	1899, 681	kuhlweinii	1895, 943
multimaculatus	1896, 783	lepidella	1895, 942
	1896, 889	leucoxantha	1895, 943
	1897, 196	metallifera	1895, 942
	1897, 201	minutella	1895, 942
	1897, 226	ochracealis	1895, 943
	1899, 606	octavianella	1895, 943
	1899, 680	parvalis	1895, 943
pulverulentus	1900, 453	præmaturella	1895, 943
Dipsas annulata	1895, 812	pyrsophanes	1895, 942
antalus	1891, 84	selenæa	1895, 942
	1894, 52	straminiella	1895, 943
	1898, 407	tripunctata	1895, 942
	1899, 811	Dipurena sp.	1896, 459
boa	1896, 895		1896, 473
	1899, 693		1896, 499
cenchoa	1894, 511	halterata	1896, 459
	1894, 518		1896, 473
ceylonensis	1892, 482		1897, 816
	1895, 705	Dipus sp.	1900, 197
	1895, 816	ægyptius	1894, 252
	1895, 824		1894, 254
cynodon	1896, 889		1894, 256
dendrophila	1895, 816		1894, 257
	1895, 824		1894, 260
	1896, 889		1894, 262
duma	1892, 634		1894, 263
epijarbas	1892, 642		1894, 264
	1895, 620		1894, 268
fusca	1895, 816		1894, 276
	1895, 824		1894, 277
irregularis	1895, 815		1894, 281
	1895, 816		1894, 282
	1895, 824		1894, 283
multimaculata	1896, 889		1894, 284
obtusa	1894, 85		1894, 285
	1894, 88		1894, 287
	1895, 656		1894, 288
trigonata	1891, 628		1894, 290
	1891, 633		1894, 291
Dipsastræa solida	1899, 747	deasyi	1900, 196
Diptychophora adsper-			1900, 197
sella	1895, 942	hirtipes	1892, 10
atrosema	1895, 942		1894, 252
auriscriptella	1895, 942		1894, 254
azanal	1895, 943		1894, 256
bipunctella	1895, 942		1894, 257
chrysoclypta	1895, 942		1894, 260
dilatella	1895, 943		1894, 262
elaina	1895, 942		1894, 264

	Page		Page
<i>Dipus hirtipes</i>	1894, 268	<i>Dismorphia spio</i>	1898, 364
	1894, 276	<i>Disparoneura cæsia</i>	1891, 205
	1894, 281	<i>Dispholidus typicus</i>	1896, 216
	1898, 858		1897, 801
	1898, 882	<i>Dissemurus paradiseus</i> .	1895, 542
<i>jaculus</i>	1894, 356		1900, 465
	1894, 363	<i>Dissomphalus bisulcus</i> ..	1895, 786
	1898, 766	<i>confusus</i>	1895, 786
	1898, 858	<i>tuberculatus</i>	1895, 786
	1898, 859	<i>Dissura episcopus</i>	1896, 231
	1898, 882		1896, 232
<i>lagopus</i>	1900, 197		1896, 627
<i>loftusi</i>	1900, 196		1900, 962
<i>Dirphia multicolor</i>	1896, 635	<i>maguari</i>	1897, 469
<i>Dis annulatus</i>	1893, 14	<i>Distichodus rostratus</i> ..	1896, 218
	1893, 15	<i>rudolphi</i>	1896, 218
<i>Discoelius merula</i>	1893, 685		1896, 223
<i>spinolæ</i>	1893, 685	<i>Distira brugmansii</i>	1896, 892
<i>Discoglossus</i>	1898, 4		1899, 607
	1898, 5		1899, 687
<i>pictus</i>	1891, 599	<i>cyanocincta</i>	1895, 823
	1891, 601		1895, 825
	1891, 603		1895, 826
	1891, 604		1896, 892
	1891, 620		1899, 607
	1891, 626		1899, 688
	1891, 627	<i>jerdonii</i>	1896, 892
	1892, 24		1899, 607
<i>Discognathus imberbis</i> ..	1892, 961		1899, 688
<i>lanta</i>	1892, 135	<i>ornata</i>	1899, 607
<i>Discophora tullia</i>	1900, 505		1899, 687
<i>Discorbina parisiensis</i> ..	1895, 39	<i>robusta</i>	1899, 687
	1895, 53	<i>saravacensis</i>	1900, 184
<i>rosea</i>	1895, 39		1900, 186
	1895, 53	<i>stokesii</i>	1896, 892
<i>rugosa</i>	1895, 39		1898, 851
	1895, 53		1899, 607
<i>ventricosa</i>	1895, 39		1899, 687
	1895, 53	<i>Distomum baraldii</i>	1893, 499
<i>Discosoma haddoni</i>	1898, 1002		1893, 500
<i>Discothyris</i>	1898, 601	<i>horridum</i>	1893, 499
	1899, 200	<i>lanceolatum</i>	1893, 498
<i>ferruginata</i>	1899, 200		1893, 499
<i>megalophalis</i>	1899, 200	<i>nigrovenosum</i>	1893, 499
<i>vestigialis</i>	1899, 200	<i>ovo-caudatum</i>	1893, 498
<i>Discus andamanica</i>	1895, 442	<i>simile</i>	1893, 499
	1895, 448	<i>trigonocephalum</i> ..	1893, 496
<i>bicolor</i>	1895, 442		1893, 497
<i>billiana</i>	1895, 442	<i>Distyla agilis</i>	1897, 798
<i>iopharynx</i>	1895, 442	<i>Ditrigonophora</i>	1897, 117
<i>pseudosanis</i>	1895, 442	<i>marmoreipennis</i> ..	1897, 117
<i>sanis</i>	1895, 442	<i>Ditropis cebuana</i>	1892, 467
	1895, 448	<i>mira</i>	1892, 467
	1895, 449	<i>quadrasi</i>	1892, 467
<i>subnigritella</i>	1895, 442	<i>Diuca speculifera</i>	1892, 402
<i>sulcipes</i>	1895, 442		1896, 351
— <i>trilineata</i>	1895, 442	<i>Diva atrocærulea</i>	1896, 341
<i>Dismegistus sanguineus</i> .	1900, 823	<i>Dives kalinowskii</i>	1892, 372

	Page		Page
<i>Dives kalinowskii</i>	1892, 378	<i>Dolichotis patagonica</i> ..	1894, 289
	1892, 379		1896, 987
	1892, 403	<i>Doliolum denticulatum</i> ..	1898, 580
	1896, 323	<i>nationalis</i>	1898, 567
<i>warszewiczi</i>	1892, 378		1898, 583
	1892, 379	<i>tritonis</i>	1898, 567
	1892, 403		1898, 580
<i>Dixoa albatalis</i>	1897, 611		1898, 581
<i>Docela vetustalis</i>	1899, 288		1898, 583
<i>Docimodus</i>	1896, 917	(<i>Dolioletta</i>) <i>tritonis</i>	1898, 580
	1899, 100	<i>Doliophis annectens</i>	1896, 895
	1899, 141	<i>bivirgatus</i>	1896, 895
<i>johnstoni</i>	1896, 917		1899, 601
	1896, 918		1899, 607
	1899, 141		1899, 692
	1899, 143	— <i>bivirgatus</i>	1899, 692
<i>Doclea muricata</i>	1900, 722	— <i>flaviceps</i>	1899, 692
<i>Dodona adonira</i>	1891, 288	— <i>tetratænia</i>	1899, 692
<i>deodata</i>	1891, 288	<i>intestinalis</i>	1896, 895
	1891, 289		1897, 196
<i>diprea</i>	1891, 288		1897, 201
<i>egeon</i>	1891, 289		1897, 227
<i>longicaudata</i>	1891, 288		1899, 607
<i>oida</i>	1891, 288		1899, 693
<i>Dolabella gigas</i>	1891, 435	— <i>annectens</i>	1899, 693
<i>Dolecta invenusta</i>	1892, 328	— <i>lineata</i>	1899, 693
<i>juturna</i>	1892, 328	— <i>trilineatus</i>	1899, 693
<i>macrochir</i>	1892, 328	<i>lineata</i>	1896, 895
<i>Dolichoderus gracilis</i> ..	1896, 411	<i>trilineatus</i>	1896, 895
<i>taprobanæ</i>	1896, 410	<i>Dolistenus savii</i>	1892, 28
	1896, 411	<i>Dolium cumingii</i>	1891, 412
<i>Dolichodon layardi</i> ...	1893, 227	<i>favanii</i>	1891, 412
<i>traversii</i>	1893, 227	<i>japonicum</i>	1891, 412
<i>Dolichognatha diversa</i> ..	1897, 872	<i>luteostomum</i>	1891, 412
<i>tigrina</i>	1897, 872	<i>maculatum</i>	1891, 412
<i>tuberculata</i>	1897, 872	<i>olearium</i>	1891, 412
<i>Dolichonyx oryzivorus</i> ..	1892, 372	<i>perdix</i>	1891, 413
	1892, 378	<i>variegatum</i>	1891, 412
	1892, 406	<i>Dolomedes</i>	1898, 27
	1892, 408	<i>exilipes</i>	1899, 862
	1896, 354		1899, 863
<i>Dolichosaurus lesinensis</i> .	1891, 118	<i>fimbriatus</i>	1898, 27
<i>Dolichosticha cochru-</i>		<i>spathularis</i>	1898, 29
<i>salis</i>	1896, 643	<i>transfuga</i>	1899, 869
<i>perinephes</i>	1898, 639		1899, 870
<i>subauralis</i>	1898, 639		1899, 884
<i>subvenillialis</i>	1898, 640	<i>Dolopæus</i>	1898, 27
<i>Dolichotis patachonica</i> ..	1892, 596	<i>albobinctus</i>	1898, 28
	1892, 608	<i>cinctus</i>	1898, 28
	1892, 611		1898, 29
<i>patagonica</i>	1891, 236		1898, 32
	1891, 237	<i>doleschallii</i>	1898, 28
	1891, 238	<i>simoni</i>	1898, 28
	1891, 239	<i>Dolycoris baccarum</i>	1900, 823
	1891, 243	<i>Donacaula chlorosema</i> ..	1895, 911
	1892, 27	<i>mucronella</i>	1895, 917
	1894, 276	<i>Donacsa miricornis</i>	1896, 640
	1894, 288	<i>Donacobius atricapillus</i> ..	1899, 515

	Page		Page
Donacobius atricapillus .	1899, 516	Dosinia pubescens	1891, 422
Donacoscaptes lanceo-		radiata	1891, 422
latus	1895, 961	Dotilla myctiroides	1900, 760
Donax brazieri	1891, 491	Doto myctiroides	1900, 760
faba	1891, 435	Draco beccarii	1897, 195
(Machærodonax)			1897, 198
scalpellum	1891, 427		1897, 207
Dophla derma	1900, 507		1897, 237
Doras	1899, 718		1898, 914
Doratoceros triangularis.	1896, 506	fimbriatus	1896, 870
Doratoperas	1895, 961		1899, 603
atrosparsellus	1895, 961		1899, 636
Dorcatherium aquati-		guadrasi	1894, 723
cum	1891, 358	haasii	1899, 636
nauui	1891, 385	lineatus	1897, 206
Dorcelaphus americanus.	1900, 686	maculatus	1896, 870
bezoarticus	1900, 686		1897, 206
dichotomus	1900, 686		1899, 603
hemionus	1900, 686		1899, 636
Dorcopsis luctuosa	1895, 131		1899, 957
	1896, 713	maximus	1893, 522
Dorcotragus megalotis .	1900, 83		1893, 528
Dorigona longimana....	1900, 293		1894, 723
moebii	1900, 294	melanopogon	1896, 870
Dorippe astuta	1900, 769		1899, 603
callida	1900, 769		1899, 637
dorsipes	1900, 769	microlepis	1893, 523
facchino	1900, 768		1893, 528
quadridens	1900, 769		1894, 723
quadridentata	1900, 769	modiglianii	1894, 723
sima	1900, 768	obscurus	1898, 914
Doris coriacea	1900, 118	quinquefasciatus ..	1892, 505
Doritis apollinus	1892, 194		1896, 870
	1896, 241		1899, 603
	1897, 296		1899, 637
	1899, 293	reticulatus	1897, 195
	1900, 181		1897, 197
Dorocidaris papillata ..	1900, 275		1897, 198
Dorycoris fuscosus	1900, 816		1897, 206
	1900, 824	silonotus	1897, 195
Dorylus curtsii	1896, 416		1897, 198
orientalis	1896, 416		1897, 206
Doryodes acutaria	1895, 972		1897, 237
Doryodon pygmæus ..	1892, 559	tæniopterus	1899, 603
	1892, 561		1899, 637
Dosara	1899, 207	volans	1896, 868
cœlatalis	1899, 211		1897, 206
lapsalis	1899, 288		1899, 601
palmalis	1896, 276		1899, 603
Dosinia alta	1891, 422		1899, 608
amphidesmoides ..	1891, 422		1899, 636
bilunulata	1891, 435	walkerii	1894, 723
bisecta	1891, 422	whiteheadi	1899, 956
dilatata	1891, 422		1899, 961
erythræa	1891, 422	Draconia annuligera ..	1897, 631
eunice	1891, 422	denticulata	1897, 631
ovalis	1891, 422	mirabilis	1897, 631
pubescens	1891, 421	oleigutta	1897, 631

	Page		Page
<i>Draconia peripheta</i>	1897, 631	<i>Dromidiopsis australi-</i>	
<i>rusina</i>	1897, 631	<i>ensis</i>	1900, 570
<i>Drapetodes nummularia</i>	1892, 124		1900, 572
<i>Drassus cupreus</i>	1898, 488	<i>Dromophis angolensis</i> ..	1891, 307
<i>lapidicolens</i>	1898, 488	<i>lineatus</i>	1897, 801
<i>troglydites</i>	1898, 488	<i>Drupadia boisduvalii</i> ..	1892, 641
<i>Drasteria judicans</i>	1893, 681	<i>moorei</i>	1892, 641
<i>mutuaria</i>	1896, 136	<i>Dryas leda</i>	1896, 839
<i>Dreata flavinata</i>	1895, 269		1898, 413
<i>Drepanis funerea</i>	1893, 690	<i>Dryinus prasinus</i>	1896, 890
<i>pacifica</i>	1893, 670	<i>Dryiophis oatesii</i>	1893, 618
<i>Drepanodes agronaria</i> ..	1896, 644	<i>Dryniarcha exanthes</i> ..	1897, 645
<i>apertaria</i>	1896, 644	<i>Drymobius boddaertii</i> ..	1898, 115
<i>arnataria</i>	1896, 644	<i>dendrophis</i>	1898, 115
<i>diffundaria</i>	1896, 644	<i>rhombifer</i>	1898, 115
<i>excavaria</i>	1896, 644	<i>Drymœca extensicauda</i> ..	1900, 471
<i>grata</i>	1896, 644	<i>hæsitata</i>	1898, 378
<i>hamulata</i>	1896, 644	<i>Drymonia histrionica</i> ..	1896, 637
<i>pholata</i>	1896, 644	<i>Drymus silvaticus</i>	1893, 709
<i>Drepanodia xerophyllalis</i> ..	1895, 905	<i>Drymusa</i>	1891, 571
<i>Drepanognathus cruen-</i>		<i>nubila</i>	1891, 572
<i>tatus</i>	1896, 414	<i>Dryocalamus davisonii</i> ..	1899, 605
<i>Drepanoplectes jacksoni</i> ..	1900, 603		1899, 665
<i>Drepanorhynchus reich-</i>		<i>subannulatus</i>	1896, 881
<i>enovii</i>	1900, 603		1899, 605
<i>Drepanotermia lacti-</i>			1899, 665
<i>caudellum</i>	1897, 84	<i>Dryocampa rubicunda</i> ..	1891, 180
	1897, 85	<i>Dryocetis nigrescens</i> ..	1893, 420
<i>Drephalys</i>	1893, 18	<i>reboraria</i>	1893, 420
	1893, 34	<i>Dryodromus rufifrons</i> ..	1895, 482
<i>helixus</i>	1893, 18	<i>smithi</i>	1895, 482
	1893, 34	<i>Dryolestes</i>	1899, 571
<i>Drillia suturalis</i>	1891, 404	<i>Dryonastes castanotis</i> ..	1900, 475
<i>Drina donina</i>	1892, 642	<i>monachus</i>	1900, 476
	1895, 619	<i>Dryophiops rubescens</i> ..	1896, 890
	1896, 680		1899, 606
<i>maneia</i>	1895, 559		1899, 682
	1895, 619	<i>Dryophis mycterizans</i> ..	1895, 815
<i>minoda</i>	1895, 559		1895, 816
	1895, 619		1895, 817
	1896, 680		1895, 825
	1896, 683		1896, 782
<i>Dromæus irroratus</i>	1899, 773		1899, 606
<i>novæ-hollandiæ</i> ..	1896, 140		1899, 682
	1899, 773	<i>prasinus</i>	1892, 482
<i>Dromia australiensis</i> ..	1900, 572		1892, 507
<i>globosa</i>	1900, 571		1895, 705
<i>Dromicia lepida</i>	1895, 873		1895, 712
<i>Dromicus angulifer</i>	1891, 354		1895, 815
<i>cubensis</i>	1891, 354		1895, 816
<i>cursor</i>	1891, 354		1895, 817
<i>ornatus</i>	1891, 353		1895, 825
<i>Dromidia australiensis</i> ..	1900, 572		1896, 782
<i>globosa</i>	1900, 569		1896, 890
	1900, 571		1896, 900
<i>Dromidiopsis</i>	1900, 572		1897, 196
<i>australiensis</i>	1900, 569		1897, 201

	Page		Page
Dryophis prasinus	1897, 227	Durgella hosei	1891, 46
	1899, 606	minuta	1891, 41
	1899, 682	Dyakia	1891, 29
xanthozona	1896, 890	amphidroma	1891, 31
	1899, 606	busanensis	1891, 31
	1899, 681		1891, 46
Dryoscopus aethiopicus .	1895, 478		1895, 103
	1900, 606	— concolor	1895, 103
cruentus	1895, 477	hugonis	1891, 29
cubla	1900, 2		1891, 46
funebri	1895, 478	intradentata	1891, 30
gambensis	1895, 478	janus	1891, 31
Dryotriorchis spectabilis.	1897, 470	lindstedti	1895, 103
Dubusia stictocephala ..	1896, 323		1895, 126
	1896, 343	— castanea	1895, 103
Dukinfieldia	1894, 234	mindaiensis	1891, 32
suprema	1894, 234	moluensis	1891, 33
Dundubia intermedia ..	1900, 859		1891, 46
Duomitus capensis	1894, 587		1895, 104
Dupetor flavicollis	1900, 494	nasuta	1891, 22
Duponchelia ciliaris....	1899, 228		1891, 33
fovealis	1894, 591	regalis	1891, 31
	1896, 273		1895, 103
Durbania aslauga	1894, 59	— unicolor	1891, 31
	1894, 60	sarawakana	1891, 32
	1900, 924	striata	1891, 32
frya	1898, 403	subdebilis	1895, 104
hildegarda	1894, 17		1895, 126
	1894, 58	Dycladia broteas	1892, 276
	1894, 59	catherina	1892, 275
	1894, 60	cingla	1894, 227
	1896, 108	correbioides	1892, 273
	1896, 120	epimetheus	1892, 275
	1898, 402	felderi	1892, 275
	1898, 403	lucetius	1896, 635
otlanga	1894, 59	rogenhoferi	1892, 275
puella	1894, 59	Dyctis patna	1891, 270
	1894, 60	peali	1891, 269
puellaris	1894, 18	Dynanius metallicus ..	1893, 694
	1894, 59		1893, 704
	1894, 60	Dyops ocellata	1896, 639
	1894, 82	Dyphlebia trimenii	1893, 677
Durdara fenestrata	1897, 618	Dyschiriognatha mon-	
fenestrina	1892, 129	tana	1897, 868
	1892, 130	Dyscophus caecutiens ..	1893, 27
lobata	1897, 618	crameri	1893, 27
ovifera	1892, 129	doriscus	1893, 27
	1892, 133	grandidieri	1898, 476
	1897, 618	sebaldis	1893, 18
plagifera	1892, 129		1893, 27
pyraliata	1897, 618		1893, 131
robusta	1892, 130	Dysdæmonia glaucescens	1896, 635
zonula	1897, 618	Dysdercus annuliger ..	1893, 705
Durgella andamanicus..	1895, 442		1894, 189
	1895, 449	ruficollis	1894, 190
christianæ	1895, 442	suturellus	1894, 189
	1895, 449		1894, 190
hosei	1891, 40	Dysderina	1891, 556

	Page		Page
<i>Dysderina principalis</i> ..	1891, 558	<i>Eagris fuscosa</i>	1896, 18
	1891, 575		1896, 841
<i>spinigera</i>	1891, 558	<i>jamesoni</i>	1898, 199
	1891, 575	<i>lucetia</i>	1896, 19
<i>Dysenius albicilla</i>	1893, 21	<i>melancholica</i>	1896, 18
<i>Dysethia</i>	1893, 347	<i>nottoana</i>	1893, 54
<i>bicommata</i>	1893, 348		1896, 18
	1893, 434	<i>phyllophila</i>	1896, 18
<i>Dysgamus atlanticus</i> ..	1899, 461	<i>plicata</i>	1900, 941
<i>Dysgonia abnegans</i>	1898, 422		1900, 942
—, var.	1898, 422	<i>sabadius</i>	1900, 946
<i>algira</i>	1893, 681		1893, 43
<i>angularis</i>	1898, 422		1893, 54
<i>conjunctura</i>	1898, 422		1896, 17
<i>derogans</i>	1893, 681		1900, 942
<i>fulvotænia</i>	1892, 128	<i>Eantis busiris</i>	1893, 44
<i>neptunia</i>	1898, 422		1893, 57
<i>palpalis</i>	1898, 422		1893, 131
<i>Dysithamnus dubius</i> ..	1896, 323	<i>mexicana</i>	1893, 57
	1896, 381	<i>mithridates</i>	1893, 57
<i>semicinereus</i>	1896, 381	<i>ozotes</i>	1893, 57
<i>Dysmorphosa carnea</i> ..	1896, 463	<i>pallida</i>	1893, 57
<i>minima</i>	1896, 463	<i>papinianus</i>	1893, 57
	1896, 475		1898, 367
<i>Dysodia albifurca</i>	1897, 609	<i>rossine</i>	1893, 57
<i>ignita</i>	1897, 609	<i>sebalus</i>	1893, 57
<i>intermedia</i>	1897, 609	<i>thrasso</i>	1893, 57
<i>oculata</i>	1897, 609	<i>Earias insulana</i>	1896, 258
<i>speculifera</i>	1897, 609	<i>Eatonia</i>	1897, 939
<i>viridatrix</i>	1897, 609	<i>plumifera</i>	1897, 941
<i>vitrina</i>	1897, 609	<i>scopulifera</i>	1897, 940
<i>Dysphyllia viridella</i>	1894, 592		1897, 941
<i>Dyspterus asiatica</i>	1893, 358	(Rhyncholophus)	
	1893, 434	<i>plumifera</i>	1897, 941
<i>Eacles imperialis</i>	1891, 180	<i>Ebæus minimus</i>	1898, 323
	1892, 194		1898, 324
	1892, 195	<i>nigrocæruleus</i>	1898, 323
	1893, 279		1898, 324
	1894, 134	<i>seminulum</i>	1898, 323
	1895, 138		1898, 324
	1896, 241	<i>Ebalia erosa</i>	1900, 568
	1897, 296		1900, 572
	1898, 80	<i>Ebula zelleri</i>	1898, 715
	1899, 293	<i>Ebulea anomalalis</i>	1899, 261
	1900, 181	<i>camillalis</i>	1899, 288
<i>regalis</i>	1891, 180	<i>europsalis</i>	1899, 190
	1892, 194	<i>fimbriata</i>	1899, 263
	1892, 195	<i>murcialis</i>	1899, 210
	1893, 279	<i>ochripunctalis</i>	1899, 205
	1894, 134	<i>orseisalis</i>	1899, 190
	1897, 296	<i>simplicialis</i>	1899, 230
	1899, 293		1899, 266
<i>Eagris decastigma</i>	1896, 18	<i>Ebuleodes</i>	1899, 252
	1900, 942	<i>Ebulia ialis</i>	1896, 643
<i>decolor</i>	1896, 18	<i>Eburna ceylanica</i>	1891, 435
<i>denuba</i>	1896, 18	<i>spirata</i>	1891, 435
	1896, 104	<i>valentiana</i>	1891, 406
		<i>zeylanica</i>	1891, 406

	Page		Page
<i>Eccritotarsus atratus</i> ..	1893, 705	<i>Echthrogaleus affinis</i> ..	1899, 464
	1894, 193	<i>coleopratus</i>	1899, 464
<i>incurvus</i>	1894, 193	<i>indistinctus</i>	1899, 464
<i>Echedorus argentina</i> ..	1892, 321	<i>neo-zealanicus</i>	1899, 464
<i>Echetus typicus</i>	1899, 486	<i>Ecionema bacilliferum</i> ..	1900, 128
<i>Echidna</i>	1899, 788		1900, 130
<i>aculeata</i>	1891, 583	<i>Eciton nigrum</i>	1896, 423
	1894, 3	<i>rufonigra</i>	1896, 423
	1894, 13	<i>Eclectus</i>	1899, 31
	1897, 335		1899, 32
<i>hystrix</i>	1894, 5		1899, 34
	1900, 302		1899, 35
<i>spinosus</i>	1894, 9		1899, 37
<i>Echidnocephalus trosch-</i>			1899, 44
<i>eli</i>	1897, 271		1899, 45
<i>Echinanthus testudi-</i>		<i>cardinalis</i>	1899, 19
<i>narius</i>	1894, 395		1899, 34
<i>Echinaster purpureus</i> ..	1894, 394	<i>roratus</i>	1894, 495
	1894, 396		1894, 497
<i>Echiniscus arctomys</i> ..	1897, 791		1894, 498
<i>granulatus</i>	1897, 791		1896, 627
<i>spinulosus</i>	1897, 791	<i>Eclipsiodes</i>	1899, 252
<i>spitsbergensis</i>	1897, 791	<i>marmaropa</i>	1898, 704
	1897, 792	<i>Ecpantheria decora</i>	1898, 367
<i>Echinocerus</i>	1900, 531	<i>hebona</i>	1896, 637
<i>granulatus</i>	1900, 533	<i>pellucida</i>	1892, 282
<i>Echinodiscus auritus</i> ..	1900, 272	<i>Ectatoderus antillarum</i> .	1892, 200
<i>biforis</i>	1900, 285		1892, 218
<i>laevis</i>	1900, 272		1892, 221
	1900, 274		1893, 609
	1900, 285	<i>varicolor</i>	1892, 218
<i>orbicularis</i>	1894, 412	<i>Ectatoma rugosa</i>	1896, 414
<i>Echinometra lucunter</i> ..	1894, 395	<i>Ectinosoma atlanticum</i> .	1898, 541
	1898, 850		1898, 543
	1900, 117	<i>Ectodus</i>	1898, 497
	1900, 273		1899, 99
<i>oblonga</i>	1898, 850		1899, 103
<i>Echinoneus cyclostomus</i> .	1894, 397	<i>descampsi</i>	1898, 497
	1898, 850		1899, 103
<i>Echinopora rosularia</i> ..	1899, 159	<i>melanogenys</i>	1898, 497
<i>Echinops mivarti</i>	1892, 501		1899, 103
<i>telfairi</i>	1892, 500	<i>Ectopistes migratorius</i> ..	1891, 194
	1892, 501	<i>Eddara xylinella</i>	1891, 516
<i>Echinosaura horrida</i> ..	1898, 114		1897, 175
<i>Echinosciurus hypo-</i>		<i>Edema astuta</i>	1894, 242
<i>pyrrhus</i>	1897, 933	<i>mandela</i>	1894, 242
<i>Echinothrix diadema</i> ..	1898, 849	<i>matheis</i>	1892, 332
<i>Echinus acutus</i>	1900, 281	<i>nana</i>	1896, 639
	1900, 282	<i>tlotzin</i>	1892, 332
<i>esculentus</i>	1900, 281	<i>Edessa albirenis</i>	1894, 176
	1900, 282		1894, 177
<i>gratilla</i>	1894, 411	<i>bifida</i>	1894, 176
<i>placenta</i>	1894, 412	<i>caruosa</i>	1900, 816
<i>sphaeroides</i>	1900, 283		1900, 819
<i>Echis carinata</i>	1895, 635	<i>cornuta</i>	1893, 705
	1895, 637		1894, 176
	1895, 657		1894, 177
	1896, 217	<i>costalis</i>	1900, 816

	Page		Page
<i>Edessa cruciata</i>	1900, 818	<i>Elainea pallatangae</i>	1896, 364
<i>flavida</i>	1900, 816	<i>Elamene mathaei</i>	1900, 520
	1900, 819	<i>quoyi</i>	1900, 521
	1900, 823	<i>truncata</i>	1900, 569
<i>fulvipes costalis</i> ..	1900, 816		1900, 575
<i>jugata</i>	1900, 819	<i>unguiformis</i>	1900, 761
<i>jutea</i>	1900, 816	<i>whitei</i>	1900, 522
<i>lateralis</i>	1900, 818	<i>Elanus caeruleus</i>	1894, 599
<i>lineata</i>	1900, 819		1895, 509
<i>loxdalii</i>	1900, 819	<i>melanopterus</i>	1895, 509
<i>lurida</i>	1900, 816	<i>Elaeochis guentheri</i>	1900, 455
<i>lutea</i>	1900, 816	<i>Elaphis quadrilineatus</i> .	1892, 481
	1900, 823		1892, 488
<i>meditabunda</i>	1894, 177		1892, 492
	1894, 178		1892, 497
<i>miniata</i>	1900, 816	<i>Elaphodus</i>	1900, 161
	1900, 819	<i>nichianus</i>	1900, 686
<i>nodifera</i>	1900, 820	<i>Elaphurus davidianus</i> ..	1900, 686
<i>piperitia</i>	1900, 819	<i>Elapomorphus capensis</i> .	1891, 308
<i>rufo-marginata</i>	1894, 177	<i>Elapops modestus</i>	1900, 454
<i>rugulosa</i>	1894, 177	<i>Elaps ancoralis</i>	1898, 117
<i>scutellata</i>	1900, 816	<i>bivirgatus</i>	1896, 895
<i>senilis</i>	1900, 816	<i>corallinus</i>	1894, 518
<i>sigillata</i>	1894, 177		1898, 117
<i>simplex</i>	1900, 816	<i>flaviceps</i>	1896, 895
<i>vicina</i>	1900, 823	<i>fulvus</i>	1892, 482
<i>Edyma significans</i>	1896, 638		1895, 705
<i>Egabra certissima</i>	1896, 639		1895, 708
<i>Egeria arachnoides</i>	1900, 723	<i>furcatus</i>	1896, 895
<i>longipes</i>	1900, 723	<i>hygeia</i>	1895, 705
<i>Egernia dahlili</i>	1898, 916		1895, 708
<i>Eggyna submutata</i>	1891, 541	<i>intestinalis</i>	1896, 895
<i>Egnasia vicaria</i>	1898, 425		1899, 615
<i>Egone bipunctalis</i>	1899, 288	<i>lemniscatus</i>	1894, 507
<i>Egybolia vaillantina</i> ..	1896, 853		1894, 513
	1898, 58		1894, 514
	1898, 429		1894, 518
<i>Ehrenbergina serrata</i> ..	1895, 26	<i>melanurus</i>	1896, 895
	1895, 51		1899, 692
<i>Eiphosoma annulatus</i> ..	1895, 779	<i>nigromaculatus</i>	1896, 894
<i>Elachista coffeella</i>	1897, 141		1899, 615
	1897, 142		1899, 692
<i>noctuella</i>	1897, 142	<i>rosenbergi</i>	1898, 117
<i>Elainea albiceps</i>	1891, 134		1898, 126
	1892, 380	<i>rusei</i>	1894, 513
	1896, 364		1894, 514
— <i>modesta</i>	1892, 380		1894, 518
	1892, 405	<i>Elasmodactylus</i>	1894, 726
	1892, 409	<i>tuberculosus</i>	1894, 723
— <i>parvirostris</i>	1896, 364		1894, 727
<i>brevirostris</i>	1896, 365	<i>Elater caecus</i>	1892, 96
<i>caniceps</i>	1899, 510	<i>Eleotris aporos</i>	1897, 428
<i>gigas</i>	1896, 364	<i>bilobroncha</i>	1897, 428
<i>martinica</i>	1892, 499	<i>dormitatrix</i>	1891, 356
<i>modesta</i>	1896, 364	<i>fusca</i>	1897, 428
<i>obscura</i>	1896, 364	<i>gyrinus</i>	1891, 356
<i>pagana</i>	1896, 364	<i>senegalensis</i>	1900, 515
	1899, 515	<i>Elephas</i>	1899, 562

	Page		Page
<i>Elephas africanus</i>	1893, 311	<i>Eloria clodia</i>	1893, 297
	1894, 2	<i>lucida</i>	1896, 637
	1894, 356	<i>moesta</i>	1896, 637
	1894, 363	<i>ombrea</i>	1893, 297
	1894, 371	<i>Elosia bufonia</i>	1894, 642
	1895, 339	<i>Elphos hymenaria</i>	1892, 131
	1899, 985		1893, 433
	1900, 953	<i>præumbrata</i>	1893, 433
<i>indicus</i>	1893, 496	<i>Elymnias obnubila</i>	1891, 269
	1896, 547	<i>patna</i>	1891, 270
	1900, 365	<i>peali</i>	1891, 269
<i>maximus</i>	1900, 365	<i>penanga</i>	1891, 269
<i>Elethya (Prionopteryx)</i>			1892, 120
<i>subcissa</i>	1895, 972	<i>Elysium signatus</i>	1896, 647
<i>Elettaria coccinea</i>	1893, 186	<i>Elytrophora brachyptera</i>	1899, 462
<i>mollis</i>	1893, 186	<i>Emarginula</i> sp.	1891, 395
<i>speciosa</i>	1893, 186	<i>candida</i>	1891, 392
<i>Eleutheroda dytiscoides</i>	1895, 893	<i>elongata</i>	1891, 391
<i>Eligma duplicata</i>	1895, 740		1891, 392
<i>Eligmodontia bimacu-</i>			1891, 395
<i>lata</i>	1898, 211	<i>micans</i>	1894, 392
<i>elegans</i>	1898, 210	<i>Emballonura monticola</i>	1893, 495
	1898, 211	<i>semicaudata</i>	1893, 495
<i>gracilipes</i>	1898, 211	<i>Emberiza affinis</i>	1895, 471
<i>griseoflava</i>	1898, 210	<i>aureola</i>	1900, 466
<i>moreni</i>	1898, 211	<i>flaviventris</i>	1900, 305
<i>Elimcea appendiculata</i> . .	1895, 893	<i>fucata</i>	1900, 466
<i>Elionys kelleni</i>	1896, 800	<i>melanocephala</i>	1900, 84
<i>microtis</i>	1897, 934	<i>poliopleura</i>	1895, 471
<i>munbyanus</i>	1900, 301	<i>rustica</i>	1897, 893
<i>parvus</i>	1896, 800		1897, 894
<i>Elis aureicollis</i>	1896, 430	<i>spodocephala</i>	1900, 466
<i>ceylonica</i>	1896, 430	<i>Emesa angulata</i>	1893, 706
<i>fimbriata</i>	1896, 430		1893, 717
<i>iris</i>	1896, 430		1894, 212
<i>lindenii</i>	1896, 430	<i>Emesis orphna</i>	1891, 287
<i>orientalis</i>	1896, 429	<i>Emesopsis</i>	1893, 718
<i>phalerata</i>	1896, 430	<i>nubilus</i>	1893, 706
<i>thoracica</i>	1896, 429		1893, 718
	1896, 430		1894, 212
<i>Elisoia subocellata</i>	1896, 648	<i>Emeus crassus</i>	1891, 480
<i>Ellema harrisii</i>	1896, 637	<i>Emmelia</i>	1899, 207
<i>Ellipsoidina ellipsoides</i> .	1894, 650	<i>testula</i>	1899, 211
	1894, 651	<i>Emmiltis megalaria</i>	1896, 268
<i>exponens</i>	1894, 650	<i>nigrescens</i>	1896, 287
	1894, 651		1896, 283
	1894, 652	<i>obscuraria</i>	1896, 268
<i>subnodosa</i>	1894, 650	<i>Empidagra brevirostris</i>	1896, 365
	1894, 651	<i>Empidochanes pœcilurus</i>	1896, 366
	1894, 652	— <i>peruanus</i>	1896, 366
<i>Elma swinhoei</i>	1893, 643	<i>Emprepes</i>	1899, 277
<i>Elopopsis crassus</i>	1894, 659	<i>magnalis</i>	1899, 280
	1894, 660	<i>novalis</i>	1899, 279
	1894, 663	<i>Empusa egena</i>	1891, 180
<i>Elops lacerta</i>	1900, 512	<i>Empyreuma lichas</i>	1898, 367
<i>Eloria canescens</i>	1896, 647	<i>Emyda scutata</i>	1896, 782
<i>cissusa</i>	1893, 297	<i>Emys crassicollis</i>	1896, 858
	1893, 310		1899, 611

	Page		Page
<i>Emys macrocephala</i>	1899, 610	<i>Enhydris hardwickii</i> ..	1895, 825
<i>platynota</i>	1896, 859		1895, 826
	1899, 612		1896, 892
	1899, 613		1899, 601
<i>thurgi</i>	1896, 858		1899, 607
<i>Enarmonia jamaicana</i> ..	1897, 122		1899, 688
<i>Encaustes marginalis</i> ..	1892, 85	<i>Enispa eosarialis</i>	1899, 288
<i>opaca</i>	1892, 86	<i>Enispe cyenus</i>	1891, 271
<i>Enchocnemidia fusc-</i>		<i>euthymius</i>	1891, 270
<i>tibia</i>	1898, 735	<i>Ennea beddomii</i>	1899, 770
<i>Enchophyllum rileyi</i> ..	1895, 57	<i>brevicollis</i>	1899, 768
<i>Encrinus gracilis</i>	1895, 1000		1899, 769
<i>Encymon cinctipes</i>	1897, 459		1899, 770
	1897, 464	<i>canarica</i>	1899, 770
<i>ferialis</i>	1897, 459	<i>cyathostoma</i>	1893, 642
<i>immaculatus</i>	1897, 459	<i>cylindrelloidea</i>	1899, 769
<i>regalis</i>	1897, 459	<i>cylindroidea</i>	1891, 315
<i>resinatus</i>	1897, 460	<i>fortidentata</i>	1899, 581
<i>violaceus</i>	1897, 459	<i>hamiltoni</i>	1899, 580
<i>Encyocrates</i>	1897, 747	<i>hungerfordiana</i>	1891, 331
<i>Endacustes dispar</i>	1892, 200		1891, 348
	1892, 219	<i>johnstoni</i>	1893, 633
	1892, 221		1893, 641
<i>irrorata</i>	1892, 219		1899, 580
<i>Endodonta philippin-</i>		<i>karongana</i>	1893, 633
<i>ensis</i>	1892, 467		1893, 641
<i>Endographis</i>	1898, 595	<i>laevigata</i>	1891, 310
	1898, 725		1899, 580
<i>acrochlora</i>	1898, 726	<i>macrodon</i>	1899, 768
<i>Endolophia</i>	1898, 599		1899, 770
	1899, 233	<i>milium</i>	1899, 770
<i>ruftinctalis</i>	1899, 233	<i>nagaensis</i>	1899, 769
<i>Endotrichia annuligera</i> .	1898, 695		1899, 770
<i>julialis</i>	1899, 245	<i>perakensis</i>	1891, 331
<i>rhodophilalis</i>	1899, 189	<i>pirriei</i>	1899, 768
<i>Endromis versicolor</i> ..	1894, 134		1899, 770
<i>Endropia subapicata</i> ..	1896, 646	<i>seatonii</i>	1899, 769
<i>Engina mendicaria</i>	1900, 117	<i>stenopylis</i>	1891, 331
(<i>Pusiostoma</i>) <i>mendi-</i>			1895, 450
<i>caria</i>	1891, 406		1899, 769
<i>Engonius lunularis</i>	1897, 464	<i>triplicaria</i>	1899, 580
<i>Engraulicypris</i>	1893, 626	<i>turricula</i>	1899, 768
<i>pinguis</i>	1893, 619		1899, 770
	1893, 626	<i>vara</i>	1899, 769
<i>Engraulis enerasicolus</i> .	1899, 484	<i>vitrea</i>	1899, 581
	1899, 940	(<i>Diaphora</i>) <i>möllen-</i>	
	1899, 955	<i>dorffi</i>	1892, 463
<i>Engyptila albifrons</i>	1891, 194	(—) <i>morleti</i>	1892, 463
<i>Engystoma albo-</i>		(<i>Edentulina</i>)	
<i>punctatum</i>	1894, 642	<i>longula</i>	1893, 642
<i>borneense</i>	1898, 476	(<i>Gulella</i>) <i>fortidentata</i>	1899, 581
<i>muelleri</i>	1894, 642	(—) <i>laevigata</i> ..	1899, 580
<i>Engytatus geniculatus</i> ..	1893, 705	(—) <i>varians</i>	1899, 581
	1894, 193		1899, 592
<i>Enhydrina valakadien</i> ..	1896, 893	(—) <i>vicina</i>	1899, 580
	1899, 607		1899, 592
	1899, 688	(<i>Huttonella</i>) <i>bicolor</i>	1895, 443
<i>Enhydris hardwickii</i> ..	1895, 821	(—) <i>moerchiana</i> .	1895, 443

	Page		Page
Ennea (Huttonella)		Entheus peleus.....	1893, 40
moerchiana	1895, 450		1893, 41
(—) seatonii	1891, 315	talau.....	1893, 41
(Microstrophia)			1893, 131
hungerfordiana ..	1891, 331	Entomobia pileata	1900, 488
(—) perakensis..	1891, 331	Entomoda cornuta	1899, 491
	1891, 348	radiata	1899, 494
(—) subcylindrica	1891, 331	salmonea	1899, 500
	1891, 348	Entomogrammanigriceps	1893, 681
(Ptychotrema)			1896, 265
bassamensis	1893, 642		1898, 424
(Uniplicaria)		pardus	1893, 681
hamiltoni	1899, 580	Entomothele guyanensis.	1891, 551
Ennearthron affine	1898, 331	striatipes	1891, 552
Ennychia	1899, 252	Entomyza auricomis ..	1894, 457
crassalis.....	1899, 288	cyanotis.....	1894, 457
diversa	1899, 255	Enulea	1899, 252
fascialis	1899, 269	Enyalioides festæ.....	1898, 114
mænialis	1899, 271		1898, 915
melissalis	1899, 235	heterolepis	1898, 915
minutalis	1899, 269	Enygrus carinatus	1892, 481
Enodia canescens.....	1896, 440		1895, 704
fervens	1896, 440		1897, 196
Enopa mediella.....	1899, 288		1897, 200
Enosis dognini.....	1893, 130		1897, 217
Enotesia sp.	1894, 559	Enyocera latilimbalis ..	1899, 285
ankoma	1894, 559	Enys prominens	1896, 637
Entephria	1898, 595	Eodidelphys	1899, 557
	1898, 618	Eoluidia decheni	1896, 1039
abraxalis	1898, 619	Eonycteris spelæa	1893, 494
alboflavalis	1898, 619		1900, 341
argenticincta.....	1898, 620	Eoöxylides etias	1895, 559
cribrata	1898, 619		1895, 618
crocalis	1898, 621		1896, 680
deiconalis	1898, 619		1896, 683
diaphana	1898, 619	tharis.....	1892, 641
divaricata	1898, 621		1895, 559
excurvalis	1898, 665		1895, 618
fumidalis	1899, 202		1896, 678
glaucias	1898, 620		1896, 680
idalis	1898, 620	Eos	1899, 20
jaguaralis	1898, 619		1899, 21
lactiferalis.....	1898, 620		1899, 43
levinia	1898, 620	indica.....	1895, 162
macrotis	1898, 620		1895, 170
marginalis	1898, 620		1895, 171
meritalis	1898, 620	reticulata	1893, 514
ceriferalis	1898, 620	riciniata	1899, 20
pantherata	1898, 620	Eosciurus bicolor.....	1897, 933
præruptalis	1898, 621	Eosphargis gigas.....	1891, 7
radiata	1898, 620		1891, 8
receptalis	1898, 619	Eospondylus	1896, 1039
syleptalis	1898, 621	primigenia.....	1896, 1039
virgatalis	1898, 619	Eotesia sp.	1895, 724
ankoma	1895, 724		1895, 724
Entheus berytus	1893, 41	Eoxerus laticaudatus ..	1897, 933
gentius	1893, 41	Epachthes paradoxus ..	1899, 469
lemnæ	1893, 41	Epacromia thalassina ..	1900, 39
peleus	1893, 19		

	Page		Page
<i>Epamera æmulus</i>	1900, 927	<i>Epeira rufipalpis</i>	1899, 849
<i>aphnæoides</i>	1900, 927	<i>similis</i>	1898, 509
<i>arborifera</i>	1900, 927	<i>suedicola</i>	1898, 509
.....	1900, 946	<i>theisi</i>	1897, 874
<i>diametra</i>	1900, 927	1899, 850
<i>mimosæ</i>	1900, 927	<i>variolata</i>	1897, 873
<i>sidus</i>	1896, 108	<i>volucripes</i>	1897, 874
.....	1896, 123	<i>Epenthesis cymbal-</i>	
.....	1900, 926	<i>oidea</i>	1896, 460
<i>Epanorthus lemoinei</i> ..	1895, 875	1896, 487
<i>Epargyreus antæus</i> ..	1893, 24	1896, 491
<i>asander</i>	1893, 24	<i>Ephelis</i>	1899, 207
<i>barisses</i>	1893, 24	<i>Ephestia cautella</i>	1896, 270
<i>clarus</i>	1893, 24	<i>elutella</i>	1896, 270
<i>enispe</i>	1893, 24	<i>Ephialtes lettia</i>	1900, 488
<i>exadeus</i>	1893, 24	<i>umbratilis</i>	1900, 488
<i>pseudexadeus</i>	1893, 24	<i>Ephialtias abrupta</i>	1896, 636
<i>socus</i>	1893, 24	<i>simplex</i>	1896, 636
<i>talus</i>	1893, 24	<i>Ephippiorhynchus sene-</i>	
<i>tityrus</i>	1893, 17	<i>galensis</i>	1900, 962
.....	1893, 23	<i>Ephippus gigas</i>	1899, 457
.....	1893, 24	<i>Ephyra rufistrigata</i>	1896, 267
.....	1893, 131	1896, 283
<i>zestos</i>	1893, 24	<i>Ephyriades clericus</i>	1893, 33
.....	1900, 202	<i>lælius</i>	1896, 11
<i>Epeira albida</i>	1898, 510	<i>nerva</i>	1896, 10
<i>anastera</i>	1897, 873	<i>otreus</i>	1893, 18
<i>angolensis</i>	1899, 853	1893, 32
<i>argentata</i>	1897, 873	1893, 33
<i>bombycinaria</i>	1897, 873	<i>pekahia</i>	1893, 33
<i>caroli</i>	1897, 873	<i>zephodes</i>	1893, 33
<i>ceropegia</i>	1898, 488	<i>Epiblemum scenicum</i> ..	1898, 488
<i>clinchoxensis</i>	1899, 853	<i>Epicauta</i> sp.	1893, 742
<i>chrysogaster</i>	1899, 848	<i>amethystina</i>	1900, 31
<i>diademata</i>	1898, 488	<i>bilineata</i>	1893, 742
<i>eclipsis</i>	1899, 850	<i>cœlestina</i>	1893, 748
<i>eustala</i>	1897, 873	<i>dichrocera</i>	1893, 742
<i>femoralis</i>	1899, 848	<i>nyassensis</i>	1893, 739
<i>flavipalpis</i>	1899, 849	1893, 742
<i>fusco-vittata</i>	1897, 873	<i>Epichilo parvulus</i>	1895, 972
<i>hortorum</i>	1897, 871	<i>Epicorsia</i>	1899, 252
<i>illicita</i>	1897, 873	<i>iridialis</i>	1898, 721
<i>labyrinthia</i>	1897, 874	<i>Epicrates cenchris</i>	1891, 448
<i>locuples</i>	1898, 510	1894, 499
<i>madagascariensis</i> ..	1898, 508	1894, 500
<i>mangareva</i>	1897, 874	1894, 501
<i>moreli</i>	1899, 850	1894, 503
<i>nautica</i>	1897, 873	1894, 504
.....	1898, 509	1894, 517
<i>oaxacensis</i>	1897, 874	1895, 704
<i>parvula</i>	1897, 873	— <i>fusca</i>	1894, 499
<i>penicillipes</i>	1899, 849	1894, 517
<i>pilipes</i>	1898, 509	<i>Epicrionops bicolor</i>	1895, 407
.....	1899, 848	<i>Epicrium carnosum</i>	1895, 413
<i>pullata</i>	1897, 874	<i>glutinosum</i>	1895, 403
<i>purpurascens</i>	1897, 873	1896, 914
<i>quadrata</i>	1898, 488	1899, 914
<i>rectangula</i>	1897, 874	1899, 916

	Page		Page
<i>Epicrium hasseltii</i>	1895, 403	<i>Episimus submicans</i>	1897, 124
<i>monochroum</i>	1895, 404	<i>transferranus</i>	1891, 502
	1896, 914		1891, 543
<i>Epierocis</i> (Candiope)			1891, 548
<i>erubescens</i>	1896, 272		1897, 123
	1896, 283	— <i>vincentana</i>	1891, 502
(—) <i>joannisella</i> .	1896, 272		1891, 543
<i>Epidelia viridalis</i>	1897, 652	<i>vincentanus</i>	1897, 123
<i>Epidromia pannosa</i>	1896, 638	<i>Episinopsis simplicifrons</i> .	1897, 860
<i>Epiecia externella</i>	1899, 288	<i>Epitamyra albomacu-</i>	
<i>Epilachna dregei</i>	1893, 747	<i>lalis</i>	1897, 686
<i>hirta</i>	1892, 96	<i>birectalis</i>	1897, 686
	1893, 747	<i>minusculalis</i>	1897, 686
<i>paykulli</i>	1893, 747	<i>vinosalis</i>	1897, 686
<i>14-signata</i>	1892, 96	<i>Epitoxis</i> sp.	1895, 739
<i>reticulata</i>	1892, 96	<i>Epitrix integricollis</i> ...	1897, 552
<i>Epilampra brevis</i>	1892, 199	<i>laevifrons</i>	1897, 552
	1892, 203	<i>weisei</i>	1897, 551
	1892, 220	<i>Epomophorus</i>	1898, 58
	1893, 603	<i>comptus</i>	1898, 78
<i>cinerea</i>	1897, 904	<i>crypturus</i>	1894, 137
<i>Epimastidia ariensis</i> ..	1891, 365		1896, 790
<i>inops</i>	1891, 365	<i>gambianus</i>	1894, 137
	1891, 366	<i>macrocephalus</i>	1894, 137
<i>Epimetisia rhodo-</i>		<i>minor</i>	1891, 182
<i>baphialis</i>	1899, 285		1894, 137
<i>vestalis</i>	1899, 285		1898, 77
<i>Epiniima stereogona</i> ..	1898, 639	<i>wahlbergi</i>	1894, 137
<i>Epiodon chathamensis</i> ..	1893, 219	<i>Eptesicus melanops</i>	1896, 791
	1893, 222	<i>Epyris pygmæus</i>	1895, 787
	1893, 223	<i>Eques balteatus</i>	1899, 471
<i>Epione allutiusaria</i>	1896, 644	<i>Equula edentula</i>	1899, 940
<i>ardysaria</i>	1896, 644	<i>Equus</i>	1900, 156
<i>brongusaria</i>	1893, 683	sp.	1900, 774
<i>mitranaria</i>	1896, 644	<i>africanus</i>	1900, 302
<i>relictaria</i>	1896, 644	<i>antiquorum</i>	1895, 690
<i>Epipagis corrivalis</i>	1898, 642	<i>asinus</i>	1900, 680
<i>Epiplema incolorata</i> ..	1896, 646	— <i>somaticus</i>	1892, 195
<i>Epipona chilensis</i>	1893, 685	<i>boehmi</i>	1894, 457
<i>dicomboda</i>	1893, 685		1895, 690
<i>marginata</i>	1896, 450		1898, 3
<i>Epirrhoë biriviata</i>	1893, 375	<i>burchelli</i>	1892, 471
<i>latifasciata</i>	1893, 375		1893, 506
<i>minuta</i>	1893, 376		1895, 688
<i>subfalcata</i>	1893, 376		1895, 690
<i>Episcapha cæca</i>	1892, 96		1895, 868
<i>Episcaphula interrupta</i> .	1892, 96		1900, 302
<i>obliquata</i>	1892, 96	— <i>boehmi</i>	1898, 3
<i>Episcopus ornatus</i>	1894, 195	— <i>crawshayi</i>	1898, 393
<i>Episemnia ligatalis</i>	1897, 688	— <i>granti</i>	1898, 3
<i>subauritalis</i>	1897, 688	— <i>selousi</i>	1898, 3
<i>Episimus</i>	1891, 501	— <i>typicus</i>	1896, 783
<i>argutanus</i>	1897, 124	<i>caballus</i>	1899, 563
<i>augmentanus</i>	1891, 502		1900, 680
	1891, 543		1900, 685
	1897, 123	<i>chapmani</i>	1892, 471
<i>nesiotes</i>	1897, 123		1895, 688
	1897, 124		1895, 689

	Page		Page
<i>Equus chapmani</i>	1895, 690	<i>Eremias guttulata</i>	1895, 646
	1897, 282	<i>hochmeli</i>	1896, 927
	1900, 302	<i>lugubris</i>	1896, 921
<i>crawshayi</i>	1899, 771	<i>micronata</i>	1895, 534
<i>granti</i>	1897, 282		1896, 215
<i>grevii</i>	1893, 473		1896, 921
	1894, 320		1896, 922
	1895, 868	<i>sextæniata</i>	1894, 724
	1897, 282		1895, 534
	1898, 588		1896, 215
	1899, 714	<i>smithi</i>	1895, 534
	1899, 825		1895, 540
	1899, 826		1896, 921
<i>hemionus</i>	1900, 302		1896, 925
	1900, 680		1898, 916
	1900, 686	<i>striata</i>	1896, 921
— <i>kiang</i>	1893, 449		1896, 926
<i>montanus</i>	1896, 987		1896, 927
<i>onager</i>	1896, 987		1898, 916
	1900, 302	<i>Eremocossus proleuca</i> ..	1896, 276
<i>somalicus</i>	1897, 430		1896, 283
	1900, 5	<i>Eremomela badiceps</i> ..	1894, 602
<i>zebra</i>	1892, 471	<i>flavicrissalis</i>	1895, 481
	1895, 688	<i>flaviventris</i>	1895, 481
	1895, 689	<i>griseiflava</i>	1895, 481
	1896, 783	<i>Erethizon dorsatus</i>	1891, 244
	1898, 456		1892, 524
	1899, 712		1892, 611
	1900, 302		1894, 252
<i>Eragisa lanifera</i>	1896, 639		1894, 260
<i>Eratina cornelia</i>	1893, 308		1894, 263
<i>masura</i>	1893, 308		1894, 264
<i>pisca</i>	1893, 308		1894, 265
<i>tryphosa</i>	1893, 308		1894, 267
<i>Erecta</i>	1898, 596		1894, 268
	1898, 636		1894, 283
<i>chalybites</i>	1898, 637		1894, 284
<i>dixialis</i>	1898, 704		1894, 285
<i>elutalis</i>	1898, 637		1894, 290
<i>hemialis</i>	1898, 637		1894, 291
<i>ornatalis</i>	1898, 637		1894, 357
<i>tipulalis</i>	1898, 637		1894, 375
<i>vittata</i>	1898, 637		1894, 675
<i>Erebica polyphemus</i>	1891, 269		1894, 682
<i>Eremias brenneri</i>	1895, 534	<i>epixanthus</i>	1894, 252
	1896, 920		1894, 264
	1896, 921		1894, 268
	1896, 928		1894, 283
— <i>striatus</i>	1896, 926		1894, 285
<i>edwardsii</i>	1896, 929		1894, 291
	1896, 930	<i>Eretis djækælæ</i>	1896, 256
<i>erythrostickta</i>	1894, 724		1897, 693
	1895, 535		1898, 57
	1896, 921		1899, 973
	1896, 924		1899, 975
<i>guttulata</i>	1891, 630		1900, 942
	1892, 15	— <i>lugens</i>	1899, 426
	1895, 636	<i>melania</i>	1896, 5

	Page		Page
Eretis motozi	1896, 7	Erinaceus sp.	1892, 315
Eretmocera fasciata.	1896, 280		1895, 547
Eretmodus	1898, 495	adamsoni	1895, 420
	1899, 99	ægyptius	1895, 421
	1899, 105	æthiopicus	1894, 391
cyanostictus	1898, 496		1895, 415
	1899, 105		1895, 416
	1899, 143		1895, 417
Eretria	1899, 275		1895, 419
obsistalis	1899, 275		1895, 420
Ereunetis aneoalbida ..	1897, 158	albiventer	1893, 435
aeolella	1897, 157		1895, 414
frontella	1897, 157		1895, 415
iuloptera	1897, 156		1895, 417
lanceolata	1897, 158		1895, 419
maculicornis	1897, 156		1895, 420
minuscula	1897, 155	algirus	1895, 415
	1897, 157		1895, 417
symmacha.	1897, 158		1895, 418
Ergana chapuisi	1899, 366		1895, 419
protea	1899, 366		1895, 420
Ergasilus funduli.	1899, 444		1897, 955
gasterostei.	1899, 444		1897, 956
gibbus	1899, 444	allulus	1895, 415
labracis	1899, 444	auritus	1895, 415
lizæ	1899, 444		1895, 417
longimanus	1899, 444		1895, 419
peregrinus	1899, 444		1895, 420
sieboldi	1899, 443		1895, 421
trisetaceus	1899, 443	brachydactylus ..	1895, 420
Ergotis alternus	1900, 507		1895, 421
enotrea	1894, 340	capensis.	1895, 419
	1895, 729	collaris	1895, 419
Ericeia inangulata	1898, 421	concolor.	1895, 415
Ericulus setosus	1892, 500		1895, 417
	1892, 501	deserti	1895, 419
	1894, 356		1895, 420
Erigone dentimandibu-		diadematus	1895, 418
lata	1897, 866		1895, 419
dentipalpis	1898, 488		1895, 420
poeyi	1897, 866	europæus	1892, 315
watertoni	1897, 866		1893, 497
Erikssonina.	1891, 91		1894, 356
acræina	1891, 60		1895, 415
	1891, 61		1895, 416
	1891, 92		1895, 417
	1891, 107		1896, 559
Erilusa dianalis	1898, 725		1897, 955
dioptalis	1896, 636		1897, 956
dioptoides	1898, 717	fallax	1895, 419
minimalis	1898, 725	frontalis.	1895, 415
nitealis	1898, 725		1895, 417
pseudauxo.	1896, 636		1895, 418
	1898, 717		1895, 419
	1898, 725		1895, 420
radialis	1898, 717	grayi	1895, 415
secta	1898, 725		1895, 417
Erinaceus	1899, 1013	heterodactylus	1895, 420

	Page		Page
<i>Erinaceus hypomelas</i> ..	1895, 421	<i>Erites medura</i>	1891, 268
krugi	1895, 491		1891, 269
libycus	1895, 421	melania	1893, 43
macracanthus	1895, 415		1893, 48
	1895, 417	motozi	1893, 48
megalotis	1895, 415	<i>Erithacus calliope</i>	1900, 473
	1895, 417	sibilaus	1900, 474
micropus	1895, 415	<i>Ernolatia signata</i>	1892, 125
	1895, 417	<i>Eromene anapiella</i>	1895, 949
niger	1894, 449	apertella	1895, 973
pictus	1895, 415	bella	1895, 949
	1895, 417	californicalis	1895, 949
	1896, 562	cambridgei	1895, 949
platyotis	1895, 420	chiriquitensis	1895, 949
	1895, 421	expansa	1895, 949
pruneri	1895, 420	jaxartella	1895, 949
	1900, 773	lata	1895, 949
sclateri	1895, 415	ocella	1895, 949
	1895, 416		1896, 269
	1895, 417	pavonialis	1896, 269
	1895, 418		1896, 283
	1895, 419	pulverosa	1895, 949
	1895, 420	ramburiella	1895, 949
senaarensis	1895, 420	superbella	1895, 949
<i>Erinnyx</i>	1893, 415	texana	1895, 949
combusta	1893, 415	transcissella	1895, 973
<i>Erinota holocausta</i>	1896, 96	vetustella	1895, 974
<i>Erinothus</i>	1898, 595	vinculella	1895, 949
	1898, 706	wocheella	1895, 949
lollialis	1898, 706	<i>Eronia argia</i>	1894, 68
	1898, 707		1894, 347
<i>Erionota acroleuca</i>	1893, 86	buquetii	1894, 347
hiraco	1893, 86	— capensis	1894, 580
lara	1893, 86	cleodora	1893, 666
thrax	1892, 656		1896, 536
	1893, 72		1897, 854
	1893, 86	— latimarginata ..	1894, 580
<i>Erioptycha umbri-</i>		— marginata	1893, 666
vittalis	1897, 648	dilatata	1893, 666
<i>Eriphia lævimana</i>	1900, 116		1894, 346
	1900, 569		1894, 580
	1900, 570		1895, 736
	1900, 589		1897, 854
— smithii	1900, 744		1898, 413
scabricula	1900, 569		1898, 826
	1900, 570		1898, 827
	1900, 589		1899, 425
smithii	1900, 744		1900, 937
<i>Eristalis agrorum</i>	1896, 776	lega	1893, 666
lateralis	1896, 776		1894, 346
vesicularis	1893, 163		1896, 536
vinetorum	1896, 776		1896, 839
<i>Eristicophis</i>	1897, 295		1897, 854
macmahoni	1897, 295		1898, 413
<i>Erites angularis</i>	1891, 268	thalassina	1894, 67
	1891, 269		1894, 68
djækælæ	1893, 48		1894, 347
		verulanus	1894, 67

	Page		Page
<i>Erosia acutangularia</i> ..	1896, 645	<i>Eryx johnii</i>	1895, 704
<i>bipartaria</i>	1896, 646	<i>thebaicus</i>	1896, 216
<i>distincta</i>	1896, 645	<i>turcicus</i>	1895, 695
<i>integrata</i>	1896, 646	<i>Eschata argentata</i>	1895, 961
<i>lacerataria</i>	1896, 645	<i>chrysargyria</i>	1895, 961
<i>leucospilaria</i>	1896, 645	<i>conspurcata</i>	1895, 961
<i>niveinotata</i>	1896, 647	<i>gelida</i>	1895, 961
<i>quadruncata</i>	1896, 646	<i>ochripes</i>	1895, 961
<i>semilaria</i>	1896, 645	<i>percardida</i>	1895, 961
<i>subpatulata</i>	1896, 646	<i>xanthocera</i>	1895, 961
<i>subsignaria</i>	1896, 646	<i>xanthorhyncha</i>	1895, 960
<i>subtruncata</i>	1896, 646	<i>Esites angularis</i>	1891, 255
<i>Erpis</i>	1898, 594	<i>Esox lucius</i>	1895, 274
<i>macularis</i>	1898, 614		1895, 287
	1898, 614		1895, 289
	1898, 615		1898, 314
<i>Ertrica purpurealis</i>	1899, 288		1899, 443
<i>Ertzica maximella</i>	1895, 973		1899, 448
<i>Erupa argentescens</i>	1895, 952		1899, 940
<i>bilineatella</i>	1895, 952		1899, 955
<i>chiloides</i>	1895, 951	<i>Esperella pellucida</i>	1900, 128
	1895, 952	<i>Estcourtiana</i>	1900, 260
<i>congruella</i>	1895, 951	<i>bifasciata</i>	1900, 260
<i>lactealis</i>	1895, 952	<i>Estrela atricapilla</i>	1894, 605
<i>nigrescentella</i>	1895, 952	<i>nigrintum</i>	1895, 467
<i>pinosa</i>	1895, 952	<i>nonnulla</i>	1894, 605
<i>roseiceps</i>	1895, 952	<i>phoenicotis</i>	1895, 467
<i>ruptilineella</i>	1895, 952		1900, 957
<i>titianalis</i>	1895, 953	<i>rhodopyga</i>	1895, 466
<i>Erycides pigmalion</i>	1893, 21	<i>Esua extollens</i>	1896, 640
<i>Erycina danis</i>	1893, 537	<i>Eteirodipsas colubriens</i> .	1895, 817
<i>Erynnis colarado</i>	1893, 99		1895, 825
<i>comma</i>	1893, 91	<i>Eteta sexfasciata</i>	1898, 751
	1893, 99	<i>Ethmia abraxasella</i>	1897, 90
	1900, 946	<i>confusella</i>	1897, 55
<i>florinda</i>	1893, 99		1897, 89
<i>manitoba</i>	1893, 99	<i>exornata</i>	1897, 90
<i>metea</i>	1893, 99	<i>gelidella</i>	1897, 91
<i>midia</i>	1896, 27	<i>joviella</i>	1897, 90
<i>Erysthia obliquata</i>	1896, 650	<i>kirbyi</i>	1897, 91
<i>Erythrurus unitæniatus</i> .	1898, 492	<i>notatella</i>	1897, 89
<i>Erythrolamprus æscu-</i>		<i>paucella</i>	1897, 90
<i>lapii</i>	1898, 117	<i>subsimilis</i>	1897, 89
<i>Erythroplatys corallifer</i> .	1896, 776	<i>Ethmostigmus trigono-</i>	
<i>Erythropygia barbata</i> ..	1900, 2	<i>poda</i>	1900, 48
<i>leucoptera</i>	1895, 483	<i>Ethnistis eucarta</i>	1897, 692
<i>ruficauda</i>	1894, 600	<i>munitalis</i>	1896, 649
	1894, 601	<i>Etiella zinckenella</i>	1895, 973
<i>simplex</i>	1895, 482		1896, 273
<i>Erythrosciurus ferru-</i>		<i>Etisodes anaglyptus</i>	1900, 570
<i>gineus</i>	1897, 933		1900, 588
<i>Erythrosterina leucura</i> ..	1900, 480		1900, 739
<i>mugimaki</i>	1900, 480		1900, 770
<i>Eryx jaculus</i>	1891, 631	<i>frontalis</i>	1900, 569
	1895, 695		1900, 570
	1895, 704		1900, 588
<i>— miliaris</i>	1891, 631	<i>Etisus anaglyptus</i>	1900, 588
<i>johnii</i>	1892, 481		1900, 739

	Page		Page
<i>Etisus lævissimus</i>	1900, 570	<i>Eucereon dentatum</i>	1894, 229
<i>levimanus</i>	1900, 588	<i>ladas</i>	1892, 278
<i>macrodactylus</i>	1900, 738	<i>Euchæta barbata</i>	1898, 542
<i>utilis</i>	1900, 738	<i>gigas</i>	1898, 548
<i>Etobesa tizoc</i>	1892, 339	<i>hessii</i>	1898, 543
<i>Euagra angelica</i>	1893, 284	<i>marina</i>	1898, 543
<i>cerymica</i>	1893, 284	<i>norvegica</i>	1898, 548
<i>discalis</i>	1896, 636	<i>prestandree</i>	1898, 549
<i>Euanemus nigripinnis</i> ..	1895, 524	<i>Euchaetes insulata</i>	1898, 543
<i>Euarne obligatella</i>	1891, 533	<i>Euchelia amanda</i>	1898, 546
.....	1891, 547	1898, 547
.....	1897, 114	1898, 549
<i>Eublemma abrupta</i>	1896, 262	1898, 579
<i>bifasciata</i>	1896, 262	1898, 580
<i>bulia</i>	1896, 262	1898, 548
<i>divisa</i>	1896, 262	1898, 367
<i>ecthæmata</i>	1896, 262	1893, 677
.....	1896, 283	1895, 268
<i>olivacea</i>	1894, 588	1895, 740
<i>parva</i>	1896, 262	<i>Euchilota pilosella</i>	1896, 460
<i>reducta</i>	1894, 588	1896, 481
.....	1894, 593	1896, 483
<i>seminivea</i>	1896, 262	1896, 484
.....	1896, 283	1896, 486
<i>Eublepharis macularius</i> ..	1891, 630	1896, 487
<i>Eubolia disputaria</i>	1897, 777	1896, 499
<i>vicaria</i>	1896, 647	<i>Euchirella pulchra</i>	1898, 541
<i>Eubrachycercus</i>	1897, 738	1898, 542
.....	1897, 741	1898, 548
<i>smithii</i>	1897, 739	1898, 548
.....	1897, 774	1897, 7
<i>Eubyjodonta</i>	1893, 461	1898, 371
<i>falcata</i>	1893, 416	1896, 127
<i>Eucalanus attenuatus</i> ..	1898, 541	1897, 20
.....	1898, 542	1897, 18
.....	1898, 546	<i>Euchloris ovifera</i>	1893, 358
.....	1898, 547	<i>Euchontha ciris</i>	1893, 297
.....	1898, 549	1893, 310
<i>Eucatoptus</i>	1897, 69	1893, 297
<i>chalybeichroa</i>	1897, 69	<i>Euchoreutes naso</i>	1900, 196
<i>lycopersicella</i>	1897, 71	1900, 197
<i>penicillata</i>	1897, 69	<i>Euchromia africana</i>	1894, 583
.....	1897, 70	1898, 417
<i>rubidella</i>	1897, 70	1898, 417
<i>Eucelis lustrmarginata</i> ..	1897, 129	1896, 1040
<i>Eucephala cæruleo-lavata</i>	1899, 510	<i>Eucladia johnsoni</i>	1898, 598
<i>Eucerea albiceps</i>	1896, 636	<i>Euclasta</i>	1898, 751
<i>archias</i>	1896, 636	1898, 751
<i>discolor</i>	1896, 636	1898, 752
<i>latifascia</i>	1896, 636	1898, 751
<i>mitigata</i>	1896, 636	1898, 751
<i>reticulata</i>	1896, 636	1898, 752
<i>rhodophila</i>	1896, 636	1898, 751
<i>Eucereon aroa</i>	1894, 229	1898, 752
<i>chalcodon</i>	1893, 287	1898, 751
.....	1893, 310	1898, 751
<i>costulatum</i>	1894, 229	1898, 752

	Page		Page
<i>Euclasta warreni</i>	1898, 752	<i>Eudæmonia argus</i>	1895, 138
<i>Eucœla aliena</i>	1895, 756		1896, 241
	1895, 758		1896, 242
<i>atriceps</i>	1895, 756	<i>brachyura</i>	1897, 293
	1895, 758		1898, 80
<i>basalis</i>	1895, 756	<i>Eudamus albofasciatus</i> .	1893, 20
	1895, 758	<i>alcæus</i>	1893, 20
<i>canaliculata</i>	1895, 756	<i>aminias</i>	1893, 20
	1895, 758	<i>amisus</i>	1893, 20
<i>claripennis</i>	1895, 756	<i>asine</i>	1893, 20
	1895, 758	<i>auginus</i>	1893, 20
<i>cressonii</i>	1895, 756	<i>brachius</i>	1893, 20
	1895, 758	<i>calenus</i>	1893, 20
<i>ferruginea</i>	1895, 756	<i>carmelita</i>	1893, 20
	1895, 759	<i>catillus</i>	1893, 20
<i>inconstans</i>	1895, 756	<i>chalco</i>	1893, 20
	1895, 759	<i>corydon</i>	1893, 20
<i>insularis</i>	1895, 759	<i>decoratus</i>	1892, 655
<i>nigriceps</i>	1895, 756	<i>dorantes</i>	1893, 20
	1895, 759		1898, 366
<i>obliterata</i>	1895, 756	<i>esmeraldus</i>	1893, 20
	1895, 757	<i>eurycles</i>	1893, 20
	1895, 758	<i>evenus</i>	1893, 20
<i>ovalis</i>	1895, 755	<i>ganna</i>	1893, 20
<i>perplexa</i>	1895, 756	<i>germanus</i>	1892, 664
	1895, 757	<i>guttatus</i>	1892, 650
<i>rufiventris</i>	1895, 756	<i>hirtius</i>	1893, 20
	1895, 758	<i>jethira</i>	1893, 20
<i>unifoveata</i>	1895, 755	<i>larius</i>	1893, 20
	1895, 757	<i>latipennis</i>	1893, 20
<i>Eucœpe gemmigera</i>	1896, 487	<i>metophis</i>	1893, 20
<i>variabilis</i>	1896, 488	<i>nepos</i>	1892, 664
<i>Eucosma circulana</i>	1897, 126	<i>nicasius</i>	1893, 20
<i>longipalpana</i>	1897, 126	<i>octomaculata</i>	1893, 20
<i>strenuana</i>	1897, 126	<i>orion</i>	1893, 20
<i>Eucosmophora</i>	1897, 148	<i>proteus</i>	1893, 16
<i>cupreella</i>	1897, 150		1893, 20
<i>dives</i>	1897, 148		1893, 131
	1897, 149		1896, 519
<i>insulella</i>	1897, 150		1898, 366
<i>ornata</i>	1897, 149		1900, 202
<i>Eucratoscelus</i>	1893, 500	<i>santiago</i>	1893, 20
<i>longiceps</i>	1898, 500		1896, 519
<i>Eucrostis disparata</i>	1896, 268	<i>simplex</i>	1892, 664
<i>Eucteanus cœlestinus</i> ..	1897, 461	<i>simplicius</i>	1893, 20
<i>cruciger</i>	1897, 460		1898, 366
	1897, 464	<i>trebia</i>	1893, 20
<i>dohertyi</i>	1897, 461	<i>undulatus</i>	1893, 20
	1897, 464	<i>virescens</i>	1893, 20
<i>hardwickii</i>	1897, 461	<i>zilpa</i>	1893, 20
<i>marseuli</i>	1897, 461	<i>Eudicella trimeni</i>	1894, 43
<i>Euctenospila</i>	1899, 207	<i>Eudiocrinus granulatus</i> .	1894, 396
<i>Eucyane chislon</i>	1893, 286		1894, 397
<i>ortropea</i>	1893, 286		1894, 398
<i>philomela</i>	1893, 286		1894, 412
<i>poliana</i>	1893, 285	<i>indivisus</i>	1894, 392
<i>Eudactylina acuta</i>	1899, 476		1894, 397
<i>aspera</i>	1899, 476		1894, 398

	Page		Page
<i>Eudioptis capensis</i>	1898, 738	<i>Euetheia bicolor</i>	1892, 499
<i>dannalis</i>	1898, 747	<i>Euexippe bistrialis</i>	1897, 678
<i>indica</i>	1894, 591	<i>Eugaster logani</i>	1896, 1036
<i>oratalis</i>	1899, 255	<i>loricatus</i>	1900, 45
<i>perspicillalis</i>	1898, 742	<i>Euglypha alveolata</i>	1897, 787
<i>Eudocimus albus</i>	1900, 771	<i>ampullacea</i>	1897, 788
<i>Eudorea transversalis</i> ..	1899, 279	<i>ciliata</i>	1897, 786
<i>Eudoxus ægle</i>	1892, 451	<i>compressa</i>	1897, 788
<i>bustoi</i>	1892, 451	<i>cristata</i>	1897, 788
<i>chloroleuca</i>	1892, 451	<i>Euglyphia hiero-</i>	
<i>cumingi</i>	1892, 451	<i>glyphica</i>	1895, 138
<i>leopardus</i>	1892, 451	<i>Eugonotes</i>	1897, 558
<i>oviformis</i>	1892, 451	<i>longicornis</i>	1897, 559
<i>paradoxa</i>	1892, 451	<i>longicornis</i>	1897, 577
<i>smaragdina</i>	1892, 457	<i>Euhyrax abyssinicus</i> ..	1892, 61
<i>straminea</i>	1892, 451	<i>Eukyphota</i>	1899, 705
<i>Eudoxyla strigillata</i> ..	1892, 329	<i>Eulabes hainanus</i>	1900, 464
<i>Eudriloides durbanen-</i>		<i>Eulampis holosericeus</i> ..	1892, 499
<i>sis</i>	1892, 666	<i>jugularis</i>	1896, 288
<i>gypsatus</i>	1891, 173	<i>Eulea ialis</i>	1899, 253
<i>parvus</i>	1891, 173	<i>rubrebralis</i>	1899, 245
<i>Eudrilus dubius</i>	1892, 36	<i>Eulepis eudamippus</i> ..	1900, 506
<i>eugeniae</i>	1892, 737	— <i>nigrobasalis</i>	1900, 506
<i>jullieni</i>	1891, 173	— <i>rothschildi</i>	1900, 506
<i>Eudryas unio</i>	1897, 296	— <i>whiteheadi</i>	1900, 511
<i>minor</i>	1897, 297	<i>Eulepiste cressoni</i>	1891, 511
<i>Eudule aurata</i>	1892, 284	<i>umbratipalpis</i>	1891, 511
<i>citrosa</i>	1892, 284	<i>umbratipalpis</i>	1891, 544
<i>venata</i>	1892, 284	<i>umbratipalpis</i>	1891, 549
<i>Eudynamis</i>	1898, 48	<i>umbratipalpis</i>	1897, 170
<i>honorata</i>	1900, 484	<i>Eulepte concordalis</i>	1896, 641
<i>maculatus</i>	1900, 484	<i>Eulima cumingii</i>	1891, 414
<i>malayana</i>	1900, 484	<i>Eulimacodes distincta</i> ..	1892, 325
<i>taitensis</i>	1896, 934	<i>möschleri</i>	1892, 324
<i>Eudyptes antipodum</i> ..	1891, 121	<i>scapha</i>	1895, 138
<i>chrysocome</i>	1896, 142	<i>Eulotella fodiens</i>	1892, 462
<i>minor</i>	1896, 143	<i>inquieta</i>	1892, 464
<i>pachyrhynchus</i> ...	1897, 472	<i>inquieta</i>	1892, 462
<i>Eudyptula albosignata</i> ..	1897, 810	<i>Eulychius dorsalis</i>	1892, 567
<i>minor</i>	1898, 960	<i>nigritarsis</i>	1892, 567
<i>minor</i>	1898, 963	<i>Eumeces blythianus</i> ..	1898, 918
<i>minor</i>	1898, 983	<i>bowringii</i>	1896, 875
<i>minor</i>	1898, 985	<i>chinensis</i>	1896, 876
<i>minor</i>	1898, 986	<i>elegans</i>	1899, 162
<i>minor</i>	1898, 988	<i>punctatus</i>	1896, 875
<i>minor</i>	1897, 721	<i>schneideri</i>	1891, 630
<i>minor</i>	1898, 960	<i>schneideri</i>	1892, 16
<i>minor</i>	1898, 963	<i>schwartzii</i>	1894, 725
<i>minor</i>	1898, 978	<i>scutatus</i>	1891, 628
<i>minor</i>	1898, 983	<i>scutatus</i>	1891, 630
<i>minor</i>	1898, 985	<i>(Mabouya) singa-</i>	
<i>minor</i>	1898, 986	<i>porensis</i>	1896, 875
		<i>Eumecia anchieta</i>	1897, 802
		<i>semiargentea</i>	1893, 72

	Page		Page
<i>Eumecia semiargentea</i> .. 1893,	88	<i>Eupalia trimaculata</i> 1895,	138
<i>Eumegadolon</i> blan-		<i>Eupetaurus cinereus</i> .. 1893,	449
<i>chardii</i>	1900, 866	<i>Eupetoieta hegesia</i> 1900,	199
<i>Eumelea ludovicata</i> .. 1892,	133	<i>Euphæa splendens</i> 1891,	204
<i>Eumenes arcuata</i>	1896, 448	<i>Euphædra crawshayi</i> .. 1895,	628
<i>dimidiatipennis</i> .. 1900,	47	<i>elephantina</i>	1895, 634
<i>excipendus</i>	1893, 686	<i>neophron</i>	1894, 37
<i>flavopicta</i>	1896, 448	1894, 565
<i>humbertianus</i> 1896,	448	1895, 720
<i>lepelletieri</i>	1900, 47	1896, 825
<i>petiolata</i>	1896, 448	1896, 852
<i>tuberculiventris</i> .. 1893,	687	1898, 52
<i>Eumenophorus</i>	1897, 746	<i>violacea</i>	1894, 565
.....	1897, 766	1898, 399
<i>clementsi</i>	1897, 766	<i>zaddachii</i>	1895, 629
.....	1899, 841	<i>Euphasia umbrigeræ</i> .. 1894,	588
<i>Eumilax brandti</i>	1891, 224	<i>Euphausia</i>	1900, 538
<i>Eumorphus costatus</i> .. 1892,	87	<i>antarctica</i>	1900, 542
<i>guerini</i>	1892, 87	1900, 543
.....	1892, 88	1900, 544
<i>lucidus</i>	1892, 87	<i>bidentata</i>	1900, 541
.....	1892, 90	1900, 542
<i>marginatus</i>	1892, 87	1900, 543
<i>quadrinotatus</i> 1892,	87	1900, 544
<i>tumescens</i>	1892, 86	<i>gibba</i>	1900, 542
.....	1892, 90	1900, 544
<i>turritus</i>	1892, 87	1900, 545
<i>westwoodi</i>	1897, 460	<i>gibboides</i>	1900, 542
<i>Eunectes murinus</i> 1892,	310	1900, 543
.....	1894, 504	1900, 544
.....	1894, 505	1900, 545
.....	1894, 517	<i>gracilis</i>	1900, 540
.....	1896, 773	1900, 542
<i>Euneotonus collaris</i> .. 1900,	2	1900, 543
<i>Eunica margarita</i> 1892,	190	1900, 544
<i>Eunomia abdominalis</i> .. 1896,	635	1900, 545
<i>separata</i>	1896, 635	<i>latifrons</i>	1900, 539
<i>vacillans</i>	1896, 635	1900, 541
<i>Euophrys coronigera</i> .. 1893,	699	1900, 542
<i>pulchella</i>	1893, 699	1900, 544
.....	1893, 704	<i>mucronata</i>	1900, 542
<i>Euoplitis laciniatus</i> .. 1900,	823	1900, 543
<i>Eupagurus</i>	1900, 534	1900, 544
<i>bernhardus</i>	1898, 311	1900, 545
.....	1900, 535	<i>mülleri</i>	1900, 540
.....	1900, 535	1900, 542
.....	1900, 536	1900, 543
— <i>jugosa</i>	1900, 536	<i>murrayi</i>	1900, 542
— <i>latimanus</i>	1900, 536	1900, 544
<i>edwardsi</i>	1900, 535	<i>pellucida</i>	1900, 538
<i>forceps</i>	1900, 536	1900, 539
<i>novæ-zealandiæ</i> .. 1900,	535	1900, 540
<i>rubricatus</i>	1900, 535	1900, 541
<i>setifer</i>	1898, 461	1900, 543
<i>smithii</i>	1900, 535	1900, 544
<i>stimpsoni</i>	1900, 535	<i>pseudogibba</i>	1900, 542
<i>Eupalæmon</i>	1899, 710		

	Page		Page
<i>Euphausia pseudogibba</i>	1900, 543	<i>Eupithecia rubrinotata</i>	1893, 433
	1900, 544	<i>Euplecta anceps</i>	1891, 333
	1900, 545	<i>bijuga</i>	1891, 332
<i>schotti</i>	1900, 541	<i>boholensis</i>	1895, 98
	1900, 542	<i>cebuensis</i>	1892, 462
	1900, 543		1895, 98
	1900, 544	<i>pataniensis</i>	1891, 333
	1900, 545	<i>Euplectes capensis minor</i>	1895, 464
<i>similis</i>	1900, 543	<i>franciscanus</i>	1895, 464
	1900, 544	<i>xanthomelas</i>	1895, 464
<i>spinifera</i>	1900, 539	<i>Eupleres goudotii</i>	1894, 357
	1900, 542	<i>Euplexaura antipathes</i>	1899, 46
	1900, 544		1899, 51
	1900, 545		1899, 54
<i>splendens</i>	1900, 538	<i>Euplexia conducta</i>	1896, 260
	1900, 539		1898, 383
	1900, 540	<i>opposita</i>	1896, 259
	1900, 541		1898, 420
	1900, 543		1900, 18
	1900, 544	<i>Euplocamus albocristatus</i>	1891, 327
<i>superba</i>	1900, 540	<i>Euploea dorippus</i>	1893, 644
	1900, 541		1894, 558
	1900, 543	<i>midamus</i>	1891, 251
	1900, 544	<i>ochlea</i>	1894, 19
<i>vallentini</i>	1900, 544		1898, 396
	1900, 545	<i>Euploeamima henrici</i>	1900, 505
	1900, 567	<i>Eupoca cinerea</i>	1898, 609
<i>Euphonia chlorotica</i>		<i>Eupodotis arabs</i>	1900, 965
<i>serrirostris</i>	1896, 339	<i>caffra</i>	1900, 772
<i>chrysopasta</i>	1896, 338	<i>Eupolia delineata</i>	1900, 825
<i>crassirostris</i>	1896, 339		1900, 826
<i>laniirostris</i>	1896, 339		1900, 830
<i>nigricollis</i>	1896, 338	<i>hemprichi</i>	1900, 826
<i>pectoralis</i>	1899, 513	<i>melanogramma</i>	1900, 826
<i>rufiventris</i>	1896, 339		1900, 831
<i>xanthogastra</i>	1896, 338	<i>quinquelineata</i>	1900, 826
<i>Euphractus minutus</i>	1894, 356	<i>Eupolyodontus cornishii</i>	1900, 976
	1894, 369	<i>Euprepes brevicollis</i>	1895, 646
	1894, 375		1895, 647
	1894, 376		1895, 650
<i>Euphrostenops bayoni-</i>		<i>ernestii</i>	1896, 874
<i>anus</i>	1900, 973	<i>insignis</i>	1898, 729
<i>Euphyes metacomet</i>	1893, 92	<i>perrotetii</i>	1895, 646
	1893, 107		1895, 649
<i>Euphyllia</i>	1899, 735	<i>pyrrhocephalus</i>	1895, 646
<i>gaimardi</i>	1899, 735		1895, 647
<i>glabrescens</i>	1899, 735	<i>rufescens</i>	1896, 874
<i>Euphysa aurata</i>	1896, 459		1899, 645
	1896, 466	<i>(Riopa) punctato-</i>	
	1896, 474	<i>striatus</i>	1896, 875
	1896, 475	<i>Euproctis fasciata</i>	1896, 266
<i>mediterranea</i>	1896, 474	<i>guttulata</i>	1892, 123
<i>Eupithecia albispumata</i>	1893, 384	<i>Euproctus pyrenæus</i>	1895, 150
	1893, 433	<i>rusconii</i>	1895, 150
<i>atroviridis</i>	1893, 384		1895, 156
	1893, 434		1895, 159
<i>costipicta</i>	1893, 383	<i>Euprotomicrus labordii</i>	1899, 732
	1893, 433	<i>Euptoieta hegesia</i>	1900, 199
<i>rubrinotata</i>	1893, 384	<i>Euptychia crisis</i>	1891, 266

	Page		Page
<i>Eupyra aurata</i>	1892, 273	<i>Eurycraspeda burmanalis</i> 1895,	909
<i>bacchans</i>	1892, 274	<i>Eurycreon</i>	1899, 207
<i>consors</i>	1892, 273	<i>albifascialis</i>	1896, 276
<i>psittacus</i>	1892, 273	<i>aureolalis</i>	1899, 272
<i>Euralia anthedon</i>	1895, 725	<i>cerealis</i>	1899, 265
— <i>marginalis</i>	1895, 256	<i>collucidalis</i>	1899, 273
<i>deceptor</i>	1894, 532	<i>communis</i>	1899, 210
.....	1898, 51	<i>comptalis</i>	1899, 209
<i>dinarcha</i>	1898, 51	<i>evanidalis</i>	1899, 210
<i>dubius</i>	1895, 725	<i>eversmanni</i>	1899, 271
<i>kirbyi</i>	1898, 51	<i>fuscociliaris</i>	1899, 247
.....	1898, 399	<i>leucostictalis</i>	1899, 211
<i>mechowii</i>	1898, 51	<i>nudalis</i>	1896, 276
<i>mima</i>	1895, 257	<i>obsoletalis</i>	1899, 210
.....	1895, 720	<i>occidentalis</i>	1899, 210
.....	1896, 851	<i>ornamentalis</i>	1899, 274
<i>usambara</i>	1898, 51	<i>pechi</i>	1899, 187
<i>wahlbergi</i>	1895, 256	<i>perplexalis</i>	1899, 256
.....	1895, 720	<i>scalaralis</i>	1899, 270
.....	1896, 852	<i>Eurydactylus vieillardii</i> 1894,	722
.....	1898, 51	<i>Eurydemus æneus</i>	1897, 535
.....	1898, 824	<i>brevilineatus</i>	1900, 234
<i>Eurata transiens</i>	1896, 635	<i>holubi</i>	1897, 536
<i>Eurema brigitta</i>	1894, 344	<i>maculipennis</i>	1900, 233
<i>dina</i>	1900, 200	<i>madagassus</i>	1897, 536
<i>lisa</i>	1898, 364	<i>marginatus</i>	1900, 232
<i>messalina</i>	1900, 200	<i>metallicus</i>	1892, 570
<i>midea</i>	1898, 364	1897, 536
.....	1898, 365	<i>porosicollis</i>	1898, 239
<i>patnira</i>	1898, 365	<i>Eurygaster cognatus</i> ..	1900, 822
<i>pulchella</i>	1894, 62	<i>maurus</i>	1900, 822
<i>schoeneia</i>	1894, 564	— <i>pictus</i>	1900, 822
.....	1895, 727	<i>orientalis</i>	1900, 822
.....	1896, 112	<i>Euryope bipartita</i>	1897, 549
.....	1896, 825	1897, 577
<i>senegalensis</i>	1894, 62	<i>nigricollis</i>	1897, 550
.....	1895, 635	1897, 577
<i>Eurhynorhynchus</i>		<i>Eurypeplodes</i>	1893, 382
<i>pygmaeus</i>	1900, 498	<i>irambata</i>	1893, 382
<i>Eurocephalus rueppelli</i> 1895,	480	1893, 433
<i>Eurhyparodes</i>	1898, 595	<i>Eurypheue calabarensis</i> 1894,	342
.....	1898, 625	<i>cocalia</i>	1895, 728
<i>bracteolalis</i>	1898, 625	1896, 852
.....	1898, 626	<i>senegalensis</i>	1898, 52
<i>confusalis</i>	1898, 626	<i>violacea</i>	1898, 399
<i>plumbeimarginalis</i> 1898,	625	<i>Euryporus coryphænae</i> 1899,	461
<i>splendens</i>	1898, 626	<i>nordmanni</i>	1899, 461
<i>stibialis</i>	1898, 626	<i>nympha</i>	1899, 461
<i>syllipidia</i>	1898, 626	<i>Eurypura achlys</i>	1898, 52
.....	1898, 761	<i>Eurypodius</i>	1900, 527
.....	1898, 626	<i>audouinii</i>	1900, 528
<i>tricoloralis</i>	1898, 626	1900, 529
<i>Eurhypsipis</i>	1899, 235	<i>brevipes</i>	1900, 528
<i>Euruppellia annulipes</i> ..	1900, 570	1900, 529
.....	1900, 589	<i>cuvieri</i>	1900, 528
<i>Euryale aspera</i>	1894, 395	<i>danæ</i>	1900, 528
<i>Eurycarcinus maculatus</i> 1900,	744	<i>latreillii</i>	1900, 527
<i>Eurycorypha varia</i>	1900, 45	1900, 528

	Page		Page
<i>Eurypodius latreillii</i> ..	1900, 529	<i>Euscarthmus wuchereri</i> ..	1896, 360
<i>longirostris</i>	1900, 527	<i>Euschema doubledayi</i> ..	1892, 132
<i>septentrionalis</i>	1900, 528	<i>Euschistus bifibulus</i>	1893, 705
<i>tuberculatus</i>	1900, 529	<i>crenator</i>	1894, 172
<i>Euryptera atridorsalis</i> ...	1897, 688	<i>servus</i>	1900, 811
<i>auriscutalis</i>	1897, 688	<i>tristigmus</i>	1900, 824
<i>basilinealis</i>	1897, 689	<i>tristigmus</i>	1900, 812
<i>rectibasalis</i>	1897, 688	<i>tristigmus</i>	1900, 824
<i>Eurypterus gigas</i>	1893, 37	<i>Eusemia africana</i>	1895, 266
<i>Eurypyga helias</i>	1891, 12	<i>deficiens</i>	1895, 738
<i>major</i>	1896, 324	<i>eo</i>	1896, 843
<i>Eurystomus afer</i>	1899, 715	<i>meretrix</i>	1895, 366
<i>calonyx</i>	1900, 488	<i>perdix</i>	1896, 843
<i>glaucurus</i>	1900, 2	<i>superba</i>	1893, 674
<i>gularis</i>	1894, 603	<i>superba</i>	1896, 134
<i>orientalis</i>	1900, 488	<i>thruppi</i>	1896, 259
<i>Eurytaphria</i>	1893, 409	<i>Eusenea zeniasaria</i> ...	1896, 644
<i>undilineata</i>	1893, 410	<i>Eusmilia</i>	1899, 735
<i>Eurytela angustata</i>	1900, 921	<i>Euspongia</i> sp.	1900, 128
<i>castelnaui</i>	1891, 272	<i>Eustala anastera</i>	1897, 873
<i>dryope</i>	1892, 120	<i>fusco-vittata</i>	1897, 873
<i>dryope</i>	1893, 654	<i>illicita</i>	1897, 873
<i>dryope</i>	1894, 36	<i>thorelli</i>	1897, 873
<i>dryope</i>	1894, 340	<i>Eustephanus fernand-</i>	
<i>dryope</i>	1894, 561	<i>ensis</i>	1896, 284
<i>dryope</i>	1895, 720	<i>ensis</i>	1896, 289
<i>dryope</i>	1895, 729	<i>ensis</i>	1896, 293
<i>dryope</i>	1896, 532	<i>ensis</i>	1896, 295
<i>dryope</i>	1897, 692	<i>galeritus</i>	1896, 289
<i>dryope</i>	1898, 53	<i>Eusthenes laticollis</i> ...	1900, 820
<i>dryope</i>	1898, 400	<i>Eustixia</i>	1899, 275
<i>dryope</i>	1900, 921	<i>Eustroma reticulata</i> ..	1893, 370
<i>fulgurata</i>	1898, 399	<i>venipicta</i>	1893, 370
<i>hiarbas</i>	1894, 36	<i>Eutelina consentanea</i> ...	1892, 125
<i>hiarbas</i>	1894, 340	<i>discistriga</i>	1896, 263
<i>hiarbas</i>	1896, 532	<i>discistriga</i>	1898, 425
<i>hiarbas</i>	1897, 840	<i>siccifolia</i>	1897, 609
<i>hiarbas</i>	1898, 190	<i>subapicalis</i>	1900, 18
<i>hiarbas</i>	1899, 977	<i>Euthalia alpheda</i>	1891, 280
<i>hiarbas</i>	1900, 921	<i>anyte</i>	1891, 251
— <i>angustata</i>	1898, 823	<i>anyte</i>	1891, 279
<i>angustata</i>	1899, 977	<i>appiades</i>	1891, 280
<i>horsfieldii</i>	1891, 272	<i>bipunctata</i>	1891, 279
<i>ophione</i>	1894, 340	<i>confucius</i>	1891, 278
<i>ophione</i>	1894, 561	<i>dunya</i>	1892, 120
<i>Euscarthmus fumifrons</i> ..	1899, 516	<i>francie</i>	1891, 279
<i>gularis</i>	1899, 516	<i>jahnu</i>	1891, 281
<i>latirostris</i>	1896, 360	<i>kesava</i>	1891, 279
<i>limbatus</i>	1899, 515	— <i>discipilota</i>	1891, 281
<i>margaritaceiventris</i> ..	1896, 360	<i>nara</i>	1891, 251
— <i>rufipes</i>	1896, 360	<i>nara</i>	1891, 278
<i>nidipendulus</i>	1899, 516	<i>nara</i>	1891, 279
<i>orbitatus</i>	1899, 516	<i>narayana</i>	1891, 278
<i>pelzelni</i>	1896, 360	<i>omei</i>	1891, 279
<i>pelzelni</i>	1899, 516	<i>parta</i>	1891, 280
<i>pyrrhops</i>	1896, 360	<i>setropaces</i>	1891, 279
		<i>taocana</i>	1891, 255
		<i>taocana</i>	1891, 278

	Page		Page
<i>Euthalia zichri</i>	1891, 280	<i>Everettia baramensis</i> ..	1895, 127
<i>Euthermesia inexacta</i> ..	1896, 648	<i>bocki</i>	1891, 36
<i>Euthria cornea</i>	1891, 398	<i>busanensis</i>	1895, 106
<i>lineata</i>	1891, 437	<i>consul</i>	1895, 109
<i>magellani</i>	1891, 437	<i>— rufa</i>	1891, 36
<i>Euthymus phylæus</i>	1893, 101	<i>cutleri</i>	1891, 36
<i>Euthyrrapha pacifica</i> ..	1895, 893	<i>hyalina</i>	1895, 109
<i>Eutima insignis</i>	1896, 460	<i>jucunda</i>	1891, 34
<i>—</i>	1896, 492	<i>planior</i>	1895, 107
<i>Eutolmaetus spilogaster</i> ..	1895, 508	<i>subconsul</i>	1891, 53
<i>Eutomus micrographus</i> ..	1898, 333	<i>—</i>	1891, 36
<i>sulcatus</i>	1898, 333	<i>subimperfiorata</i>	1895, 106
<i>Eutornus africanus</i>	1900, 266	<i>thalia</i>	1895, 127
<i>clarki</i>	1900, 266	<i>Evergestis</i>	1895, 127
<i>Eutropius congensis</i>	1899, 730	<i>—</i>	1898, 603
<i>depressirostris</i>	1894, 89	<i>ænealis</i>	1899, 185
<i>—</i>	1896, 220	<i>bruneogrisea</i>	1899, 186
<i>Euxanthe wakefieldii</i> ..	1896, 825	<i>consimilis</i>	1899, 186
<i>—</i>	1898, 399	<i>extimalis</i>	1899, 186
<i>Euxanthus huonii</i>	1900, 735	<i>frumentalis</i>	1899, 185
<i>mamillatus</i>	1900, 586	<i>funalis</i>	1899, 186
<i>melissa</i>	1900, 570	<i>limbata</i>	1899, 186
<i>—</i>	1900, 586	<i>napæalis</i>	1899, 186
<i>sculptilis</i>	1900, 735	<i>nomadalis</i>	1899, 186
<i>Euxestes parki</i>	1898, 336	<i>obliquialis</i>	1899, 186
<i>picipes</i>	1898, 336	<i>politais</i>	1899, 186
<i>Evagrus pristinus</i>	1899, 519	<i>rimosalis</i>	1899, 186
<i>—</i>	1899, 532	<i>segetalis</i>	1899, 186
<i>Everes argiades</i>	1892, 624	<i>sophialis</i>	1899, 186
<i>—</i>	1895, 557	<i>straminialis</i>	1899, 186
<i>—</i>	1895, 577	<i>subfuscalis</i>	1899, 186
<i>dipora</i>	1900, 507	<i>umbrosalis</i>	1899, 186
<i>jobates</i>	1895, 732	<i>Everyx chærilus</i>	1900, 182
<i>—</i>	1896, 119	<i>Evia ferrinalis</i>	1899, 288
<i>—</i>	1896, 828	<i>Exaeretus caucasicus</i> ..	1896, 553
<i>kala</i>	1891, 251	<i>Excalfactoria chinensis</i> ..	1900, 503
<i>—</i>	1891, 253	<i>Exeristis</i>	1898, 602
<i>—</i>	1892, 624	<i>—</i>	1899, 232
<i>kedonga</i>	1899, 418	<i>asyphela</i>	1899, 232
<i>—</i>	1899, 422	<i>xanthota</i>	1899, 232
<i>—</i>	1899, 427	<i>Exocætes brachysoma</i> ..	1899, 940
<i>—</i>	1899, 967	<i>—</i>	1899, 956
<i>—</i>	1899, 975	<i>volitans</i>	1899, 483
<i>mahallokoæna</i>	1896, 828		
<i>nyseus</i>	1891, 251		
<i>parrhasius</i>	1891, 251		
<i>—</i>	1892, 624		
<i>umbriel</i>	1891, 251		
<i>—</i>	1892, 624		
<i>Everettia</i>	1891, 33		
<i>aglaia</i>	1891, 35		
<i>—</i>	1891, 36		
<i>—</i>	1895, 108		
<i>—</i>	1895, 109		
<i>—</i>	1895, 109		
<i>bangueyensis</i>	1895, 100		
<i>—</i>	1895, 108		
<i>—</i>	1895, 127		
<i>baramensis</i>	1895, 108		

	Page		Page
<i>Exometaca nycteris</i> ..	1893, 130	<i>Felis caracal</i>	1898, 763
<i>Exosphæroma</i>	1900, 553		1900, 100
<i>gigas</i>	1900, 551		1900, 301
	1900, 553	<i>catus</i>	1897, 371
	1900, 556		1897, 377
<i>lanceolatum</i>	1900, 558		1897, 380
<i>Extracrinus lepidotus</i> ..	1895, 1000		1897, 387
<i>Eylais extendens</i>	1895, 205		1897, 388
<i>Eysarcoris guttiger</i>	1900, 823		1897, 389
<i>insocius</i>	1900, 812		1897, 391
			1897, 392
<i>Falco aurantius</i>	1899, 515		1897, 393
<i>caribbæarum</i>	1892, 499		1897, 394
<i>cassini</i>	1892, 388		1897, 397
	1892, 405		1897, 398
	1892, 409		1897, 399
<i>columbarius</i>	1892, 498		1897, 400
<i>communis</i>	1900, 491		1897, 401
<i>fusco-cærulescens</i> ..	1891, 135		1897, 403
<i>semitorquatus</i>	1895, 510		1897, 407
<i>tinnunculus</i>	1895, 510		1898, 153
<i>Fascellina chromataria</i> ..	1893, 399		1898, 155
<i>inornata</i>	1893, 399		1898, 157
<i>plagiata</i>	1893, 400		1898, 158
<i>subsignata</i>	1893, 399		1898, 160
<i>viridis</i>	1893, 400		1898, 161
<i>Fasciolaria filamentosa</i> .	1891, 435		1898, 163
<i>trapezium</i>	1891, 411		1898, 164
<i>Favia</i>	1899, 747		1898, 165
<i>affinis</i>	1899, 750		1898, 167
<i>denticulata</i>	1899, 748		1898, 168
<i>lobata</i>	1899, 749		1898, 171
<i>okeni</i>	1899, 749		1898, 173
<i>Favus</i>	1900, 767		1898, 177
<i>granulatus</i>	1900, 768	<i>celidogaster</i>	1900, 301
	1900, 770	<i>chaus</i>	1900, 326
<i>Felderia dimidiella</i>	1891, 516	<i>concolor</i>	1894, 298
	1891, 545		1900, 76
	1891, 549		1900, 679
	1897, 171	<i>diardi</i>	1900, 325
<i>doeri</i>	1891, 516	<i>domestica</i>	1892, 109
<i>Felis</i> sp.	1900, 74		1900, 326
<i>badia</i>	1892, 227	<i>dominicanorum</i> ..	1898, 2
	1893, 495		1898, 771
<i>bengalensis</i>	1892, 227	<i>fontanieri</i>	1892, 106
	1893, 495		1900, 300
	1900, 325		1900, 773
	1900, 873	<i>geoffroyi</i>	1894, 298
<i>caffra</i>	1893, 725		1899, 928
	1896, 792		1900, 301
	1900, 301	<i>isabellina</i>	1900, 301
<i>caligata</i>	1900, 301	<i>javanensis</i>	1900, 325
<i>caracal</i>	1895, 548	<i>javensis</i>	1898, 281
	1897, 371	<i>jubatus</i>	1900, 679
	1897, 380	<i>leo</i>	1897, 371
	1897, 391		1897, 380
	1897, 392		1897, 387
	1898, 153		1897, 388

	Page		Page
Felis leo	1897, 389	Felis paguros	1894, 357
	1897, 391	pajeros	1899, 928
	1897, 392	pardalis	1898, 153
	1897, 394		1898, 155
	1897, 395		1898, 157
	1897, 397		1898, 159
	1897, 399		1898, 160
	1897, 400		1898, 163
	1897, 403		1898, 164
	1897, 404		1898, 165
	1897, 407		1898, 168
	1898, 153		1898, 169
	1898, 155		1898, 171
	1898, 157		1898, 173
	1898, 158		1898, 174
	1898, 160		1898, 176
	1898, 161	pardus	1892, 547
	1898, 163		1894, 357
	1898, 164		1896, 792
	1898, 165		1897, 371
	1898, 167		1897, 380
	1898, 168		1897, 387
	1898, 169		1897, 392
	1898, 171		1897, 395
	1898, 173		1897, 399
	1898, 176		1897, 400
	1898, 762		1897, 403
	1900, 74		1897, 404
	1900, 679		1898, 153
	1900, 952		1898, 155
leopardus	1900, 300		1898, 157
	1900, 323		1898, 158
— fontanieri.....	1900, 300		1898, 159
— tulliana	1900, 300		1898, 160
lynx	1893, 449		1898, 163
	1893, 592		1898, 164
	1900, 679		1898, 165
— fasciata.....	1900, 301		1898, 168
macroscelis	1894, 357		1898, 169
macrura.....	1894, 357		1898, 171
maniculata	1895, 547		1898, 173
	1898, 351		1898, 174
	1900, 100		1898, 762
manul	1893, 449		1900, 323
marmorata.....	1893, 495		1900, 679
	1900, 325		1900, 773
minuta	1892, 227		1900, 952
	1898, 281	— tulliana	1899, 796
moorensis	1900, 301	passerum	1894, 298
nebulosa	1893, 495		1894, 457
	1900, 324		1900, 301
onca	1894, 457	planiceps	1892, 227
	1900, 74		1893, 495
	1900, 77		1900, 326
	1900, 79	serval.....	1893, 725
	1900, 379		1894, 139
	1900, 382		1896, 792
	1900, 679		1898, 763

	Page		Page
Fondicularia alata	1894, 652	Formica pubescens	1896, 403
complanata	1894, 652	pyrrhocephala	1896, 405
flabelliformis	1894, 651	rastellata	1896, 407
spissa	1894, 652	reticulata	1896, 402
Forcinella littorea	1895, 892	rufoglauca	1896, 403
Fordonia leucobalia	1895, 705	sericea	1896, 402
	1896, 888	smaragdina	1896, 408
	1899, 606	subpicea	1896, 405
	1899, 679	taprobanæ	1896, 410
Forficula auricularia	1892, 585	timida	1896, 405
	1892, 586	trifasciata	1896, 410
	1892, 587	vagans	1896, 409
	1892, 588	variegata	1896, 405
forcipata	1892, 587	ventralis	1896, 405
hawaiiensis	1895, 892	virescens	1896, 408
maritima	1892, 201	viridis	1896, 409
pulchella	1892, 201	zonata	1896, 409
Formica anceps	1896, 411	(Camponotus) mi-	
angusticollis	1896, 403	cans	1896, 403
ardens	1896, 403	Formicarius colma	1899, 515
aurulenta	1896, 402	Formicivora caudata	1896, 324
barbata	1896, 403		1896, 382
callida	1896, 404	ferruginea	1899, 515
cinerascens	1896, 402	rufatra	1899, 515
cognata	1896, 404	squamata	1899, 515
compressa	1896, 404	Foroculum spratti	1899, 484
consultans	1896, 405	Forsinella janeirensis	1892, 201
detorquens	1896, 405	Francolinus castanei-	
diffidens	1896, 405	collis	1895, 520
dorycus	1896, 403	chinensis	1900, 503
exercita	1896, 408	coqui	1900, 3
exundans	1896, 413	granti	1895, 520
familiaris	1896, 412	jacksoni	1900, 596
fusca	1891, 645	schuetti	1900, 596
	1891, 647	sinensis	1900, 503
fuscicauda	1896, 405	Fratercula arctica	1896, 546
gigas	1896, 403		1897, 471
gracilescens	1896, 409		1898, 902
hæmatodes	1896, 412	corniculata	1897, 471
impetuosa	1896, 403	Fregata	1898, 82
indefessa	1896, 404		1898, 83
indeflexa	1896, 405		1898, 84
latebrosa	1896, 405		1898, 85
longicornis	1896, 409		1898, 86
longinoda	1896, 408		1898, 87
longipes	1896, 410		1898, 89
macra	1896, 408		1898, 90
maculata	1896, 404		1898, 91
maxillosa	1896, 412		1898, 93
megacephala	1896, 421		1898, 94
melanocephala	1896, 411		1898, 95
meritans	1896, 413		1898, 96
mitis	1896, 404		1898, 97
nana	1896, 412		1898, 98
nigra	1891, 640		1898, 99
obtusa	1896, 402		1899, 780
pangens	1896, 405		1899, 783
		aquila	1891, 300

	Page		Page
<i>Fregata aquila</i>	1894, 162	<i>Fundanius rubens</i>	1893, 714
<i>ariel</i>	1898, 100	<i>Fundulus limbatus</i>	1899, 444
<i>minor</i>	1898, 101	<i>Fungia crassa</i>	1898, 526
<i>minor</i>	1891, 290	<i>crassitentaculata</i> ..	1898, 527
<i>minor</i>	1891, 300	<i>danæ</i>	1898, 527
<i>Fregetta albigularis</i>	1891, 295	<i>dentata</i>	1898, 526
<i>albigularis</i>	1891, 298	<i>dentigera</i>	1898, 527
<i>albigularis</i>	1891, 300	<i>discus</i>	1898, 526
<i>Fringilla caelebs</i>	1891, 472	<i>echinata</i>	1898, 527
<i>linaria</i>	1891, 628	<i>patella</i>	1898, 526
<i>teydea</i>	1896, 228	<i>tenuifolia</i>	1898, 526
<i>Fringillaria polioleura</i> ..	1895, 471	<i>Funingus (Alectorænas)</i>	
<i>Fromia milleporella</i>	1894, 396	<i>nitidissimus</i>	1892, 544
<i>Fruila</i>	1896, 1008	<i>Funisciurus cepapi</i>	1897, 933
<i>wallacii</i>	1896, 1008	<i>isabella</i>	1899, 553
<i>wallacii</i>	1896, 1012	<i>jacksoni</i>	1897, 933
<i>Fruticola penangensis</i> ..	1891, 335	<i>jacksoni</i>	1900, 174
<i>Fufius atramentarius</i> ..	1896, 749	<i>lucifer</i>	1900, 179
<i>atramentarius</i>	1896, 750	<i>lucifer</i>	1897, 926
<i>atramentarius</i>	1896, 753	<i>lucifer</i>	1897, 932
<i>auricomus</i>	1896, 723	<i>multicolor</i>	1897, 932
<i>auricomus</i>	1896, 750	<i>palliatus</i>	1900, 80
<i>auricomus</i>	1896, 766	<i>pyrrhopus</i>	1897, 932
<i>Fulgurodes cluacina</i> ..	1893, 303	<i>Furcaster palæozoicus</i> ..	1897, 932
<i>panopea</i>	1893, 302	<i>Furcivenera</i>	1896, 1038
<i>Fulica ardesiaca</i>	1891, 136	<i>rhodoneurialis</i>	1899, 173
<i>ardesiaca</i>	1892, 399	<i>strigiferalis</i>	1899, 173
<i>ardesiaca</i>	1892, 408	<i>Furcularia gracilis</i>	1897, 798
<i>armillata</i>	1899, 513	<i>Furnarius sp.</i>	1896, 228
<i>atra</i>	1900, 501	<i>rufus</i>	1899, 511
<i>cristata</i>	1895, 516	<i>rufus</i>	1899, 512
<i>gigantea</i>	1891, 132	<i>rufus</i>	1899, 513
<i>gigantea</i>	1891, 136		
<i>lencoptera</i>	1894, 495	<i>Gaala dispunctalis</i>	1896, 648
<i>newtoni</i>	1892, 544	<i>Gabalæca bilineatella</i> ..	1896, 649
<i>Fuligula baeri</i>	1896, 780	<i>Gabara subniviosella</i> ..	1899, 288
<i>cristata</i>	1896, 311	<i>Gadessa albifrons</i>	1898, 692
<i>fuligula</i>	1896, 311	<i>characteristica</i>	1898, 692
<i>fuligula</i>	1900, 961	<i>impuralis</i>	1898, 722
<i>nationi</i>	1892, 397	<i>subalbalis</i>	1898, 692
<i>nationi</i>	1892, 399	<i>Gadira acerella</i>	1895, 972
<i>nationi</i>	1892, 403	<i>Gadus æglefinus</i>	1898, 550
<i>rufina</i>	1897, 467	<i>æglefinus</i>	1898, 551
<i>Fulmarus glacialis</i>	1896, 143	<i>æglefinus</i>	1898, 566
<i>glacialis</i>	1899, 383	<i>æglefinus</i>	1899, 447
<i>Fulvius albomaculatus</i> ..	1893, 705	<i>agilis</i>	1899, 497
<i>atratus</i>	1894, 192	<i>callarius</i>	1899, 940
<i>lunulatus</i>	1894, 192	<i>callarius</i>	1899, 952
<i>Funambulus berdmorei</i> ..	1900, 194	<i>dipterygius</i>	1899, 952
<i>berdmorei</i>	1900, 359	<i>esmarkii</i>	1894, 414
<i>indica</i>	1897, 933	<i>luscus</i>	1894, 422
<i>insignis</i>	1900, 360	<i>luscus</i>	1898, 308
<i>insignis</i>	1900, 878	<i>luscus</i>	1898, 555
<i>laticaudatus</i>	1900, 359	<i>luscus</i>	1899, 487
<i>loceria</i>	1900, 360		
<i>palmarum</i>	1897, 933		
<i>pernyi</i>	1898, 772		
<i>Fundanius rubens</i>	1893, 705		

	Page		Page
<i>Gadus merluccius</i>	1899, 502	<i>Galerita senegalensis</i> ..	1895, 472
	1899, 503	<i>Galerusoma</i>	1892, 578
	1899, 504	<i>apicicorne</i>	1892, 578
<i>minutus</i>	1898, 308	<i>Galethalea peruviana</i> ..	1892, 277
<i>morruha</i>	1898, 551	<i>Galeus canis</i>	1899, 473
	1898, 555		1899, 476
	1899, 952	<i>vulgaris</i>	1899, 461
<i>pollachius</i>	1899, 455	<i>Galictis barbara</i>	1895, 140
<i>saida</i>	1894, 421		1897, 373
<i>virens</i>	1894, 416		1897, 380
<i>Gaeotis douvillei</i>	1891, 332		1897, 381
<i>Gagitodes</i>	1893, 381		1897, 386
<i>olivacea</i>	1893, 382		1897, 387
	1893, 433		1897, 389
<i>schistacea</i>	1893, 382		1897, 391
<i>Galago alleni</i>	1891, 453		1897, 392
	1891, 461		1897, 394
<i>crassicaudatus</i>	1891, 456		1897, 395
	1895, 142		1897, 396
	1895, 146		1897, 401
<i>demidoffi</i>	1892, 542		1897, 402
<i>galago</i>	1900, 802		1898, 155
<i>moholi</i>	1894, 137		1898, 159
	1896, 790		1898, 160
<i>monteiri</i>	1895, 142		1898, 169
	1895, 147		1898, 171
<i>peli</i>	1891, 461	<i>vittata</i>	1894, 306
<i>Galanda hebiusalis</i>	1896, 640		1897, 373
<i>Galapha sublineata</i>	1896, 638		1897, 380
<i>Galasa daulialis</i>	1897, 675		1897, 381
<i>palmipes</i>	1897, 675		1897, 385
<i>rubidana</i>	1891, 541		1897, 387
	1897, 674		1897, 392
	1897, 675		1897, 394
<i>rubrana</i>	1897, 675		1897, 399
<i>Galathea affinis</i>	1898, 457		1897, 400
	1898, 458		1897, 401
	1898, 463		1897, 402
<i>Galaxea</i>	1899, 159		1897, 404
	1899, 762		1897, 407
<i>aspera</i>	1900, 125		1898, 155
<i>ellisi</i>	1900, 125		1898, 159
<i>explanata</i>	1899, 762		1898, 160
<i>fascicularis</i>	1899, 763		1898, 163
<i>laperouseana</i>	1899, 762		1898, 167
<i>Galeichthys feliceps</i> ..	1891, 148		1898, 171
<i>Galeodes cubæ</i>	1897, 890	(Grisonia) <i>barbara</i> .	1894, 351
<i>olivieri</i>	1892, 25	(—) <i>vittata</i>	1894, 358
<i>Galcomma</i> sp.	1891, 430	<i>Galid'a elegans</i>	1893, 614
<i>formosa</i>	1891, 430	<i>olivacea</i>	1894, 357
<i>Galeopithecus philippin-</i>		<i>Gallicrex cinereus</i>	1900, 501
<i>ensis</i>	1894, 356	<i>Gallinago cœlestis</i>	1897, 891
<i>temminckii</i>	1900, 338		1900, 398
<i>volans</i>	1893, 495	<i>gallinago</i>	1900, 499
	1900, 338	<i>paraguaia</i>	1891, 137
	1900, 875	<i>scolopacina</i>	1900, 499
<i>Galeopsar salvadorii</i> ..	1895, 460	<i>stenura</i>	1900, 499
<i>Galerita cristata</i>	1895, 472	<i>Gallinula chloropus</i>	1900, 500

	Page		Page
Gaudryina subrotundata.	1895, 20	Gazella dorcas	1900, 701
	1895, 50	euchore	1893, 325
Gauris biferana	1891, 520		1897, 279
	1891, 549	eumenoides	1893, 685
	1897, 120	granti	1894, 469
rimulalis	1891, 529		1895, 868
	1891, 546		1897, 453
	1897, 120		1900, 686
tristis	1897, 120	— brighti	1900, 805
Gayara velutina	1898, 437	— notata	1900, 806
Gavialis gangeticus	1896, 629	— petersi	1900, 806
	1896, 632	— smithii	1900, 806
Gazaca dirutalis	1897, 682	— typica	1900, 806
Gazella	1900, 161	leptoceros	1895, 409
	1900, 701		1898, 280
	1900, 704		
	1900, 705	loderi	1894, 468
	1900, 707		1894, 470
	1900, 712		1894, 471
albifrons	1896, 983		1894, 472
arabica	1896, 981		1894, 473
	1896, 984		1895, 522
	1897, 812		1895, 863
bennetti	1892, 306		1896, 780
	1894, 469		1896, 812
	1894, 470		1896, 813
	1895, 545		1896, 814
	1895, 555		1896, 816
corinna	1894, 469		1896, 817
cuvieri	1894, 467		1898, 353
	1894, 469		1899, 593
	1894, 472	mhorr	1900, 686
	1894, 473	muscatensis	1894, 449
	1894, 475		1894, 451
	1895, 400	naso	1891, 210
	1896, 812		1891, 211
	1896, 813	pelzelni	1891, 211
	1896, 814		1892, 100
	1896, 815		1892, 118
	1897, 813		1892, 306
	1898, 353		1898, 767
	1899, 593	picticaudata	1893, 449
dama	1892, 471	rufifrons	1894, 467
	1899, 827		1894, 468
dorcas	1894, 467		1894, 469
	1894, 470		1898, 350
	1894, 473		1900, 85
	1894, 474		1900, 955
	1894, 475	rufina	1894, 467
	1894, 476		1894, 468
	1895, 400		1894, 469
	1895, 522		1894, 470
	1895, 523		1894, 472
	1896, 812		1896, 812
	1896, 815		1900, 85
	1896, 817	scemmerringi	1891, 210
	1898, 353		1892, 100
	1899, 593		1892, 118
			1892, 305

	Page		Page
<i>Gazella sommerringi</i> ..	1894, 469	<i>Gecko verticillatus</i>	1899, 633
	1895, 868		1899, 634
	1898, 767	<i>Geckolepis polylepis</i> ..	1894, 722
	1900, 83	<i>Gegenes albiguttata</i> ..	1896, 59
<i>spekii</i>	1891, 209	<i>carnosus</i>	1895, 413
	1891, 210	<i>gambica</i>	1896, 59
	1891, 211	<i>hottentota</i>	1893, 104
	1892, 100		1894, 582
	1892, 118		1896, 53
	1892, 306		1896, 59
	1897, 920		1896, 843
	1898, 767		1897, 857
<i>thomsoni</i>	1891, 211		1898, 200
	1895, 340		1898, 912
	1897, 454	<i>karsana</i>	1893, 104
	1900, 806		1896, 248
<i>vera</i>	1896, 984		1896, 255
<i>walleri</i>	1891, 209		1896, 256
	1891, 210	<i>lefebrii</i>	1893, 104
<i>Gazena durilsa</i>	1896, 645	<i>letterstedti</i>	1893, 104
	1896, 646		1893, 672
<i>Gea lugens</i>	1899, 520		1894, 582
<i>Geatractus</i>	1898, 539		1895, 634
<i>Gecinus flavirostris</i>	1895, 311		1896, 131
<i>gorii</i>	1895, 311		1896, 842
<i>guerini</i>	1900, 482		1897, 857
<i>hainanus</i>	1900, 482		1898, 200
<i>occipitalis</i>	1900, 482		1898, 912
<i>viridis</i>	1891, 123		1899, 427
	1897, 294		1899, 974
<i>Gecko guttatus</i>	1896, 867		1900, 945
	1899, 631	<i>nostradamus</i>	1893, 104
<i>monarchus</i>	1892, 505		1893, 132
	1896, 866		1896, 58
	1896, 867		1898, 382
	1896, 868	— <i>karsana</i>	1898, 382
	1897, 195	<i>obumbrata</i>	1894, 582
	1897, 198		1896, 58
	1897, 206		1896, 59
	1899, 603		1896, 843
	1899, 635		1897, 857
<i>smithii</i>	1896, 868		1898, 200
	1899, 634		1898, 912
<i>stentor</i>	1892, 505	<i>occulta</i>	1896, 59
	1896, 867		1897, 857
	1897, 206	<i>pumilio</i>	1893, 104
	1899, 603	<i>pygmæus</i>	1893, 91
	1899, 634		1893, 104
<i>subpalmatum</i>	1899, 160	<i>Gegenophis carnosus</i> ..	1892, 348
<i>verticillatus</i>	1896, 782		1895, 412
	1896, 867	<i>Gehenna</i>	1893, 92
	1897, 195		1893, 108
	1897, 198	<i>abima</i>	1893, 92
	1897, 206		1893, 108
	1899, 603	<i>Gehlota sumitra</i>	1893, 49
	1899, 630	<i>Gehyra mutilata</i>	1896, 865
	1899, 631		1896, 866
	1899, 632		1897, 195

	Page		Page
<i>Gehyra mutilata</i>	1897, 198	<i>Gelechia pubibundella</i> ..	1897, 66
	1897, 205		1897, 70
	1899, 601	<i>rivulella</i>	1891, 519
	1899, 603		1891, 545
	1899, 618		1897, 74
	1899, 630		1897, 75
	1899, 632	<i>robustella</i>	1891, 519
	1899, 633		1891, 545
	1899, 649		1897, 74
	1899, 696		1897, 75
<i>Gekobia loricata</i>	1895, 638	<i>roseosuffusella</i>	1897, 66
<i>Gelasimus acutus</i>	1900, 753	<i>rubensella</i>	1897, 70
<i>annulipes</i>	1900, 754		1897, 71
<i>cultrimanus</i>	1900, 754	<i>sella</i>	1897, 72
<i>dussumieri</i>	1900, 753	<i>sphenophora</i>	1897, 73
<i>nitidus</i>	1900, 754	<i>translucida</i>	1897, 73
<i>perplexus</i>	1900, 754	(<i>Anacampsis</i>) <i>glandiferella</i>	1897, 72
<i>tetragonon</i>	1900, 754	(<i>Bryotrophia</i>) <i>bosquella</i>	1897, 75
<i>vocans</i>	1900, 595	(<i>Ergatis</i>) <i>pudibundella</i>	1897, 66
	1900, 754	(—) <i>roseosuffusella</i>	1897, 66
<i>Gelasma</i>	1893, 352	(—) <i>rubidella</i>	1897, 70
<i>concolor</i>	1893, 352	(<i>Helcystogramma</i>) <i>observatella</i>	1891, 523
<i>griseoviridis</i>	1893, 353		1897, 83
	1893, 434	(<i>Tachyptilia</i>) <i>desectella</i>	1891, 523
<i>thetydaria</i>	1893, 352		1897, 82
<i>Gelechia</i> sp.	1891, 520	(<i>Teleia</i>) <i>dorsivitella</i> ..	1897, 66
	1891, 545	<i>Gellius varius</i>	1900, 128
<i>animosella</i>	1898, 525	<i>Gelochelidon anglica</i> ..	1899, 510
<i>attenuatella</i>	1891, 519	<i>Gemmaria gemmosa</i> ..	1896, 461
	1891, 545	<i>implexa</i>	1896, 459
	1897, 105		1896, 461
<i>basqueela</i>	1897, 75	<i>Genecerus cervinus</i>	1900, 27
<i>bellela</i>	1897, 66	<i>nebulosus</i>	1900, 26
<i>biniveipunctata</i> ..	1897, 75		1900, 63
<i>bosquella</i>	1897, 75	<i>Genetta</i> sp.	1900, 952
<i>capitella</i>	1897, 74	<i>bonapartei</i>	1900, 301
<i>cinereo-cervina</i> ..	1891, 519	<i>dongolana</i>	1900, 301
	1891, 545	<i>felina</i>	1900, 301
	1897, 85	<i>genetta</i>	1897, 957
<i>costipunctella</i>	1891, 519	<i>genettoides</i>	1900, 301
	1891, 545	<i>pardina</i>	1894, 357
	1897, 75		1895, 435
<i>crocipunctella</i>	1897, 75	<i>senegalensis</i>	1894, 391
<i>donatella</i>	1891, 519	<i>tigrina</i>	1892, 97
	1897, 75		1893, 726
<i>dorsivitella</i>	1897, 66		1896, 792
<i>exclarella</i>	1891, 519		1897, 372
	1891, 545		1897, 385
	1897, 75		1897, 387
<i>flammulella</i>	1897, 72		1897, 388
<i>glandiferella</i>	1897, 72		1897, 400
<i>gudmannella</i>	1897, 77		1898, 153
<i>intermediella</i>	1897, 66		1898, 155
<i>jamaicensis</i>	1897, 76		
<i>leucocephala</i>	1897, 74		
<i>molitor</i>	1896, 278		
<i>pallidochrella</i>	1897, 72		
<i>perspicua</i>	1897, 72		
<i>postpallescens</i>	1897, 76		

	Page		Page
<i>Genetta tigrina</i>	1898, 392	<i>Geomalacus maculosus</i> ..	1894, 527
	1899, 553	<i>Geometra argentata</i>	1895, 944
	1900, 301	<i>basiplaga</i>	1896, 645
<i>vulgaris</i>	1897, 372	<i>cincta</i>	1892, 133
	1897, 378	<i>laterata</i>	1898, 734
	1897, 385	<i>sebenaria</i>	1892, 131
	1897, 387	<i>submonstrans</i>	1892, 133
	1897, 388	<i>Geomys hispidus</i>	1894, 356
	1897, 396	<i>Geophagus duodecim-</i>	
	1897, 407	<i>spinosus</i>	1895, 524
	1898, 153	<i>Geophaps plumifera</i> ..	1893, 614
	1898, 155	<i>scripta</i>	1892, 76
	1898, 159		1895, 77
<i>Geniadophora extranea</i> ..	1897, 71	<i>smithi</i>	1897, 430
<i>Genidens cuvieri</i>	1891, 234	<i>Geophilus ferrugineus</i> ..	1892, 27
<i>Gennæus andersoni</i>	1900, 504	<i>pusillus</i>	1892, 26
<i>nycthemerus</i>	1900, 504	<i>Geophis albonuchalis</i> ..	1897, 222
<i>whiteheadi</i>	1900, 460	<i>lineatus</i>	1894, 506
	1900, 461		1894, 513
	1900, 503		1894, 518
	1900, 504	<i>tecpanecus</i>	1898, 539
<i>Genussa altaba</i>	1893, 297		1898, 540
<i>cluaca</i>	1893, 297	<i>Geopsittacus</i>	1899, 42
	1893, 310	<i>Georissa bangueyensis</i> ..	1895, 100
<i>Genyodonta quadri-</i>			1895, 125
<i>cornis</i>	1893, 740		1895, 127
<i>Genyomyrus</i>	1898, 780	<i>borneensis</i>	1895, 126
	1898, 820		1895, 127
<i>donnyi</i>	1898, 777	<i>everetti</i>	1895, 125
	1898, 820		1895, 127
<i>Genyornis newtoni</i>	1897, 266	<i>flavescens</i>	1895, 126
<i>Genypterus blacodes</i> ..	1899, 489		1895, 127
	1899, 494	<i>monterosatiana</i>	1891, 346
<i>Geocarcinus ruricola</i> ..	1891, 486		1894, 155
<i>Geocichla citrina</i>	1900, 305	<i>pyxis roepstorffi</i> ..	1895, 445
	1900, 473	<i>samuiana</i>	1894, 155
<i>piaggiae</i>	1900, 606	<i>semisculpta</i>	1891, 346
<i>semensis</i>	1895, 484	<i>Georychus capensis</i>	1894, 356
<i>Geococcyx californianus</i> ..	1898, 48		1896, 160
<i>Geocoris lividipennis</i> ..	1893, 705		1897, 701
<i>Geomyda grandis</i>	1899, 600		1899, 435
	1899, 602	<i>darlingi</i>	1896, 805
	1899, 615		1896, 808
<i>spinosa</i>	1896, 859	<i>hottentottus</i>	1896, 808
	1896, 860		1897, 432
	1899, 602	<i>nimrodi</i>	1896, 808
	1899, 614		1897, 432
<i>Geoffroyus</i>	1899, 34	<i>ochraceo-cinereus</i> ..	1895, 342
	1899, 35	<i>pallidus</i>	1892, 552
	1899, 36	<i>whytei</i>	1897, 432
	1899, 44		1897, 926
	1899, 45		1897, 937
<i>Geogenia natalensis</i>	1891, 174	<i>Geosciurus capensis</i>	1897, 933
<i>Geograpsus grayi</i>	1900, 569	<i>Geositta crassirostris</i> ..	1892, 398
	1900, 570		1892, 403
	1900, 593	<i>cunicularia</i>	1891, 134
<i>rubidus</i>	1900, 593		1892, 405
<i>Geomalacus maculosus</i> ..	1891, 221	— <i>juninensis</i>	1896, 370

	Page		Page
<i>Geositta frobeni</i>	1891, 132	<i>Gerbillus famulus</i>	1895, 551
	1891, 134		1895, 553
	1896, 370		1900, 102
<i>maritima</i>	1892, 398	<i>gerbillus</i>	1895, 550
	1892, 404		1895, 551
	1892, 409		1900, 95
<i>peruviana</i>	1892, 381		1900, 102
	1892, 386	<i>gleadowi</i>	1900, 102
	1892, 403	<i>leucogaster</i>	1892, 550
	1892, 406		1896, 806
	1892, 409	<i>montanus</i>	1892, 550
<i>saxicolina</i>	1896, 370	<i>murinus</i>	1900, 89
<i>tenuirostris</i>	1896, 371	<i>namaquensis</i>	1896, 802
<i>Geothlypis auricularis</i> ..	1892, 374	<i>nanus</i>	1894, 450
	1892, 403		1895, 550
	1892, 408		1895, 551
<i>Geotomus spinolai</i>	1894, 171		1900, 102
<i>Geotrochus bantamensis</i> ..	1892, 464	<i>persicus</i>	1895, 551
<i>niahensis</i>	1892, 464	<i>pœcilops</i>	1895, 550
<i>perakensis</i>	1891, 334		1900, 101
<i>Geotrypetes petersii</i> ..	1895, 408	<i>quadrinaculatus</i> ..	1895, 550
	1895, 414		1895, 551
<i>seraphini</i>	1895, 408	<i>shawi</i>	1892, 10
<i>Gephyra cynisca</i>	1897, 645		1896, 160
<i>difficilis</i>	1897, 645		1897, 958
<i>getusalis</i>	1897, 644	<i>simoni</i>	1895, 550
	1897, 645	<i>validus</i>	1892, 550
<i>pomponius</i>	1897, 645	(<i>Dipodillus</i>) <i>dasy-</i>	
<i>pusilla</i>	1897, 645	<i>urus</i>	1894, 450
<i>Gephyrina alba</i>	1897, 876	(—) <i>lixa</i>	1895, 550
<i>insularis</i>	1897, 876	(—) <i>pœcilops</i> ..	1895, 549
<i>Geranoaëtus melano-</i>		(<i>Gerbilliscus</i>)	
<i>leucus</i>	1892, 388	<i>böhmi</i>	1897, 935
	1892, 408	(—) <i>fraterculus</i> ..	1898, 392
<i>Geranospizias cæru-</i>		(<i>Hendecapleura</i>)	
<i>lescens</i>	1900, 305	<i>famulus</i>	1895, 551
<i>Gerardia lamarki</i>	1899, 814	(—) <i>garamantis</i> ..	1895, 551
<i>Gerbillus sp.</i>	1900, 102	(<i>Tatera</i>) <i>afer</i>	1892, 549
<i>afer</i>	1892, 550	(—) <i>leucogaster</i> ..	1897, 935
	1893, 502	(—) <i>phillipsi</i>	1898, 765
	1896, 608	<i>Geroda xenuesalis</i>	1896, 641
	1896, 793	<i>Geronticus albicollis</i> ..	1892, 393
	1896, 800	<i>melanopsis</i>	1892, 391
	1898, 392	(<i>Theristicus</i>) <i>cauda-</i>	
<i>boehmi</i>	1892, 550	<i>tus</i>	1892, 393
	1897, 430	(—) <i>melanopsis</i> ..	1892, 391
	1897, 423	<i>Gerra hyelosoides</i>	1896, 647
	1898, 392	<i>Gerres argenteus</i>	1891, 356
	1898, 393	<i>rhombus</i>	1891, 356
<i>botte</i>	1895, 550	<i>Gerrhonotus monti-</i>	
	1895, 551	<i>cola</i>	1898, 916
<i>campestris</i>	1892, 9	<i>Gerrhosaurus flavi-</i>	
	1895, 549	<i>gularis</i>	1893, 618
	1895, 551		1897, 800
	1897, 958	<i>nigrolineatus</i>	1897, 449
<i>dasyurus</i>	1895, 550	<i>Gerris marginatus</i>	1894, 212
	1895, 551	<i>Gerydus ancon</i>	1895, 559
	1900, 102	<i>biggsii</i>	1892, 617

	Page		Page
<i>Gerydus biggsii</i>	1892, 618	<i>Giraffa camelopardalis</i> ..	1900, 953
	1895, 557	— <i>capensis</i>	1898, 41
	1895, 560		1899, 595
<i>boisduvali</i>	1892, 618	— <i>peralta</i>	1898, 40
	1895, 561	— <i>typica</i>	1898, 41
	1896, 652		1898, 587
<i>croton</i>	1892, 618	<i>capensis</i>	1897, 277
<i>gigantes</i>	1895, 559		1897, 279
	1895, 560		1897, 281
<i>gigas</i>	1895, 557		1899, 985
	1895, 559	<i>microdon</i>	1891, 317
	1895, 626	<i>parva</i>	1891, 317
<i>gopara</i>	1892, 617		1891, 320
	1895, 560	<i>sivalensis</i>	1891, 316
<i>heracleon</i>	1892, 617	<i>vetusta</i>	1891, 317
<i>improbis</i>	1896, 651	(<i>Camelopardalis</i>)	
	1896, 682	<i>biturigum</i>	1891, 316
<i>innocens</i>	1895, 557	<i>Girasia</i> sp.	1895, 449
	1895, 560	<i>crocea</i>	1891, 225
	1895, 626	<i>depressa</i>	1891, 225
	1896, 651	<i>Girira philomela</i>	1892, 329
<i>irroratus</i>	1895, 561	<i>tecMESSa</i>	1892, 329
— <i>assamensis</i>	1892, 618	<i>Gisira endeisalis</i>	1896, 642
<i>leos</i>	1896, 652	<i>Gizama anticalis</i>	1896, 649
<i>maximus</i>	1896, 652	<i>Glabaris exotica</i>	1899, 514
<i>petronius</i>	1895, 557	<i>Glandina boivini</i>	1899, 587
	1895, 559	<i>Glandulina abbreviata</i> ..	1894, 652
	1895, 560	<i>globulus</i>	1894, 652
<i>philippus</i>	1895, 557	<i>obtusissima</i>	1894, 652
	1895, 561	<i>Glanycus insolitus</i>	1897, 608
<i>symethus</i>	1892, 617	<i>tricolor</i>	1897, 608
	1895, 557	<i>Glareola ocularis</i>	1892, 581
	1895, 559	<i>Glaucidium ferox</i>	1892, 388
	1895, 560	<i>perlatum</i>	1895, 504
<i>vincula</i>	1895, 557	<i>phalænoides</i>	1892, 388
	1895, 561		1892, 408
	1895, 626	<i>whitelyi</i>	1892, 488
<i>Geryonia appendiculata</i> ..	1896, 495	<i>Glaucis hirsuta</i>	1899, 515
<i>planata</i>	1896, 488	<i>Glauconia albifrons</i>	1894, 517
<i>Ghoria nigricostata</i>	1894, 583		1895, 704
	1894, 593	<i>cairi</i>	1895, 968
<i>Gibbium scotias</i>	1898, 324	<i>distanti</i>	1897, 800
<i>Ginæa removens</i>	1892, 128	<i>Glaucônôë</i>	1899, 252
<i>Giphonogaster millsonia</i> ..	1894, 379	<i>atrigenalis</i>	1899, 260
<i>Giraffa</i>	1900, 156	<i>fuscescens</i>	1899, 256
	1900, 161	<i>Glaucopsis iridea</i>	1893, 676
	1900, 164	<i>Glaucopteryx punctatis-</i>	
<i>attica</i>	1891, 317	<i>sima</i>	1893, 365
<i>australis</i>	1897, 276	<i>stellata</i>	1893, 367
	1897, 278	<i>viridis</i>	1893, 368
<i>camelopardalis</i>	1891, 316	<i>Glessula cornea</i>	1892, 469
	1897, 275	<i>javanica</i>	1892, 469
	1897, 276	<i>philippinensis</i>	1892, 469
	1897, 277	<i>sumatrana</i>	1892, 469
	1897, 279	<i>wallacei</i>	1892, 469
	1897, 280	<i>Globicera pacifica</i>	1896, 935
	1898, 39	<i>Globigerina</i> sp.	1898, 1028
	1898, 40	<i>æquilateralis</i>	1895, 37

	Page		Page
<i>Globigerina æquilater-</i>		<i>Glyphidocera audax</i>	1891, 547
<i>alis</i>	1895, 53		1891, 548
<i>bulloides</i>	1895, 36		1897, 97
	1895, 53		1897, 98
	1898, 1028	<i>dominicella</i>	1897, 97
	1898, 1029	<i>recticostella</i>	1897, 97
— <i>triloba</i>	1895, 36	<i>Glyphipteryx bergstræ-</i>	
	1895, 53	<i>serella</i>	1897, 119
<i>conglobata</i>	1895, 37	<i>caudatella</i>	1897, 119
	1895, 53	<i>linneella</i>	1897, 118
<i>cretacea</i>	1895, 77		1897, 119
	1895, 53	<i>paradisea</i>	1897, 119
<i>digitata</i>	1895, 37	<i>Glyphisodon saxatilis</i> ..	1899, 443
	1895, 53	<i>zillii</i>	1899, 119
<i>dubia</i>	1895, 37	<i>Glyphodes</i>	1898, 598
	1895, 53		1898, 731
<i>pachyderma</i>	1898, 1028	<i>actorionalis</i>	1898, 742
	1898, 1029	<i>advenalis</i>	1898, 734
<i>rubra</i>	1895, 37	<i>æqualis</i>	1898, 733
	1895, 53	<i>agathalis</i>	1898, 744
<i>sacculifera</i>	1895, 37	<i>albiceps</i>	1898, 733
	1895, 53	<i>albicincta</i>	1898, 737
<i>seminulina</i>	1895, 38	<i>albifuscalis</i>	1898, 442
<i>Globiocephalus svineval.</i>	1891, 178		1898, 739
<i>Globulina fusiformis</i> ..	1895, 34		1898, 761
<i>Gloiopotes huttoni</i>	1899, 458	<i>alitalis</i>	1898, 743
<i>hygomianus</i>	1899, 458	<i>amphitritalis</i>	1898, 741
<i>Glomeris connexa</i>	1892, 27	<i>annulata</i>	1898, 740
<i>conspersa</i>	1892, 27	<i>arachnealis</i>	1898, 735
<i>flavo-maculata</i>	1892, 27	<i>argealis</i>	1898, 738
<i>fusco-marmorata</i> ..	1892, 27	<i>arguta</i>	1898, 737
<i>Glossina divitalis</i>	1892, 129	<i>auricollis</i>	1898, 737
<i>longipennis</i>	1900, 9	<i>aurrocostalis</i>	1898, 733
	1900, 10	<i>ausonia</i>	1898, 740
<i>morsitans</i>	1894, 3	<i>badialis</i>	1898, 736
<i>tabaniformes</i>	1900, 10	<i>baldersalis</i>	1898, 735
<i>tachinoides</i>	1900, 10	<i>basifascialis</i>	1898, 743
<i>Glossonycteris geoffroyi.</i>	1893, 335		1898, 761
<i>lasiopyga</i>	1893, 335	<i>batesi</i>	1898, 747
<i>Glossophaga soricina</i> ..	1893, 335	<i>bicolor</i>	1898, 742
<i>Glossopsittacus</i> sp.	1899, 20	<i>bipunctalis</i>	1898, 747
<i>Glossotherium</i>	1900, 64	<i>bivitalis</i>	1898, 731
	1900, 73		1898, 743
	1900, 74	<i>bonjongalis</i>	1898, 739
	1900, 77	<i>boseæ</i>	1898, 748
<i>Glottis nebularius</i>	1900, 497	<i>cæsalis</i>	1898, 747
<i>Glottula orientalis</i>	1896, 259	<i>calidalis</i>	1898, 644
<i>Glutophrissa contracta</i> .	1894, 350	<i>callizona</i>	1898, 742
	1894, 578	<i>canthusalis</i>	1898, 747
	1897, 853	<i>celsalis</i>	1898, 740
	1898, 413	<i>chilka</i>	1898, 747
	1900, 935	<i>columbiana</i>	1898, 738
<i>flavida</i>	1898, 413	<i>cnclusalis</i>	1898, 742
<i>malatha</i>	1898, 413	<i>confinis</i>	1898, 735
<i>saba</i>	1893, 666	<i>conjunctalis</i>	1898, 741
— <i>contracta</i>	1899, 978	<i>consocialis</i>	1898, 742
<i>Glyphidocera</i>	1891, 531	<i>cosmarcha</i>	1898, 748
<i>audax</i>	1891, 531	<i>crameralis</i>	1898, 736

	Page
Glyphodes crithealis ..	1898, 747
cumalis	1898, 736
cupripennalis	1898, 740
deliciosa	1898, 742
dermatialis	1898, 632
diurnalis	1898, 742
dohrni	1898, 736
doleschali	1898, 741
dysallactalis	1898, 744
ectargyalis	1898, 744
	1898, 761
elealis	1898, 442
	1898, 739
elegans	1898, 737
eribotesalis	1898, 741
ernalis	1898, 742
eumeusalis	1898, 735
eurytusalis	1898, 743
evippealis	1898, 747
exaula	1898, 741
excelsalis	1898, 742
exclusalis	1898, 736
fallacialis	1898, 741
fimalis	1898, 736
flavicaput	1898, 733
flavizonalis	1898, 746
flegia	1898, 732
fraterna	1898, 740
fumosalis	1898, 736
fuscicaudalis	1898, 737
glauculalis	1898, 741
heliconialis	1898, 742
hermesalis	1898, 739
hilaralis	1898, 733
hyalinata	1898, 369
	1898, 738
hypomelas	1898, 740
	1898, 761
imitalis	1898, 733
incurvata	1898, 736
indica	1896, 274
	1898, 738
infimalis	1898, 737
innotata	1898, 739
isocelalis	1898, 740
itysalis	1898, 743
jaculalis	1898, 748
jairusalis	1898, 733
lachesis	1898, 741
lacteata	1898, 744
lacustralis	1898, 747
laticostalis	1898, 732
latilimbalis	1898, 736
ledereri	1898, 741
lineata	1898, 736
lora	1898, 747
lucidalis	1898, 737
lustralis	1898, 733

	Page
Glyphodes magdalenæ ..	1898, 738
malayana	1898, 743
margaritalis	1898, 735
margaritaria	1898, 736
marginalis	1899, 222
marginata	1898, 735
marinata	1898, 733
megalopa	1898, 748
metastictalis	1898, 741
microta	1898, 742
minimalis	1898, 742
naralis	1898, 744
negatalis	1898, 733
nervosa	1898, 740
nigricollis	1898, 740
nigripunctalis	1898, 739
nigroviridialis	1898, 738
nilgirica	1898, 741
nitidalis	1898, 737
niveocilia	1898, 738
nyctealis	1898, 743
	1898, 748
oceanitis	1898, 741
ocellata	1898, 739
ochrivitralis	1898, 737
olealis	1898, 737
opalalis	1898, 743
ophiceralis	1898, 732
orbiferalis	1898, 742
parvalis	1898, 742
pedenotata	1898, 742
perfecta	1898, 741
perspectalis	1898, 738
pfeifferæ	1898, 732
phytonalis	1898, 747
picticostalis	1898, 740
pierpersialis	1898, 743
polyzonalis	1898, 744
pomonalis	1898, 741
principalis	1898, 741
prothymalis	1898, 742
pryeri	1898, 746
psittacalis	1898, 733
pulverulentalis	1898, 744
punctalis	1898, 741
punctiferalis	1898, 741
pyloalis	1898, 746
quadrifascialis	1898, 744
quadrinaculalis	1898, 742
quadristigmalis	1898, 739
reductalis	1898, 741
rutilalis	1896, 649
sabacusalis	1898, 743
satanalis	1898, 736
sectinotalis	1898, 734
	1898, 761
seminigralis	1898, 734
serenalis	1898, 747

	Page		Page
Glyphodes sericea.....	1898, 734	Gnamptonyx vilis	1896, 264
	1900, 971		1896, 529
sibillalis.....	1898, 747		1900, 19
sinuata	1896, 853	Gnaphosa anglica.....	1898, 489
	1898, 443	leporina.....	1898, 489
	1898, 747	molesta	1898, 488
spectandalis	1898, 747		1898, 489
spurcalis	1898, 740	Gnathaster dilatatus ..	1893, 260
stenocraspis	1898, 442	elongatus	1893, 261
	1898, 444	grayi	1893, 261
	1898, 739	meridionalis	1893, 262
stolalis	1898, 744	miliaris	1893, 262
streptostigma	1898, 745	paxillosus	1893, 262
	1898, 761	pilulatus	1893, 262
suavis.....	1896, 649	singularis	1893, 262
	1898, 749	Gnathonemus	1898, 780
superalis	1898, 737		1898, 801
suralis	1898, 738	bentleyi	1898, 801
syleptalis	1898, 740		1898, 804
	1898, 761	curvirostris	1898, 802
talangalis	1898, 743		1898, 811
	1898, 761	cyprinoides	1898, 777
terminalis	1898, 736		1898, 801
testudinalis	1898, 728		1898, 805
thetydalis	1898, 741	elephas	1898, 802
translucidalis	1898, 737		1898, 809
tricoloralis	1898, 733		1898, 810
tritonalis	1898, 741	greshoffi.....	1898, 802
tumidalis	1898, 742	livingstonii	1898, 801
umbria	1898, 746		1898, 803
	1898, 761	longibarbis	1898, 801
uncinalis	1898, 651		1898, 802
unionalis	1896, 274		1898, 803
	1898, 739	macrolepidotus....	1898, 801
univocalis	1898, 636		1898, 804
vertumnalis	1898, 735	mento	1898, 801
violalis	1898, 742		1898, 807
warrenalis	1898, 739	mirus	1898, 802
westermanni	1898, 742		1898, 810
zambesalis.....	1898, 738	monteiri.....	1898, 801
zangisalis	1898, 734		1898, 807
zelimalis	1898, 743	moorii	1898, 801
zelleri.....	1898, 742		1898, 803
Glyphoglossus mo-		niger	1898, 801
lossus	1892, 348		1898, 802
Glypholytus	1893, 629	numenius	1898, 802
bicolor	1893, 629		1898, 811
whytii	1897, 800	petersii	1898, 801
	1897, 802		1898, 808
	1897, 803	rhyncophorus	1898, 777
Glyphorhynchus cune-			1898, 802
atus castelnaui ..	1896, 376		1898, 810
Glypsus sparsus	1900, 817		1898, 821
	1900, 823	senegalensis	1898, 801
	1900, 825		1898, 806
Glyptodon.....	1899, 145		1900, 512
Glyptosaurus rugosus ..	1891, 116	stanleyanus	1898, 801
Gnamptonyx trefoliata .	1898, 423		1898, 806

	Page		Page
<i>Gnathonemus tamandua</i> ..	1898, 777	<i>Gomalia elma</i>	1899, 974
	1898, 802	<i>litoralis</i>	1893, 67
	1898, 809	<i>Gonatas divergens</i>	1893, 705
<i>usscheri</i>	1898, 802		1894, 188
	1898, 808	<i>Gonatodes affinis</i>	1898, 455
<i>Gnesia perenna</i>	1894, 338		1898, 913
<i>Gnophodes diversa</i>	1893, 645		1899, 600
	1894, 23		1899, 603
	1896, 821		1899, 627
	1898, 50	<i>africanus</i>	1898, 913
	1900, 914	<i>kendallii</i>	1896, 863
<i>Gnophria furcifasciata</i> ..	1895, 268		1896, 864
	1895, 270		1899, 602
<i>Gobiesox cephalus</i>	1891, 356		1899, 627
	1891, 557	<i>ornatus</i>	1896, 863
<i>Gobius banana</i>	1891, 356	<i>penangensis</i>	1896, 857
<i>giurus</i>	1897, 427		1896, 863
	1899, 940		1896, 914
<i>jozo</i>	1899, 493		1898, 455
<i>latifrons</i>	1897, 427		1899, 600
	1897, 429		1899, 627
<i>minutus</i>	1898, 308	<i>vittatus</i>	1894, 511
	1898, 313	<i>Gonatosphæra</i>	1894, 651
<i>niger</i>	1898, 313	<i>prolata</i>	1894, 651
<i>paganellus</i>	1898, 307		1894, 653
	1898, 308	<i>Gonepteryx rhamni</i>	1894, 134
<i>ruthensparri</i>	1898, 298	<i>zaneeka</i>	1891, 251
	1898, 302	<i>Gongylus gongyloides</i> ..	1900, 846
	1898, 313	<i>Goniastrea</i>	1899, 157
<i>sarasinorum</i>	1897, 427		1899, 746
	1897, 429	<i>auricularis</i>	1900, 124
<i>Godartia wakefieldii</i> ..	1894, 565	<i>eximia</i>	1899, 747
	1896, 825	<i>planulata</i>	1900, 125
	1898, 399	<i>retiformis</i>	1900, 123
<i>Goliathus albosignatus</i> ..	1893, 739		1900, 124
	1893, 740	<i>solida</i>	1899, 747
<i>druryi</i>	1893, 613	<i>Goniloba cretacea</i>	1896, 47
	1893, 691	<i>ravi</i>	1892, 654
	1894, 135	<i>sena</i>	1892, 648
	1895, 139	<i>tityrus</i>	1895, 138
	1898, 81	<i>xanthaphes</i>	1893, 119
	1899, 294	<i>Goniocaphyra truncati-</i>	
<i>kirkianus</i>	1893, 740	<i>frons</i>	1900, 568
<i>Golunda ellioti</i>	1892, 552		1900, 577
<i>fallax</i>	1892, 552	<i>Gonioctena variabilis</i> ..	1894, 391
	1893, 502		1895, 850
	1896, 794		1895, 851
	1896, 804		1895, 859
	1897, 937	<i>Goniodiscus</i> sp.	1894, 403
<i>Gomalia albofasciata</i> ..	1893, 44	<i>articulatus</i>	1900, 289
	1893, 67		1900, 294
	1896, 26	<i>rugosus</i>	1894, 396
	1896, 255		1894, 403
<i>elma</i>	1893, 67	<i>scaber</i>	1900, 294
	1896, 26	<i>singularis</i>	1893, 262
	1896, 255	<i>verrucosus</i>	1893, 262
	1896, 256	<i>Gonionotophis brus-</i>	
	1896, 528	<i>sauxi</i>	1900, 452
	1899, 426	<i>Gonionotus vossii</i>	1900, 452

	Page		Page
Goniopora	1900, 123	Gonodela zombina	1893, 683
Goniorhynchus	1898, 595		1896, 853
	1898, 704	Gonodiscus	1898, 594
butyrosa	1898, 705		1898, 606
exemplaris	1898, 705	amplalis	1898, 606
flaviguttalis	1898, 705	australiensis	1898, 606
gratalis	1898, 706		1898, 761
marasmialis	1898, 706	Gonodonta ditissima ..	1896, 639
obliquistriga	1899, 205	hesione	1898, 368
obscurus	1898, 704	Gonodontis clelia	1893, 398
pectinalis	1898, 705	vinosa	1893, 398
philenorialis	1898, 706		1893, 434
plumbeizonalis	1898, 704	Gonomita postica	1892, 194
	1898, 705		1894, 134
Goniosoma affine	1900, 747	Gonora heliconiata	1893, 297
cruciferum	1900, 748		1896, 647
Gonioterma	1897, 101	paphia	1893, 296
isabella	1897, 101		1893, 310
parvillum	1897, 101	Gonorhynchus greyi ..	1896, 504
Gonozus incompletus ..	1895, 787	Gonospiras modiolus ..	1893, 633
nigrifemur	1895, 787	Gonothyris	1895, 901
Gonitis editrix	1896, 639	hyaloplaga	1895, 902
exaggerata	1896, 648	Gonyocephalus borne-	
involuta	1898, 425	ensis	1896, 870
propinqua	1896, 263		1899, 603
reversa	1896, 648		1899, 637
sabulifera	1898, 425	boydii	1894, 723
Goniurus aurunce	1893, 20	dilophus	1898, 914
cælus	1893, 17	geelvinkianus	1898, 914
	1893, 20	grandis	1892, 505
coscinia	1896, 520		1896, 871
talus	1896, 519		1899, 603
Gonocausta zephyralis ..	1899, 285		1899, 637
Gonodactylus chiragra ..	1898, 33	harveyi	1896, 870
	1898, 34		1899, 603
	1898, 35		1899, 637
	1898, 36	Gonyophis margaritatus.	1892, 506
	1898, 38		1896, 883
— smithii	1898, 33		1899, 605
	1898, 35		1899, 669
	1898, 38	Gonyosoma dorsale	1891, 632
espinosus	1898, 33	margaritatum	1899, 669
	1898, 35	Goodia hollandi	1898, 430
	1898, 38		1898, 444
glaber	1898, 36	nubilata	1898, 430
glabrous	1898, 33	Goodsirea mirabilis	1896, 493
	1898, 36	Goossensia cinnamo-	
graphurus	1898, 36	mealis	1897, 683
oerstedii	1898, 35	darabitalis	1897, 664
	1898, 38	prasinalis	1897, 643
scyllarus	1898, 36	Gopha mixtipennis	1896, 647
smithii	1898, 34	Gora æqualis	1896, 650
	1898, 35	Gorama strenuella	1899, 288
trispinosus	1898, 34	Gordiodrilus tenuis	1892, 359
Gonodela brongusaria ..	1893, 683	Gorgyra	1896, 31
kilimanjarensis	1893, 683	aburæ	1896, 31
maligna	1893, 683		1896, 32
sufflata	1898, 433		1896, 33

	Page		Page
<i>Gorgyra aretina</i>	1896, 35	<i>Graphigona antica</i>	1896, 638
<i>diversata</i>	1896, 32	<i>Graphiphora maja</i>	1896, 637
<i>heterochrus</i>	1896, 32	<i>Graphipterus salinæ</i> ..	1893, 747
.....	1896, 34	<i>Graphiurus johnstoni</i> ..	1897, 926
<i>indusiata</i>	1896, 35	1897, 934
<i>johnstoni</i>	1896, 32	<i>microtis</i>	1897, 934
.....	1896, 103	<i>murinus</i>	1897, 934
.....	1896, 841	1897, 935
<i>minima</i>	1896, 32	1900, 174
.....	1896, 33	<i>nanus</i>	1897, 934
.....	1896, 104	<i>parvus</i>	1897, 934
<i>mocquersii</i>	1896, 33	<i>smithii</i>	1897, 934
.....	1896, 104	<i>Grapholitha altheana</i> ..	1897, 127
<i>rubescens</i>	1896, 35	<i>aspidiscana</i>	1897, 130
.....	1896, 104	<i>duodecemstriata</i> ..	1897, 122
<i>subfasciatus</i>	1896, 33	<i>excitana</i>	1891, 505
.....	1896, 103	1891, 543
<i>subflavidus</i>	1896, 34	1897, 129
.....	1896, 104	<i>exvagans</i>	1897, 127
<i>Gorilla engena</i>	1899, 313	<i>hohenwartiana</i>	1897, 130
<i>Gorsachius melano-</i>		<i>livens</i>	1891, 504
<i>lophus</i>	1900, 494	1891, 543
<i>Gorytes greenii</i>	1896, 444	1897, 128
.....	1896, 459	<i>peregrinana</i>	1897, 127
<i>Goura victoriae</i>	1892, 471	<i>pharaonana</i>	1896, 277
<i>Gracilaria æneocapitella</i> ..	1891, 539	1896, 278
.....	1891, 548	<i>strenuana</i>	1897, 126
.....	1897, 152	<i>subapicana</i>	1891, 541
<i>apicepunctella</i>	1891, 540	<i>subversana</i>	1897, 127
.....	1891, 548	(<i>Coptoloma</i>) <i>figu-</i>	
.....	1897, 152	<i>rana</i>	1891, 505
<i>fasciella</i>	1897, 151	1897, 129
<i>leuconota</i>	1891, 539	(<i>Hedya</i>) <i>allutana</i> ..	1897, 124
<i>nesitis</i>	1897, 153	(—) <i>augmentana</i> ..	1891, 502
<i>nolckenii</i>	1897, 151	1897, 123
<i>pulverella</i>	1897, 153	(<i>Pædisca</i>) <i>longipal-</i>	
<i>scalariella</i>	1897, 150	<i>pana</i>	1891, 506
.....	1897, 151	1897, 126
<i>similatella</i>	1897, 152	<i>Grapsillus dentatus</i>	1900, 590
<i>undosa</i>	1897, 153	<i>maculatus</i>	1900, 590
<i>Gracula intermedia</i>	1896, 228	<i>Grapsus maculatus</i>	1900, 116
<i>Graculavus</i>	1899, 784	1900, 569
<i>Grallaria andicola</i>	1896, 385	1900, 570
<i>regulus</i>	1896, 385	1900, 592
<i>rufula</i>	1896, 385	<i>oceanicus</i>	1900, 755
— <i>obscura</i>	1896, 385	<i>ornatus</i>	1900, 592
<i>Graminicola bengalensis</i> ..	1900, 472	<i>pharaonis</i>	1900, 592
<i>striata</i>	1900, 472	<i>pictus</i>	1900, 592
<i>Grammodes geometrica</i> ..	1893, 681	<i>strigosus</i>	1900, 755
<i>stolida</i>	1896, 265	<i>tesselatus</i>	1900, 580
.....	1896, 529	<i>webbi</i>	1900, 592
.....	1898, 422	(<i>Goniopsis</i>) <i>strigo-</i>	
<i>Grampus sp.</i>	1894, 455	<i>sus</i>	1900, 755
<i>Granatina ianthogastra</i> ..	1895, 467	(<i>Pachysoma</i>) <i>quad-</i>	
<i>Grandidieria fierinensis</i> ..	1898, 918	<i>ratus</i>	1900, 756
<i>rubrocaudata</i>	1898, 918	(<i>Sesarma</i>) <i>affinis</i> ..	1900, 756
<i>Grapheia</i>	1894, 767	(<i>Trichopus</i>) <i>littera-</i>	
<i>marmorea</i>	1894, 232	<i>tus</i>	1900, 756

	Page		Page
<i>Graptophara reynaudii</i> ..	1900, 822	<i>Grypothorium darwinii</i> ..	1900, 73
<i>Graucalus macii</i>	1900, 478		1900, 74
<i>purus</i>	1900, 608	<i>domesticum</i>	1900, 64
<i>rex pineti</i>	1900, 478		1900, 382
<i>Grayia furcata</i>	1900, 453	<i>listai</i>	1900, 65
<i>ornata</i>	1900, 453		1900, 74
<i>smithi</i>	1900, 453		1900, 78
<i>Gregarina blattarum</i> ..	1898, 244		1900, 79
<i>Grimmia grimmii</i>	1892, 414	(Neomyiodon)	
<i>irrorata</i>	1892, 428	<i>listai</i>	1900, 64-79
<i>splendidula</i>	1892, 428	<i>Guara rubra</i>	1899, 515
<i>Gromia</i> sp.	1897, 789		1899, 517
<i>Gronotoma insularis</i> ..	1895, 743	<i>Guereza guereza</i>	1898, 587
<i>Grus antigone</i>	1900, 303	<i>occidentalis</i>	1898, 587
<i>carunculata</i>	1896, 506	<i>Gulo</i>	1899, 801
<i>cinerea</i>	1891, 212		1899, 802
	1900, 494	<i>borealis</i>	1894, 358
<i>communis</i>	1896, 311	<i>Gunnellus fasciatus</i>	1899, 488
<i>grus</i>	1896, 311	<i>Gustiana subflexata</i>	1896, 646
	1900, 494		1896, 648
	1900, 964	<i>Gygis candida</i>	1891, 297
<i>lilfordi</i>	1900, 494		1891, 300
<i>monachus</i>	1900, 304	<i>Gymnarchus</i>	1898, 780
<i>nigricollis</i>	1900, 304		1898, 821
<i>pentelica</i>	1893, 517	<i>niloticus</i>	1898, 777
<i>viridirostris</i>	1892, 472		1898, 779
<i>Grylloides guyannensis</i> .	1892, 217		1898, 821
<i>la-platae</i>	1892, 217		1899, 935
<i>poeyi</i>	1895, 895		1900, 512
<i>rufipes</i>	1892, 200		1900, 835
	1892, 217		1900, 969
	1892, 221	<i>Gymnasterias carinifera</i> .	1898, 849
<i>Gryllotalpa didactylus</i> ..	1892, 216	<i>Gymnelia aroa</i>	1894, 225
<i>hexadactyla</i>	1892, 200	<i>bijuncta</i>	1896, 635
	1892, 216	<i>consociata</i>	1896, 635
	1893, 609	<i>serra</i>	1892, 274
<i>Gryllus</i> sp.	1900, 46	<i>simplex</i>	1896, 635
<i>afer</i>	1900, 46	<i>xanthocera</i>	1896, 635
<i>assimilis</i>	1892, 200	<i>Gymnodactylus affinis</i> ..	1896, 862
	1892, 217		1898, 455
	1893, 609		1899, 627
<i>columbinus</i>	1892, 210	<i>baluensis</i>	1894, 722
<i>domesticus</i>	1900, 46	<i>caspius</i>	1891, 629
<i>grylloides</i>	1892, 220		1891, 630
<i>innotabilis</i>	1895, 895	<i>darmandvillii</i>	1898, 913
<i>lugubris</i>	1900, 46	<i>fasciatus</i>	1900, 448
<i>melanocephalus</i> ..	1900, 46	<i>fedtschenkoi</i>	1891, 630
<i>muticus</i>	1892, 217	<i>fumosus</i>	1897, 195
<i>pallens</i>	1892, 210		1897, 198
<i>Grymæomys agilis</i>	1894, 462		1897, 204
<i>Grynopsis</i>	1893, 19		1897, 237
	1893, 42		1898, 913
<i>cœleste</i>	1893, 19	<i>horridus</i>	1898, 913
	1893, 42	<i>jellesmæ</i>	1897, 195
<i>Gryon basicinctus</i>	1895, 796		1897, 198
<i>Grypothorium bona-</i>			1897, 203
<i>erense</i>	1900, 73		1897, 237
<i>darwinii</i>	1900, 64		1898, 913

	Page		Page
<i>Gymnodactylus loriae</i> ..	1898, 913	<i>Gynandrophthalma</i>	
<i>marmoratus</i>	1892, 505	<i>nitidicollis</i>	1898, 219
	1897, 204		1898, 242
	1899, 600	<i>seminigra</i>	1897, 253
	1899, 602	<i>subrugosa</i>	1900, 213
	1899, 626	<i>varipes</i>	1898, 218
<i>peguensis</i>	1894, 722	<i>venustula</i>	1898, 219
<i>pulchellus</i>	1896, 863	<i>Gynanisa isis</i>	1891, 179
	1898, 455		1895, 138
	1899, 602		1899, 293
	1899, 615	<i>maia</i>	1893, 678
	1899, 626		1894, 587
<i>scaber</i>	1891, 630	<i>Gynopteryx rhombaria</i> ..	1896, 644
	1895, 635	<i>seriaria</i>	1896, 644
	1895, 636	<i>telysaria</i>	1896, 644
<i>Gymnopelia erythro-</i>		<i>Gypagrus papa</i>	1894, 163
<i>thorax</i>	1892, 399	<i>Gypogeranus</i>	1899, 11
	1892, 407	<i>Gypona albosignata</i> ..	1895, 74
	1892, 409	<i>angulata</i>	1895, 74
<i>Gymnophthalmus luet-</i>		<i>angustata</i>	1895, 74
<i>kenii</i>	1891, 353	<i>irrorella</i>	1895, 74
<i>pleii</i>	1891, 353	<i>placida</i>	1895, 75
<i>Gymnopis multipli-</i>		<i>Gyps bengalensis</i>	1896, 784
<i>cata</i>	1895, 410	<i>fulvus</i>	1900, 959
<i>oligozona</i>	1895, 410	<i>rueppelli</i>	1892, 471
<i>proxima</i>	1895, 410		1895, 400
<i>sima</i>	1895, 410		1896, 609
<i>unicolor</i>	1895, 410	<i>Gypsina globulus</i>	1895, 44
<i>Gymnopleurus laevis</i> ..	1900, 23		1895, 54
<i>lugens</i>	1900, 23	<i>vesicularis</i>	1900, 141
<i>splendens</i>	1900, 23	<i>Gyptitia</i>	1899, 252
<i>Gymnopus cartilaginea</i> ..	1896, 861	<i>gonialis</i>	1899, 253
	1899, 620	<i>Gyrocoris oxyura</i>	1897, 790
<i>gangeticus</i>	1896, 861	<i>Gyrtodactylus affinis</i> ..	1896, 862
	1899, 620	<i>Gyrtona conglobalis</i> ..	1899, 288
<i>indicus</i>	1896, 861	<i>costella</i>	1899, 288
	1899, 621	<i>divitalis</i>	1899, 288
<i>Gymnorhis pyrgita</i>	1895, 469	<i>dorsalis</i>	1899, 288
<i>Gymnostomus lepturus</i> ..	1899, 961	<i>dorsifascialis</i>	1899, 288
	1899, 962	<i>ferrisiusalis</i>	1899, 288
<i>Gymnura rafflesi</i>	1893, 495	<i>hylusalis</i>	1899, 288
	1894, 356		1899, 289
	1900, 337	<i>inclusalis</i>	1899, 288
<i>suilla</i>	1900, 337	<i>monilalis</i>	1899, 288
<i>Gynacantha</i> sp.	1900, 35	<i>nigrocinerea</i>	1899, 288
<i>Gynandrophthalma as-</i>		<i>pardalina</i>	1899, 288
<i>paltina</i>	1900, 213	<i>proximalis</i>	1899, 288
<i>atripennis</i>	1897, 253	<i>rotundalis</i>	1899, 288
<i>babioides</i>	1898, 219	<i>semicarbonalis</i>	1899, 288
<i>basipennis</i>	1898, 218	<i>spilalis</i>	1899, 288
<i>bicolor</i>	1898, 217	<i>strenualis</i>	1899, 288
<i>deyrollei</i>	1898, 218	<i>suffusa</i>	1899, 288
<i>elongata</i>	1897, 252	<i>thoracica</i>	1899, 288
<i>foveiceps</i>	1900, 214		
<i>haemorrhoidalis</i> ..	1898, 218	<i>Habropyga frenata</i>	1895, 466
<i>incerta</i>	1898, 219	<i>Habrothrix hydrobates</i> .	1893, 338
<i>marginicollis</i>	1900, 213	<i>lasiurus</i>	1897, 716
<i>miochiroides</i>	1897, 252		1897, 717
<i>natalensis</i>	1897, 253	<i>longipilis</i>	1893, 339

	Page		Page
<i>Habrothrix olivaceus</i> ..	1894, 308	<i>Halesa glauca</i>	1896, 644
<i>Hadena littoralis</i>	1892, 125	<i>Haliaëtus albicilla</i>	1896, 148
<i>opima</i>	1896, 650	<i>branickii</i>	1891, 374
<i>pennitarsis</i>	1896, 639		1892, 173
<i>subapicalis</i>	1896, 648		1892, 174
<i>subjecta</i>	1896, 638		1893, 613
<i>tessellata</i>	1896, 639		1893, 614
<i>vacillans</i>	1896, 639		1894, 457
<i>Hadra agnocheilus</i>	1892, 465		1896, 784
<i>doriæ</i>	1892, 462		1897, 812
	1892, 465		1897, 813
<i>lacteolata</i>	1892, 465		1898, 280
<i>lagunæ</i>	1892, 462	<i>leucogaster</i>	1894, 495
<i>monochroa</i>	1892, 462	<i>pelagicus</i>	1891, 374
<i>palawanica</i>	1892, 462		1892, 173
	1892, 464		1892, 174
<i>palumba</i>	1892, 462		1894, 457
<i>plurizonata</i>	1892, 465		1897, 813
<i>polychroa</i>	1892, 463		1900, 305
	1892, 464	<i>vocifer</i>	1895, 508
	1892, 465		1900, 959
<i>trailli</i>	1892, 462	<i>vociferoides</i>	1894, 108
	1892, 464	<i>Halicarcinus</i>	1900, 521
<i>Hadronotus agilis</i>	1895, 799	<i>ovatus</i>	1900, 522
<i>atrocoxalis</i>	1895, 799		1900, 523
<i>grenadensis</i>	1895, 800		1900, 524
<i>rugosithorax</i>	1895, 799		1900, 525
<i>Hæmatia</i>	1899, 252		1900, 526
<i>panopealis</i>	1896, 642		1900, 567
<i>Hæmatopus ater</i>	1892, 400	<i>planatus</i>	1900, 522
<i>ostralegus</i>	1894, 495		1900, 523
<i>Hæmatorithra rubri-</i>			1900, 524
<i>fasciata</i>	1896, 85		1900, 525
	1898, 435		1900, 526
<i>Hæmobaphes cyclopte-</i>			1900, 567
<i>rinus</i>	1899, 488	<i>tridentatus</i>	1900, 522
<i>Hæmophila pulchra</i>	1892, 398		1900, 523
	1892, 402	<i>Halicarion borneensis</i> ..	1891, 24
<i>Hæmulon elegans</i>	1899, 448	<i>Halichoerus gryphus</i> ..	1897, 436
<i>Hagedashia hagedash</i> ..	1895, 512	<i>Halichondria solida</i>	1900, 128
	1897, 189		1900, 139
	1900, 961	— <i>rugosa</i>	1900, 128
<i>Hahnia ernsti</i>	1897, 888		1900, 139
<i>Halastus divitiosus</i>	1898, 424	<i>Halicore australis</i>	1893, 592
<i>Halcyon chelicutensis</i> ..	1895, 497		1897, 351
	1900, 2	<i>dugong</i>	1893, 496
<i>chelicuti</i>	1895, 498		1895, 555
<i>pallidiventris</i>	1899, 715		1897, 351
<i>pileatus</i>	1900, 488		1900, 377
<i>rufa</i>	1896, 605	<i>indicus</i>	1900, 377
<i>semicæruleus</i>	1895, 497	<i>tabernaculi</i>	1897, 351
<i>senegalensis</i>	1894, 599	<i>Halictus agrestis</i>	1896, 451
	1894, 602	<i>amitinus</i>	1896, 452
	1894, 605	<i>amœnus</i>	1896, 451
	1894, 606	<i>timidus</i>	1896, 452
<i>smyrnensis</i>	1900, 488	<i>vernalis</i>	1896, 452
<i>tschelicutensis</i>	1895, 497	<i>Haligenes</i>	1899, 105
<i>Halesa ænetusaria</i>	1896, 644	<i>guineensis</i>	1899, 124

	Page		Page
<i>Haligenes tristrani</i>	1899, 120	<i>Halpe cerata</i>	1893, 109
<i>Halisidota antica</i>	1896, 637	<i>ceylonica</i>	1893, 109
<i>apicalis</i>	1896, 637	<i>decorata</i>	1893, 109
<i>basipennis</i>	1896, 637	<i>dolopia</i>	1892, 653
<i>binotata</i>	1896, 637	<i>fusca</i>	1892, 653
<i>breviuscula</i>	1896, 637	<i>gupta</i>	1892, 664
<i>catenata</i>	1896, 637	<i>homolea</i>	1893, 109
<i>cingulata</i>	1896, 637	<i>honorei</i>	1893, 109
<i>corticea</i>	1896, 637	<i>hyrie</i>	1892, 653
<i>discalis</i>	1896, 637	<i>jacchus</i>	1893, 168
<i>disciplaga</i>	1896, 637	<i>lugens</i>	1893, 169
<i>flavescens</i>	1896, 637	<i>lugens</i>	1893, 673
<i>laroipa</i>	1893, 288	<i>malthina</i>	1896, 66
<i>lineata</i>	1894, 230	<i>masoni</i>	1893, 672
<i>niveigutta</i>	1896, 637	<i>moorei</i>	1893, 109
<i>oruba</i>	1892, 280	<i>moorei</i>	1893, 110
<i>pagana</i>	1894, 230	<i>nigerrima</i>	1893, 131
<i>pandama</i>	1893, 288	<i>nigerrima</i>	1893, 672
<i>semirufa</i>	1893, 310	<i>nigerrima</i>	1896, 72
<i>semivaria</i>	1896, 637	<i>nigerrima</i>	1896, 73
<i>sesia</i>	1893, 288	<i>nigerrima</i>	1896, 132
<i>Halitherium angusti-</i>		<i>radians</i>	1893, 6
<i>frons</i>	1892, 78	<i>separata</i>	1892, 653
<i>bellunense</i>	1892, 78	<i>sikkima</i>	1892, 653
<i>curvidens</i>	1892, 78	<i>sikkima</i>	1893, 109
<i>schinzi</i>	1892, 78	<i>sitala</i>	1893, 109
<i>schinzi</i>	1892, 81	<i>varia</i>	1893, 109
<i>schinzi</i>	1892, 82	<i>zema</i>	1892, 653
<i>schinzi</i>	1892, 83	<i>zema</i>	1893, 109
<i>veronense</i>	1892, 78	<i>Halticella</i>	1899, 357
<i>veronense</i>	1892, 83	<i>flavopustulata</i>	1899, 358
<i>Hallomys audeberti</i>	1897, 712	<i>Halticus minutus</i>	1894, 195
<i>Halmariphus didel-</i>		<i>uhleri</i>	1894, 195
<i>phoides</i>	1899, 559	<i>Halyomorpha picus</i>	1900, 823
<i>guaraniticus</i>	1899, 560	<i>Halys alternans</i>	1900, 809
<i>Halmaturus bennetti</i>	1891, 142	<i>alternans</i>	1900, 820
<i>bennetti</i>	1891, 144	<i>apicalis</i>	1900, 820
<i>bennetti</i>	1895, 134	<i>assimilis</i>	1900, 809
<i>bennetti</i>	1895, 135	<i>assimilis</i>	1900, 820
<i>bennetti</i>	1895, 136	<i>carolinensis</i>	1900, 823
<i>brachyurus</i>	1895, 135	<i>concinna</i>	1900, 809
<i>luctuosus</i>	1895, 131	<i>concinna</i>	1900, 823
<i>thetidis</i>	1891, 140	<i>dentata</i>	1900, 823
<i>Halobates albinervis</i>	1894, 212	<i>dentipes</i>	1900, 809
<i>pictus</i>	1894, 213	<i>dentipes</i>	1900, 824
<i>pictus</i>	1894, 214	<i>gravis</i>	1900, 824
<i>Halodroma berardi</i>	1892, 401	<i>humeralis</i>	1900, 823
<i>garnoti</i>	1892, 401	<i>lata</i>	1900, 820
<i>Halomitra irregularis</i>	1898, 528	<i>latipes</i>	1900, 809
<i>irregularis</i>	1898, 539	<i>latipes</i>	1900, 823
<i>Halpe amadhu</i>	1896, 132	<i>lineata</i>	1900, 820
<i>astigmata</i>	1893, 109	<i>nigricollis</i>	1900, 820
<i>beturia</i>	1893, 93	<i>obscura</i>	1900, 823
<i>beturia</i>	1893, 108	<i>parvula</i>	1900, 809
<i>beturia</i>	1893, 109	<i>parvula</i>	1900, 820
<i>brunnea</i>	1893, 109		

	Page		Page
<i>Halys parvula</i>	1900, 825	<i>Hapalemur griseus</i>	1894, 717
<i>reticulata</i>	1900, 820		1895, 142
<i>rufescens</i>	1900, 809	<i>simus</i>	1893, 533
	1900, 824		1893, 534
<i>serricollis</i>	1900, 823		1893, 535
<i>serrigera</i>	1900, 823	<i>Hapalia</i>	1899, 239
<i>strigata</i>	1900, 820		1899, 252
<i>timorensis</i>	1900, 823	<i>concolor</i>	1899, 256
<i>Hamadryas ophiophagus</i>	1896, 894	<i>denticulosa</i>	1899, 253
	1899, 691	<i>dorsivittata</i>	1899, 259
<i>Hamanumida daedalus</i> ..	1891, 80	<i>fraterna</i>	1898, 719
	1893, 653	<i>illibalis</i>	1896, 650
	1894, 37	<i>kasmirica</i>	1899, 259
	1894, 38	<i>marginalis</i>	1899, 205
	1894, 341	<i>oblita</i>	1898, 729
	1894, 557	<i>sublotalis</i>	1898, 720
	1894, 565	<i>Hapalips filum</i>	1898, 335
	1895, 261	<i>grouvellei</i>	1898, 334
	1895, 728		1898, 343
	1896, 112	<i>Hapalocercus rufomar-</i>	
	1896, 256	<i>ginatus</i>	1899, 510
	1896, 532	<i>Hapaloderma constantiae</i>	1894, 606
	1896, 825	<i>narina</i>	1894, 597
	1896, 852		1894, 606
	1897, 692		1896, 999
	1897, 840		1900, 601
	1898, 190	<i>rufiventre</i>	1896, 999
	1898, 399	<i>Hapalomys longicauda-</i>	
	1898, 905	<i>tus</i>	1900, 360
	1900, 13	<i>Hapalopus africanus</i> ..	1897, 774
<i>Hamaxia lignulina</i>	1899, 288		1899, 841
<i>Hameopis</i>	1898, 435	<i>conoideus</i>	1899, 588
<i>rudicornis</i>	1898, 435	<i>incei</i>	1898, 892
	1898, 444		1898, 894
<i>Haminea constricta</i>	1891, 421		1898, 900
<i>cornea</i>	1894, 666	<i>Hapalotis arboricola</i> ..	1897, 859
<i>hydati</i>	1894, 665	<i>boweri</i>	1897, 321
	1894, 666	<i>macrura</i>	1897, 321
<i>Hammaptera perturbata</i> .	1896, 647	<i>Hapalus jousseaumi</i>	1891, 337
<i>Hantana infernus</i>	1893, 19	<i>Hapigia accipiter</i>	1892, 340
	1893, 37	<i>apulus</i>	1892, 340
<i>Hapale jacchus</i>	1893, 168	<i>phocus</i>	1892, 340
	1893, 169	<i>xolotl</i>	1892, 339
<i>penicillata</i>	1897, 188	<i>Haplarmadillo monocol-</i>	
<i>Hapalemur griseus</i>	1891, 449	<i>latus</i>	1896, 400
	1891, 450	<i>Haplocercus acutipen-</i>	
	1891, 451	<i>nis</i>	1896, 361
	1891, 452	<i>Haploceros</i>	1900, 706
	1891, 453		1900, 716
	1891, 454		1900, 717
	1891, 455	<i>montanus</i>	1900, 1
	1891, 456		1900, 771
	1891, 457	<i>Haplocerus fulviceps</i> ..	1892, 398
	1891, 458		1892, 404
	1891, 469		1892, 408
	1891, 460	<i>Haplochilus celebensis</i> .	1897, 429
	1891, 461	<i>infra-fasciatus</i>	1899, 717
	1893, 534		1899, 731

	Page		Page
<i>Haplochilus johnstoni</i> ..	1893, 619	<i>Harpactes dulitensis</i> ..	1892, 221
	1893, 627	<i>erythrocephalus</i> ..	1900, 485
<i>petersi</i>	1893, 628	<i>hainanus</i>	1900, 485
<i>tanganicanus</i>	1898, 497	<i>oreskios</i>	1892, 221
<i>Haplochromis</i>	1899, 105	<i>yamakanensis</i>	1900, 485
<i>Haplopelia bronzina</i> ..	1900, 597	<i>Harpactira atra</i>	1897, 749
<i>Haplopeltura boa</i>	1896, 895		1897, 750
	1899, 607		1897, 751
	1899, 693	<i>cafreriana</i>	1897, 751
<i>Haplophragmium agglu-</i>		<i>chordata</i>	1897, 751
<i>tinans</i>	1895, 16		1897, 752
	1895, 50	<i>chrysogaster</i>	1897, 750
<i>canariense</i>	1895, 16		1897, 751
	1895, 50		1897, 774
<i>emaciatum</i>	1895, 16	<i>constricta</i>	1897, 751
	1895, 50	<i>curvipes</i>	1897, 750
<i>globigeriniforme</i> ..	1895, 16		1897, 751
	1895, 17	<i>elevata</i>	1897, 752
	1895, 50	<i>lineata</i>	1897, 749
<i>glomeratum</i>	1895, 15		1897, 751
	1895, 50	<i>tigrina</i>	1897, 748
<i>latidorsatum</i>	1895, 15		1897, 749
	1895, 50		1897, 750
<i>rotulatum</i>	1895, 16		1897, 751
	1895, 50		1897, 754
<i>scitulum</i>	1895, 16		1897, 774
	1895, 50	<i>villosa</i>	1897, 751
<i>truncatuliniforme</i> ..	1895, 16	<i>Harpactopus</i> sp.	1898, 386
	1895, 17	<i>crudelis</i>	1898, 386
	1895, 50	<i>Harpagus bidentatus</i> ..	1899, 515
	1895, 54	<i>Harpalothoe albovittata</i>	1896, 753
<i>turbinatum</i>	1895, 16	<i>auricomus</i>	1896, 753
	1895, 50		1896, 754
<i>Haplospiza unicolor</i> ...	1899, 512	<i>garleppi</i>	1896, 753
<i>Hapsidophrys lineata</i> ..	1900, 453	<i>lanicia</i>	1896, 753
<i>Hardella baileyi</i>	1900, 661	<i>reuteri</i>	1896, 749
<i>thurgi</i>	1896, 858	<i>Harpaxotheria antilope</i>	1897, 760
	1899, 600		1897, 761
	1899, 602	<i>Harpegnathus cruenta-</i>	
	1899, 610	<i>tus</i>	1896, 414
<i>Haritala angulifascia</i> ..	1898, 692	<i>Harpiocephalus suillus</i> .	1893, 495
<i>delicatilis</i>	1898, 728	<i>Harpyia tenuis</i>	1892, 336
<i>discinotalis</i>	1898, 691	<i>Harrisina dantasi</i>	1892, 272
<i>foviferalis</i>	1898, 727	<i>eminens</i>	1892, 272
<i>graphicalis</i>	1898, 728	<i>janeira</i>	1892, 272
<i>tigrina</i>	1898, 691	<i>Harrovia albolineata</i> ..	1900, 728
<i>Haritalodes multilinealis</i>	1893, 684	— <i>longipes</i>	1900, 729
<i>Harma concordia</i>	1891, 77		1900, 770
	1895, 259	<i>tuberculata</i>	1900, 729
<i>theobene</i>	1893, 653	<i>Hasarius paykulli</i>	1893, 698
<i>Harmonicon rufescens</i> ..	1896, 723	<i>Hasora alexis</i>	1892, 648
	1896, 754		1893, 128
	1896, 756	<i>anura</i>	1893, 127
	1896, 761	<i>atrox</i>	1893, 127
	1896, 766		1893, 128
<i>Harmostes serratus</i>	1893, 705	<i>badra</i>	1893, 124
	1894, 180		1893, 127
<i>Harpa ventricosa</i>	1891, 411		1893, 128

	Page		Page
Hasora badra	1893, 131	Heliastrea acropora ..	1899, 751
bilunata	1893, 127	heliopora	1899, 752
celoenus	1893, 128	solidior	1899, 756
chromus	1893, 127	Helicarion bocki	1891, 225
chuza	1893, 128	borneensis	1891, 24
coulteri	1893, 128	cumingii	1891, 225
discolor	1893, 128	dimidiatus	1891, 225
doleschallia	1893, 128	hilli	1891, 225
gentiana	1893, 128	keppelli	1891, 225
hadria	1893, 127	lowi	1891, 332
hurana	1893, 128	masukensis	1899, 582
lugubris	1893, 127	nucleatus	1899, 592
malayana	1893, 128	nyasanus	1891, 331
myra	1893, 128	nyasanus	1899, 582
saida	1893, 128	ramsayi	1899, 592
schœnherri	1893, 128	vitrimina	1891, 225
thridas	1893, 128	whiteheadi	1891, 24
vitta	1893, 128	zebra	1891, 46
Hassella cylindrica	1899, 482	zebra	1891, 225
Hastigerina pelagica ..	1895, 38	Helicina andamanica ..	1895, 445
.....	1895, 53	1895, 456
Hatteria	1899, 12	— areorosa	1895, 445
.....	1899, 15	— citrina	1895, 445
Hauerina ornatissima ..	1900, 141	— conico-elata	1895, 445
Hazis doubledayi	1892, 132	— hypozona	1895, 445
Hebomoia glaucippe	1900, 508	— latezonata	1895, 445
Hebrus concinnus	1894, 221	— rubella	1895, 445
consolidus	1894, 222	— minor	1895, 445
pusillus	1894, 221	behniana	1895, 445
sobrinus	1894, 222	— pumilis	1895, 445
Hecatesia fenestrata	1892, 190	contermina	1895, 125
Hednota gelastis	1895, 969	dunkeri	1895, 445
oxyptera	1895, 969	— trilineata	1895, 445
toxotes	1895, 969	martensi	1892, 461
xylophæa	1895, 969	1892, 463
Hedone brettus	1893, 100	1895, 99
Hedylecta antenoralis ..	1896, 649	nicobarica	1895, 445
confusalis	1898, 698	— hypozona	1895, 445
contubernalis	1899, 190	scrupulum	1895, 445
ochrifuscalis	1898, 698	1895, 456
.....	1899, 204	— lutea	1895, 445
pyraustalis	1898, 699	— luteozonata	1895, 445
straminea	1898, 692	— rubella	1895, 445
vulgaris	1896, 641	— sub-concolor ..	1895, 445
Hegesipyle hanno	1891, 174	— unizonata	1895, 445
Helarctos crowtheri	1897, 425	usukanensis	1895, 99
malayanus	1900, 335	1895, 100
Helcyra hemina	1891, 273	1895, 125
Helcystogramma obse- tella	1891, 523	1895, 127
.....	1891, 546	zelebori	1895, 445
.....	1897, 83	— battemalvensis .	1895, 445
Heleopera petricola	1897, 788	Heliconius charithonia .	1898, 363
Heleotragus vardoni ..	1892, 98	Helicopsis cupido	1895, 729
Heliastrea	1899, 751	Helicops schistosus	1896, 881
		1899, 605
		1899, 604

	Page		Page
<i>Helix consul</i>	1891, 34	<i>Helix pulvisculum</i>	1891, 45
	1891, 36	quadriovolis	1891, 43
	1895, 107	regalis	1891, 31
corrosa	1891, 26	resplendens	1891, 34
delibrata	1891, 335	ruginosa	1891, 335
demahoyi	1892, 466	schumacheriana ..	1891, 26
densa	1891, 26	shanica	1891, 314
donovani	1891, 27		1891, 315
fallaciosa	1891, 314	souleyetiana	1891, 27
	1891, 335	striata	1891, 32
flexuosa.....	1891, 43	swettenhami.....	1891, 334
fodiens	1895, 114	tentaculata	1893, 636
formosensis	1892, 466	thais	1891, 42
gabata	1891, 335	thieroti	1891, 334
	1891, 336	tomasinelliana	1891, 489
germana	1891, 44	tomentosa	1891, 42
gigas	1891, 27		1895, 113
glutinsosa	1891, 24		1895, 114
	1891, 25	— major	1895, 113
	1891, 26	tradita	1891, 42
gobanzi	1891, 314	tropidophora	1891, 42
hardouini	1891, 335	unguiculastra	1891, 43
helenensis	1892, 263	vitrea	1891, 42
	1892, 264	vittata	1891, 31
helferi	1895, 449	volubilis	1892, 466
hugonis	1891, 29	(<i>Egista</i>) grumulus. 1891, 43	
huttoni	1891, 43		1891, 46
infans	1891, 37	(—) pudica	1891, 43
isabella	1891, 32		1891, 46
janus	1891, 31	(—) tomentosa ..	1891, 42
— bifrons	1891, 31	(<i>Camena</i>) germana. 1891, 44	
jucunda	1891, 34	(<i>Carocolla</i>) plan-	
	1895, 107	orbis	1891, 41
labuanensis	1891, 42	(<i>Chloritis</i>) euphro-	
lindstedti	1895, 103	syne	1895, 98
martini	1891, 31		1895, 113
massoni	1895, 447		1895, 127
mindaiensis	1891, 32	(—) kina-bal-	
mosambicensis	1891, 310	ensis	1895, 113
mozambicensis	1899, 585		1895, 127
naninoides.....	1891, 32	(—) meander ..	1891, 43
	1891, 334		1891, 46
nasuta	1891, 32	(—) plena	1891, 44
nobilis	1891, 27		1891, 46
obliquata	1891, 27	(—) quadriovolis 1891, 43	
obscurata	1891, 42	(—) tomentosa..	1895, 100
ochthoplax	1891, 28		1895, 113
orientalis	1891, 32	(<i>Dorcasia</i>) incanta .	1895, 114
	1891, 44		1895, 127
pelionphala	1892, 466	(<i>Eulotella</i>) fodiens. 1895, 98	
penangensis	1891, 335	(—) inquieta....	1895, 98
perakensis	1891, 334	(<i>Fruticicola</i>) ever-	
physalis	1892, 466	etti.....	1895, 113
planorbis	1891, 41	(<i>Geotrochus</i>) nial-	
polyodon	1892, 263	ensis	1891, 44
pomatia	1891, 28		1891, 46
procumbens	1891, 335	(—) rufofilosa ..	1895, 114
pulchella	1892, 259	(—) subflava....	1891, 45

	Page		Page
<i>Helix</i> (<i>Geotrochus</i>) sub-		<i>Helogale atkinsoni</i>	1898, 763
<i>flava</i>	1891, 46		1898, 764
(—) <i>tigaensis</i> ..	1891, 44		1900, 80
(<i>Hadra</i>) <i>monochroa</i> .	1891, 46	<i>Helotarsus ecaudatus</i> ..	1895, 508
(—) <i>trailli</i>	1895, 98	<i>Hemaris ruficaudis</i>	1900, 182
(<i>Macrochlamys</i>)	1895, 99	<i>Hemianax ephippiger</i> ..	1896, 523
<i>hyalina</i>	1895, 98	<i>Hemicentetes nigriceps</i> .	1894, 356
(—) <i>stephoides</i> ..	1891, 35	<i>variegatus</i>	1894, 356
(<i>Papuina</i>) <i>agno-</i>	1891, 332	<i>Hemiceras barina</i>	1896, 648
<i>cheilus</i>	1891, 488	<i>illucens</i>	1896, 648
	1891, 491	<i>Hemichelidon feru-</i>	
(—) <i>antiqua</i>	1891, 44	<i>gineus</i>	1900, 479
(—) <i>rufifilosa</i> ..	1895, 114	<i>sibirica</i>	1900, 479
(<i>Pella</i>) <i>whytei</i>	1893, 634	<i>Hemichromis</i>	1899, 99
	1893, 641		1899, 101
	1899, 584	<i>afer</i>	1893, 619
(<i>Plectotropis</i>) <i>win-</i>			1893, 626
<i>teriana</i>	1891, 43		1893, 628
	1895, 114		1898, 142
(<i>Rhysota</i>) <i>conferta</i> .	1895, 442	<i>angolensis</i>	1898, 136
(—) <i>haughtoni</i> ..	1895, 442		1899, 101
(<i>Satsuma</i>) <i>rufo-</i>		<i>auritus</i>	1898, 135
<i>filosa</i>	1895, 114	<i>bimaculatus</i>	1898, 134
(<i>Trachia</i>) <i>malayana</i> .	1891, 335		1898, 135
(<i>Trochonanina</i>) <i>pre-</i>			1899, 101
<i>toriensis</i>	1899, 582		1899, 143
<i>Helladotherium duver-</i>		<i>cavifrons</i>	1898, 141
<i>noyi</i>	1891, 323	<i>desguezii</i>	1898, 135
	1891, 324	<i>dimidiatus</i>	1896, 915
<i>Helleria armata</i>	1899, 474		1898, 145
<i>Hellula</i>	1898, 599	<i>fasciatus</i>	1898, 134
	1898, 760		1898, 135
<i>fulvifascialis</i>	1898, 760		1899, 101
<i>hydralis</i>	1898, 760		1899, 143
<i>phidilealis</i>	1898, 760		1899, 940
<i>simplicialis</i>	1899, 289		1900, 516
<i>undalis</i>	1896, 274	<i>gigliolii</i>	1898, 143
	1898, 760	<i>guentheri</i>	1898, 149
<i>Heloderma horridum</i> ..	1891, 109		1898, 150
	1891, 110	<i>guttatus</i>	1898, 136
	1891, 111	<i>intermedius</i>	1893, 619
	1891, 112		1898, 145
	1891, 115	<i>jallæ</i>	1898, 141
	1891, 116	<i>leiguardii</i>	1898, 135
	1891, 119	<i>letourneuxii</i>	1898, 136
	1891, 120	<i>livingstonii</i>	1893, 619
	1891, 121		1893, 625
<i>suspectum</i>	1891, 109		1893, 628
	1891, 110		1896, 915
	1891, 111		1898, 145
	1891, 112	<i>longiceps</i>	1893, 619
	1891, 115		1896, 915
	1891, 116		1898, 146
	1891, 119	<i>longirostris</i>	1898, 140
	1891, 120	<i>modestus</i>	1893, 619
	1891, 121		1893, 625
			1893, 628
			1896, 915

	Page		Page
Hemichromis modestus .	1898, 144	Hemidactylus isolepis .	1895, 540
retrodens	1898, 142		1896, 213
robustus	1896, 915		1898, 913
	1898, 141	jubensis	1895, 532
rolandi	1898, 136		1898, 913
sacra	1898, 139	leschenaultii	1896, 865
saharæ	1898, 136		1899, 603
schwebischi	1898, 144		1899, 629
	1898, 151	mabuia	1891, 306
	1899, 718		1891, 351
serranus	1898, 143		1891, 353
subocellatus	1898, 150		1891, 354
tersquamatus	1899, 717		1891, 353
	1899, 732		1893, 618
voltæ	1898, 150		1894, 85
Hemicorallium johnsoni.	1899, 59		1897, 800
	1899, 63		1900, 448
Hemidactylus angulatus.	1900, 448	macropholis	1898, 913
bocagii	1900, 448	maculatus	1896, 865
brookii	1894, 85		1899, 629
	1895, 532	peronii	1896, 866
	1899, 600		1899, 630
	1899, 603	platyurus	1896, 767
	1899, 629		1896, 866
	1900, 967		1897, 195
coctæi	1895, 635		1897, 198
	1895, 642		1897, 205
	1896, 782		1899, 603
	1896, 865		1899, 628
	1899, 603		1899, 629
	1899, 629		1899, 630
craspedotus	1899, 630		1899, 632
depressus	1896, 865	richardsoni	1900, 448
	1899, 603	ruspolii	1898, 914
	1899, 629	sinaitus	1895, 532
echinus	1900, 448		1895, 636
fasciatus	1900, 448		1895, 639
flaviviridis	1895, 635		1895, 640
	1895, 636	smithi	1895, 532
	1895, 642		1895, 540
frenatus	1895, 532		1898, 913
	1896, 865	squamulatus	1898, 913
	1897, 195	tropidolepis	1895, 531
	1897, 198	turcicus	1892, 11
	1897, 205		1895, 532
	1899, 603		1895, 639
	1899, 628		1895, 640
	1899, 630		1895, 641
	1899, 632	yerburi	1895, 636
	1899, 633		1895, 640
	1899, 649		1895, 663
	1899, 684		1898, 913
gleadovii	1896, 865	Hemiderma brevicau-	
	1899, 600	datum	1892, 315
	1899, 629	Hemiechinus pallidus .	1895, 420
greeffii	1894, 722	Hemigalea galera	1894, 357
homœolepis	1895, 531	hardwickei	1892, 222
isolepis	1895, 531		1892, 223

	Page		Page
<i>Hemigalea hardwickei</i> ..	1892, 227	<i>Hemiscopis suffusalis</i> ..	1899, 223
	1893, 495	<i>Hemistola</i>	1893, 353
	1894, 357	<i>rubrimargo</i>	1893, 354
	1900, 330		1893, 433
	1900, 873	<i>Hemiteles maculithorax</i> .	1895, 780
<i>hosei</i>	1892, 222	<i>Hemithea nigropunctata</i> .	1893, 353
	1892, 223		1893, 434
	1892, 227	<i>rubripicta</i>	1893, 353
	1893, 495	<i>Hemitrachys bizonatus</i> ..	1893, 568
<i>Hemiglypta siamensis</i> ..	1894, 149	<i>Hemitragus hylocrius</i> ..	1894, 454
<i>Hemignathus lucidus</i> ..	1896, 990		1894, 455
	1896, 991		1900, 303
<i>Hemileuca dukinfieldi</i> ..	1894, 235	<i>jayakari</i>	1894, 449
<i>Hemioptica scissa</i>	1896, 405		1894, 452
<i>Hemipepsis flava</i>	1896, 435		1894, 453
<i>fulvipennis</i>	1896, 435		1894, 455
<i>Hemiplecta crossei</i>	1891, 334	<i>jemlaicus</i>	1894, 454
<i>cymatium</i>	1891, 334		1894, 455
<i>densa</i>	1891, 26		1900, 303
	1895, 98	<i>Hemitriccus diops</i>	1899, 512
	1895, 103	<i>Hemitrichia plateni</i>	1892, 462
— <i>everetti</i>	1895, 101		1895, 98
	1895, 102	<i>Hemitriton asper</i>	1895, 150
	1895, 126		1895, 154
— <i>schumacheriana</i> ..	1895, 101	<i>Hemiurus tristriatus</i> ..	1894, 464
<i>donovani</i>	1891, 27	<i>Hemixantha</i>	1899, 367
<i>egeria</i>	1895, 98	<i>bifasciata</i>	1899, 369
	1895, 102		1899, 380
	1895, 103	<i>inconspicua</i>	1899, 368
	1895, 126	<i>natalensis</i>	1899, 367
<i>humphreysiana</i>	1891, 26		1899, 380
<i>leechi</i>	1891, 334	<i>pallida</i>	1899, 367
<i>naninoides</i>	1891, 32	<i>picipes</i>	1899, 368
<i>nobilis</i>	1891, 27		1900, 266
<i>obliquata</i>	1891, 27	<i>scutellata</i>	1899, 367
	1895, 100		1899, 368
<i>præculta</i>	1895, 101	<i>terminata</i>	1899, 369
	1895, 126		1899, 380
<i>rabongensis</i>	1895, 102		1900, 266
	1895, 126	<i>Hemixus castano-</i>	
<i>sakaya</i>	1891, 334	<i>notus</i>	1900, 477
<i>schumacheriana</i> ..	1891, 26	<i>Hemydace</i>	1897, 244
	1892, 462	<i>maculicollis</i>	1897, 244
<i>souleyetiana</i>	1891, 27		1897, 265
<i>striata</i>	1891, 334	<i>Hemyloticus</i>	1892, 471
<i>weinkauffiana</i>	1891, 334	<i>geniculatus</i>	1892, 572
<i>Hemiprocne zonaris</i>	1892, 398		1892, 579
	1892, 408	<i>Henicocephalus flavi-</i>	
	1892, 409	<i>collis</i>	1893, 706
<i>Hemipteris fumida</i>	1893, 130	<i>Henicognathus lepto-</i>	
<i>Hemirhagerthis kelleri</i> ..	1895, 537	<i>rhynchus</i>	1900, 304
<i>Hemirhamphus far</i>	1899, 443	<i>Henicorhina leucophrys</i> ..	1896, 328
<i>orientalis</i>	1897, 429	<i>Henicurus sinensis</i>	1900, 474
<i>weberi</i>	1897, 429	<i>Henricia (Cribella) san-</i>	
<i>Hemiscopis</i>	1898, 600	<i>guinolenta</i>	1894, 664
	1899, 223	<i>Henucha delegorguei</i> ..	1898, 430
<i>cinerea</i>	1899, 223	<i>hansalii</i>	1898, 430
<i>expansa</i>	1899, 223	<i>smilax</i>	1891, 179
<i>stigmatilis</i>	1899, 223		1891, 180

	Page		Page
<i>Herpestes fasciatus</i>	1894, 594	<i>Herpestes semitorquatus</i> 1892,	227
<i>galera</i>	1893, 726	1893,	495
1896,	792	<i>urva</i>	1900, 331
<i>gracilis</i>	1891, 182	<i>widdringtoni</i>	1900, 301
1892,	109	<i>Herpetodryas carinatus</i> .	1891, 355
1893,	501	1891,	448
1896,	792	1894,	510
1897,	931	1894,	518
<i>griseus</i>	1892, 314	1898,	115
1893,	502	— <i>vincenti</i>	1891, 355
1894,	357	<i>fuscus</i>	1891, 355
1894,	365	1898,	116
1894,	372	<i>grandisquamis</i>	1891, 355
1897,	372	1898,	116
1897,	378	<i>macrophthalmus</i> ..	1894, 499
1897,	385	1894,	518
1897,	387	<i>melas</i>	1891, 355
1897,	388	<i>oxycephalus</i>	1896, 882
1897,	390	1899,	668
1897,	398	<i>prionotus</i>	1896, 879
1897,	399	1899,	659
1897,	400	<i>sexcarinatus</i>	1891, 355
1897,	404	<i>Herpetogramma expic-</i>	
1897,	405	<i>talis</i>	1899, 271
1897,	407	<i>servalis</i>	1898, 716
1898,	153	<i>Herpetolitha</i>	1898, 529
1898,	155	<i>crassa</i>	1898, 529
1898,	167	<i>Herpeton tentaculatum</i> .	1898, 852
1898,	170	1899,	606
1898,	172	1899,	680
<i>ichneumon</i>	1900, 331	<i>Herpornis tyrannulus</i> ..	1900, 477
1894,	357	<i>Herpsilochmus atricapil-</i>	
<i>javanicus</i>	1900, 301	<i>lus</i>	1896, 381
1894,	357	1896,	382
1900,	332	<i>motacilloides</i>	1896, 381
1900,	873	1896,	382
<i>mungo</i>	1891, 245	<i>Herpyllus variegatus</i> ..	1891, 573
1900,	331	1891,	574
1900,	332	<i>Hespera africana</i>	1899, 347
<i>nepalensis</i>	1897, 372	1900,	249
1897,	378	<i>intermedia</i>	1900, 248
1897,	387	<i>mathias</i>	1899, 812
1897,	398	<i>natalensis</i>	1900, 248
1897,	399	<i>theophrastus</i>	1899, 811
1897,	400	<i>Hesperia</i> sp.	1895, 266
1897,	407	<i>abscondita</i>	1896, 25
1898,	153	<i>actæon</i>	1896, 57
1898,	155	<i>adrastus</i>	1892, 652
1898,	170	<i>ælianus</i>	1892, 626
<i>ochraceus</i>	1898, 763	<i>agylla</i>	1896, 24
<i>orientalis</i>	1892, 109	<i>ali</i>	1896, 25
<i>ornatus</i>	1893, 501	<i>alveus</i>	1893, 65
<i>pluto</i>	1900, 301	— <i>carlinæ</i>	1893, 65
<i>pulverulentus</i>	1894, 357	— <i>cirsii</i>	1893, 65
1895,	435	— <i>onopordi</i>	1893, 65
1899,	828	1896,	26
<i>rutilus</i>	1900, 332	<i>amaponda</i>	1896, 15
<i>semitorquatus</i>	1892, 223	<i>americanus</i>	1893, 65

	Page		Page
<i>Hesperia amygdalis</i>	1896, 94	<i>Hesperia diomus</i>	1898, 371
<i>amynthas</i>	1896, 519	<i>dolopia</i>	1892, 653
<i>anchises</i>	1894, 352	<i>dromus</i>	1893, 65
.....	1896, 98	1893, 669
<i>andrachne</i>	1896, 17	1894, 353
<i>andromeda</i>	1893, 65	1896, 23
<i>antonia</i>	1893, 65	1896, 129
<i>asterodia</i>	1893, 65	<i>elia</i>	1892, 645
<i>asteroidea</i>	1896, 24	<i>ellipsis</i>	1896, 62
<i>asychis</i>	1893, 65	<i>ennius</i>	1896, 93
.....	1896, 520	<i>ernesti</i>	1896, 98
<i>atticus</i>	1892, 655	<i>evanidus</i>	1893, 65
<i>attina</i>	1892, 645	— <i>adenensis</i>	1893, 65
<i>bauri</i>	1896, 71	<i>fateh</i>	1892, 659
<i>bevani</i>	1892, 650	<i>fatuellus</i>	1896, 62
<i>bibulus</i>	1893, 659	<i>ferox</i>	1896, 23
.....	1896, 121	<i>fervida</i>	1896, 99
.....	1896, 832	<i>ficulnea</i>	1892, 658
<i>bocchoris</i>	1893, 65	<i>flesus</i>	1893, 668
<i>borbonica</i>	1891, 104	1895, 264
.....	1894, 77	1896, 129
.....	1896, 62	<i>forestan</i>	1891, 107
<i>boseæ</i>	1896, 93	1894, 81
<i>buchholzi</i>	1896, 85	1896, 98
<i>cacaliæ</i>	1893, 65	<i>freja</i>	1892, 640
<i>cænira</i>	1896, 82	1895, 610
<i>caffraria</i>	1896, 66	<i>fulvovittatus</i>	1893, 65
<i>callineura</i>	1892, 657	<i>galatia</i>	1896, 45
<i>calpis</i>	1896, 82	<i>galba</i>	1893, 65
<i>camerona</i>	1896, 47	<i>galenus</i>	1894, 80
<i>capronnieri</i>	1896, 95	1896, 12
.....	1896, 102	<i>geron</i>	1893, 65
<i>carthami</i>	1893, 65	1893, 66
— <i>moeschleri</i>	1893, 65	1893, 67
<i>cashmirensis</i>	1893, 65	<i>gigas</i>	1893, 65
<i>centaureæ</i>	1893, 65	<i>hamza</i>	1896, 57
<i>cephala</i>	1892, 654	<i>havei</i>	1896, 60
<i>cephaloides</i>	1893, 84	<i>hellas</i>	1893, 65
<i>cerymica</i>	1896, 94	<i>hippocrates</i>	1896, 119
.....	1896, 102	<i>holtzii</i>	1896, 71
<i>cippus</i>	1892, 636	<i>hottentota</i>	1894, 78
<i>cnejus</i>	1892, 444	1896, 58
.....	1895, 585	<i>hyela</i>	1892, 647
<i>colotes</i>	1896, 25	<i>hypoleucos</i>	1893, 65
.....	1896, 103	<i>ilerda</i>	1896, 91
<i>communis</i>	1893, 65	<i>ilias</i>	1896, 67
<i>corduba</i>	1896, 90	<i>inconspicua</i>	1893, 672
<i>corollei</i>	1896, 54	1894, 77
<i>cretacea</i>	1896, 102	1894, 582
<i>cribrellum</i>	1893, 65	1895, 265
<i>cylinda</i>	1896, 89	1896, 60
<i>cynaræ</i>	1893, 65	1896, 131
<i>dacela</i>	1896, 86	<i>irava</i>	1892, 657
<i>dacena</i>	1896, 89	<i>jucunda</i>	1896, 98
<i>dara</i>	1892, 651	1898, 382
<i>diomus</i>	1893, 65	<i>jupiter</i>	1896, 101
.....	1894, 353	<i>karsana</i>	1896, 255
.....	1896, 23	<i>keithloa</i>	1896, 100

	Page		Page
<i>Hesperia lacida</i>	1896, 91	<i>Hesperia nomas</i>	1893, 65
latoia	1892, 657	nora	1896, 25
laufella	1896, 83	nostrodamus	1896, 58
lefebvrii	1896, 58	nyassæ	1896, 70
leonora	1896, 88	nydia	1896, 86
lepeletier	1896, 50	oceia	1892, 649
lepenula	1896, 54	oileus	1896, 26
letterstedti	1893, 672	ophiusa	1896, 47
	1894, 582	erbifer	1893, 65
	1895, 634	orcus	1893, 65
	1896, 58	philippus	1893, 661
	1896, 131		1894, 53
	1896, 842		1894, 569
	1900, 945		1898, 407
leucocirca	1892, 661	phlomides	1893, 65
leuzææ	1896, 25		1893, 66
libeon	1896, 97	phocides	1892, 644
ligora	1896, 78	pisistratus	1891, 107
limpopana	1896, 48		1894, 582
lineola	1896, 57		1896, 99
longinus	1895, 599		1900, 946
maculatus	1893, 65	plinius	1892, 442
mæcenæ	1892, 628		1892, 628
mafa	1896, 24		1895, 586
	1897, 855		1896, 119
	1898, 199		1896, 828
malthina	1896, 69		1898, 404
malvæ	1893, 44	ploetzi	1896, 22
	1893, 64		1896, 23
	1893, 65	poggei	1893, 65
	1893, 131	poutieri	1896, 63
— taras	1893, 65	prodicus	1896, 102
mango	1896, 102	proto	1893, 65
maracanda	1896, 88		1896, 25
marchalii	1896, 66	proxima	1896, 92
mathias	1892, 649	pulvina	1896, 65
	1896, 60	pyrosa	1896, 39
metis	1896, 48	ratek	1896, 100
meza	1896, 38	roncilgonis	1894, 78
micacea	1896, 6		1896, 70
mohopaani	1891, 104	sabadus	1896, 17
	1894, 77	sandaster	1896, 23
	1896, 60		1896, 24
mohozutza	1896, 55	sao	1893, 65
montivagus	1893, 65	— therapne	1893, 65
moolata	1892, 650	sataspes	1893, 65
moritili	1891, 104		1894, 353
	1894, 77		1896, 23
	1896, 72	schulzi	1896, 102
mucorea	1896, 94	secessus	1896, 25
mytheca	1892, 648	semamora	1892, 650
nagra	1892, 658	serratulæ	1893, 65
nanus	1896, 24	— cæcus	1893, 65
naso	1896, 102	sextilis	1896, 91
neba	1896, 72	sidæ	1893, 65
nerva	1896, 10	sinicus	1893, 65
netopha	1896, 70	sortia	1896, 87
niveicornis	1896, 71	spio	1893, 65

	Page		Page
<i>Hesperia spio</i>	1896, 22	<i>Hesperomys longicauda-</i>	
	1896, 24	<i>tus</i>	1897, 716
	1897, 855	<i>nasutus</i>	1897, 715
<i>strabo</i>	1892, 627		1897, 716
	1895, 585	<i>squamipes</i>	1894, 465
<i>superna</i>	1893, 65		1897, 712
<i>syrichtus</i>	1893, 65		1897, 716
	1896, 520	<i>subterraneus</i>	1897, 715
	1898, 367		1897, 716
<i>tessellata</i>	1893, 65	<i>tumidus</i>	1897, 713
<i>tessellum</i>	1893, 65		1897, 716
<i>thaumas</i>	1896, 57	<i>vulpinus</i>	1897, 716
<i>thrax</i>	1896, 60	(<i>Nectomys</i>) <i>sci-</i>	
<i>toona</i>	1892, 649	<i>ureus</i>	1899, 512
<i>transvaalie</i>	1893, 65	<i>Hesperornis</i>	1899, 1040
	1896, 24		1899, 1041
<i>tresignatus</i>	1893, 65		1899, 1044
<i>unicolor</i>	1894, 18	<i>Hestina nama</i>	1900, 506
	1894, 81	<i>Heterabraxas roseo-</i>	
	1896, 97	<i>vittata</i>	1895, 722
<i>vindex</i>	1893, 65		1895, 741
	1896, 22		1895, 742
	1896, 537		1896, 136
	1897, 855	<i>Heteranaphe</i> sp.	1894, 585
<i>violascens</i>	1896, 90	<i>Heterarthron femoralis</i> .	1898, 328
<i>wambo</i>	1896, 62	<i>Heterhyphantes emini</i> .	1895, 468
<i>weiglei</i>	1896, 95	<i>Heterocampa atrax</i>	1892, 335
<i>weymeri</i>	1896, 62	<i>epona</i>	1892, 335
<i>wyandot</i>	1893, 65	<i>hertha</i>	1892, 334
<i>ypsilon</i>	1896, 28	<i>læca</i>	1892, 333
<i>zaira</i>	1896, 25	<i>limosa</i>	1892, 334
<i>zambesiaca</i>	1896, 20	<i>paranensis</i>	1894, 243
<i>zebra</i>	1893, 65	<i>perilleus</i>	1892, 335
<i>zema</i>	1892, 653	<i>thyatiroides</i>	1896, 650
<i>zetterstedti</i>	1894, 78	<i>virgea</i>	1892, 334
<i>zintgraffi</i>	1896, 84	<i>Heterocentrotus mam-</i>	
(<i>Ismene</i>) <i>chalybe</i> ..	1896, 101	<i>millatus</i>	1898, 850
(<i>Oxynetra</i>) <i>nama-</i>		<i>Heterochæta abyssalis</i> .	1898, 541
<i>quana</i>	1896, 20		1898, 543
(—) <i>zambesina</i> .	1891, 105	<i>spinifrons</i>	1898, 543
	1894, 81		1898, 548
(<i>Syrichthus</i>) <i>dio-</i>		<i>Heterochroma erio-</i>	
<i>mus</i>	1896, 23	<i>pioides</i>	1896, 648
<i>Hesperilla argenteo-</i>		<i>Heterocnephes</i>	1898, 596
<i>ornatus</i>	1893, 115		1898, 627
<i>croites</i>	1893, 115	<i>atropygialis</i>	1898, 627
<i>cynone</i>	1893, 115	<i>lubricosa</i>	1898, 627
<i>donnysa</i>	1893, 74	<i>lunulatis</i>	1898, 627
<i>halyzia</i>	1893, 74	<i>lymphatalis</i>	1898, 627
<i>ornata</i>	1893, 71	<i>scapularis</i>	1898, 627
	1893, 74	<i>strangulalis</i>	1898, 651
<i>picta</i>	1893, 74	<i>vicinalis</i>	1898, 627
<i>Hesperina xenophon</i> ..	1895, 623	<i>Heterodon d'orbignii</i> ..	1892, 481
<i>Hesperomys arenicola</i> ..	1897, 716		1892, 484
<i>dorsalis</i>	1897, 713	<i>platyrhinus</i>	1895, 695
<i>expulsus</i>	1897, 716		1895, 697
	1897, 717		1895, 701
<i>longicaudatus</i>	1897, 715		1895, 702

	Page		Page
<i>Heterodon platyrhinus</i> ..	1895, 705	<i>Heteropterus willemi</i> ..	1894, 71
	1895, 712		1896, 48
<i>Heteroglossa africana</i> ..	1900, 441	<i>Heteropteryx dilatata</i> ..	1900, 845
<i>Heterogramma bogu-</i>		<i>Heterorhina elongata</i> ..	1893, 740
<i>salis</i>	1896, 642	<i>Heterorhynchus oliva-</i>	
<i>endorealis</i>	1896, 642	<i>ceus</i>	1896, 990
<i>Heterographis carni-</i>		<i>Heterosciurus ery-</i>	
<i>basalis</i>	1896, 271	<i>thræus</i>	1897, 933
<i>proniphea</i>	1896, 271	<i>Heteroscodra</i>	1899, 839
<i>unipunctella</i>	1896, 270	<i>maculata</i>	1899, 840
<i>yerburi</i>	1896, 270	<i>Heterospilus fasciatus</i> ..	1895, 783
<i>Heterohyrax bocagei</i> ..	1892, 69	<i>humeralis</i>	1895, 783
<i>Heterometrus imperator</i> ..	1899, 836	<i>pallidipes</i>	1895, 783
<i>Heteromiza</i>	1893, 405	<i>Heterostegania</i>	1893, 415
<i>castanearia</i>	1893, 405	<i>lunulosa</i>	1893, 415
	1893, 406	<i>nigrofusa</i>	1893, 415
<i>cervina</i>	1893, 405	<i>Heterostegina depressa</i> ..	1895, 48
	1893, 434		1895, 54
<i>Heteromorpha costi-</i>			1900, 141
<i>puncta</i>	1893, 678	<i>Heterothele gabonensis</i> ..	1899, 846
<i>Heteromys alleni</i>	1896, 1022	<i>honesta</i>	1897, 738
<i>longicaudatus</i>	1896, 160	<i>spinipes</i>	1897, 737
	1896, 183		1897, 773
<i>Heteropacha sp.</i>	1898, 436	<i>Heterotis ehrenbergii</i> ..	1895, 302
<i>rileyana</i>	1898, 436	<i>niloticus</i>	1900, 512
<i>Heteropelma amazonum</i> ..	1896, 368		1900, 836
	1896, 369		1900, 969
<i>turdinum</i>	1896, 369	<i>Heterurus bicolor</i>	1900, 454
<i>wallacei</i>	1896, 369	<i>Heterusia chrysopterata</i> ..	1893, 307
<i>Heteropia bryaxis</i>	1893, 23	<i>comana</i>	1893, 305
<i>imalena</i>	1893, 23		1893, 306
<i>imitatrix</i>	1893, 17		1893, 311
	1893, 22	<i>comata</i>	1893, 304
	1893, 23		1893, 311
<i>Heteropoda regia</i>	1897, 877	<i>combana</i>	1893, 306
<i>venatoria</i>	1898, 519	<i>conna</i>	1893, 305
<i>Heteropsar albicapillus</i> ..	1895, 461		1893, 311
<i>Heteropterus aracin-</i>		<i>conon</i>	1893, 307
<i>thus</i>	1893, 89		1893, 311
<i>decipiens</i>	1896, 130	<i>dispilata</i>	1893, 307
	1896, 136	<i>pinara</i>	1893, 307
<i>dispar</i>	1896, 52		1893, 311
<i>formosus</i>	1893, 670	<i>pirene</i>	1893, 306
	1893, 684		1893, 311
	1896, 49	<i>placida</i>	1893, 305
	1896, 130		1893, 306
<i>lepeletierii</i>	1895, 738		1893, 311
<i>metis</i>	1894, 353	<i>placilla</i>	1893, 307
	1896, 48		1893, 311
<i>morpheus</i>	1893, 72	<i>stoltzmannaria</i>	1893, 305
	1893, 89	<i>Hexacola dubia</i>	1895, 750
<i>ornatus</i>	1893, 89	<i>modesta</i>	1895, 768
<i>pardalinus</i>	1896, 51	<i>sancti-vincenti</i>	1895, 768
<i>rhadama</i>	1896, 51	<i>Hexaplasta affinis</i>	1895, 764
<i>speculifer</i>	1893, 89		1895, 768
<i>speculum</i>	1893, 89	<i>atriceps</i>	1895, 765
<i>steropus</i>	1893, 89		1895, 772
<i>unicolor</i>	1893, 115	<i>brunneiclavata</i>	1895, 765

	Page		Page
Hexaplasta brunnei-		Hidari iricolor	1896, 103
clavata	1895, 772	laterculus	1896, 82
consimilis	1895, 764		1896, 103
	1895, 768	staudingeri	1892, 657
crassinervis	1895, 764	Hierodula sp.	1900, 37
	1895, 769	modesta	1900, 852
dolichomera	1895, 767	vitrea	1896, 866
	1895, 771	Hileithia	1898, 596
dubiosa	1895, 766		1898, 646
	1895, 774	appialis	1898, 646
hexomera	1895, 765	decostalis	1898, 646
	1895, 773	ductalis	1898, 647
incerta	1895, 766	Himantarium mediter-	
incongrua	1895, 765	raneum	1892, 26
	1895, 773	rugulosum	1892, 26
instabilis	1895, 765	Himantodes cenchoa ..	1898, 116
	1895, 771	Himantopterus doherlyi.	1891, 257
	1895, 774	Himantopus candidus ..	1897, 189
longicornis	1895, 764	himantopus	1900, 965
	1895, 769	nigricollis	1896, 543
melanocera	1895, 764		1900, 304
	1895, 767	Himatione dolei	1891, 166
modesta	1895, 764	mana	1897, 893
	1895, 768	sanguinea	1891, 166
pleuralis	1895, 766	virens	1897, 893
	1895, 773		1897, 894
proxima	1895, 766	Himatismus sp.	1900, 28
	1895, 774	Himerida chapuisi	1900, 238
quadripunctata	1895, 764	Hipistes hydrinus	1896, 888
	1895, 769		1899, 606
rufolateralis	1895, 765		1899, 679
	1895, 772	Hiposcritia indra	1900, 509
sancti-vincenti	1895, 764	lageloides	1900, 509
	1895, 768		1900, 511
striatiscutellaris ..	1895, 764	lalage	1900, 509
	1895, 770	pseudolalage	1900, 509
tenuicornis	1895, 765	Hipparchia asterope ..	1894, 561
	1895, 770		1896, 249
unifoveata	1895, 765		1899, 810
	1895, 770	medura	1891, 268
	1895, 771	Hippocamelus bisulcus .	1898, 212
Hexeris enhydris	1897, 627	Hippocampus guttu-	
Hialopsis compositalis .	1899, 286	latus	1899, 940
Hibita arcturella	1899, 288	Hippoglossoides plates-	
Hibrildes crawshayi ..	1896, 849	soides	1894, 421
	1896, 851		1894, 423
norax	1895, 269	Hippoglossus maximus .	1899, 454
	1896, 849	vulgaris	1894, 423
	1896, 851		1899, 501
	1896, 852		1899, 940
Hidari caenira	1896, 82		1899, 955
	1896, 89	walako	1899, 493
	1896, 103	Hippolyte gibberosus ..	1898, 1009
hypæpa	1893, 124	gibbosus	1898, 1009
irava	1892, 657	hemprichii	1898, 1009
	1893, 94	marmoratus	1898, 1009
	1893, 123	Hippopotamus amphibi-	
	1893, 124	bius	1895, 340
iricolor	1896, 82		1896, 976

	Page		Page
<i>Hippopotamus amphibius</i>	1896, 977	<i>Hippotragus equinus</i>	1898, 349
	1896, 978		1898, 350
	1897, 366		1898, 850
	1897, 813		1899, 771
	1900, 955		1899, 828
<i>iravadicus</i>	1896, 976		1899, 935
<i>lemerlei</i>	1896, 997		1899, 936
<i>liberensis</i>	1896, 976		1900, 83
	1896, 977	— <i>bakeri</i>	1900, 955
<i>madagascariensis</i>	1896, 976	— <i>gambianus</i>	1899, 827
<i>major</i>	1896, 976	— <i>typicus</i>	1899, 828
	1896, 977	<i>niger</i>	1892, 471
	1896, 978		1893, 504
<i>merlei</i>	1896, 976		1893, 506
<i>palæindicus</i>	1896, 976		1894, 457
	1896, 977		1895, 161
<i>sivalensis</i>	1896, 976		1895, 362
	1896, 977		1896, 506
	1896, 978		1896, 797
<i>Hipposiderus</i>	1898, 75		1897, 939
<i>amboinensis</i>	1900, 344	<i>rufo-pallidus</i>	1898, 850
<i>armiger</i>	1900, 342		1898, 851
	1900, 875	<i>Hirundinea sclateri</i>	1896, 366
<i>bicolor</i>	1893, 494	<i>Hirundo</i> sp.	1891, 476
	1900, 343	<i>æthiopica</i>	1895, 491
<i>caffer</i>	1894, 138		1900, 956
	1896, 791	<i>albigularis</i>	1895, 491
<i>cervinus</i>	1892, 227	<i>albiventris</i>	1896, 333
	1893, 494	<i>andecola</i>	1896, 333
<i>diadema</i>	1893, 494	<i>erythrogastra</i>	1892, 374
	1900, 342		1892, 408
	1900, 875		1892, 332
<i>doriæ</i>	1893, 494	<i>gutturalis</i>	1892, 374
<i>galerita</i>	1893, 494		1900, 481
	1900, 343	<i>rustica</i>	1891, 473
<i>larvatus</i>	1900, 343	<i>tytleri</i>	1892, 398
<i>murinus</i>	1900, 343		1892, 406
<i>muscinus</i>	1897, 320		1892, 408
<i>nobilis</i>	1900, 342	<i>Hisbanda acronyctoides</i>	1899, 288
<i>speoris</i>	1893, 494	<i>Hispopria grandis</i>	1892, 84
<i>stoliczkanus</i>	1900, 344	<i>Hister gehini</i>	1900, 22
<i>tridens</i>	1895, 542	<i>memnonius</i>	1900, 22
	1895, 544	<i>Histia flabellicornis</i>	1891, 257
	1895, 546	<i>Histiophorus herscheli</i>	1899, 458
— <i>murraiana</i>	1900, 99		1899, 483
<i>vulgaris</i>	1900, 343	<i>Histiopertus typus</i>	1892, 134
(<i>Asellia</i>) <i>tridens</i>	1900, 98	<i>Holaspis guentheri</i>	1900, 449
<i>Hippotragus bakeri</i>	1897, 454	<i>Holcomyrax criniceps</i>	1896, 417
	1898, 127	<i>Holochilus apicalis</i>	1893, 340
	1900, 303	<i>squamipes</i>	1893, 340
<i>equinus</i>	1892, 471	<i>vulpinus</i>	1897, 711
	1893, 614	<i>Holocompsa collaris</i>	1892, 199
	1893, 723		1892, 205
	1893, 728		1892, 220
	1894, 456	<i>Holocrinus wagneri</i>	1895, 1000
	1895, 362	<i>Holodactylus africanus</i>	1898, 914
	1896, 983	<i>Hololoma</i>	1893, 395
	1898, 127	<i>lucens</i>	1893, 396

	Page		Page
<i>Holopelus piger</i>	1899, 528	<i>Homalopsis buccata</i> ..	1895, 705
	1899, 532		1895, 820
<i>Holoperas innotata</i>	1897, 674		1895, 825
<i>cenochroalis</i>	1897, 674		1896, 887
<i>Holothuria affinis</i>	1898, 840		1899, 606
<i>amboinensis</i>	1898, 839		1899, 658
<i>aphaues</i>	1898, 841		1899, 677
<i>arenicola</i>	1898, 842	<i>enhydria</i>	1896, 887
<i>atra</i>	1898, 835	<i>hydrina</i>	1896, 888
	1898, 838		1899, 679
	1898, 839	<i>leucobalia</i>	1896, 888
	1898, 840		1899, 679
— <i>amboinensis</i>	1898, 839	<i>plumbea</i>	1896, 887
	1898, 840	<i>rhynchops</i>	1896, 888
<i>botellus</i>	1898, 840	<i>sieboldii</i>	1896, 887
<i>curiosa</i>	1898, 837	<i>Homalopteryx laminata</i> .	1892, 199
	1898, 838		1892, 204
<i>depressa</i>	1898, 837		1892, 220
	1898, 838	<i>Homalosilpha ustulata</i> .	1897, 904
<i>floridana</i>	1898, 840	<i>Homalosoma lutrix</i>	1892, 555
<i>fuscocinerea</i>	1898, 835	<i>Homarus vulgaris</i>	1898, 954
	1898, 837	<i>Homo lar</i>	1900, 307
	1898, 838	<i>Homochroa</i>	1899, 185
	1900, 761	<i>Homodes thermesioides</i> .	1897, 613
— <i>pervicax</i>	1898, 837	<i>Homœocera cincta</i>	1894, 225
	1898, 848	<i>Homœoplacis austeni</i> ..	1896, 722
<i>impatiens</i>	1898, 835		1896, 735
	1898, 840		1896, 736
	1898, 841		1896, 766
<i>lagena</i>	1898, 842	<i>pentodon</i>	1896, 735
<i>maculata</i>	1898, 835		1896, 736
	1898, 842	<i>Homœosaurus major</i> ..	1891, 167
<i>mammiculata</i>	1898, 837		1891, 168
	1898, 838	<i>maximiliani</i>	1891, 167
<i>mauritiana</i>	1898, 835		1891, 168
<i>monacaria</i>	1898, 835	<i>Homœosoma bilituralis</i> .	1899, 288
	1898, 841	<i>xanthotricha</i>	1896, 270
<i>pardalis</i>	1898, 835	<i>Homonotus lucidulus</i> ..	1896, 432
	1898, 839	<i>Homopholis heterolepis</i> .	1898, 914
<i>pervicax</i>	1898, 835	<i>Homophysa</i>	1898, 594
	1898, 837		1898, 607
	1898, 838	<i>albolineata</i>	1898, 607
<i>rugosa</i>	1898, 835	<i>bilinealis</i>	1898, 608
	1898, 839	<i>crambidalis</i>	1898, 608
	1898, 848	<i>decisa</i>	1898, 608
<i>scabra</i>	1900, 761	<i>dolatalis</i>	1898, 608
<i>subditiva</i>	1898, 837	<i>falcatalis</i>	1898, 608
<i>vagabunda</i>	1898, 835	<i>fulminalis</i>	1898, 607
	1898, 838	<i>glaphyralis</i>	1898, 607
	1898, 842	<i>invisalis</i>	1898, 607
<i>Homœa clathrum</i>	1896, 265	<i>lentiflualis</i>	1898, 607
<i>Homala agona</i>	1900, 28	<i>leucostictalis</i>	1898, 608
<i>Homalocranium melano-</i>		<i>micralis</i>	1898, 608
<i>cephalum</i>	1894, 499	<i>polycyma</i>	1898, 607
	1894, 518		1898, 761
	1898, 117	<i>reniculalis</i>	1898, 607
<i>Homalometes</i>	1897, 872	<i>sesquialis</i>	1898, 607
<i>nigritarsis</i>	1897, 872	<i>Homoptera configurata</i> .	1896, 638

	Page		Page
<i>Homoptera cruegeri</i> ..	1892, 127	<i>Huechys sanguinea</i>	1900, 862
<i>discalis</i>	1896, 648	<i>Humbertiella</i> <i>terui-</i>	
<i>exhausta</i>	1896, 648	<i>cornis</i>	1900, 39
<i>gratiosa</i>	1896, 648	<i>Huphina nadina</i>	1900, 509
<i>hadenoides</i>	1896, 639	<i>nerissa</i>	1900, 509
<i>indecidens</i>	1896, 639	<i>Hyæna brunnea</i>	1897, 372
<i>parvula</i>	1896, 648		1897, 379
<i>phœleuca</i>	1896, 648		1897, 382
<i>privata</i>	1896, 648		1897, 386
<i>punctilinea</i>	1896, 648		1897, 389
<i>separabilis</i>	1896, 639		1897, 408
<i>stipatura</i>	1896, 639		1898, 154
<i>Homopyralis indecidens</i>	1896, 647		1898, 175
<i>Homosteus milleri</i>	1891, 198		1898, 185
	1891, 199	<i>crocota</i>	1892, 548
<i>Homostola vulpecula</i> ..	1897, 732		1894, 139
<i>Homothyrea helenæ</i> ..	1900, 25		1896, 792
<i>Homunculus patagoni-</i>			1897, 372
<i>cus</i>	1899, 565		1897, 377
	1899, 567		1897, 379
<i>Hoplistodera</i>	1900, 818		1897, 380
<i>testacea</i>	1900, 819		1897, 386
<i>Hoplobatrachus rein-</i>			1897, 387
<i>hardti</i>	1891, 376		1897, 388
<i>Hoplogryon pallipes</i> ..	1895, 797		1897, 391
<i>Hoplopterus spinosus</i> ..	1895, 514		1897, 392
	1899, 933		1897, 393
	1900, 965		1897, 394
<i>ventralis</i>	1900, 495		1897, 395
<i>Hoploxypterus cayanus</i> .	1899, 511		1897, 397
<i>Horaga affinis</i>	1895, 558		1897, 398
	1895, 611		1897, 399
	1895, 612		1897, 400
	1895, 627		1897, 402
<i>corniculum</i>	1895, 558		1897, 404
	1895, 611		1897, 407
	1895, 612		1897, 408
	1895, 627		1898, 154
<i>holothura</i>	1895, 611		1898, 156
<i>mænala</i>	1895, 558		1898, 157
	1895, 611		1898, 158
<i>onyx</i>	1892, 640		1898, 159
<i>Horminus melleus</i>	1895, 743		1898, 160
	1895, 784		1898, 163
<i>rugosicollis</i>	1895, 783		1898, 164
<i>Hormisa abeluxalis</i>	1896, 642		1898, 165
<i>Hormogaster redii</i>	1892, 151		1898, 166
<i>Hormonotus modestus</i> ..	1900, 452		1898, 167
<i>Hormosina carpenteri</i> ..	1895, 17		1898, 169
	1895, 50		1898, 171
<i>globulifera</i>	1895, 17		1898, 172
	1895, 50		1898, 173
<i>ovicula</i>	1895, 17		1898, 177
	1895, 50		1898, 185
<i>Hosea flavescens</i>	1900, 295		1898, 64
<i>Hotea gambiæ</i>	1900, 822	<i>hyæna</i>	1900, 952
<i>Hotinus spinolæ</i>	1900, 867		1895, 548
	1900, 868		1900, 100

	Page		Page
<i>Hyæna picta</i>	1899, 551	<i>Hyalæa pallidalis</i>	1898, 761
<i>striata</i>	1894, 357	<i>succinalis</i>	1898, 642
	1897, 372	<i>Hyalimax viridis</i>	1891, 218
	1897, 377	(<i>Jarava</i>) <i>ardama-</i>	
	1897, 379	<i>nica</i>	1895, 443
	1897, 380	(—) — <i>punctu-</i>	
	1897, 385	<i>latus</i>	1895, 443
	1897, 387	(—) <i>reinhardti</i> ..	1895, 443
	1897, 388	<i>Hyalina lowi</i>	1891, 37
	1897, 389	<i>perlucida</i>	1891, 37
	1897, 391	<i>Hyalinia gomezi</i>	1892, 298
	1897, 392		1892, 299
	1897, 393	<i>Hyalitis tagesalis</i>	1898, 631
	1897, 394	<i>Hyalobathra</i>	1898, 601
	1897, 395		1899, 189
	1897, 397	<i>æqualis</i>	1899, 189
	1897, 398	<i>archeleuca</i>	1899, 189
	1897, 399	<i>cœnostolalis</i>	1899, 190
	1897, 400	<i>filalis</i>	1899, 189
	1897, 401	<i>illectalis</i>	1899, 190
	1897, 402	<i>lætalís</i>	1899, 190
	1897, 403	<i>minialis</i>	1899, 190
	1897, 404	<i>minicosalis</i>	1899, 190
	1897, 407	<i>opheltisalis</i>	1899, 190
	1897, 408	<i>phœnicozona</i>	1899, 189
	1898, 153	<i>Hyalomma grossum</i> ..	1900, 49
	1898, 154	<i>venustum</i>	1893, 177
	1898, 156	<i>Hyalorista myopicalis</i> ..	1896, 641
	1898, 158	<i>tæniolalis</i>	1896, 649
	1898, 159	<i>Hyalosphenia elegans</i> ..	1897, 787
	1898, 160	<i>Hyalosticta</i>	1897, 637
	1898, 163		1897, 656
	1898, 164	<i>obliqualis</i>	1897, 656
	1898, 165	<i>Hyalothyrsus infernalis</i> ..	1893, 40
	1898, 166	<i>neleus</i>	1893, 40
	1898, 167	<i>nitocris</i>	1893, 19
	1898, 169		1893, 40
	1898, 171	<i>priscus</i>	1893, 40
	1898, 172	<i>Hyalymenus longispinus</i>	1893, 705
	1898, 173	<i>Hyarotis adrastus</i>	1892, 652
	1898, 175		1893, 72
	1898, 177		1893, 82
	1898, 185	<i>phœnicis</i>	1893, 82
	1898, 764	<i>praba</i>	1893, 82
<i>togoensis</i>	1900, 301	<i>Hyastenus consobrinus</i> ..	1895, 239
<i>venatica</i>	1899, 551		1895, 240
<i>Hyænodon leptorhynchus</i>	1899, 928	<i>diacanthus</i>	1900, 723
<i>Hyale gracilis</i>	1900, 795	— <i>bituberculatus</i> ..	1900, 723
	1900, 798	<i>elegans</i>	1900, 574
<i>Hyalea</i>	1898, 596		1900, 595
	1898, 641	— <i>tenuicornis</i>	1900, 569
<i>dividalis</i>	1898, 641		1900, 574
	1898, 642	<i>oryx</i>	1900, 724
<i>fulvidalis</i>	1898, 644	<i>planasius</i>	1900, 724
<i>glaucopidalis</i>	1898, 642	<i>spinosus</i>	1895, 239
<i>melanalis</i>	1898, 632		1895, 240
<i>pallidalis</i>	1898, 642	<i>Hyblæa puera</i>	1896, 262
		<i>Hyblæna constellata</i>	1892, 133

	Page		Page
<i>Hybocodon nutans</i>	1896, 464	<i>Hydrocampa dispulsalis</i> .	1899, 288
<i>prolifer</i>	1896, 459	<i>felix</i>	1898, 624
	1896, 464	<i>inornata</i>	1899, 288
	1896, 466	<i>laothoealis</i>	1898, 605
<i>Hybocystis elephas</i>	1891, 346	<i>laudamialis</i>	1898, 605
<i>jousseauui</i>	1891, 346	<i>stenioides</i>	1898, 624
<i>Hybosorus illigeri</i>	1900, 22	<i>tenera</i>	1898, 651
<i>Hyda majorella</i>	1896, 7	<i>Hydrochelidon hybrida</i> .	1900, 966
<i>micacea</i>	1893, 48	<i>Hydrochœrus</i>	1899, 798-803
	1896, 6	<i>capybata</i>	1891, 236
<i>tricerata</i>	1896, 6		1892, 596
<i>Hydara biconalis</i>	1896, 642		1894, 309
<i>Hydaspitherium mega-</i>			1898, 73
<i>cephalum</i>	1891, 322	<i>Hydrocyon brevis</i>	1900, 512
	1891, 325	<i>Hydromys chrysogaster</i> .	1896, 163
<i>Hydatina circulata</i>	1891, 421	— <i>fulvolavatus</i>	1897, 323
<i>physis</i>	1891, 421	<i>fulvolavatus</i>	1897, 323
<i>Hydnophora</i>	1899, 744	<i>Hydrophilus senegalen-</i>	
<i>demidoffi</i>	1899, 746	<i>sis</i>	1900, 22
<i>demidovii</i>	1899, 745	<i>Hydrophis atriceps</i>	1899, 687
	1899, 746	<i>cærulescens</i>	1896, 891
<i>exesa</i>	1899, 745		1899, 606
	1899, 746		1899, 686
	1899, 764	<i>cantoris</i>	1896, 891
<i>lobata</i>	1899, 745		1899, 606
	1899, 746		1899, 687
	1899, 764	<i>fasciatus</i>	1892, 482
<i>microcona</i>	1899, 744		1895, 705
	1899, 746		1896, 891
<i>polygonata</i>	1899, 746		1898, 107
<i>tenella</i>	1899, 746		1899, 606
<i>Hydrænomia ercinus</i> ..	1893, 19		1899, 687
	1893, 38	<i>floweri</i>	1898, 106
	1893, 39	<i>gracilis</i>	1899, 600
<i>Hydræthiops melano-</i>			1899, 606
<i>gaster</i>	1900, 451		1899, 687
<i>Hydrelia circumdata</i> ..	1894, 590	<i>hardwickii</i>	1896, 892
<i>lilacina</i>	1893, 364	<i>mamillaris</i>	1898, 107
	1893, 434	<i>nigrocinctus</i>	1896, 891
<i>marginepunctata</i> ..	1893, 364		1899, 600
	1893, 434		1899, 606
<i>sikkimensis</i>	1893, 365		1899, 686
<i>Hydrias albidifascia</i> ..	1896, 635	<i>obscurus</i>	1899, 601
<i>bochica</i>	1892, 320		1899, 607
<i>braganza</i>	1892, 320		1899, 687
<i>castrenis</i>	1894, 239	<i>torquatus</i>	1896, 892
<i>confusa</i>	1896, 635		1899, 607
<i>lacrimosa</i>	1892, 320		1899, 687
<i>plana</i>	1896, 635	<i>Hydrophobius davisonii</i> .	1899, 665
<i>sordida</i>	1892, 321	<i>Hydrophysa adiantialis</i> .	1896, 643
<i>tenebrosa</i>	1896, 635	<i>cæpiosalis</i>	1896, 643
<i>theresa</i>	1892, 320	<i>Hydropotes inermis</i>	1900, 686
<i>Hydriis ornatalis</i>	1894, 591	<i>Hydroprogne caspia</i> ..	1900, 500
<i>Hydrocampa albofascia-</i>		<i>Hydroornia alleni</i>	1900, 659
<i>lis</i>	1898, 623	<i>Hydrosaurus lesinensis</i> .	1891, 115
<i>aquatilis</i>	1899, 194	<i>salvator</i>	1896, 873
<i>dematralis</i>	1898, 614		1899, 643
<i>discoloralis</i>	1899, 288	<i>Hydrothelphusa</i>	1899, 700

	Page		Page
Hydrothelphusa	1899, 701	Hyla fallax	1898, 482
	1899, 702	gabbii	1898, 478
	1899, 703	goeldii	1894, 643
Hydrus bicolor	1896, 891		1894, 645
	1899, 686		1894, 616
gracilis	1896, 891		1895, 94
	1899, 687		1895, 95
nigrocinctus	1896, 892		1895, 209
	1899, 687		1895, 210
—, var.	1899, 688	gratiosa	1898, 478
pelamidoides	1896, 892	impura	1898, 478
	1899, 688	leucophyllata	1898, 482
pelamis	1899, 686	lichenata	1893, 527
platurus	1895, 823	luteola	1895, 95
	1895, 825		1895, 96
	1895, 826	maxima	1895, 89
	1896, 891		1898, 124
	1899, 606	microcephala	1898, 478
	1899, 686		1898, 481
— alternans	1895, 823		1898, 482
	1895, 826	nebulosa	1895, 96
schistosus	1896, 893		1895, 97
	1899, 688	palmata	1895, 89
striatus	1896, 892	perezii	1891, 611
	1899, 687	polytænia	1895, 93
	1899, 688		1895, 94
(Pelamis) platurus .	1895, 705		1895, 95
Hygrochroa limosa	1892, 325	prosoblepon	1894, 643
Hyla	1898, 103	puma	1898, 478
annectens	1892, 348	punctatissima	1894, 643
arborea	1891, 596	rosenbergi	1898, 123
	1891, 600		1898, 126
	1891, 602		1898, 478
	1891, 603	rubicundula	1895, 93
	1891, 604	rubra	1891, 354
	1891, 610	rueppellii	1898, 478
	1891, 611	spagazzinii	1894, 643
	1891, 619	uranochroa	1898, 481
	1891, 625	variabilis	1898, 478
	1891, 627	Hylædactylus bivittatus	1896, 908
	1892, 24		1899, 906
	1896, 548	Hylambates anchietæ ..	1897, 803
— meridionalis ..	1891, 611	brevirostris	1900, 445
	1891, 625	johnstoni	1897, 801
	1892, 24		1897, 803
barytonus	1891, 611		1898, 475
baudinii	1898, 124	maculatus	1891, 308
cærulea	1891, 158	millsonii	1894, 642
	1891, 159		1894, 644
chloris	1894, 643		1894, 646
congenita	1894, 643	rufus	1900, 445
everetti	1898, 478	Hylarana erythræa	1896, 902
faber	1895, 89	Hylla carnea	1894, 646
	1895, 90	parabambæ	1898, 125
	1895, 91		1898, 126
	1895, 92		1898, 478
	1895, 93	parvula	1894, 643
fallax	1898, 478		1891, 646

	Page		Page
<i>Hylella puncticus</i>	1898, 478	<i>Hylodes gularis</i>	1898, 477
<i>Hylephila dictynna</i>	1896, 520	<i>latidiscus</i>	1898, 121
<i>fasciolata</i>	1893, 101		1898, 126
<i>fulva</i>	1893, 101		1898, 477
<i>phylæus</i>	1893, 91	<i>latrans</i>	1894, 642
	1893, 101	<i>longirostris</i>	1898, 120
	1896, 520		1898, 126
	1898, 367		1898, 477
	1900, 203	<i>martinicensis</i>	1891, 355
<i>vibex</i>	1896, 520		1895, 94
<i>Hylesia approximans</i> ..	1896, 647		1895, 95
<i>Hylobates agilis</i>	1900, 313	<i>melanostictus</i>	1894, 642
<i>albimanus</i>	1900, 312	<i>palmatius</i>	1898, 120
<i>concolor</i>	1893, 493	<i>polyptychus</i>	1898, 477
<i>hainanus</i>	1892, 541	<i>raniformis</i>	1898, 120
	1893, 435		1898, 476
<i>hooock</i>	1897, 305	<i>ranoides</i>	1898, 476
	1900, 189	<i>rugosus</i>	1898, 477
	1900, 190	<i>underwoodi</i>	1898, 477
<i>lar</i>	1894, 359	<i>urichii</i>	1894, 642
	1900, 312	<i>Hylomanes gularis</i>	1897, 471
	1900, 313	<i>Hylomys suillus</i>	1893, 495
	1900, 314	<i>Hylorana granulosa</i>	1892, 346
<i>leuciscus</i>	1892, 227	<i>leptoglossa</i>	1892, 346
	1893, 494	<i>pipiens</i>	1892, 346
	1900, 189	<i>tytleri</i>	1892, 345
	1900, 190	<i>Hymenarcys nervosa</i> ..	1900, 823
<i>leucogenys</i>	1900, 313	<i>Hymenia difascialis</i> ..	1898, 623
<i>muelleri</i>	1892, 227	<i>erebina</i>	1898, 715
	1893, 436	<i>meridionalis</i>	1899, 175
	1893, 493	<i>perspectalis</i>	1896, 643
	1893, 494	<i>phrasiusalis</i>	1896, 643
<i>pileatus</i>	1900, 313		1898, 623
<i>syndactylus</i>	1892, 617	<i>recurvalis</i>	1894, 591
	1898, 588	<i>Hymeniadon conulo-</i>	
	1898, 924	<i>sum</i>	1900, 128
	1899, 436		1900, 135
	1900, 187	<i>fenestratum</i>	1900, 136
	1900, 189	<i>Hymenicus varius</i>	1900, 525
	1900, 190	<i>Hymenobates</i>	1894, 214
	1900, 313	<i>imitator</i>	1894, 214
<i>Holocharis cyanea</i>	1899, 515	<i>Hymenochirus boettgeri</i>	1900, 435
<i>Hylodes achatinus</i>	1898, 120	<i>Hymenopus bicornis</i> ..	1900, 839
	1898, 126		1900, 840
	1898, 477		1900, 841
<i>alfredi</i>	1898, 477		1900, 842
	1898, 480		1900, 845
	1898, 482		1900, 846
<i>anomalus</i>	1898, 119		1900, 847
	1898, 126		1900, 848
	1898, 476	<i>Hymenosoma</i>	1900, 521
<i>bufoniformis</i>	1898, 477	<i>depressum</i>	1900, 522
<i>cerasinus</i>	1898, 477	<i>laeve</i>	1900, 524
<i>conspicillatus</i>	1898, 120	<i>leachii</i>	1900, 522
<i>discoidalis</i>	1898, 477		1900, 525
<i>erythropleura</i>	1898, 477	<i>mathæi</i>	1900, 520
<i>gularis</i>	1898, 121		1900, 521
	1898, 126	<i>planatum</i>	1900, 520

	Page		Page
<i>Hymenosoma planatum</i>	1900, 523	<i>Hypena masuralis</i>	1896, 266
<i>tridentatum</i>	1900, 522		1897, 777
<i>Hyomoschus aquaticus</i>	1891, 385		1898, 426
	1896, 986	<i>mœstalis</i>	1896, 640
<i>Hypætra leucoptera</i>	1896, 264	<i>murina</i>	1896, 650
	1896, 283	<i>obacerralis</i>	1896, 266
<i>Hypanartia borbonica</i>	1895, 727	<i>obsitalis</i>	1896, 266
<i>commixta</i>	1894, 564	<i>palpitralis</i>	1894, 590
	1895, 727	<i>pyralalis</i>	1896, 648
<i>delius</i>	1894, 339	<i>rufinalis</i>	1895, 933
<i>hippomene</i>	1895, 727	<i>scabra</i>	1896, 638
	1896, 112		1896, 648
	1896, 825	<i>scissilinea</i>	1896, 650
	1900, 917	<i>subbasalis</i>	1896, 642
<i>schœneia</i>	1895, 727	<i>tristalis</i>	1894, 590
	1896, 112	<i>velatipennis</i>	1895, 741
	1896, 825	<i>vulgatalis</i>	1894, 590
	1897, 839		1898, 426
	1898, 824	<i>xenaresalis</i>	1896, 641
	1900, 917	<i>Hyperacantha flavo-</i>	
<i>Hypanis acheloia</i>	1900, 918	<i>nigra</i>	1892, 92
	1891, 78	<i>hypomelæna</i>	1892, 92
	1893, 655	<i>Hyperammina arbores-</i>	
	1894, 561	<i>cens</i>	1895, 13
	1898, 376		1895, 49
<i>castanea</i>	1895, 729	<i>elongata</i>	1895, 13
	1896, 243		1895, 49
	1896, 249	<i>ramosa</i>	1895, 13
<i>cora</i>	1894, 561		1895, 49
	1898, 375	<i>Hyperaspis cincticollis</i>	1898, 340
<i>ilithyia</i>	1891, 78	<i>connectens</i>	1898, 340
	1894, 36	<i>festiva</i>	1898, 340
	1894, 342	<i>Hyperchiria cinerea</i>	1896, 635
	1894, 357	<i>dioxippus</i>	1896, 635
	1896, 243	<i>io</i>	1896, 241
	1898, 376		1897, 296
— <i>vulgaris</i>	1896, 113	<i>janeira</i>	1896, 635
<i>Hypena abyssinialis</i>	1893, 683	<i>janus</i>	1896, 241
	1896, 266	<i>leucane</i>	1896, 635
	1900, 20	<i>memusæ</i>	1896, 635
— <i>jussalis</i>	1900, 20	<i>pyrrhomelas</i>	1896, 635
<i>acclinalis</i>	1896, 640	<i>submacula</i>	1896, 635
<i>ancara</i>	1896, 648	<i>vagans</i>	1896, 635
<i>anicina</i>	1896, 640	<i>Hypercompa thelwalli</i>	1895, 269
<i>bisignalis</i>	1896, 648	<i>tigris</i>	1894, 584
<i>degessalis</i>	1896, 642		1895, 740
<i>deldonalis</i>	1896, 641	<i>Hyperetis quadrilineata</i>	1896, 646
<i>disseptalis</i>	1896, 648	<i>tessellata</i>	1896, 646
<i>dissutalis</i>	1896, 648	<i>Hyperia oblivia</i>	1898, 583
<i>echionalis</i>	1894, 590	<i>Hyperiodrilus africanus</i>	1891, 173
<i>exoletalis</i>	1896, 641	<i>Hypernaria augusta</i>	1896, 638
	1896, 650	<i>chlorospila</i>	1896, 648
<i>hastatalis</i>	1896, 640	<i>discessura</i>	1896, 640
<i>jussalis</i>	1896, 266		1896, 648
<i>lividalis</i>	1896, 266	<i>integrans</i>	1896, 638
<i>lyrcusalis</i>	1896, 641	<i>interponens</i>	1896, 638
<i>lysoalis</i>	1896, 642	<i>leucospila</i>	1896, 648
<i>masuralis</i>	1894, 590	<i>punctulosa</i>	1896, 648

	Page		Page
<i>Hypernaria rudis</i>	1896, 648	<i>Hypocnemis leucophrys</i>	1896, 384
<i>Hyperolius dorsalis</i>	1900, 445	<i>schistacea</i>	1896, 384
<i>fimbriolatus</i>	1900, 444	<i>subflava</i>	1896, 384
<i>leptosomus</i>	1900, 445	<i>Hypocolius ampelinus</i> ..	1892, 470
<i>Hyperopisus</i>	1898, 780	<i>Hypocosmia definitalis</i> ..	1897, 658
<i>bebe</i>	1898, 819	<i>Hypocryptothrix</i>	1893, 17
.....	1898, 777	<i>teutas</i>	1893, 22
.....	1898, 819	1893, 17
.....	1900, 512	1893, 22
.....	1900, 836	<i>Hypogæon havaicum</i> ..	1896, 195
<i>dorsalis</i>	1898, 820	1896, 196
<i>occidentalis</i>	1898, 820	<i>Hypogeophis alternans</i> ..	1895, 405
<i>Hyperparachma bursa-</i>		1895, 406
<i>rials</i>	1897, 672	1898, 479
.....	1897, 673	<i>guentheri</i>	1895, 405
<i>rubrifusca</i>	1897, 673	<i>rostratus</i>	1895, 405
<i>Hyperthyris aperta</i>	1897, 608	1895, 406
<i>Hyperythra lucicolor</i> ..	1898, 383	<i>seraphini</i>	1895, 408
<i>Hyphantica æthiopica</i> ..	1895, 465	<i>Hypogomphus bipunc-</i>	
<i>Hyphantornis camburni</i> ..	1900, 603	<i>tatus</i>	1900, 824
<i>galbula</i>	1895, 468	<i>Hypolais</i>	1899, 228
<i>rubiginosa</i>	1895, 468	<i>hypolais</i>	1896, 311
<i>shelleyi</i>	1900, 2	<i>icterina</i>	1896, 311
<i>texta</i>	1896, 228	<i>Hypolamprus angulalis</i> ..	1897, 614
<i>vitellina</i>	1895, 468	<i>at ostriatus</i>	1897, 615
<i>xanthops</i>	1900, 603	<i>costiscripta</i>	1897, 615
<i>Hypnos subnigrum</i>	1894, 716	<i>fimbriata</i>	1897, 615
<i>Hypocala deflorata plu-</i>		<i>hamicycla</i>	1897, 615
<i>micornis</i>	1898, 424	<i>lobulatus</i>	1897, 615
<i>plumicornis</i>	1898, 424	<i>ninniusalis</i>	1897, 615
<i>Hypochalcia perlig-</i>		<i>obscuralis</i>	1897, 615
<i>nealis</i>	1898, 288	<i>palleseens</i>	1897, 614
<i>pyralinalis</i>	1899, 288	<i>peratopis</i>	1897, 615
<i>repugnalis</i>	1899, 288	<i>striatalis</i>	1897, 614
<i>Hypocheira io</i>	1891, 179	1897, 615
.....	1892, 94	<i>stylophora</i>	1897, 615
.....	1893, 279	<i>subrosealis</i>	1897, 614
.....	1894, 134	<i>trifascialis</i>	1897, 614
.....	1895, 137	<i>Hypoleucis arela</i>	1896, 68
.....	1898, 80	1896, 47
.....	1899, 293	<i>enantia</i>	1896, 47
.....	1900, 181	1896, 103
<i>Hypochroma nelearia</i> ..	1892, 131	<i>indusiata</i>	1896, 35
<i>netunaria</i>	1892, 131	<i>ophiusa</i>	1893, 83
<i>vitticosta</i>	1892, 131	1896, 47
<i>Hypochrysops alyattes</i> ..	1891, 357	<i>titanota</i>	1896, 47
<i>architas</i>	1891, 357	<i>tripuncta</i>	1893, 72
<i>cœlisparsus</i>	1896, 651	1893, 82
.....	1896, 653	<i>tripunctata</i>	1896, 47
<i>cratevas</i>	1891, 357	<i>Hypolimnas alciippoides</i> ..	1893, 645
<i>elegans</i>	1892, 641	1893, 650
.....	1895, 612	<i>dædalus</i>	1900, 919
<i>seuthes</i>	1891, 357	<i>dubius</i>	1893, 556
<i>Hypochlinea gracilipes</i> ..	1896, 411	<i>inaria</i>	1893, 650
<i>gracilis</i>	1896, 411	1894, 562
<i>Hypoclopus parvus</i>	1897, 55	1896, 852
.....	1897, 170	1900, 12
<i>Hypocnemis lepidonota</i> ..	1896, 384	<i>missippus</i>	1893, 556

	Page		Page
Hypolimnas misippus ..	1893, 650	Hypolycæna skapane ..	1895, 604
	1894, 341		1895, 605
	1894, 562		1895, 627
	1895, 725	terna	1895, 625
	1896, 243	tharis.....	1895, 618
	1896, 249	thecloides	1895, 558
	1896, 256		1895, 603
	1896, 525		1895, 604
	1896, 532	timolus	1897, 850
	1896, 823	tora	1892, 639
	1896, 852	virgo	1892, 645
	1897, 692	zela	1896, 832
	1897, 775	(Tatura) pachalica ..	1894, 343
	1897, 924	Hypolymnas poggei....	1891, 79
	1898, 51	Hyponomeuta confu-	
	1898, 190	sella	1891, 527
	1898, 370		1897, 89
	1898, 379	mahalabellus.....	1891, 532
	1898, 398		1891, 547
	1899, 810		1897, 117
	1900, 12	paucellus	1891, 527
	1900, 13		1897, 90
	1900, 919	triangularis	1891, 532
— alcippoides	1896, 249		1891, 547
	1896, 256		1897, 117
— inaria	1896, 249	Hypopeltarium.....	1900, 519
	1896, 256	spinosulum	1900, 520
	1899, 964	Hypophæa chalybæa ..	1899, 513
wallaceana	1892, 121	Hypophthalmichthys	
Hypolycæna amba	1892, 644	nobilis	1899, 940
	1895, 625	Hypoptopoma bilo-	
buxtoni.....	1896, 123	batum	1895, 526
cæculus	1891, 61	guentheri	1895, 526
	1891, 85		1895, 527
	1891, 107	steindachneri	1895, 526
	1894, 53		1895, 527
chandrana	1892, 645	thoracatum	1895, 526
erylus.....	1891, 85		1895, 527
	1892, 639	Hypopyra capensis	1893, 681
	1895, 558	configurans	1896, 638
	1895, 603	Hyposidra albipunctata ..	1893, 398
etias	1895, 618	Hypothymis azurea	1900, 481
etolus.....	1895, 605	occipitalis	1900, 481
hatita.....	1895, 605	Hypotia russulalis	1899, 278
kina	1892, 639	Hypselostoma bensoni-	
lara	1897, 849	anum	1891, 338
libna	1895, 565		1894, 152
othona	1892, 639	crossei	1891, 338
pachalica	1898, 407		1894, 151
phemis	1895, 558	dayanum	1891, 338
	1895, 604	hungerfordianum ..	1891, 337
	1895, 605		1891, 348
	1895, 627		1894, 151
	1894, 53		1894, 152
philippus	1893, 556	luzonicum	1891, 338
rava	1896, 123	philippinicum	1892, 467
seamani	1897, 850	striolatum	1894, 152
sipylus	1895, 558	transitans	1891, 338
skapane			

	Page		Page
<i>Hypselostoma transitans</i> 1894,	151	<i>Hyrax</i>	1898, 58
1894,	152	abyssinica	1892, 62
1894,	156		1892, 64
tubiferum	1891, 338		1892, 66
<i>Hypselostyla boholensis</i> 1892,	453	alpini	1892, 64
camelopardalis 1892,	448	arboreus	1892, 68
1892,	453		1892, 74
dactylus	1892, 453	bocagei	1892, 69
fulgetrum	1892, 453		1892, 72
nobilis	1892, 453	brucei	1892, 62
nympha	1892, 448		1892, 65
	1892, 453		1892, 70
pictor	1892, 453		1892, 74
quieta	1892, 457		1894, 363
sanziana	1892, 457		1894, 371
satyrus	1892, 453	burtoni	1892, 94
spinosissima	1892, 457		1892, 69
<i>Hypsipetes leuco-</i>		capensis	1891, 465
cephalus	1900, 305		1892, 39
perniger	1900, 478		1892, 49
<i>Hypsiprymnus ogilbyi</i> 1895,	137		1893, 531
<i>Hypsirhina bocourti</i> .. 1899,	600		1895, 703
	1899, 606	dongolanus	1892, 64
	1899, 676	dorsalis	1891, 465
chinensis	1899, 606		1892, 75
	1899, 676	ferrugineus	1892, 64
enhydria	1896, 783		1892, 65
	1896, 887		1892, 70
	1897, 196	habessinicus	1892, 61
	1897, 201		1892, 62
	1897, 226		1892, 64
	1899, 606	irroratus	1892, 65
	1899, 676		1892, 70
indica	1896, 887	— luteogaster	1892, 65
	1899, 600	mossambicus	1892, 70
	1899, 606		1894, 144
	1899, 675	nigricans	1892, 60
jagorii	1899, 601	ruficeps	1892, 63
	1899, 606		1892, 64
	1899, 676	scioanus	1892, 61
matannensis	1897, 196	semicircularis	1892, 60
	1897, 201	sinaiticus	1892, 62
	1897, 225		1892, 64
	1897, 226	stampflii	1892, 75
plumbea	1896, 887		1892, 76
	1897, 196	sylvestris	1892, 75
	1897, 201	syriacus	1892, 62
	1897, 225		1892, 64
	1897, 226	welwitschii	1892, 68
	1899, 606	<i>Hyreus</i> sp.	1897, 924
	1899, 675	æquatorialis	1894, 567
sieboldii	1896, 887		1895, 734
	1899, 606		1896, 830
	1899, 677		1900, 929
<i>Hypsopygia sodalis</i>	1896, 649	cordatus	1891, 636
<i>Hyracodon fuliginosus</i> ..	1895, 870		1891, 638
<i>Hyracotherium sidero-</i>			1900, 928
lithicum	1897, 706	falkensteinii	1895, 733

	Page		Page
<i>Hyreus juba</i>	1891, 636	<i>Hystrix cristata</i>	1894, 285
	1891, 637		1894, 675
<i>lingeus</i>	1893, 556		1894, 682
	1893, 659		1894, 683
	1895, 733		1894, 684
	1896, 251		1894, 685
	1896, 256		1894, 692
	1898, 194		1895, 554
<i>palemon</i>	1895, 733		1897, 960
	1896, 121	<i>fasciculata</i>	1900, 882
	1896, 831	<i>galeata</i>	1895, 554
<i>virgo</i>	1896, 121	<i>hirsutirostris</i>	1895, 554
	1896, 136	<i>hodgsoni</i>	1900, 364
	1896, 831	<i>javanica</i>	1894, 357
<i>webbianus</i>	1894, 567		1894, 682
<i>Hyria augusta</i>	1896, 850		1894, 683
<i>elongata</i>	1893, 641		1894, 684
<i>gavisata</i>	1896, 646	<i>leucura</i>	1895, 545
<i>subtectata</i>	1896, 645		1895, 554
<i>Hysterochrates crassipes</i> ..	1897, 764		1900, 103
	1897, 765	<i>longicauda</i>	1900, 302
	1897, 766		1900, 364
	1897, 773		1900, 365
	1899, 844	<i>malabariensis</i>	1894, 357
	1899, 845	<i>muelleri</i>	1893, 495
<i>gigas</i>	1897, 762	<i>pumila</i>	1893, 495
	1897, 764	<i>yunnanensis</i>	1900, 869
	1897, 765		1900, 881
	1897, 766		
	1897, 771	<i>Iaera duodecimpunctata</i> ..	1895, 261
	1899, 844		1895, 728
	1899, 845	<i>Iais</i>	1900, 548
<i>greefi</i>	1897, 762	<i>hargerii</i>	1900, 549
	1897, 764		1900, 550
<i>greshoffi</i>	1897, 762		1900, 551
	1897, 765	<i>neo-zealanica</i>	1900, 549
<i>hercules</i>	1899, 844	<i>pubescens</i>	1900, 549
	1899, 845		1900, 550
<i>laticeps</i>	1897, 765		1900, 556
	1897, 766		1900, 567
	1897, 773	(<i>Ianthe</i>) <i>pubescens</i> ..	1900, 549
	1899, 844	<i>Iambia inferalis</i>	1899, 289
	1899, 845	<i>Iambrix</i>	1893, 71
<i>robustus</i>	1899, 844		1893, 76
	1899, 845	<i>salsala</i>	1893, 71
<i>Hystrix</i> sp.	1896, 795		1893, 76
	1899, 771		1893, 132
<i>africæ-australis</i> ..	1895, 542		1900, 511
	1895, 554	<i>sindu</i>	1893, 76
<i>bengalensis</i>	1900, 364	<i>stellifer</i>	1893, 76
<i>crassispinis</i>	1893, 495	<i>Ianthina fragilis</i>	1891, 435
<i>cristata</i>	1892, 596	<i>trochoides</i>	1891, 414
	1892, 600	<i>Ibacus antarcticus</i>	1898, 1014
	1894, 251	<i>Ibis æthiopica</i>	1895, 512
	1894, 268		1900, 961
	1894, 273	<i>alba</i>	1892, 393
	1894, 275	<i>albicollis</i>	1892, 391
	1894, 282		1892, 392

	Page		Page
<i>Ibis caudata</i>	1892, 391	<i>Icterus pyrrhopterus</i> ..	1899, 511
	1892, 393	<i>tibialis</i>	1899, 515
<i>hagedash</i>	1895, 512	<i>Ictonyx libyca</i>	1897, 373
<i>melanocephala</i>	1900, 306		1897, 375
	1900, 492		1897, 379
<i>melanopis</i>	1892, 391		1897, 380
	1892, 393		1897, 381
(Theristicus) cau-			1897, 385
<i>datius</i>	1892, 391		1897, 387
<i>Icaria ferruginea</i>	1896, 450		1897, 389
<i>marginata</i>	1896, 450		1897, 394
<i>Ichneumon edwardsii</i> ..	1897, 288		1897, 395
<i>gersius</i>	1897, 288		1897, 396
<i>javanicus</i>	1900, 873		1897, 397
<i>Ichnotropis squamu-</i>			1897, 399
<i>lata</i>	1897, 800		1897, 401
<i>Ichoria chalconedusa</i> ..	1893, 282		1897, 402
<i>tricincta</i>	1893, 282		1897, 404
<i>Ichthyomys</i>	1893, 337		1897, 407
<i>hydrobates</i>	1893, 338		1898, 155
	1893, 339		1898, 158
	1893, 340		1898, 159
<i>söderströmi</i>	1896, 512		1898, 160
<i>stolzmanni</i>	1893, 333		1898, 163
	1893, 337		1898, 166
	1893, 338		1898, 167
	1893, 339		1898, 171
	1893, 340		1898, 175
	1893, 341		1898, 177
	1896, 513	<i>zorilla</i>	1895, 140
<i>Ichthyophis beddomii</i> ..	1895, 404		1897, 373
<i>glutinosus</i>	1893, 278		1897, 380
	1895, 403		1897, 381
	1895, 404		1897, 385
	1895, 408		1897, 387
	1895, 706		1897, 389
	1896, 914		1897, 395
	1899, 914		1897, 396
	1900, 890		1897, 397
<i>hasseltii</i>	1895, 403		1897, 399
<i>monochrous</i>	1892, 508		1897, 404
	1895, 404		1898, 155
	1896, 914		1898, 163
	1899, 915	(<i>Zorilla</i>) <i>capensis</i> ..	1894, 358
	1899, 916	<i>Idacantha weisei</i>	1899, 358
<i>Ichthyosaurus</i> sp.	1900, 660		1899, 380
<i>australis</i>	1900, 660	<i>Idalus enervis</i>	1894, 229
<i>campylodon</i>	1900, 660	<i>Idessa pyrgionalis</i>	1898, 749
<i>marathonensis</i>	1900, 660	<i>Idioblasta</i>	1899, 239
<i>Ichthyosoma cassiope</i> ..	1892, 341	<i>Idiommatata lepida</i>	1897, 741
<i>Iconaster longimanus</i> ..	1894, 394		1898, 506
	1900, 289	<i>Idiops argus</i>	1896, 734
	1900, 293	<i>aussereri</i>	1897, 732
<i>Iconisma</i>	1897, 96	<i>bonapartei</i>	1896, 734
<i>macrocera</i>	1897, 96	<i>compactus</i>	1897, 732
	1897, 97		1898, 508
<i>Icterodes roseovittata</i> ..	1896, 108	<i>fulvipes</i>	1896, 734
<i>Icterus cayanensis</i>	1896, 354	<i>fuscus</i>	1896, 734

	Page		Page
<i>Idiops germani</i>	1896, 734	<i>Ilerda epicles</i>	1900, 508
<i>meadii</i>	1897, 730	<i>hewitsoni</i>	1892, 635
<i>rohdei</i>	1896, 734	<i>kiana</i>	1895, 558
<i>thorelli</i>	1897, 731		1895, 595
<i>Idiurus macrotis</i>	1898, 450	<i>pallescens</i>	1900, 812
	1898, 452		1900, 825
	1898, 453	<i>sudana</i>	1900, 812
<i>zenkeri</i>	1895, 2	<i>superba</i>	1895, 612
<i>Idmais calais</i>	1894, 349	<i>tamu</i>	1891, 251
<i>castalis</i>	1896, 252	<i>viridipunctata</i>	1892, 635
	1896, 526	<i>Ilicura militaris</i>	1899, 513
	1897, 11	<i>Ilipa scita</i>	1896, 635
<i>chrysonome</i>	1894, 347	<i>tenthredoides</i>	1896, 635
	1897, 14	<i>Illice batialis</i>	1896, 649
<i>doubledayi</i>	1897, 14		1899, 289
<i>eris</i>	1894, 348		1899, 290
<i>eucheria</i>	1897, 15	<i>Illysia scytale</i>	1895, 704
<i>fatma</i>	1894, 572	<i>Ilyogenia africana</i>	1892, 666
	1897, 7		1892, 703
<i>faustina</i>	1897, 8	<i>Imbrasia epimeathea</i> ..	1898, 80
<i>fulvia</i>	1897, 9		1898, 81
<i>hewitsoni</i>	1897, 14	<i>Inachus longipes</i>	1900, 723
<i>maimuna</i>	1897, 7	<i>lorina</i>	1900, 721
<i>miriam</i>	1897, 14	<i>muricatus</i>	1900, 722
	1897, 15	(<i>Elamene</i>) <i>ungui-</i>	
<i>philumene</i>	1897, 10	<i>formis</i>	1900, 761
<i>venosa</i>	1897, 15	<i>Indalmus angusticollis</i> .	1897, 462
	1898, 411	<i>kirbyanus</i>	1897, 462
<i>vesta</i>	1897, 12	<i>luzonicus</i>	1897, 462
	1897, 14		1897, 464
<i>vestalis</i>	1896, 252	<i>Indicator indicator</i>	1895, 492
<i>Idnea altana</i>	1897, 651	<i>sparmannii</i>	1895, 492
<i>concolorana</i>	1897, 651	<i>Indris brevicaudata</i>	1894, 358
<i>gibbosana</i>	1897, 651	<i>Ingura fuscescens</i>	1896, 639
<i>propriana</i>	1897, 651	<i>Inia geoffroyensis</i>	1896, 771
<i>speculans</i>	1897, 650		1896, 772
<i>Idneodes tretopteralis</i> ..	1895, 919	<i>Iniopsis caucasicus</i>	1892, 562
	1897, 692		1892, 564
<i>Idoca butyrosa</i>	1893, 362	<i>Inostemma simillima</i> ..	1895, 800
<i>falcipennis</i>	1893, 362	<i>Iolanus cyrinus</i>	1895, 600
	1893, 434	<i>cyrus</i>	1895, 600
<i>Idolum diabolicum</i>	1900, 851	<i>mantra</i>	1895, 600
<i>Iemisch listai</i>	1900, 75	<i>Iolau aphnaeoides</i>	1894, 53
<i>Iguana</i>	1899, 11		1894, 54
	1899, 12	<i>auricostalis</i>	1896, 832
<i>tuberculata</i>	1891, 355		1896, 850
	1891, 466	<i>bowkeri</i>	1891, 85
<i>Ilattia axis</i>	1894, 588		1894, 54
<i>Ilema robusta</i>	1898, 428		1894, 569
<i>Ilerda androcles</i>	1891, 256		1896, 833
	1892, 635	<i>buxtoni</i>	1896, 852
<i>brahma</i>	1891, 251		1898, 54
	1891, 257	<i>cæculus</i>	1891, 85
	1892, 635		1893, 661
	1892, 636		1894, 53
<i>epicles</i>	1891, 251		1896, 123
	1892, 635		1896, 833
	1895, 595		1896, 852

	Page		Page
<i>Iolaus caeculus</i>	1898, 197	<i>Iraota nila</i>	1895, 553
<i>ceres</i>	1897, 850		1895, 588
<i>cippus</i>	1895, 596		1895, 627
<i>cotys</i>	1892, 636	<i>rochana</i>	1895, 558
<i>devana</i>	1895, 597		1895, 587
<i>glaucus</i>	1896, 245	<i>timoleon</i>	1892, 628
	1896, 252		1895, 588
<i>icetas</i>	1892, 636	<i>Iridina oblonga</i>	1891, 312
<i>isæus</i>	1892, 637	<i>Iridomyrmex anceps</i> ..	1896, 411
	1895, 601	<i>Iridornis analis</i>	1892, 398
<i>maculatus</i>	1895, 599		1892, 406
<i>metasuja</i>	1895, 609		1892, 409
<i>mimosæ</i>	1897, 850		1896, 342
<i>nursei</i>	1896, 245	<i>jelskii</i>	1896, 342
	1896, 251	<i>reinhardtii</i>	1896, 342
	1896, 256	<i>Irrisor erythrorhynchus</i> ..	1895, 500
	1896, 283	<i>jacksoni</i>	1900, 601
	1897, 775	<i>minor</i>	1895, 500
	1897, 776	<i>sharpei</i>	1894, 597
	1897, 850	<i>Isanthrene gaza</i>	1892, 274
	1900, 14	<i>odyneroides</i>	1896, 635
<i>pachalicus</i>	1898, 407	<i>Ischalis colorata</i>	1893, 401
<i>pallene</i>	1891, 86		1893, 434
	1896, 833	<i>incaria</i>	1893, 401
	1897, 850	<i>Ischnaspis</i>	1891, 562
	1898, 54	<i>peltifer</i>	1891, 562
<i>philippus</i>	1896, 832	<i>Ischnocolus</i>	1897, 747
	1896, 833		1897, 748
	1897, 850	<i>Ischnogaster eximius</i> ..	1896, 449
	1898, 54	<i>Ischnoptera atra</i>	1900, 35
	1898, 407	<i>occidentalis</i>	1893, 600
	1898, 826		1893, 603
<i>sidus</i>	1894, 53	<i>Ischnorhynchus cham-</i>	
	1896, 123	<i>pioni</i>	1893, 705
	1900, 926		1894, 184
<i>silarus</i>	1898, 407	<i>Ischnothele caudata</i>	1896, 761
<i>tajoria</i>	1897, 850		1896, 762
<i>umbrosa</i>	1896, 251		1896, 764
	1897, 850	<i>digitata</i>	1896, 764
<i>vidura</i>	1895, 595		1896, 765
(<i>Purlisha</i>) <i>giganteus</i> ..	1892, 640	<i>guyanensis</i>	1896, 762
	1895, 602		1896, 764
<i>Iomachus politus</i>	1898, 498		1896, 765
	1898, 499	<i>pusilla</i>	1896, 764
<i>Iopas sertum</i>	1900, 117		1896, 765
<i>Iotrochota baculifera</i>		<i>siemensii</i>	1896, 723
<i>tumescens</i>	1900, 128		1896, 762
	1900, 136		1896, 765
	1900, 141		1896, 766
<i>Iphiaulax flavomacu-</i>		<i>zebrina</i>	1896, 764
<i>latus</i>	1895, 781		1896, 765
<i>xanthospilus</i>	1895, 781	<i>Ischnurges</i>	1898, 601
<i>Iphiculus spongiosus</i> ..	1900, 766		1899, 187
<i>Iphimedia nodosa</i>	1900, 518	<i>angustalis</i>	1899, 188
<i>Ipnea erebusalis</i>	1896, 640	<i>argentalis</i>	1899, 188
<i>Ipoctonus hemprichii</i> ..	1895, 492	<i>discophoralis</i>	1899, 181
<i>Iramba spissidentata</i> ..	1893, 383	<i>gratiosalis</i>	1899, 187
<i>Iraota boswelliana</i>	1895, 587		1899, 188

	Page		Page
<i>Ischnurges illustralis</i> ..	1899, 188	<i>Ismene harisa</i>	1893, 125
<i>lancinalis</i>	1899, 188	<i>iluska</i>	1893, 126
<i>luteomarginalis</i>	1899, 188	<i>iphis</i>	1896, 102
<i>perpulchralis</i>	1899, 188	<i>jaina</i>	1892, 647
<i>rosea</i>	1899, 188	1893, 126
<i>rufalis</i>	1899, 188	<i>jankowskii</i>	1893, 126
<i>Ischnurus lecomtei</i>	1899, 837	<i>juno</i>	1896, 101
<i>Ischyrys flavitarsis</i> ...	1898, 335	<i>keithloa</i>	1896, 100
<i>fulvitaris</i>	1898, 335	<i>labadea andama-</i>	
<i>graphicus</i>	1898, 335	<i>nica</i>	1892, 647
<i>modestus</i>	1898, 335	<i>libeon</i>	1896, 97
<i>subcylindricus</i>	1898, 335	<i>mahintha</i>	1892, 647
(<i>Oocyranus</i>) <i>tarsalis</i> .	1898, 335	1893, 125
<i>Isia intricata</i>	1896, 636	1893, 126
<i>Isichthys</i>	1898, 780	1893, 131
.....	1898, 791	<i>margarita</i>	1896, 99
<i>henryi</i>	1898, 777	<i>necho</i>	1896, 100
.....	1898, 791	<i>œdipodea</i>	1892, 647
<i>Isma bononia</i>	1893, 84	1893, 124
<i>cephala</i>	1893, 84	1893, 125
<i>inareme</i>	1892, 652	1893, 126
<i>obscura</i>	1893, 72	1893, 131
.....	1893, 83	<i>orma</i>	1896, 90
.....	1893, 84	<i>pansa</i>	1896, 98
<i>Ismene æschylus</i>	1896, 98	<i>pisistratus</i>	1896, 99
<i>amara</i>	1892, 646	<i>ramanetek</i>	1896, 97
.....	1893, 126	<i>ratek</i>	1896, 100
<i>anadi</i>	1893, 126	<i>sasivarna</i>	1892, 649
<i>anchises</i>	1894, 352	<i>sejuncta</i>	1896, 101
.....	1896, 98	<i>stella</i>	1896, 99
.....	1896, 248	<i>striata</i>	1893, 126
.....	1896, 256	<i>subcaudata</i>	1892, 647
<i>andonginis</i>	1896, 98	<i>tancred</i>	1896, 101
<i>aquilina</i>	1893, 126	<i>taranis</i>	1896, 98
<i>aria</i>	1892, 648	<i>unicolor</i>	1894, 81
<i>arbogastes</i>	1896, 99	1895, 738
<i>ataphus</i>	1893, 125	1896, 97
.....	1893, 126	<i>vasutana</i>	1892, 646
.....	1893, 131	1893, 126
.....	1900, 511	<i>Isocentris</i>	1899, 189
<i>bixæ</i>	1896, 101	<i>undulinea</i>	1899, 189
<i>brussauxi</i>	1896, 97	<i>unicolor</i>	1899, 189
<i>chalybe</i>	1896, 101	<i>Isodictya dissimilis</i> ...	1894, 664
<i>chrysægla</i>	1893, 126	<i>Isoloba</i>	1893, 345
<i>chuza</i>	1892, 646	<i>bifasciata</i>	1893, 345
<i>crawfurdi</i>	1892, 646	1893, 434
<i>druna</i>	1892, 649	<i>Isometrus asper</i>	1899, 834
<i>etelka</i>	1893, 126	<i>burdoi</i>	1898, 500
<i>fergusonii</i>	1892, 647	<i>europæus</i>	1899, 835
.....	1893, 126	<i>maculatus</i>	1899, 835
<i>fervida</i>	1896, 99	<i>Isomys abyssinicus</i> ...	1892, 551
<i>florestan</i>	1896, 98	<i>dorsalis</i>	1892, 551
.....	1896, 99	1894, 142
<i>forestan</i>	1893, 557	<i>pumilio</i>	1892, 551
.....	1896, 537	— <i>bechuanae</i>	1892, 551
<i>gomata</i>	1893, 126	— <i>diminutus</i>	1892, 551
<i>hanno</i>	1896, 100	<i>variegatus</i>	1892, 551
<i>harisa</i>	1892, 646		

	Page		Page
<i>Isopeda occidentalis</i>	1899, 874	<i>Ixalus cinerascens</i>	1892, 348
<i>Isopteryx abnegatalis</i>	1898, 626	<i>femoralis</i>	1892, 348
<i>accessalis</i>	1898, 626	<i>glandulosus</i>	1892, 347
<i>bilunatalis</i>	1898, 694	<i>hypomelas</i>	1892, 347
<i>canescens</i>	1899, 289	<i>lateralis</i>	1899, 171
<i>favillalis</i>	1899, 289	<i>latopalmaris</i>	1894, 642
<i>flavofuscalis</i>	1898, 727	<i>leitensis</i>	1898, 475
<i>impulsalis</i>	1899, 213	<i>longicrus</i>	1894, 642
<i>madetisalis</i>	1899, 265	<i>mindorensis</i>	1898, 475
<i>melaleucalis</i>	1899, 213	<i>nubilus</i>	1893, 526
<i>plumbalis</i>	1898, 626	<i>ortus</i>	1892, 279
<i>solidalis</i>	1898, 694	<i>parvulus</i>	1894, 642
<i>staiusalis</i>	1896, 643	<i>petersi</i>	1900, 185
<i>trisinigata</i>	1898, 624	<i>pictus</i>	1900, 187
<i>xeniolalis</i>	1898, 701	<i>punctatus</i>	1896, 857
<i>Isoteinon atkinsoni</i>	1892, 653	<i>schmardanus</i>	1896, 908
<i>cephala</i>	1893, 6	<i>travancoricus</i>	1899, 900
<i>cephaloides</i>	1892, 654	<i>varius</i>	1892, 347
<i>iapis</i>	1892, 654	<i>vittatus</i>	1892, 348
<i>khasianus</i>	1893, 82	<i>vittiger</i>	1894, 641
<i>lamprospilus</i>	1893, 72	<i>venatus</i>	1896, 749
<i>microstictum</i>	1893, 83	<i>vespertilionis</i>	1892, 348
<i>modesta</i>	1893, 82	<i>ixalus evippe</i>	1898, 475
<i>nilgiriana</i>	1893, 82	<i>ixalus venatus</i>	1900, 508
<i>pandita</i>	1892, 654	<i>ixalus flavipes</i>	1899, 973
<i>sativa</i>	1892, 654	<i>sanguineus</i>	1892, 7
<i>subtestaceus</i>	1892, 653	<i>ixalus sanguineus</i>	1900, 49
<i>vindhiana</i>	1893, 6	<i>ixalus vespertilionis</i>	1892, 7
<i>vitrea</i>	1893, 6	<i>ixalus hainanus</i>	1900, 477
<i>Ispidina picta</i>	1892, 83	<i>lyngipicus kaleensis</i>	1900, 483
<i>Itambe fenestalis</i>	1895, 497	<i>Jacana spinosa</i>	1892, 472
<i>Ithomia corena</i>	1897, 667	<i>Jacoona anasuja</i>	1895, 608
<i>egla</i>	1893, 291	<i>jusana</i>	1895, 609
<i>Iulus distinctus</i>	1893, 294	<i>metasuja</i>	1896, 678
<i>fusco-unilineatus</i>	1892, 28	<i>duodecimpunctata</i>	1895, 558
<i>Ivongius abbreviatus</i>	1892, 28	<i>neo-zelanica</i>	1895, 609
<i>antennarius</i>	1897, 545	<i>novæ-zealandiæ</i>	1895, 627
<i>lefevrei</i>	1892, 570	<i>pubescens</i>	1895, 627
<i>minutus</i>	1897, 537	<i>jamesonia nigripennis</i>	1896, 679
<i>nigromaculatus</i>	1897, 537	<i>weisei</i>	1894, 181
<i>puncticollis</i>	1892, 569	<i>(Thrymnes) femoralis</i>	1900, 518
<i>Ixalus adpersus</i>	1892, 579	<i>jamides amaraugæ</i>	1900, 549
<i>asper</i>	1900, 232	<i>duodecimpunctata</i>	1900, 550
<i>aurifasciatus</i>	1892, 348	<i>neo-zelanica</i>	1896, 112
<i>beddomii</i>	1892, 347	<i>novæ-zealandiæ</i>	1900, 549
<i>bimaculatus</i>	1896, 908	<i>pubescens</i>	1900, 549
<i>carinensis</i>	1899, 900	<i>jamesonia nigripennis</i>	1900, 251
<i>cinerascens</i>	1892, 347	<i>weisei</i>	1899, 348

	Page		Page
Jamides amarauge	1891, 372	Janira codonodes	1895, 443
astraptēs	1892, 441	— albolabris	1895, 443
bochus	1892, 926	— edentula	1895, 443
	1895, 558	— efasciata	1895, 443
	1895, 574	— minor	1895, 443
	1895, 580	— subcarinata	1895, 443
campanulata	1891, 367	— subcylindrica	
	1892, 442	major	1895, 443
candrena	1892, 435	Janthe	1900, 548
	1892, 437	Janulus bicorniger	1894, 525
	1892, 441	erythrophthalmus .	1894, 525
carissima	1892, 435		1897, 860
	1892, 443	Japalura ornata	1894, 723
	1892, 444	Jartheza biplagella	1895, 967
	1892, 446	cassimella	1895, 967
cephion	1891, 367	obstitella	1895, 967
	1891, 372	xylinella	1895, 967
goodenovii	1892, 435	Jemadia	1893, 11
	1892, 442		1893, 14
kava	1892, 435	alhira	1893, 14
	1892, 443	azeta	1893, 14
	1892, 446	hewitsonii	1893, 14
lobelia	1892, 442	hospita	1893, 14
morphoides	1891, 368	gnetus	1893, 14
	1892, 435	jamina	1893, 14
	1892, 442	paseas	1893, 14
	1892, 443	patrobas	1893, 11
petunia	1892, 435		1893, 14
	1892, 442	vulcanus	1893, 14
pulcherrima	1892, 435	zimra	1893, 14
	1892, 441	zonara	1893, 14
	1892, 442	Josia mitis	1896, 636
	1892, 446	Julidochromis	1898, 495
sœmias	1891, 367		1899, 99
	1891, 373		1899, 100
walkeri	1892, 435	ornatus	1898, 495
	1892, 443		1899, 100
	1892, 446		1899, 143
woodfordii	1891, 367	Julodis laticollis	1900, 25
	1891, 368		1900, 63
	1892, 435	subvittata	1900, 25
	1892, 441	vittipennis	1900, 25
	1892, 442	Juncaria monagrioides .	1895, 972
	1892, 443	Junonia actia	1893, 652
Jana strigina	1895, 138		1895, 258
	1895, 139		1898, 51
Janella bitentaculata ..	1894, 526		1898, 822
	1894, 527	amestris	1897, 840
	1894, 528	archesia	1895, 258
	1894, 529		1895, 259
	1894, 530		1896, 823
maculata	1894, 526		1897, 839
	1894, 527		1897, 840
	1894, 529		1898, 188
	1894, 530		1898, 904
papillata	1891, 217	artaxia	1891, 75
	1894, 526		1893, 650
	1894, 530		1894, 35

	Page		Page
Junonia artaxia	1895, 251	Junonia cebrene	1898, 370
	1895, 257		1898, 398
	1895, 258		1898, 822
	1895, 720		1899, 420
	1896, 852		1900, 12
	1898, 51	ceryne	1893, 651
	1898, 190		1896, 111
asterie	1900, 507	chapunga	1893, 651
aurorina	1893, 651		1895, 259
	1893, 684		1896, 110
	1895, 628		1897, 840
	1895, 725	clelia	1891, 74
	1895, 726		1893, 653
	1896, 111		1894, 32
	1896, 824		1894, 339
	1897, 840		1894, 563
	1898, 189		1895, 259
	1898, 397		1895, 720
	1898, 398		1895, 726
boöpis	1891, 74		1896, 243
	1893, 652		1896, 256
	1894, 32		1896, 524
	1894, 563		1896, 531
	1894, 564		1896, 824
	1895, 259		1896, 852
	1895, 720		1897, 692
	1896, 111		1897, 840
	1896, 531		1898, 51
	1896, 824		1898, 190
	1896, 852		1898, 369
	1897, 692		1898, 379
	1897, 923		1898, 398
	1898, 52		1898, 822
	1898, 904		1898, 826
	1899, 420		1900, 12
caenia	1896, 515	cloantha	1893, 652
calescens	1893, 652		1894, 563
	1894, 563		1896, 111
	1895, 725		1897, 692
	1896, 110		1897, 839
	1896, 823		1899, 420
	1897, 840	crebrene	1894, 339
	1898, 189		1896, 524
	1898, 904		1896, 531
cebrene	1891, 74	cuama	1891, 74
	1893, 653		1893, 652
	1894, 32		1894, 33
	1894, 339		1894, 563
	1894, 564		1895, 259
	1895, 726		1895, 720
	1896, 111		1896, 823
	1896, 243		1896, 824
	1896, 256		1896, 851
	1896, 824		1898, 189
	1896, 852		1898, 398
	1897, 692		1898, 904
	1897, 775	elgiva	1893, 652
	1897, 840		1894, 34

	Page		Page
<i>Junonia elgiva</i>	1894, 563	<i>Junonia œnone</i>	1894, 339
	1896, 111	<i>orthosia</i>	1897, 692
	1896, 852		1898, 822
	1898, 51	<i>paris</i>	1894, 564
	1898, 189	<i>pavonina</i>	1895, 251
	1899, 420		1895, 257
	1900, 917		1895, 270
<i>epiclelia</i>	1895, 259	<i>pelasgis</i>	1893, 651
	1898, 379		1895, 259
<i>ethyra</i>	1894, 562		1896, 823
	1895, 726		1897, 839
<i>galami</i>	1893, 651		1897, 840
	1895, 725		1898, 188
	1896, 852		1898, 397
<i>gregorii</i>	1895, 722	<i>puriformis</i>	1898, 822
	1895, 726	<i>pyriformis</i>	1895, 722
	1895, 742		1895, 726
<i>guruana</i>	1898, 397		1895, 742
<i>here</i>	1896, 243		1896, 111
	1896, 249		1898, 398
	1896, 256		1900, 917
	1898, 822	<i>serena</i>	1893, 651
	1899, 810		1893, 652
<i>infracta</i>	1895, 726		1894, 563
<i>kowara</i>	1895, 628		1895, 258
	1895, 725		1895, 720
	1895, 726		1896, 110
	1896, 111		1896, 852
	1897, 840		1897, 692
<i>lemonias</i>	1900, 507		1897, 839
<i>limnoria</i>	1894, 562		1897, 840
— <i>taveta</i>	1898, 397		1897, 923
<i>micromera</i>	1893, 651		1898, 189
	1893, 652		1898, 824
	1894, 15		1898, 904
	1894, 562		1899, 419
<i>milonia</i>	1896, 111	<i>sinia</i>	1894, 562
<i>nachtigalii</i>	1893, 650		1896, 110
	1895, 257		1896, 823
	1895, 258		1896, 824
	1896, 852		1896, 852
	1898, 190		1898, 189
<i>natalensis</i>	1897, 840		1898, 904
<i>natalica</i>	1893, 651	<i>sinuata</i>	1893, 555
	1894, 339		1893, 651
	1894, 562		1895, 628
	1895, 259		1896, 111
	1896, 824		1897, 840
	1896, 852	<i>swinhoei</i>	1899, 810
	1898, 189	<i>taveta</i>	1897, 692
	1898, 398		1897, 923
	1898, 904		1900, 12
<i>octavia</i>	1893, 652	<i>terea</i>	1894, 563
	1897, 692		1897, 692
	1898, 822	<i>trimenii</i>	1893, 651
— <i>natalensis</i>	1897, 839		1893, 684
	1898, 189		1896, 110
	1898, 904		1896, 824

	Page		Page
<i>Junonia trimenii</i>	1898, 189	<i>Kedestes fenestratus</i>	1896, 56
<i>tugela</i>	1895, 628	<i>lentiginosa</i>	1896, 103
	1895, 720		1896, 56
	1896, 111	<i>lepenula</i>	1896, 104
	1896, 824		1893, 90
	1897, 840		1893, 96
	1898, 189	<i>macomo</i>	1896, 54
	1898, 398		1893, 96
<i>westermanni</i>	1894, 339		1896, 55
(Precis) <i>limnoria</i> ..	1894, 557		1897, 856
			1898, 200
<i>Kachuga lineata</i>	1899, 610		1898, 902
<i>Kaliella barrakporensis</i> ..	1899, 582		1898, 911
<i>doliolum</i>	1892, 463		1898, 912
	1892, 468	<i>mohozutza</i>	1893, 96
<i>javana</i>	1892, 468		1896, 55
<i>luzonica</i>	1892, 468	<i>niveostriga</i>	1896, 55
<i>perakensis</i>	1891, 333		1897, 857
	1894, 149		1898, 200
<i>pseudositala</i>	1892, 468	<i>tucusa</i>	1893, 96
<i>pulvisculum</i>	1892, 468		1896, 55
<i>pusilla</i>	1892, 468		1897, 856
<i>sculpta</i>	1894, 149		1898, 200
<i>stenopleuris</i>	1892, 468	<i>wallengrenii</i>	1896, 56
<i>subsculpta</i>	1894, 149		1897, 856
	1894, 156		1898, 200
<i>Kallima alompra</i>	1891, 283		1899, 418
<i>buxtoni</i>	1891, 283		1899, 426
<i>inachus</i>	1891, 283		1899, 427
<i>knyvetti</i>	1891, 283	<i>Kerana armata</i>	1892, 663
<i>limborgii</i>	1891, 283		1893, 93
<i>paralekta</i>	1891, 283		1893, 115
<i>Kalula</i>	1900, 809	<i>aurivittata</i>	1892, 663
<i>varicornis</i>	1900, 810	<i>cameroni</i>	1892, 663
	1900, 825	<i>dhanada</i>	1892, 663
<i>Katha</i> sp.	1892, 122	<i>diocles</i>	1892, 663
<i>intermixta</i>	1892, 122		1892, 664
<i>Katreus</i>	1893, 93		1893, 115
	1893, 115	<i>gemmifer</i>	1892, 662
<i>johnstonii</i>	1893, 93		1893, 115
	1893, 115	<i>Kerivoula aërosa</i>	1900, 802
	1893, 116	<i>africana</i>	1900, 802
	1896, 74	<i>brunnea</i>	1900, 802
	1896, 103	<i>hardwickei</i>	1893, 495
<i>Kedestes</i>	1893, 90	<i>harrisoni</i>	1900, 802
	1893, 96	<i>lanosa</i>	1900, 802
<i>barberæ</i>	1896, 56	<i>papillosa</i>	1893, 495
<i>callicles</i>	1893, 96	<i>pellucida</i>	1898, 76
	1896, 55	<i>picta</i>	1892, 315
	1897, 856		1892, 316
<i>capenas</i>	1893, 96		1893, 494
	1896, 55		1900, 347
	1896, 108	<i>smithii</i>	1900, 802
	1896, 130	<i>tenuis</i>	1900, 345
<i>chaca</i>	1893, 96	<i>Keræides koreni</i>	1899, 46
	1896, 55		1899, 47
<i>chersias</i>	1893, 96	<i>Kerria halophila</i>	1892, 357
<i>derbice</i>	1893, 96		1892, 360

	Page		Page
<i>Kerria halophila</i>	1895, 224	<i>Kynotus michaelsonii</i> ..	1893, 485
	1895, 225		1893, 487
<i>macdonaldi</i>	1895, 225		
<i>rosæ</i>	1895, 224	<i>Labdacus monastoides</i> ..	1896, 1009
<i>saltenensis</i>	1895, 225		1896, 1012
<i>zonalis</i>	1895, 225	<i>Labena gloriosa</i>	1895, 781
<i>Ketupa javanensis</i>	1892, 471	<i>trilineata</i>	1895, 781
<i>Keyserlingella minuta</i> ..	1893, 693	<i>Labeo coubie</i>	1896, 915
<i>Kiodotus minimus</i>	1900, 875		1900, 513
<i>Kirontisa whiteheadi</i> ..	1900, 506	<i>dussumieri</i>	1895, 274
	1900, 511		1895, 286
<i>Kittacincla macroura</i> ..	1900, 474		1895, 299
<i>Kleidotoma atrocoxalis</i> .	1895, 745	<i>gregorii</i>	1894, 90
	1895, 746		1894, 91
<i>bipunctata</i>	1895, 746		1896, 223
	1895, 748	<i>mesops</i>	1893, 619
<i>insularis</i>	1895, 745	<i>selti</i>	1900, 513
	1895, 747	<i>Labia arcuata</i>	1892, 199
<i>marginalis</i>	1895, 745		1892, 200
	1895, 747		1893, 601
	1895, 748	<i>brunnea</i>	1892, 199
<i>nana</i>	1895, 746		1892, 201
	1895, 748		1893, 601
<i>pygidialis</i>	1895, 746	<i>pulchella</i>	1892, 199
	1895, 748		1892, 201
<i>smithii</i>	1895, 745	<i>pygidiata</i>	1895, 892
	1895, 747	<i>rotundata</i>	1892, 199
<i>Kobus ellipsiprymnus</i> ..	1894, 145		1892, 201
	1896, 797	<i>Labidogenys lyroessa</i> ..	1896, 420
<i>kob</i>	1895, 869	<i>Labidura riparia</i>	1898, 384
<i>senganus</i>	1896, 797	<i>Labrax lineatus</i>	1899, 444
<i>vardoni</i>	1896, 797	<i>lupus</i>	1899, 447
	1898, 394		1899, 472
<i>Kokenodon onomata</i> ..	1892, 561		1899, 485
<i>Kolpoda cucullus</i>	1897, 790		1899, 940
<i>Koruthaialos</i>	1893, 71		1899, 955
	1893, 76	<i>Labrus bergylta</i>	1899, 446
<i>butleri</i>	1893, 77		1899, 480
<i>gemmifer</i>	1893, 77		1899, 505
<i>hector</i>	1893, 71	<i>desfontainii</i>	1899, 135
	1893, 76	<i>donovani</i>	1899, 480
	1893, 77	<i>maculatus</i>	1898, 308
	1893, 131		1899, 940
<i>xanites</i>	1893, 77		1899, 956
<i>Kraussia rastiipes</i>	1900, 569	<i>mixtus</i>	1898, 308
	1900, 576		1899, 929
<i>Kricogonia lyside</i>	1900, 200	<i>niloticus</i>	1898, 132
<i>Krithe hyalina</i>	1895, 6		1899, 112
<i>producta</i>	1895, 6	<i>Labus humbertianus</i> ..	1896, 448
<i>Kynos pictus</i>	1899, 551	<i>sichelianus</i>	1893, 685
<i>Kynotus longus</i>	1892, 149	<i>Lacoptera intricata</i> ..	1892, 94
	1892, 150	<i>Lacera capella</i>	1893, 682
	1892, 151	<i>Lacerta agilis</i>	1891, 113
<i>madagascariensis</i> ..	1892, 145		1893, 599
	1892, 149	<i>echinata</i>	1899, 97
	1892, 150		1900, 449
	1892, 151	<i>fasciata</i>	1897, 503
<i>michaelsonii</i>	1892, 705	<i>galloti</i>	1891, 202

	Page		Page
<i>Lacerta hyacinthina</i> ..	1897, 503	<i>Lahnæa marshalli</i>	1897, 265
<i>jacksoni</i>	1899, 96	<i>Lachnocnema bibulus</i> ..	1893, 659
1899, 98		1894, 61	
<i>mosorensis</i>	1898, 916	1894, 342	
<i>muralis</i>	1891, 630	1896, 121	
1892, 13		1896, 832	
1899, 97		1896, 852	
<i>ocellata</i>	1891, 169	1897, 846	
1891, 170		1897, 847	
1891, 201		1898, 195	
1891, 202		1898, 825	
1892, 12		1898, 826	
— <i>pater</i>	1892, 12	1899, 423	
1892, 13		1899, 965	
— <i>tangitana</i>	1892, 5	<i>durbani</i>	1894, 62
1892, 12		1896, 121	
1892, 13		1897, 846	
<i>perspicillata</i>	1892, 13	1897, 847	
<i>simonyi</i>	1891, 201	1898, 195	
1891, 202		1900, 946	
1894, 724		<i>Lachnoptera ayresii</i>	1898, 399
<i>spinalis</i>	1895, 645	1900, 913	
<i>viridis</i>	1892, 12	1900, 919	
1892, 13		<i>Lacipa bizonoides</i>	1893, 677
— <i>schreiberi</i>	1892, 13	<i>gracilis</i>	1893, 677
<i>Lachesis atrox</i>	1898, 118	1894, 585	
<i>gramineus</i>	1896, 782	1898, 427	
1899, 166		1898, 428	
1899, 607		<i>impuncta</i>	1898, 428
1899, 695		1898, 444	
<i>lansbergii</i>	1898, 118	<i>Lacipea muscocella</i>	1899, 289
<i>monticolor</i>	1896, 896	<i>Lactarius delicatulus</i> ..	1892, 135
1899, 607		<i>Lactica africana</i>	1899, 342
1899, 694		<i>gabonensis</i>	1899, 342
<i>mutus</i>	1891, 448	<i>marginicollis</i>	1899, 342
1894, 499		<i>Lacydes arborifera</i>	1898, 417
1894, 509		<i>gracilis</i>	1898, 417
1894, 511		1898, 444	
1894, 516		<i>smithi</i>	1898, 417
1894, 517		<i>vocula</i>	1898, 417
1894, 518		1898, 418	
<i>purpureomaculatus</i> ..	1896, 896	<i>Laelaps acutus</i>	1891, 644
1899, 607		1891, 652	
1899, 695		1891, 653	
<i>schlegelii</i>	1898, 118	<i>cuneifer</i>	1891, 643
<i>sumatranus</i>	1896, 896	1891, 647	
1899, 607		1891, 649	
1899, 696		1891, 651	
<i>wagleri</i>	1896, 897	1891, 652	
1897, 196		1891, 653	
1897, 201		<i>equitans</i>	1891, 641
1897, 227		1891, 649	
1897, 237		1891, 653	
1899, 607		<i>flexuosa</i>	1891, 644
1899, 695		1891, 650	
1899, 696		1891, 653	
<i>Lahnæa fulvicollis</i>	1898, 222	<i>hilaris</i>	1891, 650
<i>marginata</i>	1897, 252	<i>lævis</i>	1891, 642
<i>marshalli</i>	1897, 251	1891, 648	

	Page		Page
<i>Laelaps lævis</i>	1891, 653	<i>Lagena formosa</i>	1895, 29
<i>myrmophilus</i>	1891, 642		1895, 52
	1891, 649	<i>globosa</i>	1894, 647
	1891, 653		1894, 652
<i>vacuus</i>	1891, 644		1895, 29
	1891, 650		1895, 51
	1891, 651	<i>gracilis</i>	1895, 27
	1891, 653		1895, 51
<i>Laelia curvivingata</i>	1896, 849	<i>hexagona</i>	1895, 28
<i>Læmargus muricatus</i> ..	1899, 467		1895, 51
<i>Læmocharis contractor</i> .	1896, 635	<i>hispida</i>	1895, 27
<i>multigutta</i>	1894, 226		1895, 51
<i>Lafoea calcarata</i>	1897, 823	<i>laevigata</i>	1895, 29
<i>Lagania lahomius</i>	1895, 564		1895, 52
<i>seriwa</i>	1895, 564	<i>lævis</i>	1895, 26
<i>Laganum</i> sp.	1900, 274		1895, 51
	1900, 285	<i>lagenoides</i>	1895, 28
	1900, 299		1895, 52
<i>decagonale</i>	1894, 395	<i>marginata</i>	1895, 28
	1894, 397		1895, 51
	1894, 411	— <i>catenulosa</i>	1895, 28
	1894, 413		1895, 51
	1900, 272		1895, 55
	1900, 274	<i>obtusa</i>	1894, 652
	1900, 284	<i>orbignyana</i>	1895, 29
	1900, 285		1895, 52
	1900, 299	<i>quadralata</i>	1895, 30
<i>depressum</i>	1894, 395		1895, 52
	1898, 850	<i>quadricostulata</i>	1895, 29
	1900, 272		1895, 52
	1900, 274	<i>seminiformis</i>	1895, 28
	1900, 283		1895, 52
	1900, 285	<i>staphyllearia</i>	1895, 29
	1900, 299		1895, 52
<i>orbiculare</i>	1894, 412	<i>sulcata</i>	1895, 27
	1894, 413		1895, 51
<i>Lagaria acuminata</i>	1896, 635	<i>trigono-ornata</i>	1895, 29
<i>Lagena alveolata</i> sub-			1895, 52
<i>striata</i>	1895, 29	<i>Lagidium</i>	1899, 146
	1895, 52	<i>pallipes</i>	1893, 340
<i>apiculata</i>	1895, 27	<i>Laginia reticulata</i>	1897, 613
	1895, 51	<i>Lagoa crispata</i>	1897, 296
<i>aspera spinifera</i> ..	1895, 27	<i>Lagochilus altus</i>	1895, 122
	1895, 51	<i>balabacensis</i>	1895, 99
	1895, 54		1895, 121
<i>capillosa</i>	1895, 6		1895, 127
	1895, 28	<i>bangueyensis</i>	1895, 100
	1895, 52		1895, 120
<i>castrensis</i>	1895, 29		1895, 127
	1895, 52	<i>baritensis</i>	1895, 122
<i>desmophora</i>	1895, 27	<i>bellulus</i>	1895, 121
	1895, 51	<i>bellum</i>	1892, 469
<i>distoma</i>	1895, 27	<i>boettgeri</i>	1892, 469
	1895, 51	<i>ciliferum</i>	1892, 469
<i>feildeniana</i>	1895, 27	<i>ciliocinctum</i>	1892, 469
	1895, 51	<i>conicus</i>	1895, 121
<i>fimbriata</i>	1892, 28		1895, 127
	1895, 52	<i>dido</i>	1892, 469

	Page		Page
<i>Lagochilus galatheæ</i> ..	1895, 444	<i>Lagostomus trichodac-</i>	
— minor	1895, 444	tylus	1892, 596
garreli	1892, 469		1892, 599
grande	1892, 469		1894, 251
grandipilum	1892, 469		1894, 313
inornatus	1895, 121		1899, 928
keppeli	1892, 469	<i>Lagropia xanthomela</i> ..	1898, 729
kina-baluensis	1895, 121	xanthozonalis	1898, 727
	1895, 127	<i>Lagyra dentilineata</i> ...	1896, 646
liratus	1894, 154	<i>Lama glama</i>	1891, 386
	1894, 156		1891, 387
mucronatum	1892, 469		1900, 159
mundyanum	1892, 469	huanachus	1891, 386
	1895, 122		1891, 387
omphalotropis	1892, 469	huanacos	1900, 77
parvum	1892, 469		1900, 686
polynema	1895, 444	pacos	1891, 386
	1895, 453		1891, 387
quadra	1892, 469	vicugna	1891, 386
quadricinctus	1895, 122		1891, 387
	1895, 127	<i>Lambrus affinis</i>	1900, 727
quinqueliratus	1892, 461	hoplonotus	1900, 726
roepstorffi	1895, 444	— planifrons	1900, 726
	1895, 452	laciniatus	1900, 728
— cocoensis	1895, 444	longispinus	1900, 726
	1895, 452	pelagicus	1900, 727
simile	1895, 99	rumplii	1900, 727
stenomphalus	1892, 469	spinifer	1900, 726
subcarinatum	1892, 469	tumidus	1900, 727
swettenhami	1891, 341		1900, 770
tignarius	1895, 444	validus	1900, 726
	1895, 453	<i>Lamna cornubica</i>	1899, 463
tigrinulum	1892, 469		1899, 464
tomotrema	1895, 453		1899, 469
townsendi	1891, 341		1899, 479
townsendianus	1894, 154	<i>Lampides abdul</i>	1895, 558
triliratum	1892, 469		1895, 582
	1895, 121	adana	1895, 558
	1895, 122		1895, 584
trochulus	1892, 469	ælianus	1891, 368
warnefordianus	1895, 444		1895, 583
wullerstorffianus ..	1895, 444	agnata	1895, 583
	1895, 452	alexis	1895, 583
<i>Lagomys curzonie</i>	1893, 449	amphissa	1895, 582
erythrotis	1893, 449		1895, 585
ladacensis	1893, 449	aratus	1891, 368
melanostomus	1893, 449		1891, 373
rutilus	1893, 449		1895, 558
sardus	1891, 468		1895, 584
tibetanus	1899, 577		1895, 585
<i>Lagoptera honesta</i>	1892, 128	areas	1891, 368
magica	1892, 128		1891, 373
<i>Lagopus lagopus</i>	1896, 311	argentina	1892, 439
mutus	1896, 311	armillata	1892, 440
scoticus	1893, 616	astarte	1891, 359
	1899, 84	batjanensis	1895, 585
<i>Lagostomus</i>	1899, 802	bochides	1895, 582
trichodactylus	1891, 244	cærulea	1895, 558

	Page		Page
Lampides cærulea	1895, 582	Lampides optimus	1895, 558
	1895, 626		1895, 583
cærulina	1891, 368	osias	1892, 627
candrena	1892, 441		1895, 558
	1892, 442		1895, 582
carissima	1892, 443		1895, 584
cassioides	1891, 369		1896, 657
celeno	1891, 368	perasia	1892, 439
	1892, 626	phaseli	1892, 443
	1892, 627	philatus	1895, 581
	1895, 558	pseudelpis	1895, 581
	1895, 583	pseudocrassius	1891, 369
	1895, 584	pura	1892, 627
	1896, 657	saturata	1892, 627
	1900, 508	sigillata	1896, 119
cleodus	1895, 558		1896, 829
	1895, 583	snelleni batjanensis	1895, 585
	1896, 657	subdita	1892, 627
conferenda	1892, 627	suidas	1896, 657
	1895, 583	taitensis	1892, 445
contracta	1896, 250	viola	1892, 625
	1899, 810	virgulatus	1895, 458
coruscans	1891, 369		1895, 581
	1892, 626		1895, 626
daones	1896, 651	zebra	1895, 558
	1896, 656		1895, 581
	1896, 657		1895, 626
	1896, 682	zethus	1892, 626
deplorans	1892, 440	Lampornis mango	1896, 293
dyopa	1892, 437	Lampoxanthium mur-	
elpis	1892, 626	rayanum	1898, 1024
	1895, 558	Lampridia fuliginalis	1899, 286
	1895, 580	Lamprocolius sp.	1894, 598
	1895, 581		1900, 957
	1896, 656	auratus	1899, 933
	1900, 508	caudatus	1899, 933
emetallicus	1895, 558	chalybeus	1895, 460
	1895, 582		1900, 603
evanescens	1891, 368	cupreicauda	1894, 600
	1892, 435	purpureiceps	1894, 600
	1892, 444	splendidus	1894, 600
	1895, 583	sycobius	1895, 461
florinda	1892, 438		1900, 2
goodenovii	1892, 442	Lamprocystis balabac-	
kankena	1892, 626	ensis	1895, 99
limes	1895, 558		1895, 109
	1895, 581		1895, 127
	1895, 626	chlororhapse	1895, 109
lithargyria	1892, 627	conulina	1891, 333
lividus	1895, 558		1891, 348
	1895, 584	glaberrima	1892, 463
	1895, 626	globulus	1892, 463
	1896, 657	goniogyra	1892, 462
lucianus	1895, 582		1892, 463
malaccanus	1895, 583		1895, 98
marakata	1896, 656		1895, 99
	1896, 657	malayana	1891, 333
optimus	1892, 627		1891, 348

	Page		Page
Lamprocystis molecula .	1891, 333	Laniarius erythrogaster .	1900, 956
myops	1892, 462	funebris	1895, 478
	1892, 463	hypopyrrhus	1895, 478
	1895, 98	leucorhynchus	1894, 605
	1895, 99	mosambicus	1900, 2
	1895, 109	poliocephalus	1895, 477
	1895, 110	verreauxi	1894, 601
st. johni	1895, 98	Laniifera	1898, 603
	1895, 110	cyclades	1899, 184
succinea	1892, 462	Lanistes affinis	1891, 310
	1895, 98		1893, 635
	1895, 99	carinatus	1900, 970
Lamproglenia hemprichi .	1899, 477	nyassanus	1891, 310
lichia	1899, 477		1893, 635
pulchella	1899, 477	ovum	1891, 310
Lamprologus	1899, 99		1893, 633
	1899, 100		1893, 635
compressiceps	1898, 494	purpureus	1891, 310
	1899, 100		1900, 970
congoensis	1898, 134	solidus	1891, 310
	1899, 100		1893, 635
	1899, 143	Lanius antinorii	1895, 477
elongatus	1898, 494	dorsalis	1895, 477
	1899, 100	fuscatus	1900, 470
fasciatus	1898, 494	humeralis	1895, 476
	1899, 100		1900, 606
furcifer	1898, 494	isabellinus	1895, 476
	1899, 100	lucionensis	1900, 470
modestus	1898, 494	minor	1895, 311
	1899, 100	— obscurior	1895, 311
moorii	1898, 494	schach	1900, 469
	1899, 100	superciliosus	1900, 469
Lamprophis rufescens . .	1892, 482	Lanthanotus borneensis .	1892, 506
Lamprotornis porphyro-			1899, 596
pterus	1895, 459		1899, 597
purpureoptera	1895, 459	Laodice calcarata	1896, 484
Lamprua	1894, 231		1897, 823
rosea	1894, 231		1897, 824
Lampugus punctulatus . .	1899, 461		1897, 825
Lampusia (Priene) mur-		cruciata	1896, 460
rayi	1891, 436		1896, 482
	1891, 444		1896, 483
Lampyrus ignita	1898, 319		1896, 484
noctiluca	1896, 777		1896, 486
Lamyra vorax	1900, 9		1897, 823
Lancia phrontisalis . . .	1896, 641		1897, 824
Landreva sp.	1898, 385	crucigera	1896, 483
Langasa perillalis	1896, 642	mediterranea	1896, 484
Langsdorfia aroa	1894, 235	pilosella	1896, 484
dukinfieldi	1894, 235	salinarum	1897, 823
ferrerii	1892, 329	stauroglypha	1896, 483
polybia	1892, 329		1896, 484
Laniarius sp.	1894, 599	ulothrix	1896, 484
abbotti	1900, 605		1897, 823
aethiopicus	1895, 478	Laodon	1899, 571
	1900, 606	Laomedeia tenuis	1896, 479
affinis	1894, 599	Lapara bombycoides . .	1896, 637
cruentus	1895, 477	Laphygma congressa . .	1896, 639

	Page		Page
<i>Laphygma macra</i>	1898, 368	<i>Larus marinus</i>	1896, 152
<i>orbicularis</i>	1894, 587	<i>modestus</i>	1892, 400
<i>trientiplaga</i>	1896, 639	<i>niveus</i>	1900, 500
<i>Lapworthura</i>	1896, 1037	<i>ridibundus</i>	1900, 500
<i>miltoni</i>	1896, 1037	<i>saundersi</i>	1900, 500
<i>Lar sabellarum</i>	1896, 459	<i>serranus</i>	1891, 137
	1896, 468		1892, 400
	1896, 470		1892, 408
	1896, 498	<i>Lasæola cancellata</i>	1894, 521
	1896, 499	<i>Lascoria phormisalis</i> ..	1896, 641
	1897, 818	<i>Lasiacme mimica</i>	1898, 639
	1897, 819	<i>pilosa</i>	1898, 639
	1897, 820	<i>Lasiocampa köllikeri</i> ..	1898, 436
	1897, 821	<i>monteiri</i>	1894, 134
	1897, 822		1894, 135
	1897, 823		1895, 138
<i>Larandus marmoratus</i> ..	1892, 200		1896, 241
	1892, 218		1898, 80
	1892, 221	<i>prompta</i>	1898, 436
<i>rogenhoferi</i>	1892, 219	<i>Lasiochilus basalis</i>	1894, 200
<i>Larentia inquinata</i>	1896, 647	<i>fraternus</i>	1894, 156
<i>Laria insignis</i>	1897, 933		1894, 199
<i>Larinopoda peucetia</i> ..	1896, 108	<i>fuscus</i>	1894, 199
	1896, 121	<i>nebulosus</i>	1894, 157
<i>Larra extensa</i>	1896, 441		1894, 200
	1896, 442	<i>pallidulus</i>	1894, 156
<i>jaculator</i>	1896, 442		1894, 198
<i>laboriosa</i>	1896, 442	<i>pictus</i>	1894, 156
<i>prismatica</i>	1896, 444		1894, 157
<i>quadripustulata</i> ..	1896, 429		1894, 200
<i>subtesselata</i>	1896, 442	<i>variabilis</i>	1894, 156
<i>tisiphone</i>	1896, 443	<i>varicolor</i>	1894, 198
<i>vigilans</i>	1896, 442	<i>Lasiochlora salia</i>	1894, 593
<i>Larrada</i> sp.	1900, 47	<i>Lasioderma puberulum</i> ..	1898, 326
<i>aurulenta</i>	1896, 443	<i>serricorne</i>	1898, 326
<i>diabolica</i>	1900, 47	<i>testaceum</i>	1898, 326
<i>ducalis</i>	1896, 443	<i>Lasiommata bhadra</i> ..	1891, 265
<i>extensa</i>	1896, 441	<i>muirheadi bhima</i> ..	1891, 266
<i>hæmorrhoidalis</i>	1896, 443	<i>pulaba</i>	1891, 265
<i>jaculator</i>	1896, 442	<i>satricus</i>	1891, 266
<i>laboriosa</i>	1896, 442	<i>Lasioptila ansorgei</i>	1898, 431
<i>subtesselata</i>	1896, 442	<i>pomona</i>	1898, 431
<i>tisiphone</i>	1896, 442	<i>Lasius flavus</i>	1891, 640
<i>vigilans</i>	1896, 442	<i>sericeus</i>	1896, 402
<i>Laruma heterogenea</i> ..	1896, 634	<i>virescens</i>	1896, 408
<i>Larus argentatus</i>	1896, 301	<i>Latastia hardeggeri</i>	1898, 916
	1896, 543	<i>longicaudata</i>	1894, 87
<i>belcheri</i>	1892, 400		1895, 534
<i>canus</i>	1900, 500		1895, 644
<i>cirrhocephalus</i>	1892, 400		1896, 215
	1900, 3	<i>neumanni</i>	1895, 635
<i>dominicanus</i>	1892, 400		1895, 636
<i>franklini</i>	1892, 400		1895, 643
	1892, 406		1895, 645
	1892, 408		1895, 663
	1896, 782		1898, 916
<i>ichthyaetus</i>	1891, 464	<i>phillipsii</i>	1898, 916
<i>maculipennis</i>	1891, 373	<i>Latax lutris</i>	1894, 358

	Page		Page
Latax lutris	1895, 421	Lefevrea fulvipes	1897, 528
	1895, 422	hirsuta	1900, 230
	1896, 235	intermedia	1897, 529
Latebraria quadriplaga ..	1896, 638	minuta	1897, 530
Lates microlepis	1898, 494	puncticollis	1897, 528
niloticus	1898, 494		1897, 530
Lathamus discolor	1896, 239	Legatus albicollis	1896, 365
Lathontogenus	1897, 87	Legena aspera	1894, 649
adustipennis	1897, 87	Lehera anna	1896, 651
	1897, 88		1896, 680
Lathria virussu	1899, 510		1896, 683
	1899, 515	Leiaster leachi	1894, 396
Laticauda scutata	1896, 893	speciosus	1894, 396
	1899, 689	Leiocidaris annulifera ..	1900, 274
Latindia castanea	1893, 600	Leiolophus planissimus ..	1900, 569
	1893, 604		1900, 570
Latirus polygonus	1891, 411		1900, 592
(Peristernia) for-		Leiopathes expansa	1899, 813
skalii	1891, 411		1899, 817
(—) paulucciae ..	1891, 411		1899, 818
Latris ciliaris	1899, 455		1899, 823
Laudosia buddloraria ..	1896, 644		1899, 824
Laura gerardiae	1899, 815	glaberrima	1899, 814
Lauron batesi	1893, 291		1899, 817
	1893, 310		1899, 822
chariata	1893, 291		1899, 824
	1893, 310	lamarcki	1899, 814
choma	1893, 290	Leioptilus agrapho-	
osiba	1893, 290	dactylus	1897, 61
	1893, 310	microdactylus	1897, 61
padua	1893, 291	paleaceus	1891, 495
	1893, 310		1897, 60
Laverna gambiella	1896, 279	parvus	1897, 60
Laxe lusi	1899, 455	thomæ	1891, 495
Laxita damajanti	1891, 287		1897, 60
orphna	1891, 287	Lema aenea	1892, 566
telesia	1891, 287	affinis	1897, 242
Leander	1899, 711		1900, 204
Lebadea austenia	1891, 278	angusto-marginata ..	1898, 214
padaka	1892, 120	aperta	1897, 242
Lebeda sp.	1894, 536	australis	1898, 213
doeri	1892, 319	azurea	1897, 241
ferruginea	1894, 536	bomaensis	1900, 204
kollikeri	1898, 436	brevicornis	1897, 239
	1899, 293	consobrina	1897, 242
	1899, 294	cyaneoplagiata	1898, 214
nobilis	1898, 436		1898, 242
venosa	1895, 269	dregii	1898, 213
	1895, 270	dumbrodiensis	1900, 205
Lechriolepis varia	1895, 269	duvivieri	1900, 203
Ledereria seppalis	1898, 704	emarginata	1898, 213
Lefevrea	1897, 527	fuscitarsis	1897, 240
abdominalis	1897, 529		1900, 206
	1900, 230	infima	1897, 240
aeneicolle	1897, 527	insignis	1897, 239
	1897, 528	lateritia	1898, 215
	1897, 577	madagascariensis ..	1892, 565
brunnea	1900, 229	marshalli	1897, 239

	Page		Page
<i>Lema marshalli</i>	1897, 265	<i>Lemur nigrifrons</i>	1895, 143
<i>mashuana</i>	1898, 214	<i>psilodactylus</i>	1891, 458
<i>natalensis</i>	1900, 205	<i>rubriventer</i>	1899, 554
<i>nigrotibialis</i>	1900, 205		1899, 987
<i>pauperata</i>	1898, 215		1899, 988
<i>picticollis</i>	1898, 213	<i>rufifrons</i>	1891, 454
<i>princeps</i>	1897, 238	<i>rufipes</i>	1893, 178
<i>pubifrons</i>	1898, 215		1895, 142
<i>regimbarti</i>	1898, 212		1895, 143
<i>robusta</i>	1898, 213		1899, 554
<i>rubricollis</i>	1900, 204	<i>tardigradus</i>	1900, 873
<i>rufo-femorata</i>	1897, 242	<i>varius</i>	1891, 454
	1900, 204	<i>volans</i>	1900, 875
<i>rugicollis</i>	1892, 565	<i>Lenodora nigrolineata</i> ..	1900, 181
<i>sanguinicollis</i>	1900, 204	<i>Lenticulites complanata</i> ..	1895, 47
<i>semipurpurea</i>	1897, 241	<i>Lentungula</i>	1893, 264
<i>tarsata</i>	1897, 241	<i>algivorans</i>	1893, 264
	1897, 265		1893, 265
	1900, 205		1893, 267
<i>Lembopteris</i>	1898, 438	<i>Lepadogaster bimacula-</i>	
<i>puella</i>	1898, 438	<i>tus</i>	1898, 589
	1898, 444	<i>gouanii</i>	1899, 940
<i>Lemidia insolatus</i>	1893, 567	<i>stictopteryx</i>	1898, 589
<i>Lemmus niloticus</i>	1895, 553	<i>Lepas anatifera</i>	1900, 796
<i>Lemur abyssinicus</i>	1900, 800		1900, 798
<i>albifrons</i>	1891, 454	<i>Lepeophtheirus bagri</i> ..	1899, 457
	1895, 142	<i>brachialis</i>	1899, 456
	1895, 143	<i>brachyurus</i>	1899, 453
<i>anjuanensis</i>	1891, 454	<i>cosyphi</i>	1892, 454
	1891, 455	<i>crabro</i>	1899, 456
	1891, 456	<i>erichsoni</i>	1899, 455
	1891, 457	<i>floresi</i>	1899, 455
	1895, 142	<i>gibbus</i>	1899, 457
	1895, 143	<i>gracilescens</i>	1899, 457
<i>brunneus</i>	1891, 454	<i>gracilis</i>	1899, 455
	1895, 142	<i>grohmanni</i>	1899, 456
	1895, 143	<i>hippoglossi</i>	1899, 454
	1897, 188	<i>huttoni</i>	1899, 440
<i>catta</i>	1894, 358		1899, 458
	1900, 663	<i>intercurrents</i>	1899, 456
<i>coquerelli</i>	1897, 188	<i>longipalpus</i>	1899, 457
<i>coronatus</i>	1895, 142	<i>monacanthus</i>	1899, 456
	1895, 143	<i>nordmanni</i>	1899, 454
<i>flaviventer</i>	1899, 554	<i>obscurus</i>	1899, 456
<i>leucomystax</i>	1893, 178	<i>ornatus</i>	1899, 455
	1899, 553	<i>pectoralis</i>	1899, 454
<i>macaco</i>	1893, 592	<i>pollachii</i>	1899, 455
	1894, 358	<i>quadratus</i>	1899, 456
	1899, 553	<i>rhombi</i>	1899, 456
	1899, 554	<i>robustus</i>	1899, 456
<i>mongoz</i>	1895, 142	<i>rotundiventris</i>	1899, 454
	1895, 143	<i>stromi</i>	1899, 455
	1895, 148	<i>sturionis</i>	1899, 455
<i>nigerrimus</i>	1893, 77	<i>suhmi</i>	1899, 454
	1893, 178	<i>thompsoni</i>	1899, 455
	1899, 553	<i>Lephana tetrasthorella</i> ..	1896, 649
	1899, 554		1899, 289
<i>nigrifrons</i>	1891, 457	<i>Lepidiota lepidota</i>	1893, 748

	Page		Page
<i>Lepidiota stigma</i>	1900, 860	<i>Lepidotus latifrons</i>	1893, 563
<i>Lepidoblepharis festae</i> ..	1898, 108		1893, 565
	1898, 914	<i>mantelli</i>	1893, 563
<i>Lepidodactylus ceylon-</i>			1893, 565
<i>ensis</i>	1896, 857	<i>minor</i>	1893, 565
	1896, 867	<i>Lepista pantacis</i>	1895, 740
	1899, 603	<i>trimenii</i>	1893, 677
	1899, 631	<i>Lepocestes hainanus</i> ..	1900, 483
<i>gardineri</i>	1898, 914	<i>pyrrhotis</i>	1900, 483
<i>lugubris</i>	1896, 867	<i>sinensis</i>	1900, 483
	1897, 195	<i>Leposphilus labri</i>	1899, 480
	1897, 198		1899, 507
	1897, 205	<i>Lepreus fischeri</i>	1900, 54
	1899, 603		1900, 55
	1899, 631	<i>occidentalis</i>	1899, 834
<i>Lepidogma</i> sp.	1898, 441	<i>Leptacis obscuripes</i> ..	1895, 801
<i>Lepidolemur microdon</i> .	1894, 358	<i>Leptasthenura ægitha-</i>	
	1896, 974	<i>loides</i>	1891, 135
	1899, 429		1892, 405
<i>mustelinus</i>	1894, 358	<i>pileata</i>	1892, 402
<i>Lepidoneura</i>	1898, 599	<i>striolata</i>	1899, 514
	1899, 214	<i>Leptastræa</i>	1899, 751
<i>africalis</i>	1899, 214	<i>ehrenbergana</i>	1899, 755
<i>longipalpis</i>	1899, 214	<i>Leptobrachium boettgeri</i>	1899, 171
<i>Lepidonotus clavus</i>	1900, 976		1899, 172
	1900, 981	<i>carinense</i>	1892, 347
<i>giganteus</i>	1900, 974		1892, 348
	1900, 977		1894, 643
	1900, 984		1899, 171
	1900, 985	<i>feæ</i>	1892, 348
	1900, 986	<i>hasselti</i>	1896, 913
<i>squamatus</i>	1900, 974		1899, 913
	1900, 975		1900, 889
	1900, 981	<i>monticola</i>	1892, 347
<i>Lepidoplaga</i>	1899, 240		1899, 171
<i>elongalis</i>	1899, 240	<i>natunæ</i>	1898, 478
<i>longicarpus</i>	1899, 240	<i>parvum</i>	1894, 643
<i>uniformis</i>	1899, 192	<i>pelodytoides</i>	1894, 643
<i>Lepidosiren</i>	1898, 41	<i>sinense</i>	1899, 171
	1898, 42	<i>Leptochelia</i> sp.	1900, 795
	1898, 43		1900, 797
	1898, 492		1900, 799
<i>articulata</i>	1894, 316	<i>minuta</i>	1900, 797
<i>paradoxa</i>	1894, 316	<i>Leptocoris filiformis</i> ..	1893, 705
	1897, 921		1894, 180
	1898, 852	<i>Leptodactylus bufonius</i> .	1894, 642
	1898, 853	<i>caliginosus</i>	1891, 355
<i>Lepidosternon latifron-</i>		<i>maculilabris</i>	1898, 477
<i>tale</i>	1894, 724	<i>pentadactylus</i>	1891, 354
	1895, 706		1893, 271
<i>scutigerum</i>	1892, 485		1898, 122
	1895, 706	<i>pulcher</i>	1898, 122
<i>Lepidosteus osseus</i>	1895, 307		1898, 126
	1895, 310		1898, 477
<i>Lepidotus elvensis</i>	1893, 563	<i>validus</i>	1891, 355
<i>latifrons</i>	1893, 560	<i>Leptodira annulata</i>	1894, 512
	1893, 561		1894, 518
	1893, 562		1895, 819

	Page		Page
<i>Leptodira annulata</i>	1895, 820	<i>Leptopoma geotrochi-</i>	
	1895, 825	forme.....	1895, 119
	1898, 117		1895, 120
hotamboeia	1897, 801	immaculatum	1895, 127
rufescens	1892, 482	— latilabre	1895, 444
	1892, 555	insigne	1895, 452
	1894, 88		1892, 462
	1895, 705		1892, 463
	1895, 815		1895, 99
	1895, 819	laeve	1895, 452
	1895, 820	luteostoma	1892, 463
	1895, 825		1895, 99
semiannulata	1891, 307	maculatum	1892, 462
<i>Leptodius exaratus</i>	1900, 738		1895, 99
— gracilis.....	1900, 738	niahense	1895, 119
<i>Leptogenys falcigera</i> ..	1896, 413		1895, 120
<i>Leptoglossus balteatus</i> .	1893, 705	palawanensis	1895, 99
zonatus	1894, 178	roepstorffianum ..	1895, 444
<i>Leptognathus ellipsifera</i>	1898, 117		1895, 452
	1898, 126	— albida	1895, 444
nebulatus	1894, 499		1895, 452
<i>Leptomiza</i>	1893, 406	— gigantea	1895, 444
anomala.....	1893, 406		1895, 452
calcearia	1893, 406	skertchlyi.....	1895, 119
fuscomarginata....	1893, 407		1895, 127
straminea	1893, 406	subperlucida	1895, 444
<i>Leptomyrina</i>	1898, 405	superbum	1892, 463
hirundo	1898, 406		1895, 99
phidias	1898, 405	undatum	1895, 119
rabe	1898, 405		1895, 120
<i>Leptoneura bowkeri</i> ..	1898, 903	vitreum.....	1892, 461
clytus.....	1898, 903		1892, 462
dingana	1898, 903		1892, 463
<i>Leptonychotes weddelli</i> .	1897, 356		1895, 99
<i>Leptophis bocourti</i>	1898, 116		1895, 452
caudolineatus	1896, 884	<i>Leptoptilus argala</i>	1895, 271
	1899, 615		1896, 45
	1899, 671	crumeniferus.....	1894, 495
liocerus	1898, 116		1894, 594
ornatus	1896, 890		1895, 271
	1896, 891		1896, 145
pictus	1896, 883		1900, 962
	1899, 669	javanicus	1891, 477
<i>Leptopogon amauro-</i>			1891, 479
cephalus peru-			1900, 493
vianus	1896, 363	<i>Leptoria</i>	1899, 739
erythrops	1896, 363	gracilis	1899, 739
peruvianus	1896, 363	phrygia	1899, 126
rufipectus	1896, 363	tenuis.....	1899, 739
superciliaris	1896, 363		1899, 740
<i>Leptopoma acuminatum</i>	1892, 463	<i>Leptoscyphus tenuis</i> ..	1896, 479
	1895, 98	<i>Leptosittacea branickii</i> .	1896, 323
aspirans.....	1891, 341	<i>Leptosoma apicale</i>	1896, 847
atricapillum	1892, 463	fallax.....	1898, 419
	1895, 98	integrum	1892, 123
distinguendum....	1892, 63	leuconoe	1893, 678
	1895, 98		1894, 585
fragilis	1895, 444		1898, 57

	Page		Page
<i>Leptosoma leuconoe</i>	1898, 419	<i>Lepus netscheri</i>	1894, 450
<i>regulare</i>	1892, 123		1894, 451
<i>restrictum</i>	1894, 585	<i>ochropus</i>	1894, 142
<i>Leptostichia</i>	1893, 397		1896, 795
<i>latitans</i>	1893, 397	<i>oiostolus</i>	1893, 449
<i>Lepturophis</i>	1900, 183		1898, 357
<i>borneensis</i>	1900, 183		1898, 358
	1900, 186		1898, 359
<i>Leptynia</i> sp.....	1900, 38		1898, 360
<i>Lepus</i> sp.	1900, 365		1898, 361
	1900, 953		1899, 577
<i>ægyptius</i>	1899, 416	<i>omanensis</i>	1894, 449
<i>albus</i>	1900, 88		1894, 450
<i>altaicus</i>	1900, 90		1895, 555
<i>americanus</i>	1899, 598	<i>pallipes</i>	1898, 357
	1899, 599		1898, 358
<i>arabicus</i>	1895, 555		1898, 359
	1900, 104		1898, 360
<i>atlanticus</i>	1897, 960		1898, 361
	1897, 961		1899, 577
<i>borealis</i>	1900, 88	<i>ruficaudatus</i>	1898, 359
— <i>collinus</i>	1900, 89	<i>schlumbergeri</i>	1897, 961
— <i>sylvaticus</i>	1900, 88		1897, 962
<i>canescens</i>	1900, 88	<i>sechuenensis</i>	1899, 576
	1900, 91		1899, 578
<i>capensis</i>	1894, 142	<i>sinensis</i>	1898, 775
<i>crassicaudatus</i>	1897, 430	<i>somalensis</i>	1899, 416
	1897, 938	<i>swinhoei</i>	1899, 577
<i>crawshayi</i>	1899, 415	<i>tigrensis</i>	1899, 416
	1899, 416	<i>timidus</i>	1891, 164
<i>cuniculus</i>	1891, 153		1893, 591
	1891, 158		1896, 160
	1891, 161		1896, 314
	1891, 164		1896, 322
	1891, 244		1900, 87
	1892, 38		1900, 88
	1892, 46		1900, 89
	1892, 49	— <i>ainu</i>	1900, 90
	1892, 596		1900, 92
	1893, 591	— <i>altaicus</i>	1900, 90
	1896, 160		1900, 92
	1897, 962	— <i>collinus</i>	1900, 89
<i>diastolus</i>	1898, 360	— <i>grœnlandicus</i> ..	1900, 92
<i>europæus</i>	1896, 314	— <i>hibernicus</i>	1900, 88
	1899, 576		1900, 89
— <i>occidentalis</i>	1900, 397		1900, 91
— <i>typicus</i>	1900, 397	— <i>latescens</i>	1900, 89
<i>grœnlandicus</i>	1900, 90	— <i>tschuktschorum</i> ..	1900, 90
<i>hibernicus</i>	1899, 84		1900, 92
	1900, 89	— <i>typicus</i>	1900, 88
<i>hypsius</i>	1893, 449		1900, 91
	1898, 360	<i>tschuktschorum</i> ..	1900, 90
	1898, 361	<i>variabilis</i>	1895, 337
	1899, 576		1896, 314
	1899, 577		1899, 598
<i>kabylicus</i>	1897, 960		1900, 88
<i>macrotus</i>	1898, 359	— <i>altaica</i>	1900, 90
	1898, 360	<i>victoriæ</i>	1899, 417

	Page		Page
<i>Lepus whytei</i>	1894, 142	<i>Lernæocera cruciata</i> ..	1899, 481
	1896, 795	<i>cyclopterina</i>	1899, 488
	1897, 938	<i>cyprinacea</i>	1899, 480
	1899, 416		1899, 481
	1899, 417	<i>esocina</i>	1899, 480
<i>Lepyrodes</i>	1898, 598		1899, 481
<i>astomalis</i>	1898, 753	<i>gasterostei</i>	1899, 481
<i>capensis</i>	1898, 651	<i>lagenula</i>	1899, 481
	1898, 443	<i>phoxinacea</i>	1899, 481
	1898, 754	<i>pomotidis</i>	1899, 481
<i>geometralis</i>	1898, 443	<i>radiata</i>	1899, 484
	1898, 754	<i>sigmoidea</i>	1899, 487
<i>lepidalis</i>	1899, 174	<i>surirensis</i>	1899, 484
<i>piabilis</i>	1898, 754	<i>Lernæolophus hemi-</i>	
<i>puerelia</i>	1898, 753	<i>rhamphus</i>	1899, 486
	1898, 754	<i>sultanus</i>	1899, 486
<i>quadrinalis</i>	1898, 754	<i>Lernæomyzon uncinata</i>	1899, 505
<i>Lerema accius</i>	1893, 93	<i>Lernæonema abdomi-</i>	
	1893, 118	<i>nalis</i>	1899, 484
	1893, 119	<i>bairdi</i>	1899, 484
<i>hianna</i>	1893, 119	<i>encrasicoli</i>	1899, 484
<i>Lernæa asellina</i>	1899, 490	<i>gracilis</i>	1899, 485
<i>brachialis</i>	1899, 440	<i>monilaris</i>	1899, 484
	1899, 487	<i>musteli</i>	1899, 485
<i>clavata</i>	1899, 482	<i>polynemi</i>	1899, 485
<i>cornuta</i>	1899, 491	<i>spratta</i>	1899, 484
<i>cyclophora</i>	1899, 484	<i>Lernæopenna blainvillii</i>	1899, 483
<i>cyclopterina</i>	1899, 488	<i>holteni</i>	1899, 483
<i>cyprinacea</i>	1899, 480	<i>sagitta</i>	1899, 43
<i>dalmannii</i>	1899, 498	<i>Lernæopoda carpionis</i> ..	1899, 50
<i>elongata</i>	1899, 499	<i>clavigera</i>	1899, 497
<i>encrasicoli</i>	1899, 484	<i>cyprinacea</i>	1899, 500
<i>gadina</i>	1899, 487	<i>elongata</i>	1899, 499
<i>gobina</i>	1899, 495	<i>galei</i>	1899, 499
<i>huchonis</i>	1899, 497	<i>musteli</i>	1899, 499
<i>lotellæ</i>	1899, 487	<i>obesa</i>	1899, 500
<i>luscii</i>	1899, 487	<i>salmonæa</i>	1899, 500
<i>nodosa</i>	1899, 494	<i>sebastes</i>	1899, 500
<i>ocularis</i>	1899, 484	<i>stellata</i>	1899, 499
<i>pectoralis</i>	1899, 454	<i>Lernanthropus angulatus</i>	1899, 470
<i>rigida</i>	1899, 487	<i>atrax</i>	1899, 471
<i>spratta</i>	1899, 484	<i>belones</i>	1899, 470
<i>uncinata</i>	1899, 505	<i>brevooortæ</i>	1899, 470
<i>Lernæenicus abdominalis</i>	1899, 484	<i>carangis</i>	1899, 470
<i>encrasicoli</i>	1899, 484	<i>giganteus</i>	1899, 472
<i>gracilis</i>	1899, 485	<i>gisleri</i>	1899, 472
<i>inflexus</i>	1899, 485	<i>holmbergi</i>	1899, 472
<i>musteli</i>	1899, 485	<i>koenigii</i>	1899, 470
<i>neglectus</i>	1899, 485	<i>kroeyeri</i>	1899, 471
<i>nodicornis</i>	1899, 485		1899, 472
<i>polynemi</i>	1899, 485	<i>larvatus</i>	1899, 471
<i>radiatus</i>	1899, 484	<i>lativentris</i>	1899, 471
	1899, 485	<i>musca</i>	1899, 470
<i>sprattæ</i>	1899, 439	<i>nobilis</i>	1899, 472
	1899, 484	<i>nudus</i>	1899, 472
<i>vorax</i>	1899, 485	<i>pagelli</i>	1899, 471
<i>Lernæocera brachialis</i> ..	1899, 487	<i>pagodus</i>	1899, 471
<i>castostomi</i>	1899, 481	<i>paradoxus</i>	1899, 469

	Page		Page
<i>Lernanthropus percis</i> ..	1899, 471	<i>Leucania sicula</i>	1896, 260
<i>petersi</i>	1899, 472	<i>torrentium</i>	1894, 587
<i>pomatomi</i>	1899, 472	<i>unipuncta</i>	1896, 260
<i>pupa</i>	1899, 470	<i>Leucargyra</i>	1895, 959
<i>scribæ</i>	1899, 470	<i>puralis</i>	1895, 960
<i>temmincki</i>	1899, 470	<i>Leucastra bimaculata</i> ..	1900, 207
<i>trifoliatu</i> s	1899, 471	<i>Leuceronia argia</i>	1897, 854
<i>trigonocephalus</i> ..	1899, 471		1898, 56
<i>Lernentoma cornuta</i> ..	1899, 491		1898, 198
	1899, 492		1900, 938
<i>lophii</i>	1899, 495	<i>buquetii</i>	1898, 413
<i>nodosa</i>	1899, 494	<i>thalassina</i>	1898, 822
<i>radiata</i>	1899, 494		1899, 978
<i>trigla</i> e	1899, 490	<i>Leucinodes</i>	1898, 598
<i>zei</i>	1899, 495		1898, 755
<i>Lerodea eufala</i>	1893, 91	<i>apicalis</i>	1898, 756
	1893, 106	<i>auxialis</i>	1898, 755
<i>fusca</i>	1893, 106	<i>diaphana</i>	1898, 756
<i>Lesbia julia</i> e	1896, 323	<i>discerptalis</i>	1898, 756
<i>Lesteria kröyeri</i>	1899, 489	<i>elegantalis</i>	1898, 756
<i>lumpi</i>	1899, 489	<i>erosialis</i>	1898, 756
<i>Lestes elatus</i>	1891, 206	<i>exemptalis</i>	1898, 760
<i>gracilis</i>	1891, 206	<i>heranicealis</i>	1898, 755
<i>lumpi</i>	1899, 489	<i>imperialis</i>	1898, 756
<i>Lestodon</i>	1900, 73	<i>impuralis</i>	1898, 756
<i>Letchena elaralis</i>	1897, 618	<i>lucealis</i>	1898, 756
<i>Lethe bhairava</i>	1891, 262	<i>opalina</i>	1898, 630
<i>brisanda</i>	1891, 263	<i>orbonalis</i>	1898, 756
	1891, 264	<i>vagans</i>	1898, 756
<i>chandica</i>	1891, 264	<i>venustalis</i>	1898, 760
<i>dinarbas</i>	1891, 263	<i>Leuciscus bibie</i>	1896, 920
	1891, 264	<i>rutilus</i>	1899, 448
<i>distans</i>	1891, 263	<i>Leuckartia flavicornis</i> ..	1898, 543
<i>gulnihal</i>	1891, 263		1898, 548
<i>kansa</i>	1891, 263	<i>Leucochitonea bicolor</i> ..	1896, 21
<i>latiaris</i>	1891, 262	<i>levubu</i>	1891, 105
<i>mekara</i>	1891, 263		1893, 44
<i>minerva</i>	1891, 264		1893, 63
<i>purana</i>	1891, 258		1896, 20
<i>rohria</i>	1900, 505		1896, 22
<i>serbonis</i>	1891, 264	<i>lucetia</i>	1896, 19
<i>siderea</i>	1891, 264	<i>paradisea</i>	1891, 105
<i>sidonis</i>	1891, 264		1896, 20
<i>sinorix</i>	1891, 262	<i>umvulensis</i>	1891, 105
<i>vindhya</i>	1891, 263		1896, 21
<i>Letis albicans</i>	1896, 638	<i>Leucochloris albicollis</i> ..	1899, 513
<i>cortex</i>	1896, 638	<i>Leucochroma</i>	1898, 596
<i>discopalina</i>	1896, 640		1898, 642
<i>implens</i>	1896, 638	<i>corope</i>	1898, 642
<i>integra</i>	1896, 638	<i>melusinalis</i>	1898, 642
<i>magna</i>	1896, 638	<i>mineralis</i>	1898, 642
<i>mycerina</i>	1898, 368	<i>prosalis</i>	1898, 643
<i>Letoa patulella</i>	1899, 289	<i>ruscialis</i>	1898, 643
<i>Leucandra sp.</i>	1900, 127	<i>saltigalis</i>	1898, 643
	1900, 129	<i>subpuralis</i>	1898, 605
<i>ternatensis</i>	1900, 129	<i>Leucocraspeda</i>	1899, 189
<i>Leucania cicatrix</i>	1896, 641	<i>udeoides</i>	1899, 190
<i>cinereicollis</i>	1896, 639	<i>Leucodipterum sinense</i> ..	1900, 475

	Page		Page
Leucodipteron canorum.	1896, 228	Libythea rohini	1891, 285
Leucoides fuscicostalis .	1895, 907	Licha undilinealis	1896, 641
Leuconia denticulata ..	1891, 392		1896, 649
	1891, 396	Lichanotus indri	1894, 358
Leucophæa madera	1892, 199	Lichia aculeata	1899, 477
	1892, 205	amia	1899, 478
surinamensis.....	1892, 199		1899, 485
	1892, 205	Licmetis	1899, 25
	1893, 604	nasica	1899, 24
	1895, 893	Liemys inornata	1900, 661
	1897, 904	Ligidium hypnorum ..	1900, 564
Leucophasia sylvicola ..	1895, 734	Lignyostola criniscus ..	1893, 39
Leucophasma	1897, 154	despecta.....	1893, 39
phantasmella	1897, 154	formosus	1893, 39
	1897, 155	lacydus	1893, 39
Leucophotis	1898, 597	pemphigargyra....	1893, 19
	1898, 667		1893, 39
pulchra	1898, 667	Lima australis	1891, 444
Leucopsumis guttipalpis.	1896, 636		1891, 445
Leucoptera coffeella ..	1897, 141	inflata	1891, 393
Leucopternis lacernu-			1891, 396
lata	1899, 513		1891, 398
palliata	1899, 513	loscombii	1891, 444
Leucosarcia picata	1892, 77	murrayi.....	1891, 444
Leucoscirtes ericetorum.	1893, 64		1894, 445
Leucosia brunnea.....	1900, 764	pectinata	1891, 444
craniolaris.....	1900, 763	rotundata	1891, 393
— lævimana.....	1900, 763	squamosa	1891, 393
erinaceus	1900, 766	Limacodes concolor....	1896, 647
globosa	1900, 764	Limax agrestis.....	1891, 223
maculata	1900, 763	cinereoniger	1891, 222
planata	1900, 522	flavus	1891, 222
	1900, 524	fuscus	1897, 443
rhomboidalis.....	1900, 763	gagates	1892, 259
Leucozonia smaragdula.	1900, 117	hemphilli	1891, 223
Lexis bipunctigera	1898, 418	marginatus niger ..	1900, 396
	1898, 419	— rupicola	1900, 397
Lialis burtoni	1895, 706	maximus	1891, 222
punctatus	1895, 706	megalodontes	1891, 215
Libellula carnatica	1891, 204	Limenitis austenia	1891, 250
marcia	1891, 203		1891, 251
pruinosa	1891, 203		1891, 278
trivialis	1891, 203	danava	1891, 277
Libyodrilus	1891, 175	disippus.....	1891, 180
violaceus	1891, 173		1892, 194
	1891, 174		1893, 279
Libythea fulgurata	1898, 399		1894, 134
labdaca	1893, 556		1895, 138
	1900, 924		1896, 241
laius	1894, 46		1896, 242
levana prorsa.	1891, 285		1897, 296
myrrha	1900, 507		1898, 80
narina	1891, 250		1899, 293
	1891, 258		1900, 182
	1891, 285	dudu	1891, 251
rohini.....	1891, 250		1891, 276
	1891, 251	eurynome	1891, 276
	1891, 258	populi	1895, 138

	Page		Page
<i>Limenitis selenophora</i> ..	1891, 281	<i>Limnas dorippus</i>	1893, 644
<i>sibylla</i>	1897, 296		1894, 557
<i>ursula</i>	1896, 241		1894, 558
	1896, 242		1896, 523
<i>zayla</i>	1891, 276		1897, 923
<i>Limicola platyrhyncha</i> .	1900, 499	<i>klugii</i>	1893, 644
<i>Limicolaria caillaudi</i> ..	1900, 970		1894, 335
<i>martensiana</i>	1893, 634		1894, 557
<i>Limnæa natalensis</i>	1891, 309		1894, 558
	1894, 166		1895, 723
<i>stagnalis</i>	1893, 636		1896, 524
<i>Limnas alcippoides</i>	1896, 249		1896, 530
<i>alcippus</i>	1893, 644		1897, 775
	1893, 645		1897, 923
	1897, 775		1898, 369
	1900, 11		1898, 396
	1900, 13		1898, 822
<i>chrysippus</i>	1893, 644	<i>Limnocaridina</i>	1899, 704
	1894, 557		1899, 711
	1894, 558	<i>tanganyikæ</i>	1899, 704
	1895, 720		1899, 711
	1895, 723		1899, 712
	1896, 115	<i>Limnocnida tanganjicæ</i> .	1899, 291
	1896, 243	<i>Limnocorax niger</i>	1892, 581
	1896, 249	<i>Limnodytes erythræus</i> .	1896, 902
	1896, 256	<i>nigrovittatus</i>	1892, 346
	1896, 523	<i>Limnogale mergulus</i> ..	1896, 975
	1896, 821	<i>Limnometra marginata</i> .	1893, 706
	1896, 852		1894, 212
	1897, 692	<i>Limnopardalis rhyti-</i>	
	1897, 775	<i>rhynchus</i>	1899, 512
	1897, 837	<i>Limnothelphusa</i>	1899, 698
	1897, 923	<i>maculata</i>	1899, 697
	1898, 50		1899, 698
	1898, 373		1899, 704
	1898, 379	<i>Limnochores acanootus</i> ..	1893, 107
	1899, 810	<i>arpa</i>	1893, 107
	1900, 10	<i>bimacula</i>	1893, 107
	1900, 12	<i>cernes</i>	1893, 107
— <i>alcippoides</i>	1898, 379	<i>manataaquæ</i>	1893, 92
	1900, 10		1893, 107
	1900, 11	<i>orono</i>	1893, 107
	1900, 12	<i>Limonites ruficollis</i>	1900, 498
— <i>alcippus</i>	1896, 256	<i>tenmincki</i>	1900, 498
— <i>dorippus</i>	1896, 249	<i>Limopsis forskalii</i>	1891, 433
	1896, 256	<i>Limosa baueri</i>	1900, 496
	1898, 373	<i>limosa</i>	1900, 496
	1898, 396	<i>melanura</i>	1900, 496
	1900, 10	<i>melanuroides</i>	1900, 496
	1900, 11	<i>novæ zealandiæ</i> ..	1900, 496
— <i>klugii</i>	1896, 249	<i>uropygialis</i>	1900, 496
	1896, 256	<i>Linaria analoïdes</i>	1892, 396
	1898, 396	<i>Linckia diplax</i>	1900, 116
	1898, 826	<i>marmorata</i>	1894, 394
	1900, 10	<i>megaloplax</i>	1894, 394
	1900, 11		1894, 395
	1900, 12		1894, 405
	1900, 914	<i>miliaris</i>	1898, 849

	Page		Page
<i>Linckia miliaris</i>	1900, 116	<i>Liopasia</i>	1899, 215
<i>multiforis</i>	1898, 849	<i>dorsalis</i>	1899, 216
<i>Lineodes</i>	1898, 603	<i>ochracealis</i>	1899, 216
<i>contortalis</i>	1899, 283	<i>reliquialis</i>	1899, 216
<i>gracillalis</i>	1899, 284	<i>teneralis</i>	1899, 216
<i>hieroglyphalis</i>	1899, 289	<i>Liophis albiventris</i>	1898, 116
<i>integra</i>	1899, 284	<i>andreae</i>	1891, 354
<i>interrupta</i>	1899, 284	<i>cobella</i>	1894, 507
<i>leodocusalis</i>	1899, 213	1894, 518
<i>metagrammalis</i>	1899, 284	<i>fugitivus</i>	1891, 353
<i>multisignalis</i>	1899, 289	<i>melanotus</i>	1894, 506
<i>peridialis</i>	1896, 643	1894, 514
.....	1899, 289	1894, 515
<i>pulchralis</i>	1899, 284	1894, 518
<i>serpulalis</i>	1899, 284	<i>meremii</i>	1892, 481
<i>triangulalis</i>	1899, 284	1892, 484
<i>Lineus albovittatus</i>	1900, 826	1892, 487
.....	1900, 831	<i>pœcilogyrus</i>	1895, 705
<i>longissimus</i>	1900, 826	<i>reginæ</i>	1891, 354
<i>Liniscus mashonanus</i> ..	1897, 534	1894, 499
<i>strigaticeps</i>	1897, 535	1894, 507
<i>Linodesmus cæcus</i>	1892, 96	1894, 518
<i>Linsang gracilis</i>	1893, 495	<i>Liophryne brevis</i>	1898, 476
.....	1894, 364	<i>rhododactyla</i>	1898, 476
.....	1894, 372	<i>Liparis crocata</i>	1896, 135
.....	1894, 376	<i>dispar</i>	1891, 180
(Poiana) <i>gracilis</i> ..	1894, 357	1897, 296
(Prionodon) <i>pardi-</i>		<i>Lipaugus simplex</i>	1899, 515
<i>color</i>	1894, 357	<i>Liphyra brassolis</i>	1895, 559
<i>Lintneria daunus</i>	1893, 33	1895, 626
<i>Linura fischeri</i>	1895, 463	1893, 680
<i>Linyphia aurulenta</i>	1897, 871	<i>Lipocosma</i>	1898, 594
<i>ornata</i>	1897, 871	1898, 611
<i>pusilla</i>	1898, 488	<i>fuliginosalis</i>	1898, 612
<i>Liocassis longirostris</i> ..	1899, 940	<i>hebescalis</i>	1898, 612
.....	1899, 955	<i>nigripictalis</i>	1898, 612
<i>Liocephalus guentheri</i> ..	1898, 114	<i>sicalis</i>	1898, 611
<i>Liocystis brunii</i>	1895, 441	1898, 612
<i>Lioderma</i> (Rhytido-		<i>Lipometia</i>	1893, 359
<i>lomia</i>) <i>senilis</i> ..	1900, 811	<i>subusta</i>	1893, 359
<i>Lioglossus carangoides</i> .	1892, 135	1893, 360
<i>Liogryllus bimaculatus</i> .	1900, 46	1893, 434
<i>Liolepis belli</i>	1896, 782	<i>Liposarcus pardalis</i>	1898, 492
.....	1896, 872	<i>Liriantha appendiculata</i> .	1896, 460
.....	1899, 603	1896, 495
.....	1899, 642	<i>mucronata</i>	1896, 496
.....	1899, 643	<i>Lirimiris mephitis</i>	1894, 242
.....	1900, 857	<i>Liriope appendiculata</i> ..	1896, 495
.....	1900, 859	<i>Liriopea</i>	1900, 521
<i>belliana</i>	1899, 642	<i>leachii</i>	1900, 523
<i>guttatus</i>	1899, 642	<i>lucasii</i>	1900, 523
<i>reevesii</i>	1899, 643	1900, 526
<i>Liomera lavis</i>	1900, 569	<i>Liris auratus</i>	1896, 443
.....	1900, 583	<i>ducalis</i>	1896, 443
<i>richtersi</i>	1900, 569	<i>hæmorrhoidalis</i> ..	1896, 443
.....	1900, 583	<i>orichalcea</i>	1896, 443
<i>Liopasia</i>	1898, 600	<i>savignyi</i>	1896, 443
		<i>Lissotis melanogaster</i> ..	1900, 964

	Page		Page
<i>Lita crocipunctella</i>	1891, 520	<i>Lizzia octopunctata</i>	1896, 477
	1891, 546	<i>Lobipes hyperboreus</i> ..	1900, 499
	1897, 74	<i>Lobivanellus lateralis</i> ..	1900, 3
<i>Lithacodes fasciola</i>	1896, 650	<i>senegalus</i>	1899, 933
<i>Lithobius castaneus</i>	1892, 25	<i>Lobocheilus falcifer</i>	1895, 286
<i>impressus</i>	1892, 25	<i>Lobocla bifasciatus</i>	1892, 664
<i>Lithocolletis albimacula</i> ..	1897, 145	<i>casyapa</i>	1892, 664
<i>argentifrontella</i>	1897, 146	<i>liliana</i>	1892, 664
<i>desmodiella</i>	1897, 146		1893, 33
<i>gregariella</i>	1897, 146	<i>Lobogonia</i>	1893, 345
<i>tenuicaudella</i>	1897, 147	<i>ambusta</i>	1893, 345
<i>Lithocranius walleri</i> ..	1891, 197		1893, 346
	1891, 207		1893, 434
	1892, 101	<i>Lobopelta chinensis</i>	1896, 415
	1892, 118	<i>diminuta</i>	1896, 415
	1892, 305	<i>distinguenda</i>	1896, 415
	1894, 319	<i>ocellifera</i>	1896, 415
	1898, 767	<i>periqueti</i>	1896, 415
	1900, 83	<i>yerburyi</i>	1896, 415
<i>Lithodes</i>	1900, 531	<i>Lobophora bifliferata</i> ..	1896, 647
<i>granulata</i>	1900, 532	<i>morio</i>	1895, 892
<i>granulosa</i>	1900, 531	<i>truncata</i>	1900, 285
<i>verrucosa</i>	1900, 532	<i>Lobotes erate</i>	1899, 448
<i>Lithomia buddhæ</i>	1896, 639	<i>Locusta laurifolia</i>	1892, 211
<i>Lithosia</i> sp.	1894, 584	<i>maxillosa</i>	1892, 214
<i>bipunctigera</i>	1898, 418	<i>viridissima</i>	1897, 911
<i>peruviana</i>	1894, 239	<i>Lætrina flexalis</i>	1898, 614
<i>pustulata</i>	1897, 112	<i>Logania lahomius</i>	1892, 620
<i>venosa</i>	1894, 239	<i>malayica</i>	1892, 620
<i>vetusta</i>	1898, 383		1896, 651
<i>Lithotrya pacifica</i>	1900, 795		1896, 653
	1900, 798	<i>marmorata</i>	1892, 620
	1900, 799	<i>masalia</i>	1892, 620
<i>Lithurgus atratus</i>	1896, 453	<i>obscura</i>	1895, 557
<i>Littorina acutispira</i>	1891, 487		1895, 565
	1891, 491		1896, 653
<i>glabrata</i>	1891, 416	<i>regina</i>	1895, 557
<i>grano-costata</i>	1891, 416		1895, 564
<i>infans</i>	1891, 488		1896, 653
	1891, 491	<i>sriwa</i>	1892, 620
<i>insularis</i>	1891, 416		1896, 653
<i>natalensis</i>	1891, 416	<i>staudingeri</i>	1895, 557
<i>pyramidalis</i>	1891, 416		1895, 564
<i>Lituarua phalloides</i>	1894, 379		1895, 626
<i>Livinhacia nilotica</i>	1893, 634		1896, 653
<i>Lixus</i> sp.	1893, 742	<i>substrigosa</i>	1892, 620
<i>Lizzia blondina</i>	1896, 459	<i>Lomaspilis pantheraria</i> ..	1895, 267
	1896, 463	<i>Lomotropa vellerialis</i> ..	1898, 750
	1896, 473	<i>Lomvia troile</i>	1891, 176
	1896, 475		1896, 546
	1896, 476	<i>Loncheres guianæ</i>	1894, 502
	1896, 477	<i>Longitarsus africanus</i> ..	1897, 555
	1898, 1023		1900, 266
	1898, 1030	<i>biangulatus</i>	1897, 556
<i>claparedei</i>	1896, 475	<i>dimidiaticornis</i>	1899, 344
	1896, 476	<i>luridus</i>	1900, 245
<i>grata</i>	1896, 477	<i>salisburyensis</i>	1900, 244
	1896, 478	<i>wollastoni</i>	1897, 555

	Page		Page
<i>Lonomia albigutta</i>	1896, 635	<i>Lophopleura xantho-</i>	
<i>carnica</i>	1892, 318	<i>tenialis</i>	1897, 690
<i>submacula</i>	1896, 634	<i>Lophopsittacus mauriti-</i>	
<i>Lopera crocata</i>	1896, 134	<i>anus</i>	1892, 544
<i>monosticta</i>	1896, 847	<i>Lophoptera asperula</i> ..	1893, 744
<i>pallida</i>	1898, 428	<i>Lophoseris</i>	1898, 529
<i>Lophactea granulosa</i> ..	1898, 444	<i>cristata</i>	1898, 530
<i>Lophiodon parisiense</i> ..	1898, 428	<i>Lophospiza trivirgata</i> ..	1900, 489
<i>Lophius budegassa</i>	1900, 732	<i>Lophostethus demolinii</i> .	1896, 529
<i>marmoratus</i>	1893, 209	1898, 432
<i>piscatorius</i>	1899, 476	1900, 92
.....	1899, 483	<i>Lophotes capellei</i>	1891, 484
<i>tumidus</i>	1899, 495	<i>cepedianus</i>	1891, 483
<i>Lophoaëtus occipitalis</i> .	1899, 940	1891, 484
.....	1899, 951	<i>cristatus</i>	1891, 484
.....	1899, 956	<i>fiski</i>	1891, 484
.....	1899, 483	<i>Lophotibis cristata</i>	1894, 94
<i>Lophoaëtus occipitalis</i> .	1894, 594	<i>Lophotriccus squami-</i>	
.....	1900, 3	<i>cristatus</i>	1896, 361
.....	1900, 959	<i>Lophotriorchis lucani</i> ..	1898, 2
<i>Lophoceros camurus</i> ..	1894, 597	<i>Lophozozymus</i> sp.	1900, 116
.....	1894, 598	<i>bellus</i>	1900, 736
.....	1894, 602	1900, 737
.....	1894, 605	<i>epheliticus</i>	1900, 736
<i>damarensis</i>	1895, 498	<i>leucomanus</i>	1900, 736
.....	1895, 499	1900, 737
<i>erythrorhynchus</i> ..	1895, 498	<i>octodentatus</i>	1900, 736
.....	1900, 958	<i>(Lophoxanthus) bel-</i>	
<i>flavirostris</i>	1895, 499	<i>lus leucomanus</i> ..	1900, 736
<i>hemprichi</i>	1895, 498	<i>(—) leucomanus</i> .	1900, 736
<i>medianus</i>	1895, 498	<i>Lophura amboinensis</i> ..	1897, 195
.....	1895, 499	1897, 197
<i>melanoleucus</i>	1897, 189	1897, 198
<i>nasutus</i>	1900, 958	1897, 208
<i>semifasciatus</i>	1894, 597	<i>celebensis</i>	1897, 208
<i>sibbensis</i>	1895, 499	<i>edwardsi</i>	1899, 486
<i>somaliensis</i>	1895, 499	<i>nana</i>	1896, 269
<i>Lophodonta pallida</i>	1894, 242	<i>Lophuromys ansorgei</i> ..	1896, 607
<i>Lophoides</i>	1893, 72	<i>aquilus</i>	1896, 795
.....	1893, 84	1897, 936
<i>iapis</i>	1893, 72	1900, 174
.....	1893, 84	<i>sikapusi</i>	1896, 607
<i>Lopholæmus antar-</i>		<i>Lophyrus armatus</i>	1896, 871
<i>ticus</i>	1900, 306	1899, 638
<i>Lophomonas blattarum</i> .	1898, 242	<i>Lopus militaris</i>	1894, 190
.....	1898, 243	<i>Loricaria anus</i>	1891, 234
.....	1898, 244	<i>apeltogaster</i>	1895, 528
<i>striata</i>	1898, 243	<i>cadeæ</i>	1891, 234
<i>sulcata</i>	1898, 243	<i>evansii</i>	1895, 528
.....	1898, 244	<i>filamentosa</i>	1895, 527
<i>Lophomyrmex quadri-</i>		<i>labialis</i>	1895, 527
<i>spinosus</i>	1896, 419	<i>lima</i>	1891, 234
<i>Lophophorus impeyanus</i> .	1891, 327	<i>macrodon</i>	1895, 528
.....	1896, 621	<i>nudirostris</i>	1895, 528
.....	1896, 982	<i>parva</i>	1895, 527
<i>lhuyi</i>	1891, 212	<i>spixii</i>	1895, 528
<i>Lophopleura curzonalis</i> .	1897, 690	<i>strigilata</i>	1891, 234
<i>sublittoralis</i>	1897, 690	<i>Loriculus</i>	1899, 34

	Page		Page
Loris gracilis	1891, 451	Lorius flavopalliatius ..	1895, 380
	1894, 359		1895, 381
	1895, 142		1895, 382
	1895, 145		1895, 384
	1895, 147		1895, 385
Lorius	1899, 10		1895, 386
	1899, 20		1895, 387
	1899, 21		1895, 388
	1899, 43		1895, 389
domicella	1895, 162		1895, 390
	1895, 165		1895, 391
	1895, 166		1895, 392
	1895, 169		1895, 393
	1895, 172		1895, 397
	1895, 396		1895, 399
	1899, 20		1899, 20
flavopalliatius	1895, 162	Lota vulgaris	1895, 294
	1895, 168	Lotella bacchus	1899, 487
	1895, 169		1899, 493
	1895, 312	Lotongus calathus	1893, 93
	1895, 313		1893, 121
	1895, 314	Lotta elongata	1894, 414
	1895, 315	Lovenia elongata	1894, 395
	1895, 316		1894, 397
	1895, 317		1900, 272
	1895, 318		1900, 274
	1895, 319		1900, 286
	1895, 320	subcarinata	1900, 272
	1895, 322		1900, 286
	1895, 323	Loxaspilates	1893, 413
	1895, 324	dispar	1893, 413
	1895, 325		1893, 433
	1895, 329	obliquaria	1893, 413
	1895, 330	Loxigilla noctis	1892, 499
	1895, 331	Loxomphalia rubida	1897, 747
	1895, 332	Loxoneptera	1898, 602
	1895, 333		1899, 206
	1895, 334	carnealis	1899, 206
	1895, 335		1899, 207
	1895, 336	Loxostega	1899, 207
	1895, 337	baccatalis	1899, 212
	1895, 363	flavalis	1899, 212
	1895, 364	linealis	1899, 212
	1895, 365	macluræ	1899, 212
	1895, 366	oberthuralis	1899, 212
	1895, 367	Loxotropha grenadensis .	1895, 803
	1895, 368	Loxura atymnus	1892, 641
	1895, 369		1895, 559
	1895, 370		1895, 618
	1895, 371		1900, 508
	1895, 372	dermaptera	1900, 925
	1895, 373	surya	1895, 619
	1895, 374	tripunctata	1892, 641
	1895, 375	Luca herbida	1896, 647
	1895, 376	Lucanus cervus	1892, 585
	1895, 377		1892, 593
	1895, 378	Lucia bibulus	1894, 342
	1895, 379	epius	1895, 570

	Page		Page
<i>Lucidia longispina</i>	1900, 289	<i>Lupea tranquebarica</i> ..	1900, 748
<i>maculata</i>	1900, 292	<i>Luperodes sulfuripennis</i> .	1899, 362
<i>penangensis</i>	1900, 289	<i>Luperus brevicornis</i>	1897, 568
<i>Lucidota dimidiatipennis</i> .	1900, 293	<i>discicollis</i>	1899, 363
<i>janthinipennis</i>	1900, 292	<i>giganteus</i>	1897, 564
<i>miniatocollis</i>	1898, 320	<i>inconspicuus</i>	1897, 565
<i>Lucina tigrina</i>	1898, 320	<i>madagascariensis</i> ..	1897, 566
<i>tigrina</i>	1891, 435	<i>marshalli</i>	1897, 566
(<i>Codakia</i>) <i>exasperata</i>	1891, 430	<i>mashonanus</i>	1900, 256
<i>Lucioperca canadensis</i> ..	1891, 429	<i>niger</i>	1897, 568
<i>narina</i>	1892, 411	<i>nigrofasciatus</i>	1900, 256
<i>sandra</i>	1892, 412	<i>nigrosuturalis</i>	1897, 567
<i>vitrea</i>	1892, 413	<i>quaternus</i>	1897, 566
<i>volgensis</i>	1892, 411	<i>scutellatus</i>	1897, 567
<i>Ludia hansalii</i>	1892, 412	<i>verticalis</i>	1900, 266
<i>Luetkenia astrodermi</i> ..	1892, 413	<i>weisei</i>	1897, 566
<i>glabra</i>	1892, 412	(<i>Monolepta</i>) <i>nigrosuturalis</i>	1897, 565
<i>Luidia</i> sp.	1892, 412	<i>Lupus anthus</i>	1899, 376
<i>aspera</i>	1892, 413	<i>Lusciniola fuscata</i>	1899, 535
<i>forficifer</i>	1892, 412	<i>Luteva gundlachii</i>	1900, 471
<i>hardwickii</i>	1892, 413	<i>Luthrodes arruana</i>	1893, 706
<i>longispinis</i>	1892, 412	<i>mindora</i>	1894, 212
<i>maculata</i>	1898, 430	<i>Lutrodes</i>	1895, 576
<i>Lumbricus capensis</i>	1899, 458	<i>Lutrodes</i>	1895, 576
<i>complanatus</i>	1899, 458	<i>Lutodeira chanos</i>	1895, 576
<i>eugeniæ</i>	1894, 403	<i>Lutra</i>	1899, 954
<i>herculeus</i>	1894, 394	sp.	1900, 874
<i>microchæta</i>	1894, 396	<i>barang</i>	1900, 334
<i>purpureus</i>	1894, 396	<i>brasiliensis</i>	1892, 313
<i>rubellus</i>	1894, 402	<i>canadensis</i>	1892, 315
<i>terrestris</i>	1894, 396	<i>cinerea</i>	1894, 301
<i>tumidus</i>	1894, 403	<i>canadensis</i>	1898, 358
<i>turgidus</i>	1891, 174	<i>cinerea</i>	1898, 392
<i>Lunda cirrhata</i>	1892, 29	<i>canadensis</i>	1893, 495
<i>Lupea granulata</i>	1891, 173	<i>cinerea</i>	1897, 373
<i>hastata</i>	1892, 146	<i>cinerea</i>	1897, 379
<i>pelagica</i>	1892, 187	<i>cinerea</i>	1897, 380
<i>sanguinolenta</i>	1892, 141	<i>cinerea</i>	1897, 381
	1892, 184	<i>cinerea</i>	1897, 385
	1893, 319	<i>cinerea</i>	1897, 387
	1893, 324	<i>cinerea</i>	1897, 389
	1893, 319	<i>cinerea</i>	1897, 391
	1893, 319	<i>cinerea</i>	1897, 392
	1893, 319	<i>cinerea</i>	1897, 395
	1893, 319	<i>cinerea</i>	1897, 396
	1893, 319	<i>cinerea</i>	1897, 397
	1893, 319	<i>cinerea</i>	1897, 398
	1893, 319	<i>cinerea</i>	1897, 399
	1893, 319	<i>cinerea</i>	1897, 400
	1893, 319	<i>cinerea</i>	1897, 401
	1893, 319	<i>cinerea</i>	1897, 404
	1893, 319	<i>cinerea</i>	1897, 405
	1893, 319	<i>cinerea</i>	1897, 406
	1893, 319	<i>cinerea</i>	1898, 155

	Page		Page
<i>Lutra cinerea</i>	1898, 158	<i>Lycæna æquatorialis</i> ..	1891, 637
	1898, 160		1891, 638
	1898, 169		1894, 567
	1898, 171		1895, 734
	1898, 178	<i>aleuas</i>	1893, 552
	1900, 334	<i>alope</i>	1900, 108
	1900, 874	<i>alsoides</i>	1900, 110
<i>elliotti</i>	1900, 334	<i>alsulus</i>	1891, 366
<i>leptonyx</i>	1891, 212		1892, 435
	1894, 297		1892, 436
	1900, 334		1900, 110
<i>macrodus</i>	1900, 334	<i>alsus</i>	1891, 180
	1900, 874		1891, 366
<i>maculicollis</i>	1894, 140	<i>amphyssina</i>	1895, 582
	1896, 793	<i>ancyra</i>	1895, 579
	1898, 392	<i>anta</i>	1893, 662
<i>nair</i>	1900, 334		1894, 569
<i>paranensis</i>	1892, 175		1896, 123
<i>platensis</i>	1894, 300		1896, 832
	1894, 358	<i>antanossa</i>	1900, 110
<i>roensis</i>	1897, 311	<i>antinorii</i>	1894, 17
<i>sumatrana</i>	1893, 495		1894, 18
	1900, 334		1894, 50
<i>vulgaris</i>	1893, 592		1894, 928
	1897, 311	<i>apollonius</i>	1893, 541
	1897, 373	<i>ardates</i>	1892, 625
	1897, 374		1895, 578
	1897, 378	<i>ardeola</i>	1895, 579
	1897, 379	<i>argia</i>	1900, 108
	1897, 380	<i>artemenes</i>	1894, 50
	1897, 381	<i>asopus</i>	1891, 81
	1897, 384		1893, 660
	1897, 385		1894, 47
	1897, 387	<i>atrata</i>	1892, 625
	1897, 389		1895, 578
	1897, 391	<i>atrigemmata</i>	1900, 109
	1897, 392	<i>bætica</i>	1891, 82
	1897, 394		1894, 49
	1897, 395		1894, 50
	1897, 396		1894, 343
	1897, 398		1896, 525
	1897, 399		1896, 533
	1897, 400		1897, 775
	1897, 401	<i>beroe</i>	1895, 578
	1897, 404	<i>biocellata</i>	1891, 366
	1897, 405		1892, 440
	1897, 409	<i>bochus</i>	1892, 441
	1898, 155	<i>caduca</i>	1892, 435
	1898, 158		1892, 436
	1898, 177		1900, 110
	1898, 186	<i>caledonica</i>	1892, 441
	1900, 334		1893, 545
	1900, 874	<i>calice</i>	1891, 83
<i>Lycæna adherbal</i>	1893, 660		1896, 120
	1896, 120		1896, 829
	1896, 829	<i>candrena</i>	1892, 441
<i>adonis</i>	1891, 180	<i>cassius</i>	1900, 199
	1894, 134	<i>catochloris</i>	1892, 440

	Page		Page
<i>Lycæna cissus</i>	1891, 82	<i>Lycæna hintza</i>	1896, 120
	1894, 48	<i>hymetus</i>	1893, 547
<i>cleodus</i>	1895, 583	<i>icarus</i>	1891, 180
<i>coelius</i>	1893, 548	<i>indica</i>	1900, 111
<i>communis</i>	1892, 435	<i>inops</i>	1891, 365
	1892, 436	<i>iolas</i>	1892, 194
	1900, 110	<i>japonica</i>	1900, 108
<i>conjungens</i>	1892, 436	<i>jesous</i>	1891, 83
<i>corydon</i>	1891, 180		1898, 370
	1892, 194	<i>jobates</i>	1891, 82
	1893, 279		1895, 732
	1894, 134		1896, 119
<i>danis supous</i>	1893, 542		1896, 533
<i>dilectissima</i>	1895, 571		1896, 828
<i>diluta</i>	1900, 107		1898, 404
<i>dionisius</i>	1891, 358	<i>juba</i>	1894, 50
<i>dyopa</i>	1892, 437		1894, 342
<i>elerna</i>	1896, 587	<i>kandarpa cale-</i>	
<i>elna</i>	1892, 628	<i>donica</i>	1892, 444
	1895, 586	<i>kankena</i>	1892, 441
<i>ethion</i>	1892, 628		1892, 626
	1895, 536	<i>kersteni</i>	1894, 568
<i>exclusa</i>	1894, 14		1898, 405
	1894, 18	<i>knysna</i>	1895, 733
	1894, 47		1896, 525
	1894, 48		1898, 370
	1894, 49		1900, 109
	1894, 82	<i>larydas</i>	1898, 405
	1894, 607	<i>lingeus</i>	1894, 50
	1896, 828		1896, 525
	1899, 966		1896, 533
<i>filicaudis</i>	1892, 624	<i>livia</i>	1896, 251
<i>fischeri</i>	1892, 624		1898, 406
<i>gaika</i>	1891, 82	<i>lorquini</i>	1900, 109
	1892, 436	<i>lucida</i>	1891, 82
	1893, 660		1896, 830
	1894, 49	<i>lulu</i>	1892, 436
	1894, 343		1900, 105
	1894, 568		1900, 111
	1895, 733	<i>lysimon</i>	1891, 82
	1896, 120		1898, 380
	1896, 250	<i>lysizone</i>	1900, 111
	1896, 525	<i>macalenga</i>	1900, 13
	1896, 534	<i>macrophthalma</i>	1892, 625
	1896, 830	<i>maha</i>	1892, 623
	1897, 776		1900, 106
	1898, 404	<i>mahallokoæna</i>	1891, 82
	1899, 811		1894, 48
	1900, 109		1896, 828
	1900, 930	<i>malaya</i>	1892, 621
<i>galba</i>	1900, 108		1895, 571
<i>gamra</i>	1896, 250	<i>mangoensis</i>	1892, 435
<i>gigantea</i>	1899, 966		1892, 436
<i>glauca</i>	1891, 81		1900, 110
	1896, 119	<i>marginata</i>	1900, 107
	1896, 828	<i>mashuna</i>	1894, 18
<i>hanno</i>	1896, 517		1894, 48
<i>hermus</i>	1896, 656		1894, 49

	Page		Page
<i>Lycæna melæna</i>	1891, 83	<i>Lycæna schaeffera</i>	1893, 585
	1894, 343	<i>sichela</i>	1891, 82
	1898, 404		1894, 49
<i>mindora</i>	1895, 576		1896, 829
<i>moriqua</i>	1891, 83		1898, 404
	1894, 342	<i>squalida</i>	1900, 107
	1896, 525	<i>stellata</i>	1895, 631
	1896, 533		1896, 830
	1900, 929		1900, 930
<i>natalensis</i>	1893, 661	<i>sybaris</i>	1891, 83
<i>nemea</i>	1892, 441	<i>taitensis</i>	1892, 445
<i>niobe</i>	1898, 187	<i>taygetus</i>	1893, 546
<i>noreia</i>	1896, 656	<i>telicanus</i>	1891, 82
<i>novæ-hollandiæ</i> ..	1900, 110		1894, 49
<i>opalina</i>	1900, 107		1894, 50
<i>osias</i>	1892, 627	<i>theophrastus</i>	1896, 525
<i>osiris</i>	1891, 81		1896, 533
	1893, 660	<i>trochilus</i>	1894, 569
	1894, 568		1896, 123
	1896, 118		1896, 525
	1898, 403		1896, 830
<i>palemon</i>	1891, 637		1897, 775
	1891, 638		1898, 370
<i>pandava</i>	1892, 627		1899, 811
	1895, 585		1900, 930
<i>parsimon</i>	1891, 81	<i>wallacei</i>	1893, 543
	1894, 47	<i>Lycænesthes</i> sp.	1895, 630
	1894, 49		1896, 525
	1895, 732	<i>adherbal</i>	1893, 660
	1898, 192		1896, 120
<i>patricia</i>	1894, 49		1896, 829
	1895, 732		1898, 194
	1898, 192		1898, 907
	1898, 370	<i>amarah</i>	1891, 83
<i>pavana</i>	1895, 577		1894, 568
<i>perasia</i>	1892, 439		1895, 733
<i>perpulchra</i>	1896, 828		1896, 244
	1898, 403		1896, 250
	1899, 966		1896, 256
<i>philostratus</i>	1893, 543		1896, 525
<i>phœbe</i>	1892, 435		1897, 776
	1892, 436		1897, 845
<i>pindus</i>	1893, 551		1898, 194
<i>platissa</i>	1892, 444		1898, 370
<i>plauta</i>	1895, 574		1898, 405
<i>plinius</i>	1894, 50		1899, 422
<i>poggei</i>	1894, 18		1899, 811
	1894, 50		1899, 967
<i>potanini</i>	1892, 624	<i>bubastus</i>	1893, 660
<i>pulchra</i>	1893, 661	<i>definita</i>	1900, 927
	1894, 343	<i>emolus</i>	1891, 357
	1895, 733		1891, 358
	1896, 119		1892, 623
	1896, 533		1895, 557
<i>pygmæa</i>	1892, 436		1895, 575
	1900, 109	<i>kersteni</i>	1894, 568
<i>samoa</i>	1892, 444	<i>larydas</i>	1894, 51
<i>schaeffera</i>	1893, 545		1894, 343

	Page		Page
<i>Lycænesthes larydas</i> ..	1894, 568	<i>Lycastrihyncha nitens</i> .	1893, 163
	1896, 534		1893, 164
<i>ligures</i>	1894, 343	<i>Lyces albiventris</i>	1896, 636
<i>liodes</i>	1894, 51	<i>macra</i>	1892, 285
	1895, 630	<i>plagifera</i>	1896, 636
	1896, 829	<i>Lychas asper</i>	1899, 834
	1896, 852	<i>maculatus</i>	1899, 834
	1897, 845	<i>scutulus</i>	1899, 834
	1898, 194	<i>Lychnuchus celsus</i>	1893, 121
	1899, 422	<i>olenus</i>	1893, 93
	1900, 928		1893, 120
<i>livida</i>	1897, 845		1893, 121
<i>lunulata</i>	1894, 18	<i>ozias</i>	1893, 121
	1894, 51	<i>Lyclene bizonoides</i>	1892, 122
	1894, 82	<i>Lycotenus</i>	1898, 27
	1894, 608	<i>columbianus</i>	1898, 900
	1896, 120	<i>palustris</i>	1898, 893
	1896, 829		1898, 899
<i>lycænina</i>	1892, 623		1898, 900
	1895, 557	<i>Lycodon anamallensis</i> ..	1891, 632
	1895, 575	<i>aulicus</i>	1896, 783
<i>lycambes</i>	1900, 507		1896, 881
<i>millari</i>	1897, 845		1897, 196
<i>neglecta</i>	1894, 51		1897, 200
<i>otacilia</i>	1891, 83		1897, 219
	1894, 51		1899, 605
	1894, 52		1899, 664
	1897, 845		1899, 665
	1898, 194	<i>effrenis</i>	1896, 881
<i>princeps</i>	1893, 660		1899, 605
	1898, 370		1899, 665
	1900, 13	<i>jara</i>	1899, 664
<i>sylvanus</i>	1898, 405		1899, 665
<i>Lycænopsis haraldus</i> ..	1895, 557	<i>laoensis</i>	1899, 601
	1895, 574		1899, 905
	1895, 575		1899, 665
<i>Lycaon pictus</i>	1897, 372	<i>platurinus</i>	1896, 881
	1897, 389		1899, 665
	1897, 391		1899, 690
	1897, 394	<i>stormi</i>	1897, 196
	1897, 398		1897, 200
	1897, 400		1897, 219
	1897, 409		1897, 237
	1897, 931	<i>striatus</i>	1891, 628
	1898, 154		1891, 631
	1898, 159		1891, 632
	1898, 169	<i>subcinctus</i>	1896, 881
	1898, 173		1899, 605
	1898, 186		1899, 652
	1899, 292	<i>travancoricus</i>	1891, 632
	1899, 551	<i>Lycophidium</i>	1895, 536
	1899, 552	<i>capense</i>	1895, 705
	1899, 771		1896, 216
	1900, 659	<i>fasciatum</i>	1900, 452
	1900, 803	<i>horstockii</i>	1892, 555
<i>tricolor</i>	1899, 551		1894, 88
<i>typicus</i>	1899, 551	<i>laterale</i>	1900, 452
<i>venaticus</i>	1899, 551	<i>Lycorea cleobæa</i>	1898, 363

	Page		Page
<i>Lycosa albata</i>	1898, 488	<i>Lygosoma atrocostatum</i>	1897, 199
<i>amentata</i>	1898, 488		1897, 214
<i>blanda</i>	1898, 488		1899, 600
<i>cursoria</i>	1898, 488		1899, 604
<i>nigra</i>	1891, 181		1899, 644
<i>palustris</i>	1898, 488		1899, 649
<i>picta</i>	1896, 717	<i>baudinii</i>	1897, 214
<i>porto-santana</i>	1891, 181	<i>bipes</i>	1898, 918
<i>pratīvaga</i>	1898, 491	<i>bowringii</i>	1896, 875
<i>pullata</i>	1898, 490		1897, 196
<i>riparia</i>	1898, 487		1897, 199
	1898, 488		1897, 214
	1898, 490		1899, 601
	1898, 491		1899, 604
<i>sancti-vincentii</i> ...	1897, 888		1899, 644
(<i>Pardosa</i>) <i>riparia</i> ..	1898, 487		1899, 650
	1898, 490	<i>brevipes</i>	1898, 917
<i>Lycetus prostomoides</i> ..	1898, 328	<i>celebensis</i>	1897, 195
<i>Lycus</i> sp.	1893, 741		1897, 199
<i>ampliatu</i>	1900, 27		1897, 212
<i>Lygæus bicrucis</i>	1894, 189		1827, 237
<i>fasciatus</i>	1894, 189		1898, 917
<i>hyalinus</i>	1894, 180	<i>chalcides</i>	1896, 876
<i>leucopterus</i>	1894, 185		1899, 604
<i>sidæ</i>	1894, 181		1899, 615
<i>varicolor</i>	1894, 189		1899, 644
<i>Lygaria mutabilis</i>	1900, 242		1899, 652
<i>ornata</i>	1900, 242	<i>curtum</i>	1898, 917
<i>robusta</i>	1900, 242	<i>cyanurum</i>	1897, 195
<i>terminata</i>	1900, 241		1897, 199
<i>walleri</i>	1900, 242		1897, 214
<i>Lygniodes endoleuca</i> ..	1892, 127	<i>decipiens</i>	1894, 725
<i>maurus</i>	1892, 127		1894, 734
<i>Lygodactylus angularis</i> ..	1892, 555	<i>delicatum</i>	1894, 725
	1894, 722	<i>elegans</i>	1898, 917
	1897, 800	<i>everetti</i>	1898, 917
<i>capensis</i>	1892, 555	<i>fasciatum</i>	1897, 211
	1900, 448	<i>fernandii</i>	1898, 918
<i>miops</i>	1894, 722		1900, 450
<i>picturatus</i>	1894, 86	<i>florensis</i>	1894, 724
<i>Lygosoma acutirostre</i> ..	1897, 212	<i>gastrostigma</i>	1898, 292
	1897, 213		1898, 918
<i>aignanum</i>	1898, 917		1898, 923
	1898, 921	<i>guineense</i>	1898, 918
	1898, 923	<i>inconspicuum</i>	1897, 195
<i>albopunctatum</i>	1896, 875		1897, 199
	1899, 604		1897, 213
	1899, 651		1897, 237
<i>alfredi</i>	1898, 918	<i>indicum</i>	1899, 162
	1898, 922	<i>infralineolatum</i> ..	1897, 196
	1898, 923		1897, 199
<i>amabile</i>	1894, 725		1897, 215
	1897, 210	<i>iridescens</i>	1898, 917
<i>anchietæ</i>	1894, 725	<i>isodactylum</i>	1899, 651
<i>anomalopus</i>	1896, 874	<i>jerdonianum</i>	1896, 875
	1899, 604		1899, 600
	1899, 648		1899, 649
<i>atrocostatum</i>	1897, 195	<i>johnstoni</i>	1897, 800

	Page		Page
<i>Lygosoma johnstoni</i> . . .	1897, 801	<i>Lygosoma striolatum</i> ..	1894, 724
	1897, 803	<i>subcæruleum</i>	1894, 725
	1898, 917	<i>subnitens</i>	1898, 917
<i>kuekenthali</i>	1898, 917	<i>sundevalli</i>	1891, 306
<i>laterale</i>	1899, 162		1893, 618
<i>longiceps</i>	1898, 917		1895, 535
<i>loriæ</i>	1893, 917		1896, 215
<i>luzonense</i>	1894, 725	<i>temminckii</i>	1897, 196
	1894, 733		1897, 199
<i>maccooei</i>	1894, 725		1897, 215
<i>maccoyi</i>	1894, 725	<i>tetrataenia</i>	1898, 915
<i>maculatum</i>	1899, 600	<i>textum</i>	1897, 195
	1899, 601		1897, 199
	1899, 604		1897, 213
	1899, 648		1897, 237
<i>maindroni</i>	1898, 917		1898, 917
<i>melanostictum</i>	1899, 601	<i>tropidonotus</i>	1897, 195
	1899, 604		1897, 199
	1899, 650		1897, 209
<i>miotis</i>	1898, 917		1897, 237
<i>modestum</i>	1895, 535	<i>variabile</i>	1894, 725
<i>nigrigulare</i>	1898, 917	<i>variegatum</i>	1897, 195
<i>nigrilabre</i>	1897, 195		1897, 199
	1897, 199		1897, 211
	1897, 209	<i>verreauxii</i>	1895, 707
<i>nigrolineatum</i>	1898, 917	<i>virens</i>	1898, 917
<i>olivaceum</i>	1896, 874	<i>walkeri</i>	1894, 725
	1899, 604	<i>whiteheadi</i>	1894, 725
	1899, 649		1897, 214
<i>parietale</i>	1898, 917	(<i>Hinulia</i>) <i>amabile</i> . .	1897, 209
	1899, 644	(<i>Leiolepisma</i>) <i>incon-</i>	
<i>parvum</i>	1897, 196	<i>spicuum</i>	1897, 213
	1897, 199	(—) <i>textum</i>	1897, 213
	1897, 215	(<i>Otosaurus</i>) <i>cele-</i>	
	1897, 237	<i>bense</i>	1897, 212
<i>pectorale</i>	1894, 725	<i>Lygropia</i>	1898, 595
<i>quadrivittatum</i>	1897, 216		1898, 726
	1898, 918	<i>amplificata</i>	1898, 729
<i>reichenovii</i>	1900, 450	<i>amyntusalis</i>	1898, 442
<i>relictum</i>	1894, 725		1898, 728
<i>sanctum</i>	1894, 724	<i>arenacea</i>	1898, 729
<i>sarsinorum</i>	1897, 195	<i>armeniocalis</i>	1898, 728
	1897, 199	<i>bilinealis</i>	1898, 729
	1897, 210	<i>bipunctalis</i>	1898, 728
	1897, 237	<i>calanticalis</i>	1898, 729
	1898, 917	<i>cernalis</i>	1898, 728
<i>semoni</i>	1893, 917	<i>chromalis</i>	1898, 728
<i>shelfordi</i>	1900, 182	<i>clytusalis</i>	1898, 728
	1900, 186	<i>distorta</i>	1898, 729
<i>singaporense</i>	1896, 875	<i>erixantha</i>	1898, 728
	1899, 600	<i>euryclealis</i>	1898, 729
	1899, 604	<i>flavicaput</i>	1898, 727
	1899, 649	<i>flavispila</i>	1898, 729
<i>smaragdinum</i>	1897, 195	<i>fuscicostalis</i>	1898, 728
	1897, 199	<i>imparalis</i>	1898, 727
	1897, 212	<i>lelex</i>	1898, 727
<i>sorex</i>	1898, 917	<i>muscerdalis</i>	1893, 684
<i>spenceri</i>	1894, 725		1898, 728
<i>stanleyanum</i>	1898, 917	<i>neglectalis</i>	1898, 723

	Page		Page
<i>Lygropia nigricornis</i> ..	1898, 728	<i>Mabaia brevicollis</i>	1895, 636
<i>nigrofimbrialis</i>	1898, 729		1895, 646
<i>obrinusalis</i>	1898, 728		1895, 647
<i>pharaxalis</i>	1898, 729		1895, 648
<i>poltisalis</i>	1898, 729	<i>doriae</i>	1896, 782
<i>polytesalis</i>	1898, 729	<i>hildebrandtii</i>	1894, 724
<i>pompusalis</i>	1898, 728		1895, 647
<i>prognealis</i>	1898, 730	<i>jerdoniana</i>	1896, 875
<i>ptochura</i>	1898, 729		1899, 649
<i>quaternalis</i>	1898, 726	<i>longicaudata</i>	1899, 601
	1898, 728		1899, 604
<i>rivulalis</i>	1898, 727		1899, 648
<i>scybalistia</i>	1898, 730	<i>luciae</i>	1891, 353
<i>simplalis</i>	1898, 728	<i>macularia</i>	1899, 604
<i>strigilalis</i>	1898, 727		1899, 644
<i>unicoloralis</i>	1898, 727	<i>maculilabris</i>	1894, 87
<i>Lygropis sirioxantha</i> ..	1899, 178	<i>megalura</i>	1895, 535
<i>Lygus cuneatus</i>	1894, 192		1896, 215
<i>obtusius</i>	1893, 705		1898, 917
	1893, 713	<i>multifasciata</i>	1896, 874
<i>prasinus</i>	1893, 705		1897, 195
<i>uvidus</i>	1894, 195		1897, 198
<i>Lymantria</i> sp.	1894, 585		1897, 208
<i>bananæ</i>	1896, 848		1899, 604
	1896, 850		1899, 644
<i>Lymnodytes macularius</i> .	1892, 345		1899, 645
<i>Lymphortha unilinea</i> . .	1896, 638		1899, 646
<i>Lyncodon patagonicus</i> .	1900, 76		1899, 647
<i>Lyramporpha</i>	1900, 818	<i>novemcarinata</i>	1896, 857
<i>pallida</i>	1900, 823		1896, 873
<i>rosea</i>	1900, 819		1898, 917
	1900, 823		1899, 604
<i>Lyropæus</i> sp.	1892, 88		1899, 644
<i>Lyrops auratus</i>	1896, 443	<i>planifrons</i>	1896, 215
<i>savignyi</i>	1896, 443		1898, 917
<i>Lysechinus</i>	1896, 1001	<i>pulchra</i>	1894, 724
<i>incongruens</i>	1896, 1000		1895, 635
	1896, 1001		1895, 646
	1896, 1003		1895, 647
	1896, 1005	<i>quinquetæniata</i> ..	1892, 555
<i>Lysiosquilla maculata</i> ..	1898, 33		1896, 215
	1898, 37		1897, 800
<i>Lysoptychus lateralis</i> ..	1897, 516	<i>raddonii</i>	1900, 449
<i>Lyssomanes</i> sp.	1893, 704	<i>rudis</i>	1897, 195
<i>Lystrophis</i> (<i>Heterodon</i>)			1897, 198
<i>d'orbignii</i>	1895, 705		1897, 208
<i>Lytorthynchus diadema</i> .	1895, 635	<i>rugifera</i>	1899, 600
	1895, 636		1899, 604
<i>Lytta nyassensis</i>	1893, 742		1899, 645
		<i>siamensis</i>	1899, 604
<i>Mabouia</i> , <i>see</i> <i>Mabaia</i> .			1899, 644
<i>Mabaia ænea</i>	1891, 355		1899, 646
<i>agilis</i>	1891, 353		1899, 647
— <i>luciae</i>	1891, 353		1899, 650
<i>aurata</i>	1891, 355	<i>striata</i>	1895, 535
<i>batesi</i>	1900, 449		1896, 215
	1900, 456		1897, 800
<i>brevicollis</i>	1895, 635		1900, 968

	Page		Page
<i>Mabuia tessellata</i>	1895, 636	<i>Macaria concisaria</i>	1896, 645
	1895, 647	<i>continuaria</i>	1896, 645
	1895, 663	<i>divisaria</i>	1892, 132
	1898, 917	<i>externaria</i>	1896, 645
<i>varia</i>	1892, 555	<i>fractaria</i>	1896, 645
	1895, 535	<i>mandata</i>	1896, 645
	1896, 215	<i>percisaria</i>	1896, 645
	1897, 800	<i>subitaria</i>	1896, 645
<i>vittata</i>	1892, 16	<i>sufflata</i>	1898, 433
<i>Macacus arctoides</i>	1893, 494	<i>vitriferaria</i>	1896, 647
	1900, 315	<i>Macetes albicans</i>	1900, 224
<i>assamensis</i>	1898, 361	<i>clypeata</i>	1900, 224
	1900, 314	<i>Machæra japonica</i>	1891, 429
<i>brunneus</i>	1900, 871	<i>radiata</i>	1891, 435
<i>cynomolgus</i>	1893, 494	<i>Machæraptenus ventra-</i>	
	1893, 592	<i>lis</i>	1894, 229
	1900, 316	<i>Machæramphus anders-</i>	
	1900, 833	<i>soni</i>	1899, 714
	1900, 872	<i>Machæridia bilineata</i> ..	1900, 39
<i>fusco-ater</i>	1900, 303	<i>Machærodes neogæus</i> ..	1900, 74
<i>inornatus</i>	1894, 359	<i>Machæropterus regulus</i> ..	1899, 515
<i>inuus</i>	1893, 325	<i>Machetornis rixosa</i>	1892, 174
	1900, 303		1899, 516
	1900, 773	<i>Macna atrirufalis</i>	1897, 643
<i>laniger</i>	1894, 359	<i>ignebasalis</i>	1897, 643
<i>leoninus</i>	1894, 359	<i>platychloralis</i>	1897, 643
	1898, 280	<i>pomalis</i>	1897, 643
	1900, 315	<i>Macrauchenia</i>	1899, 146
<i>maurus</i>	1893, 493		1900, 77
	1897, 306	<i>Macrima africana</i>	1899, 377
	1897, 307		1899, 380
	1897, 310	<i>Macrina juvenca</i>	1900, 822
<i>nemestrinus</i>	1893, 325	<i>Macrobiotus dujardini</i> ..	1897, 791
	1893, 494	<i>hufelandii</i>	1897, 790
	1900, 315	<i>tuberculatus</i>	1897, 791
	1900, 316	<i>Macrocalamus lateralis</i> .	1896, 885
<i>ocreatus</i>	1892, 471		1899, 600
<i>pelops</i>	1898, 361		1899, 605
<i>pileatus</i>	1900, 833		1899, 673
<i>rhesus</i>	1893, 616	<i>Macrocentrus delicatus</i> .	1895, 743
	1898, 361		1895, 785
	1898, 770	<i>Macrochilo</i>	1895, 950
<i>rufescens</i>	1900, 315	<i>ambiguellus</i>	1895, 951
	1900, 869	<i>Macrochlamys aglaja</i>	
	1900, 871	<i>emarginata</i>	1891, 35
<i>silenus</i>	1893, 592	<i>angulata</i>	1892, 461
<i>sinicus</i>	1893, 616	<i>aulopsis</i>	1895, 441
	1900, 833		1895, 446
<i>speciosus</i>	1892, 471	<i>bartoni</i>	1891, 332
	1900, 303	<i>bathycharax</i>	1895, 441
<i>tcheliensis</i>	1900, 181	<i>choinix</i>	1895, 441
<i>villosus</i>	1898, 261	— <i>gigantea</i>	1895, 441
<i>Macaduma tortricella</i> ..	1899, 289		1895, 446
<i>Macalla</i> sp.	1898, 441	<i>consecta</i>	1891, 332
<i>Macaretera</i>	1898, 598	<i>consul</i>	1891, 34
	1898, 669	<i>crebristriata</i>	1892, 460
<i>hesperis</i>	1898, 669	<i>cutleri</i>	1891, 36
	1898, 670		1895, 109

	Page		Page
Macrochlamys euom-		Macrophthalmus japo-	
phalus	1895, 441	nicus	1900, 760
exul	1895, 441	podophthalmus	1900, 760
fordiana	1895, 441	Macropisthodon flaviceps.	1896, 880
.....	1895, 446	1899, 605
gemma	1892, 463	1899, 664
glutinosa	1891, 25	rhodomelas	1896, 880
hatchongi	1891, 332	1899, 605
honesta tenuior ..	1895, 441	1899, 664
.....	1895, 446	Macroprotodon cuculla-	
jainiana	1895, 447	tus	1892, 19
jousoufi	1891, 332	Macropsalis creagra	1899, 510
jucunda	1891, 33	kalinowskii	1896, 323
kumahensis	1891, 332	Macropus agilis	1897, 324
limbata	1894, 148	antilopinus	1897, 323
.....	1894, 149	bedfordi	1900, 112
.....	1894, 156	bennettii	1893, 451
pataniensis	1891, 333	1893, 463
perinconspicua	1895, 441	1894, 361
peringundensis	1891, 313	brachyurus	1893, 451
.....	1891, 315	1893, 454
plicifera	1891, 314	1893, 455
pseudaulopsis	1895, 441	1893, 460
.....	1895, 447	1893, 461
pseustes	1895, 98	erubescens	1900, 113
resplendens	1894, 149	eugenii	1893, 451
stephoides	1891, 332	1893, 455
stephus	1895, 441	1893, 461
.....	1895, 446	1893, 472
subconsul	1895, 107	1900, 112
subconvallata	1895, 441	giganteus	1891, 579
woodmasoniana ..	1895, 441	1893, 451
.....	1895, 446	1893, 454
Macrocypris decora	1895, 6	1893, 455
tenuicauda	1895, 5	1893, 456
Macrodon trahira	1898, 492	1893, 462
Macroglossa bombylifor-		1893, 465
mis	1891, 180	1893, 466
fusiformis	1893, 279	1893, 472
hirundo	1893, 674	1894, 12
.....	1898, 432	1896, 688
stellatarum	1894, 134	1899, 77
trochiloides	1894, 533	isabellinus	1900, 113
.....	1896, 343	magnus	1900, 113
trochilus	1895, 738	major	1891, 143
.....	1896, 268	melanops	1895, 135
.....	1896, 529	parryi	1896, 714
— trochiloides	1896, 134	robustus	1897, 325
Macrogonia igniaria	1897, 612	1900, 113
Macrolophus separatus ..	1893, 705	— cervinus	1900, 113
Macronyx croceus	1897, 189	— typicus	1900, 113
.....	1900, 2	rubens	1895, 131
tenellus	1895, 474	ruficollis	1893, 463
Macrophthalmus cras-		1896, 695
sipes	1900, 759	rufus	1895, 136
dilatatus	1900, 759	1898, 80
— carens	1900, 759	1900, 113
.....	1900, 770	1900, 790

	Page		Page
<i>Macropus (Halmaturus)</i>		<i>Madoqua guentheri</i> . . .	1894, 328
<i>bennetti</i>	1894, 355		1894, 329
<i>Macropygia minor</i>	1900, 502		1898, 278
<i>swinhoii</i>	1900, 502		1900, 804
<i>tusalia minor</i>	1900, 502	— <i>smithii</i>	1900, 804
<i>Macropygium reticulare</i> .	1894, 171	<i>kirki</i>	1894, 323
	1900, 824		1894, 324
<i>Macrorhamphus griseus</i> .	1891, 627		1894, 325
<i>Macrorhinus angusti-</i>			1894, 326
<i>rostris</i>	1897, 356		1894, 329
<i>leoninus</i>	1897, 356		1898, 278
<i>Macroscelides alexandri</i> .	1897, 928		1900, 804
<i>boranus</i>	1900, 802	<i>phillipsi</i>	1894, 324
<i>brachyrhynchus</i> . .	1897, 928		1894, 326
	1897, 929		1894, 327
<i>fuscus</i>	1897, 434		1894, 328
	1897, 928		1894, 329
	1897, 929		1898, 278
<i>malosæ</i>	1897, 926		1898, 767
	1897, 928		1900, 83
<i>revoili</i>	1898, 762	<i>saltiana</i>	1894, 323
	1900, 803		1894, 325
<i>rozeti</i>	1892, 7		1894, 326
	1892, 9		1894, 327
<i>rufescens</i>	1900, 802		1894, 328
	1900, 803	<i>swaynei</i>	1894, 326
<i>Macrospira aperta</i> . . .	1892, 269		1894, 328
<i>Macrotheca interalbi-</i>			1894, 329
<i>calis</i>	1895, 905	<i>Madrepora abdita</i>	1899, 758
<i>Macrothele gabonensis</i> .	1897, 738	<i>acropora</i>	1899, 752
<i>Macrothoma palmata</i> . .	1900, 31	<i>angulata</i>	1898, 262
<i>Macrotrachela elegans</i> .	1897, 796	<i>arenosa</i>	1898, 272
<i>Macroxus æstuanus</i> . . .	1897, 933	<i>aspera</i>	1898, 260
<i>chinensis</i>	1899, 578		1900, 116
<i>griseopectus</i>	1899, 578		1900, 121
<i>Mactra decora</i>	1891, 428	<i>austera</i>	1898, 259
<i>fauroti</i>	1891, 428	<i>bæodactyla</i>	1898, 262
<i>jickelii</i>	1891, 428	<i>boletiformis</i>	1898, 530
<i>olorina</i>	1891, 397	<i>brookii</i>	1900, 122
<i>pulchra</i>	1891, 428	<i>chalcidicum</i>	1899, 761
(<i>Merope</i>) <i>ægypti-</i>		<i>clathrata</i>	1900, 116
<i>aca</i>	1891, 428		1900, 120
<i>Madiama nigroscitatis</i> .	1899, 289	<i>contigua</i>	1898, 536
<i>Madoce leucocosmalis</i> . .	1899, 289	<i>crateriformis</i>	1898, 258
<i>lineatula</i>	1899, 289		1898, 276
<i>Madopa quadristrigata</i> .	1892, 129	<i>cristata</i>	1898, 530
<i>Madoqua cavendishi</i> . .	1898, 278		1899, 737
	1898, 279	<i>cuneata</i>	1898, 262
	1900, 804	<i>cytherea</i>	1899, 159
<i>damarensis</i>	1894, 323	<i>dædalea</i>	1899, 741
	1894, 325		1899, 743
	1894, 326	<i>damicornis</i>	1897, 944
	1894, 329	<i>delicatula</i>	1900, 121
	1898, 278	<i>denticulata</i>	1899, 748
	1898, 279	<i>digitata</i>	1898, 996
<i>guentheri</i>	1894, 324	<i>exesa</i>	1899, 745
	1894, 325	<i>fascicularis</i>	1899, 763
	1894, 326	<i>fruticosa</i>	1898, 262

	Page		Page
<i>Malrepore gemmifera</i> ..	1898, 262	<i>Mala decoloris</i>	1893, 705
<i>hebes</i>	1898, 261	<i>Malacolinax nyctelius</i> ..	1891, 223
<i>hispidia</i>	1898, 261	<i>valentianus</i>	1891, 223
<i>latistella</i>	1898, 261	<i>Malaconotus blanchoti</i> ..	1900, 2
<i>loripes</i>	1898, 262	<i>manningi</i>	1900, 605
<i>monticulosa</i>	1898, 261	<i>Malacoptila torquata</i> ..	1899, 513
<i>patella</i>	1898, 526	<i>Malacosoma apicipenne</i> ..	1899, 362
<i>polymorpha</i>	1898, 262	1899, 380
<i>profunda</i>	1898, 260	<i>aterrimum</i>	1892, 575
.....	1898, 276	<i>basimarginata</i>	1897, 569
<i>pulchra</i>	1898, 259	<i>capitatum</i>	1897, 569
— <i>alveolata</i>	1898, 259	1899, 361
<i>reticulata</i>	1898, 260	<i>dalmani</i>	1897, 570
<i>robusta</i>	1898, 259	<i>donkieri</i>	1897, 569
<i>rotumana</i>	1898, 258	1900, 266
.....	1898, 276	<i>flavicornis</i>	1892, 576
<i>scabrosa</i>	1898, 260	1892, 579
<i>secunda</i>	1898, 258	<i>gerstaeckeri</i>	1899, 361
<i>securis</i>	1898, 261	<i>melanocephalum</i> ..	1899, 360
<i>seriata</i>	1898, 262	<i>pallidum</i>	1897, 570
<i>sinensis</i>	1898, 261	<i>rennei</i>	1895, 740
<i>smithi</i>	1898, 259	<i>sikoræ</i>	1892, 575
<i>speciosa</i>	1899, 159	<i>thoracica</i>	1895, 722
<i>surculosa</i>	1898, 261	1895, 740
<i>valida</i>	1900, 116	1895, 742
.....	1900, 121	<i>variipes</i>	1900, 256
<i>verrucosa</i>	1897, 948	<i>Malacothrix typicus</i> ..	1900, 82
<i>violacea</i>	1897, 946	<i>Malacotricha zingarella</i> ..	1897, 84
.....	1897, 953	<i>Malapterurus electricus</i> ..	1899, 940
(<i>Isopora</i>) <i>brookii</i> ..	1900, 120	1899, 955
<i>Madura perfida</i>	1894, 179	<i>Malaxia alluaudi</i>	1897, 571
<i>Mæandrina</i>	1899, 740	<i>marshalli</i>	1897, 571
<i>gracilis</i>	1899, 739	<i>Malea ringens</i>	1898, 461
<i>sinuosa</i>	1899, 738	<i>Malegia affinis</i>	1898, 227
<i>tenuis</i>	1899, 739	<i>latourneuxi</i>	1897, 547
<i>Mæandroseris</i>	1898, 533	<i>obscurella</i>	1898, 227
<i>bottæ</i>	1898, 534	<i>striatula</i>	1898, 227
.....	1898, 535	<i>turkestanica</i>	1897, 547
<i>Magrettia abominata</i> ..	1900, 46	<i>Maliattha separata</i>	1899, 289
<i>mutica</i>	1900, 46	<i>Malimbus cristatus</i>	1894, 606
<i>obscura</i>	1900, 45	<i>malimbicus</i>	1894, 598
<i>Magulaba mæstalis</i>	1896, 265	<i>Malleus albus</i>	1891, 433
<i>Maguza albiguttalis</i>	1896, 649	(<i>Malvufundus</i>)	
<i>Mahathala ameria</i>	1892, 634	<i>regula</i>	1891, 434
.....	1895, 593	<i>Mallotus villosus</i>	1893, 291
<i>gone</i>	1895, 558	1898, 560
.....	1895, 593	1898, 562
<i>Mahotis</i>	1893, 11	1898, 563
.....	1893, 13	1898, 564
<i>crida</i>	1893, 13	1898, 566
<i>nurscia</i>	1893, 11	<i>Malopterurus electricus</i> ..	1900, 515
.....	1893, 13	<i>Malvernia</i>	1899, 346
<i>Maia miersii</i>	1900, 723	<i>varicornis</i>	1899, 347
(<i>Chorinus</i>) <i>aculeata</i> ..	1900, 724	1899, 380
(—) <i>longispina</i> ..	1900, 725	<i>Mamestra adjuncta</i>	1896, 637
<i>Mainatus intermedius</i> ..	1900, 464	<i>crista</i>	1896, 637
<i>Majaqueus aquinoctia-</i>		<i>dentistrigata</i>	1896, 639
<i>lis</i>	1899, 510	<i>infernalis</i>	1896, 637

	Page		Page
<i>Manestra obscurus</i>	1896, 637	<i>Mantisatta trucidans</i> ..	1900, 386
<i>opposita</i>	1898, 420	<i>Mantoides licinius</i>	1896, 651
<i>Manatus americanus</i> ..	1893, 592		1896, 677
	1893, 691		1896, 678
	1897, 351	<i>Mantophryne lateralis</i> ..	1898, 476
<i>inunguis</i>	1896, 212	<i>robusta</i>	1898, 476
	1897, 47		1898, 480
	1897, 48		1898, 482
	1897, 49	<i>Marasmalus discistriga</i> .	1898, 425
	1897, 50	<i>Marasmia</i>	1898, 596
	1897, 51		1898, 638
	1897, 52	<i>aurea</i>	1898, 639
	1897, 53	<i>bilinealis</i>	1898, 639
	1897, 351	<i>cicatricosa</i>	1898, 639
<i>latirostris</i>	1897, 47	<i>cochrusalis</i>	1898, 639
	1897, 48	<i>exigua</i>	1898, 639
	1897, 49	<i>fuscifascialis</i>	1898, 639
	1897, 50	<i>hemicrassa</i>	1898, 639
	1897, 51	<i>latimarginalis</i>	1898, 639
	1897, 52	<i>trapezalis</i>	1896, 274
	1897, 53		1898, 639
<i>senegalensis</i>	1897, 351	<i>trebuisalis</i>	1898, 639
<i>Manchana avitella</i>	1891, 518	<i>venialis</i>	1898, 638
<i>Mandevilla suaveolens</i> .	1897, 858	<i>Marcusenius</i>	1898, 780
<i>Manicina hemprichi</i> ..	1899, 738		1898, 792
<i>Manis</i>	1899, 991-1017	<i>adspersus</i>	1898, 792
<i>sp.</i>	1893, 496		1898, 795
	1899, 991	<i>anguilloides</i>	1898, 782
<i>aurita</i>	1899, 315	<i>brachyhistius</i>	1898, 792
	1899, 991		1898, 793
<i>javanica</i>	1893, 496	<i>discorhynchus</i>	1898, 777
	1899, 315		1898, 792
	1899, 317		1898, 797
	1899, 335	<i>isidori</i>	1898, 792
	1899, 991		1898, 798
	1900, 195	<i>kingsleyæ</i>	1898, 792
	1900, 378		1898, 794
	1900, 883	<i>lhuyssii</i>	1898, 792
<i>macrura</i>	1899, 315		1898, 795
	1899, 991	<i>marchii</i>	1898, 792
<i>temmincki</i>	1894, 145		1898, 793
	1896, 780	<i>pauciradiatus</i>	1898, 792
	1896, 798		1898, 795
<i>tricuspis</i>	1899, 315	<i>petherici</i>	1898, 792
	1899, 991		1898, 797
<i>Manodon</i>	1899, 560	<i>plagiostoma</i>	1898, 777
<i>Manouria emys</i>	1896, 860		1898, 792
	1899, 616		1898, 796
<i>Mantidactylus albobre-</i>			1899, 940
<i>natus</i>	1898, 475	<i>psittacus</i>	1898, 792
<i>majori</i>	1898, 475		1898, 798
<i>Mantipus hildebrandti</i> ..	1894, 642	<i>sphecodes</i>	1898, 792
<i>Mantis angulata</i>	1892, 208		1898, 793
<i>linearis</i>	1892, 208	<i>wilverthi</i>	1898, 777
<i>religiosa</i>	1900, 853		1898, 792
<i>temmincki</i>	1892, 554		1898, 796
<i>Mantisatta</i>	1900, 384	<i>Mardara curvivingata</i> ..	1896, 849
<i>trucidans</i>	1900, 385	<i>peculiaris</i>	1896, 849

	Page		Page
<i>Mareca americana</i>	1895, 273	<i>Margellium octopunc-</i>	
<i>penelope</i>	1895, 401	<i>tatum</i>	1896, 473
<i>Maresia binotata</i>	1900, 492		1896, 476
<i>undifasciata</i>	1892, 132		1896, 477
	1892, 132		1896, 478
	1892, 133		1896, 479
<i>Maretia planulata</i>	1898, 850	<i>Marginella brazieri</i>	1891, 440
<i>Margarita fimbrialis</i> ..	1899, 254		1891, 445
<i>institialis</i>	1899, 245	<i>carinata</i>	1891, 440
<i>pulveralis</i>	1899, 254		1891, 445
<i>Margarodes beryttalis</i> ..	1898, 747	<i>faba</i>	1891, 435
<i>minor</i>	1898, 747	<i>lactea</i>	1891, 435
<i>nercis</i>	1898, 741	<i>monilis</i>	1891, 435
<i>nitidicostalis</i>	1898, 732	<i>obscura</i>	1891, 411
<i>phantasmalis</i>	1898, 732	<i>Marginulina cristel-</i>	
<i>septempunctalis</i> ..	1898, 739	<i>laroides</i>	1894, 652
<i>squamopedalis</i>	1898, 735	<i>glabra</i>	1895, 33
<i>transvisalis</i>	1896, 274		1895, 52
	1898, 739	<i>Margus inornatus</i>	1894, 179
<i>tritonias</i>	1898, 747	<i>Mariella dussumieri</i>	1895, 244
<i>Margaronia amphitra-</i>		<i>Marimatha straminea</i> ..	1895, 904
<i>talis</i>	1898, 741	<i>subflavalis</i>	1896, 261
<i>angustalis</i>	1898, 748	<i>Marisba undulifera</i>	1899, 289
<i>aquarialis</i>	1896, 640	<i>Marissa eane</i>	1894, 227
<i>aquosalis</i>	1898, 733	<i>regia</i>	1894, 227
<i>argealis</i>	1896, 640	<i>Marmessus boisduvalii</i> .	1895, 613
	1896, 649		1895, 617
<i>atlitalis</i>	1898, 735		1896, 651
<i>auricostalis</i>	1896, 649		1896, 680
	1898, 738	<i>— atra</i>	1896, 651
<i>canastralis</i>	1898, 740		1896, 679
<i>claralis</i>	1898, 739	<i>lisias</i>	1895, 613
<i>congradalis</i>	1898, 734	<i>moorei</i>	1895, 559
<i>convolvulalis</i>	1898, 747		1895, 613
<i>eribotalis</i>	1898, 740		1895, 617
<i>herbidalis</i>	1898, 735		1895, 618
<i>hilaralis</i>	1892, 129	<i>ravindra</i>	1895, 613
<i>hypheusalis</i>	1896, 640	<i>surindra</i>	1895, 559
<i>ianthealis</i>	1896, 640		1895, 617
<i>leodicealis</i>	1898, 732		1895, 627
<i>maliferalis</i>	1898, 733	<i>— albula</i>	1895, 559
<i>marthesiusalis</i>	1898, 741		1895, 617
<i>melanuralis</i>	1898, 735		1895, 618
<i>morvusalis</i>	1898, 735	<i>Marpessa sp.</i>	1900, 973
<i>neomera</i>	1898, 739	<i>Marptusa melanognatha</i> .	1893, 701
<i>phryneusalis</i>	1898, 735	<i>Marsipella elongata</i>	1895, 13
<i>plumifera</i>	1898, 668		1895, 49
<i>proximalis</i>	1898, 735	<i>Martanda janardana</i> ..	1891, 262
<i>usitata</i>	1898, 740	<i>Martensia consociata</i> ..	1899, 584
<i>virginalis</i>	1898, 732		1899, 592
<i>woodfordii</i>	1898, 738	<i>mozambicensis</i>	1899, 585
<i>Margaroperdix striata</i> ..	1894, 94	<i>Martesia striata</i>	1891, 430
<i>Margarops fuscatus</i>	1892, 498	<i>Marthama conspersa</i> ..	1896, 650
<i>Margarornis perlata</i>	1896, 376	<i>squamivaria</i>	1896, 650
<i>Margellium gratum</i>	1896, 477	<i>Marthula nova</i>	1892, 341
	1896, 478	<i>pleione</i>	1892, 341
	1896, 479	<i>Maruca</i>	1898, 600
<i>octopunctatum</i>	1896, 459		1899, 194

	Page		Page
<i>Maruca amboinalis</i>	1899, 194	<i>Mecocerculus stictopte-</i>	
<i>testularis</i>	1899, 194	<i>rus teniopterus</i> ..	1896, 362
<i>Maschane erratipennis</i> ..	1899, 289	<i>Mecopoda elongata</i>	1900, 862
<i>simplex</i>	1899, 289	<i>Mecyna</i>	1898, 599
<i>Mosoga panagralis</i>	1899, 289		1899, 223
<i>Massepha</i>	1898, 594	<i>apicalis</i>	1899, 224
	1898, 615	<i>aversalis</i>	1899, 224
<i>absolutalis</i>	1898, 615	<i>deprivalis</i>	1896, 274
	1898, 616		1899, 224
<i>bengalensis</i>	1898, 616	<i>gilvata</i>	1899, 224
<i>carbonalis</i>	1898, 616	<i>limbalis</i>	1899, 224
<i>entephriadia</i>	1898, 616	<i>maorialis</i>	1899, 224
<i>fulvalis</i>	1898, 616	<i>ornithopteralis</i>	1899, 224
	1898, 761	<i>polygonalis</i>	1896, 274
<i>gracilis</i>	1898, 616	<i>prunipennis</i>	1899, 224
<i>grammalis</i>	1898, 616	<i>reversalis</i>	1899, 224
<i>phoenicobapta</i>	1898, 615	<i>teriadalis</i>	1899, 224
	1898, 761	<i>virescens</i>	1899, 224
<i>Mastacembelus moorii</i> .	1898, 496	<i>Medasina quadri-notata</i> .	1893, 417
<i>ophidium</i>	1893, 630	<i>strixaria</i>	1893, 418
<i>tanganicæ</i>	1893, 629	<i>Medava diminuens</i>	1899, 289
<i>Masthala favillalella</i> ..	1899, 289	<i>Medesicaste penetrans</i> ..	1899, 489
<i>Mastigopus acetiformis</i> .	1896, 940	<i>triglarum</i>	1899, 489
<i>tenuis</i>	1896, 960	<i>Medusa æquorea</i>	1896, 482
<i>Mastodon</i>	1899, 562	<i>cacuminata</i>	1896, 483
<i>Mastigophorus epitusalis</i>	1896, 642	<i>campanella</i>	1896, 487
<i>Matapa aria</i>	1893, 72	<i>cruciata</i>	1896, 483
	1893, 85		1897, 823
<i>druna</i>	1892, 649	<i>crucigera</i>	1896, 483
	1893, 85	<i>cymbaloidea</i>	1896, 487
<i>sasivarna</i>	1892, 649		1896, 491
	1893, 85	<i>digitale</i>	1897, 833
<i>shalgrama</i>	1892, 649	<i>hemisphærica</i>	1896, 480
	1893, 85	<i>lucida</i>	1896, 480
<i>subfasciata</i>	1892, 647		1896, 481
<i>Mathoris crepuscula</i> ..	1897, 611	<i>pellucens</i>	1896, 480
<i>mediaria</i>	1897, 611		1896, 481
<i>vocata</i>	1897, 611	<i>scintillans</i>	1896, 480
<i>Matuta banksii</i>	1900, 762		1896, 481
<i>lesuerii</i>	1900, 762	<i>Megachile ardens</i>	1896, 453
<i>lunaris</i>	1900, 763	<i>ceylonica</i>	1896, 453
<i>peronii</i>	1900, 762		1896, 459
<i>planipes</i>	1900, 763	<i>conjuncta</i>	1896, 452
<i>victrix</i>	1900, 762	<i>lanata</i>	1896, 452
<i>Maxula capensis</i>	1893, 681	<i>laticeps</i>	1896, 453
<i>Mazama bisulca</i>	1899, 918	<i>Megachyta borgesalis</i> ..	1896, 648
(<i>Dorcelaphus</i>) <i>hem-</i>			1896, 649
<i>mionus californi-</i>		<i>Megacelum rubrinerve</i> .	1893, 705
<i>nicus</i>	1897, 900	<i>Megaderma frons</i>	1900, 80
(—) — <i>penin-</i>		<i>spasma</i>	1893, 494
<i>sulæ</i>	1897, 900		1900, 344
<i>Meandrina</i>	1899, 159	<i>Megadyptes antipodum</i> .	1898, 959
<i>Mecaspis whytei</i>	1893, 742		1898, 960
<i>Mecistes chapuisi</i>	1900, 226		1898, 963
<i>indigaceus</i>	1898, 235		1898, 964
<i>tarsalis</i>	1898, 236		1898, 988
<i>Mecocerculus sticto-</i>		<i>Megaedypptes</i>	1899, 1026
<i>pterus</i>	1896, 362	<i>Megaladapis insignis</i> ..	1899, 989

	Page		Page
Megaladapis madagas-		Megaperca ischinagi ..	1897, 917
cariensis.....	1893, 532		1897, 918
	1894, 108	Megaphysa	1898, 603
	1894, 123		1899, 172
	1899, 989	herbiferalis	1899, 173
Megalæma armillaris ..	1896, 556	integralis	1898, 173
asiatica	1896, 555	quadratalis	1899, 182
	1896, 556	quadriferalis.....	1899, 182
faber	1900, 483	serenalis	1898, 723
hodgsoni	1896, 555	Megaptera sp.	1897, 267
javensis.....	1896, 555	boops	1900, 376
virens.....	1896, 556	Megarhynchus acanthu-	
Megalixalus brachy-		rus	1900, 820
cnemis	1898, 475	marginellus	1900, 822
fornasinii	1891, 308	quadrispinosus ...	1900, 822
	1894, 88	truncatus	1900, 819
	1897, 801	Megascolex	1900, 612
	1900, 445	aeruginosus	1900, 629
gramineus.....	1898, 475	affinis.....	1900, 642
leptosomus	1900, 445	annulatus	1900, 634
Megalobatrachus (Cryp-		aspergillum	1900, 631
tobranchus) ja-		biserialis	1900, 638
ponicus	1893, 271	cæruleus	1892, 154
Megalodacne furcata ..	1892, 96		1892, 155
Magalodes sp.	1896, 260		1892, 160
Megalognatha immacu-		californicus	1900, 627
lata	1899, 366	capensis.....	1900, 617
ventricosa	1899, 366	cingulatus	1900, 615
Megalopalpus simplex ..	1895, 561	diffingens	1892, 155
Megalophrys longipes ..	1896, 913	excavatus	1892, 689
	1899, 914	hasselti	1900, 638
	1900, 890	houletti	1900, 613
montana	1892, 347	iris	1900, 647
	1896, 913	japonicus	1900, 634
	1899, 913	margaritaceus ...	1900, 647
	1899, 914	mazarredi	1900, 644
	1900, 889	montanus	1900, 620
nasuta	1892, 508	musicus	1900, 629
	1896, 913	pictus.....	1900, 623
	1899, 666	posthumus.....	1900, 642
	1899, 913	robustus.....	1900, 648
	1900, 889	schmardæ	1900, 619
Megalops cyprinoides ..	1899, 940	sieboldi	1900, 635
	1899, 955	sumatrana	1892, 155
Megalopyge acca	1892, 322		1900, 618
fuscescens	1896, 647	sylvestris	1892, 667
orsilochus	1896, 637	Megastes	1898, 603
radiata	1892, 322		1899, 182
Megalotis brucei	1899, 549	coeligenalis	1899, 182
caama	1899, 548	grandalis	1899, 183
cerda	1899, 549	pusialis	1899, 183
cerdo	1899, 549	spilosoma	1899, 183
famelicus	1899, 546	Megatherium	1900, 67
fennecus	1899, 549		1900, 69
lalandii	1899, 550	Megatomis euphrionalis.	1896, 642
	1899, 551	Megilla cingulata	1896, 455
zerda	1899, 549	maculata	1898, 339
Megamys	1900, 76	zonata	1896, 455
	1900, 77	Megisba hampsoni ...	1900, 507

	Page		Page
Megisba malaya	1892, 621	Melanitis leda	1893, 554
	1895, 557		1893, 645
	1895, 571		1894, 22
Megymenum insulare ..	1900, 819		1894, 23
Melanornis atra	1895, 481		1894, 335
schistacea	1895, 481		1900, 914
Melampodius	1900, 817	libya	1893, 645
cervicornis	1900, 817		1894, 18
	1900, 825		1894, 22
Melanargia galathea ..	1891, 180		1894, 23
	1892, 194		1894, 82
	1893, 279		1895, 251
Melanchroia braganza ..	1892, 282		1898, 50
circe	1892, 288	patna	1891, 270
palmeira	1892, 288	penanga	1891, 269
subvittata	1896, 636	solandra	1893, 645
Melanerpes sp.	1897, 783		1894, 335
cruentatus	1897, 783		1894, 558
rubrifrons	1897, 783		1895, 251
Melania crawshayi	1893, 639		1896, 821
	1893, 641		1896, 852
episcopalis perak-			1898, 50
ensis	1891, 348		1898, 397
imitatrix	1893, 639		1898, 823
	1893, 641	Melanobucco torquatus .	1900, 2
infracostata	1891, 348	Melanocoryphus bicrucis	1894, 189
malayana	1891, 347	yeltoniensis	1893, 614
niweruensis	1893, 639	Melanocyma faunula ..	1891, 272
	1893, 641	Melanodactylus	1899, 718
nodicincta	1891, 310	Melanogenes macro-	
	1893, 638	cephalus	1899, 115
nyassana	1891, 310	microcephalus	1899, 114
polymorpha	1891, 310	Melanoides malayanus .	1891, 347
pupiformis	1891, 310	truncatulus	1891, 347
simonsi	1891, 310	tuberculata	1891, 347
soolooensis	1892, 461	Melanomecyna	1899, 239
tuberculata	1891, 310	Melasoma quadriline-	
	1893, 638	atum	1900, 243
	1893, 639	Meleagrina fucata	1891, 434
— malayana	1891, 347	margaritifera	1891, 434
turritispira	1891, 310	varia	1891, 435
	1893, 638	Melecta scutellaris	1896, 453
variabilisepiscopalis	1891, 347	Meles albogularis	1893, 449
	1891, 348	ankuma	1900, 301
woodwardi	1893, 638	europæus	1893, 497
	1893, 641	leucura	1893, 449
(Melanoides) episco-		taxus	1894, 358
palis	1891, 347		1895, 140
(Striatella) malay-			1895, 142
ana	1891, 347		1897, 373
(—) truncatula .	1891, 347		1897, 381
(—) tuberculata .	1891, 347		1897, 387
Melanitis aswa	1900, 505		1897, 389
bankia	1894, 335		1897, 391
	1896, 530		1897, 394
diversa	1894, 23		1897, 395
ismene	1896, 243		1897, 401
	1896, 256		1897, 409
	1897, 923		1898, 155

	Page		Page
<i>Meles taxus</i>	1898, 156	<i>Melodius niger</i>	1896, 765
	1898, 159		1896, 766
	1898, 160	<i>rufescens</i>	1896, 759
	1898, 163		1896, 760
	1898, 185		1896, 761
<i>Melia tessellata</i>	1900, 569	<i>sanguineus</i>	1896, 723
	1900, 580		1896, 754
<i>Melierax</i> sp.	1900, 959		1896, 758
<i>gabarr</i>	1895, 506		1896, 760
	1895, 507		1896, 761
<i>niger</i>	1895, 506		1896, 765
	1895, 507		1896, 766
<i>poliopterus</i>	1895, 506	<i>Melongena martini</i>	1891, 405
<i>polyzonus</i>	1895, 506	<i>paradisiaca</i>	1891, 405
<i>Melina perna</i>	1900, 118	<i>Melopelia leucoptera</i> ..	1891, 194
<i>Melinda formosa</i>	1894, 335	<i>meloda</i>	1892, 394
	1900, 938		1892, 405
<i>Melinna</i> sp.	1893, 705	<i>Melopsittacus</i>	1899, 9
<i>elongata</i>	1893, 713		1899, 38
<i>minuta</i>	1893, 705		1899, 39
	1893, 713		1899, 42
<i>modesta</i>	1894, 191		1899, 43
<i>Meliphaga phrygia</i>	1900, 305	<i>undulatus</i>	1899, 39
<i>Melipotis cyllaria</i>	1892, 127	<i>Melursus ursinus</i>	1900, 335
<i>cyllota</i>	1892, 127	<i>Menæthius angustus</i> ..	1900, 574
<i>melanodonta</i>	1896, 263	<i>areolatus</i>	1900, 574
<i>signivitta</i>	1892, 127	<i>depressus</i>	1900, 574
<i>strigifera</i>	1896, 638	<i>inornatus</i>	1900, 574
<i>yerburyi</i>	1896, 263	<i>monoceros</i>	1900, 568
<i>Melitæa cinxia</i>	1892, 194		1900, 574
	1894, 134		1900, 722
	1895, 138	<i>subseratus</i>	1900, 574
	1896, 241		1900, 722
<i>Melithreptes lunulatus</i> .	1900, 305	<i>tuberculatus</i>	1900, 574
<i>Melitonoma epistomalis</i> .	1897, 247	<i>Mene maculata</i>	1899, 445
<i>marshalli</i>	1898, 216	<i>Meneris dendrophilus</i> ..	1897, 839
	1898, 242	<i>indosa</i>	1897, 839
<i>Melittia senescens</i>	1896, 134	<i>Menesta cinereocervina</i> .	1897, 85
	1896, 136	<i>torticiformella</i>	1897, 85
<i>natalensis</i>	1896, 134	<i>Menida histrio</i>	1900, 815
<i>Melittophagus cyano-</i>			1900, 823
<i>stictus</i>	1895, 501	<i>Menippe granulosa</i>	1900, 740
	1900, 602	<i>Meniscomys cavatus</i>	1893, 192
<i>oreobates</i>	1900, 602	<i>Menius chalceatus</i>	1896, 543
<i>pusillus</i>			1898, 239
<i>cyano-</i>		<i>flavitarus</i>	1897, 542
<i>stictus</i>	1895, 501	<i>fulvicornis</i>	1897, 541
<i>revolii</i>	1895, 502	<i>madagascariensis</i> ..	1897, 541
<i>sharpei</i>	1900, 602	<i>taralis</i>	1897, 542
<i>Mella dymnusalis</i>	1899, 289	<i>unicolor</i>	1897, 542
<i>Mellivora indica</i>	1900, 334	<i>Mennis cytherea</i>	1892, 287
<i>ratel</i>	1898, 765	<i>sceata</i>	1892, 287
	1899, 553	<i>una</i>	1892, 287
	1900, 95	<i>Menobanchus lateralis</i> .	1895, 707
	1900, 101		1898, 856
<i>Melodius niger</i>	1896, 723	<i>Menopoma alleghanense</i> .	1895, 707
	1896, 754	<i>Mentaxya albifrons</i>	1897, 693
	1896, 759	<i>Menura superba</i>	1900, 429
	1896, 761		

	Page		Page
<i>Mephitis chilensis</i>	1894, 303	<i>Mesarmadillo reflexus</i> ..	1896, 398
<i>nephitica</i>	1894, 358	<i>Meskea dyspteraria</i>	1897, 632
<i>suffocans</i>	1894, 303	<i>Mesobria</i>	1897, 881
	1900, 76	<i>guttata</i>	1897, 882
<i>Meranoplus bicolor</i>	1896, 417	<i>Mesocondyla</i>	1898, 597
<i>dimicans</i>	1896, 417		1898, 666
<i>villosus</i>	1896, 417	<i>concordalis</i>	1898, 666
<i>Meriones crassus</i>	1895, 552	<i>dardusalis</i>	1898, 666
<i>cryptorhinus</i>	1900, 196	<i>stigmatalis</i>	1896, 640
<i>erythrurus</i>	1895, 552		1898, 666
<i>melanurus</i>	1895, 552	<i>tarsibarbalis</i>	1898, 667
<i>rex</i>	1895, 551	<i>Mesodesma striata</i>	1891, 435
	1895, 552	<i>Mesodiodon densirostris</i> .	1893, 229
	1895, 553	<i>Mesographe prætex-</i>	
	1895, 554	<i>talis</i>	1899, 186
	1900, 101	<i>Mesolia apicistrigella</i> ..	1895, 963
	1900, 102	<i>apistrigella</i>	1895, 921
<i>shawii</i>	1892, 10	<i>incertella</i>	1895, 963
	1895, 552	<i>pandovella</i>	1895, 962
	1895, 553	<i>plurimella</i>	1895, 962
<i>Meristes olivaceus</i>	1895, 477	<i>tenebrella</i>	1895, 963
<i>Merluccinus vulgaris</i> ..	1894, 415	<i>whiteheadi</i>	1895, 963
	1894, 416	<i>Mesolimax brauni</i>	1891, 223
	1894, 417	<i>Mesopempta helio-</i>	
	1899, 494	<i>psamma</i>	1897, 632
<i>Meroctena</i>	1898, 603	<i>Mesopicus goertan</i>	1897, 783
	1899, 177	<i>poliocephalus</i>	1897, 783
<i>dichochrosalis</i>	1899, 178	<i>Mesoplodon angulatus</i> .	1893, 223
<i>staintoni</i>	1899, 178		1893, 225
<i>tuttalis</i>	1899, 177	<i>angustus</i>	1893, 219
	1899, 178	<i>australis</i>	1893, 218
<i>Meroë menstrualis</i>	1891, 422		1893, 219
<i>Merops albicollis</i>	1900, 957		1893, 225
<i>apiaster</i>	1895, 501		1893, 229
<i>bullockoides</i>	1899, 715		1893, 230
<i>cyanostictus</i>	1895, 501		1893, 232
<i>nubicoides</i>	1899, 715		1893, 233
<i>nubicus</i>	1895, 501		1893, 234
	1900, 958		1893, 235
<i>persicus</i>	1897, 189		1893, 236
<i>sumatranus</i>	1900, 486	<i>bidens</i>	1893, 226
<i>viridis</i>	1900, 957	<i>densirostris</i>	1893, 229
(<i>Melittophagus</i>)		<i>europæus</i>	1893, 226
<i>revoilii</i>	1895, 502	<i>floweri</i>	1893, 218
<i>Merula cardis</i>	1900, 472		1893, 227
<i>chiguanco</i>	1892, 373	<i>gibbus</i>	1893, 219
	1896, 326	<i>grayi</i>	1893, 216
<i>chrysolaus</i>	1900, 472		1893, 217
<i>mandarina</i>	1900, 472		1893, 218
<i>sinensis</i>	1900, 472		1893, 219
<i>Merulaxis rhinolophus</i> .	1899, 515		1893, 220
<i>Merulina</i>	1899, 159		1893, 221
<i>Merycopotamus dis-</i>			1893, 223
<i>similis</i>	1892, 79		1893, 224
<i>Mesanolyla illectalis</i> ..	1892, 129		1893, 225
<i>Mesarmadillo ameri-</i>			1893, 227
<i>canus</i>	1896, 397		1893, 229
<i>modestus</i>	1896, 397		1893, 230

	Page		Page
Mesoplodon grayi	1893, 231	Metachrostis atribasalis .	1896, 283
	1893, 232	quinaria	1896, 261
	1893, 234	Metacrenis concordia ..	1895, 260
	1893, 235	crawshayi	1895, 270
	1893, 236		1896, 825
guentheri	1893, 227		1896, 851
haasti	1893, 216		1896, 852
	1893, 218	rosa	1895, 260
	1893, 219		1895, 261
	1893, 225		1895, 629
	1893, 230		1896, 826
	1893, 232		1896, 852
	1893, 235	Metaculasta	1898, 444
	1893, 236	dives	1898, 444
hectori	1893, 218	Metagarista rendalli ..	1896, 844
	1893, 219	Metalia maculosa	1900, 287
	1893, 227	sternalis	1900, 274
	1893, 229		1900, 286
	1893, 235	Metallarcha	1899, 207
knoxii	1893, 218	Metallura opaca	1892, 402
	1893, 227	Metapa aria	1892, 648
	1893, 229	Metapenæus commen-	
layardi	1893, 218	salis	1898, 1001
	1893, 219		1898, 1015
	1893, 220	coniger	1898, 1002
	1893, 225	philippinensis . . .	1898, 1002
	1893, 227	rectacutus	1898, 1002
	1893, 228	Metaporthra	1899, 180
	1893, 229	Metapretus	1899, 282
	1893, 234	asuridia	1899, 282
longirostris	1893, 227	magnifica	1899, 282
medilineatus	1893, 225	Metaprotus	1898, 604
	1893, 226	Metarctia rubra	1896, 135
sowerbyi	1893, 220	Metasia	1898, 602
(Oulodon) grayi ..	1893, 216		1899, 236
	1893, 217	sp.	1898, 383
	1893, 218	acharis	1899, 239
	1893, 234	achromatias	1898, 703
Mesoprion griseus	1891, 356	afrarcha	1899, 238
phaiotæniatus	1899, 471	albula	1899, 237
Mesostenus insularis ..	1895, 780	argalis	1899, 239
Mesostrophe ovisignata .	1892, 132	ateloxantha	1899, 238
Mesovelgia amœna	1894, 218	candidulalis	1895, 911
bisignata	1893, 706	capnochora	1899, 238
	1894, 217	carnealis	1899, 237
Mespilia globulus	1894, 397	corsicalis	1899, 237
Meta unguolata	1898, 513	criophora	1899, 237
	1899, 955	cuencalis	1899, 239
Metabæteus	1898, 1014	deltoidalis	1899, 239
minutus	1898, 1000	emiralis	1899, 211
	1898, 1014	excavatalis	1899, 211
Metabraxus regularis ..	1893, 392	familiaris	1899, 211
Metacanthus capitatus .	1894, 181	gigantalis	1899, 237
elegans	1894, 181	haplodes	1899, 238
Metachirus quica	1894, 460	hemicirca	1899, 238
	1894, 461	hodiusalis	1899, 237
Metachrosta mianoides .	1894, 588	holoxantha	1899, 239
Metachrostis atribasalis .	1896, 261	homogama	1899, 237

	Page		Page
<i>Metasia homophaea</i>	1899, 238	<i>Metrea nebulalis</i>	1898, 757
<i>ibericalis</i>	1899, 239	<i>ostreonalis</i>	1898, 758
<i>inustalis</i>	1899, 239		1898, 547
<i>lilliputalis</i>	1898, 702	<i>Metridia armata</i>	1898, 549
	1899, 239	<i>longa</i>	1898, 543
<i>liophaea</i>	1899, 237		1898, 546
<i>mendicalis</i>	1899, 239		1898, 547
<i>monialis</i>	1899, 236		1898, 579
	1899, 238	<i>Metriopelia melano-</i>	
<i>ochrifascialis</i>	1899, 239	<i>ptera</i>	1892, 394
<i>ochrochroa</i>	1899, 238		1892, 407
<i>octogenalis</i>	1899, 239	<i>Metriophyla lena</i>	1892, 277
<i>olbienalis</i>	1899, 239	<i>Metriorrhynchus</i> sp.	1892, 88
<i>ophialis</i>	1899, 237	<i>cinnabarinus</i>	1892, 88
<i>ossealis</i>	1899, 239	<i>geometricus</i>	1892, 88
<i>prionogramma</i>	1899, 238	<i>infuscata</i>	1892, 88
<i>profanalis</i>	1896, 276	<i>sericeus</i>	1892, 88
	1899, 237	<i>Metrodira subulata</i>	1894, 394
<i>quadristrigalis</i>	1899, 239	<i>Metrypus claudicans</i>	1893, 600
<i>rosealis</i>	1899, 239		1893, 610
<i>subulosalis</i>	1899, 237		1893, 611
<i>segestusalis</i>	1899, 238	<i>heros</i>	1893, 600
<i>strangalota</i>	1899, 238		1893, 611
<i>suppandalis</i>	1899, 237	<i>luridus</i>	1892, 200
<i>virginalis</i>	1899, 239		1892, 220
<i>xenogama</i>	1899, 238	<i>Miagrammopes sco-</i>	
<i>zanclogramma</i>	1898, 695	<i>parius</i>	1891, 555
<i>zinkenialis</i>	1899, 238	<i>Miaschistopus</i>	1897, 745
<i>Metasiodes apicalis</i>	1898, 703		1897, 769
<i>calliophis</i>	1898, 702		1897, 773
<i>Metastatia chelidon</i>	1893, 285	<i>rapidus</i>	1897, 770
	1893, 310		1897, 773
<i>ossa</i>	1893, 285		1899, 841
<i>pales</i>	1893, 285	<i>Micaria pulcaria</i>	1898, 488
	1893, 310	<i>Micippa curtispina</i>	1900, 725
<i>pampa</i>	1893, 284	<i>excavata</i>	1900, 725
	1893, 285		1900, 770
<i>saphira</i>	1893, 284	<i>mascarenica</i>	1900, 725
<i>Metaxmeste</i>	1899, 235	<i>philyra</i>	1900, 725
<i>Methana ligata</i>	1895, 893	— <i>mascarenica</i>	1900, 725
<i>Methoca gracilis</i>	1896, 428	<i>Micoureus griseus</i>	1894, 461
<i>nigra</i>	1896, 427	<i>pusillus</i>	1894, 462
	1896, 459		1894, 463
<i>orientalis</i>	1896, 428		1894, 464
<i>Methorasia latreillei</i>	1892, 126		1894, 465
<i>Meticulodes xylinaria</i>	1896, 645	<i>Micrabraxas incolorata</i>	1893, 427
<i>xylochromaria</i>	1896, 645	<i>subolivacea</i>	1893, 391
<i>Metopidia lepadella</i>	1897, 799		1893, 426
<i>Metopograpsus messor</i>	1900, 755	<i>Micractis</i>	1899, 252
<i>oceanicus</i>	1900, 755	<i>Micranobium exiguum</i>	1898, 325
<i>quadridentatus</i>	1900, 755	<i>pulicarum</i>	1898, 325
<i>Metothemma acuminata</i>	1895, 974	<i>Micrantereus</i> sp.	1900, 30
<i>angulipennis</i>	1895, 974	<i>asidoides</i>	1900, 30
<i>striata</i>	1895, 974	<i>Micrathena schreibersi</i>	1896, 717
<i>Metrea</i>	1898, 598	<i>Micrixalus opistho-</i>	
	1898, 757	<i>rhodus</i>	1892, 348
<i>aripanalis</i>	1898, 757	<i>sarasinorum</i>	1892, 348
	1898, 761		

	Page		Page
Microbiotherium	1899, 557	Microcystina infans	1891, 46
Microcausta	1898, 599	morchiana	1895, 441
ignifimbrialis	1899, 220	pudens	1891, 38
Microcebus myoxinus ..	1893, 614	rinki	1895, 441
Microcentrum pallidum.	1892, 200	st.johni.....	1891, 38
1892, 211		1891, 46	
1893, 607		seclusa	1891, 38
Microceris.....	1893, 11	townsendiana	1891, 333
1893, 15		warnefordi	1895, 441
variicolor	1893, 11	1895, 447	
1893, 15		Microcystis camortensis.	1895, 441
1893, 131		1895, 447	
Microchæta beddardi ..	1891, 174	dyakana	1891, 37
1892, 141		1891, 46	
1892, 142		excrescens.....	1892, 298
1892, 143		lowi	1891, 37
1892, 146		maddougalli	1891, 37
1892, 147		miliacea.....	1891, 37
1892, 148		myops	1892, 460
1892, 152		perlucida	1891, 37
belli	1892, 136	stewartiana	1895, 448
1892, 142		subpatuloidea	1895, 441
1892, 147		tersa	1891, 36
1892, 151		1891, 37	
1892, 152		1891, 46	
benhami	1892, 141	Microdrilus asiaticus ..	1892, 706
1892, 145		saliens	1892, 666
1892, 147		1892, 683	
1892, 148		Microdus insularis	1895, 785
1893, 485		stigmatus	1895, 785
papillata	1892, 136	unicinctus	1895, 785
1892, 141		Microdyptes serresianus.	1897, 472
1892, 142		Microgale crassipes	1896, 975
1892, 145		dobsoni	1896, 975
1892, 146		Microglossus.....	1899, 25
1892, 147		1899, 27	
1892, 148		1899, 51	
1892, 152		1899, 42	
rappi	1891, 49	aterrimus	1893, 508
1891, 174		1893, 509	
1892, 141		1899, 22	
1892, 142		1900, 304	
1892, 143		Microhermesia	1900, 220
1892, 146		hirticollis	1900, 220
1892, 147		1900, 266	
1892, 148		Microhierax melano-	
1892, 149		leucus	1898, 2
1892, 150		1898, 128	
Microciona dubia	1900, 128	Microhyla achatina	1892, 347
1900, 136		1896, 908	
1900, 141		1897, 236	
Microcossus bettoni	1898, 443	1899, 885	
mackwoodi	1898, 443	1899, 906	
Microcystina cavernæ ..	1891, 39	1900, 888	
cryptomphala	1895, 439	berdmorii	1892, 348
harrietensis	1895, 441	1896, 908	
infans.....	1891, 37	1899, 885	
		1899, 906	

	Page		Page
<i>Microhyla berdmorei</i> ..	1900, 888	<i>Microparmarion strubelli</i>	1895, 250
<i>bungurana</i>	1898, 476	<i>Microphrys styx</i>	1900, 575
<i>inornata</i>	1899, 885	<i>Micropternus holroydi</i> ..	1900, 483
	1899, 905	<i>Micropus andecola</i>	1892, 384
	1900, 883		1892, 407
	1900, 887	— <i>parvulus</i>	1892, 384
<i>leucostigma</i>	1899, 885	<i>montivagus</i>	1892, 399
	1899, 905		1892, 407
<i>ornata</i>	1899, 660	<i>pacificus</i>	1900, 486
	1899, 662	<i>subfurcatus</i>	1900, 486
	1899, 672	<i>Microsa plagifera</i>	1892, 129
	1899, 885	<i>Microsca ardens</i>	1897, 620
	1899, 901	<i>exusta erecta</i>	1897, 620
	1899, 902	<i>marginepunctalis</i> ..	1897, 622
	1899, 903	<i>plagifera</i>	1897, 618
	1899, 916	<i>pusilla</i>	1897, 632
	1900, 887	<i>Microscolex algeriensis</i> .	1892, 29
<i>palmipes</i>	1898, 476		1892, 30
<i>pulchra</i>	1899, 885		1892, 31
	1899, 905		1892, 32
<i>Microlestes antiquus</i> ..	1899, 560		1892, 35
	1899, 564		1892, 36
	1899, 571		1892, 37
<i>Microloxia</i>	1893, 354	<i>corralensis</i>	1895, 227
<i>efformata</i>	1893, 354		1895, 235
	1893, 433	<i>diversicolor</i>	1895, 227
<i>herbaria</i>	1893, 354		1895, 228
<i>Micromania</i>	1899, 223		1895, 234
<i>Micromerus finalis</i>	1891, 204		1895, 236
<i>Micronodus varipes</i>	1895, 785		1895, 237
<i>Microneta fuscipalpis</i> ..	1898, 488		1895, 238
<i>semiatra</i>	1897, 867	<i>dubius</i>	1892, 30
<i>varia</i>	1897, 867		1892, 35
<i>Micronia erycinaria</i>	1895, 741		1892, 36
<i>leptaliata</i>	1892, 133		1892, 37
<i>Micronidia subpunctata</i> .	1893, 387		1895, 227
	1893, 434		1895, 228
<i>unipuncta</i>	1893, 387		1895, 236
<i>Micronisus badius</i>	1900, 490	<i>gracilis</i>	1895, 227
<i>niger</i>	1895, 506		1895, 228
<i>Micronympha aurora</i> ..	1891, 205		1895, 234
<i>Micropalama himantopus</i>	1892, 400		1895, 238
	1892, 408	<i>griseus</i>	1895, 227
<i>Microparmarion pollo-</i>			1895, 228
<i>nerai</i>	1895, 244		1895, 236
	1895, 245	<i>longiseta</i>	1895, 227
	1895, 246		1895, 229
	1895, 247		1895, 231
	1895, 248	<i>michaelseni</i>	1895, 227
	1895, 249		1895, 228
	1895, 250		1895, 231
	1897, 781		1895, 232
<i>simrothi</i>	1895, 246	<i>minutus</i>	1895, 227
	1895, 247	<i>modestus</i>	1892, 29
	1895, 248		1892, 30
	1895, 250		1892, 35
<i>strubelli</i>	1895, 247		1892, 36
	1895, 248		1892, 37

	Page		Page
<i>Microcolex modestus</i> ..	1895, 227	<i>Microvelia robusta</i>	1894, 219
	1895, 228	<i>Microzancla</i>	1897, 638
<i>novæ-zelandiæ</i>	1895, 227		1897, 667
	1895, 228	<i>ignitalis</i>	1897, 668
<i>papillosus</i>	1895, 227	<i>Midea rectalis</i>	1899, 289
	1895, 228	<i>Midila attacalis</i>	1895, 903
	1895, 230	<i>quadrifenestrata</i> ..	1895, 903
<i>poultoni</i>	1892, 32	<i>Miletus audax</i>	1895, 564
	1892, 33	<i>boisduvali</i>	1892, 618
	1892, 34	<i>cœlisparsus</i>	1896, 653
	1892, 36	<i>gigas</i>	1895, 559
	1892, 37	<i>hamada</i>	1892, 621
<i>robustus</i>	1895, 227		1895, 571
	1895, 236	<i>borsfieldi</i>	1892, 618
<i>spatulifer</i>	1895, 222		1895, 561
	1895, 227	<i>innocens</i>	1895, 560
	1895, 228	<i>irroratus</i>	1895, 561
	1895, 236	<i>moorei</i>	1895, 562
(<i>Rhododrilus</i>) <i>minu-</i>		<i>nivalis</i>	1892, 620
<i>tus</i>	1895, 232		1895, 564
<i>Microsemyra</i> sp.	1894, 537	<i>philippus</i>	1895, 561
<i>Microstega</i>	1899, 239	<i>regina</i>	1895, 564
<i>Microthyris prolongalis</i>	1896, 641	<i>zinckeni</i>	1892, 617
<i>Microtus agrestis</i>	1896, 598		1895, 561
	1896, 599	<i>zymna</i>	1896, 652
	1896, 600	<i>Miliolina amygdaloides</i>	1895, 10
	1896, 601		1895, 49
	1896, 602	<i>auberiana</i>	1895, 9
— <i>neglectus</i>	1896, 601		1895, 48
	1896, 602		1900, 141
	1896, 603	<i>bicornis</i>	1895, 10
<i>albicauda</i>	1900, 196		1895, 49
<i>amphibius</i>	1896, 160		1900, 141
<i>arvalis</i>	1896, 599	<i>circularis</i>	1895, 9
	1896, 602		1895, 48
<i>ater</i>	1900, 398	<i>cuvieriana</i>	1895, 9
<i>britannicus</i>	1896, 602		1895, 48
<i>melanogaster</i>	1898, 775	<i>gracilis</i>	1895, 10
<i>neglectus</i>	1896, 599		1895, 49
	1896, 602	<i>insignis</i>	1895, 9
<i>roylei</i>	1900, 196		1895, 48
<i>stracheyi</i>	1900, 196		1900, 141
<i>strauchi</i>	1893, 449	<i>linnæana</i>	1895, 10
(<i>Alticola</i>) <i>lama</i> ..	1900, 196		1895, 49
(<i>Arvicola</i>) <i>blythi</i> ..	1893, 449	<i>oblonga</i>	1900, 141
(<i>Eremiomys</i>) <i>pre-</i>		<i>parkeri</i>	1895, 11
<i>valskii</i>	1893, 449		1895, 49
<i>Microvelia</i> sp.	1894, 221		1900, 141
<i>capitata</i>	1893, 706	<i>reticulata</i>	1895, 10
	1894, 218		1895, 49
<i>longipes</i>	1894, 219	<i>rupertiana</i>	1895, 11
	1894, 220		1895, 49
<i>marginata</i>	1893, 706		1900, 141
	1893, 719	<i>schreibersiana</i>	1895, 10
	1894, 219		1895, 49
<i>modesta</i>	1894, 219	<i>seminulum</i>	1900, 141
	1894, 220	<i>tricarinata</i>	1895, 9
<i>pulchella</i>	1893, 706		1895, 48

	Page		Page
<i>Miliolina trigonula</i>	1895, 9	<i>Millsonia rubens</i>	1894, 385
	1895, 48		1894, 386
<i>undosa</i>	1895, 10		1894, 387
	1895, 49		1900, 171
<i>venusta</i>	1895, 10	<i>Milonia albula</i>	1899, 520
	1895, 48		1899, 532
<i>Milititsa somaliensis</i> . .	1900, 43	<i>Milvago megalopterus</i> . .	1891, 135
	1900, 63		1896, 982
<i>Millepora alcicornis</i> . . .	1898, 250	<i>Milvus ægyptiacus</i> . . .	1891, 469
	1898, 252	<i>ægyptius</i>	1895, 509
	1898, 253		1897, 189
	1898, 256		1900, 598
	1898, 828		1900, 959
	1898, 831	<i>forskali</i>	1895, 509
	1899, 159	<i>govinda</i>	1900, 491
<i>complanata</i>	1898, 250	<i>ictinus</i>	1891, 469
	1898, 252	<i>melanotis</i>	1900, 491
	1898, 830	<i>migrans</i>	1891, 469
	1898, 833	<i>regalis</i>	1891, 469
<i>dichotoma</i>	1898, 829	<i>Mimallo plana</i>	1896, 635
<i>esperii</i>	1898, 829	<i>Mimasarta</i>	1898, 600
	1898, 830		1899, 281
<i>intricata</i>	1898, 249	<i>niveifascialis</i>	1899, 281
	1898, 253		1899, 282
<i>lineata</i>	1897, 952	<i>Mimastroides</i>	1892, 577
<i>murrayi</i>	1898, 250	<i>madagascariensis</i> . .	1892, 578
	1898, 251		1892, 579
	1898, 252	<i>Mimeseoptilus gilvador-</i>	
<i>nodosa</i>	1898, 829	<i>sis</i>	1897, 58
<i>plicata</i>	1898, 249		1897, 59
	1898, 252	<i>montis-christi</i>	1897, 58
	1898, 831	<i>pumilio</i>	1891, 495
	1898, 833		1897, 58
<i>ramosa</i>	1898, 828	<i>tenuis</i>	1897, 58
	1898, 829	<i>Mimetozone craspedotus</i>	1898, 914
	1898, 830		1899, 603
	1898, 831		1899, 630
	1898, 832	<i>floweri</i>	1896, 767
<i>striata</i>	1898, 251		1896, 857
<i>tuberculata</i>	1898, 251		1896, 866
<i>tuberculosa</i>	1898, 253		1899, 630
<i>undulosa</i>	1898, 828	<i>Mimocomma</i>	1899, 191
<i>verrucosa</i>	1898, 249	<i>Mimoniades eupheme</i> . .	1893, 14
	1898, 251	<i>iphinous</i>	1893, 10
	1898, 253		1893, 14
	1899, 159	<i>machaon</i>	1893, 14
<i>Milleria fictæ</i>	1892, 121	<i>minthe</i>	1893, 14
<i>pontoides</i>	1892, 121	<i>mulcifer</i>	1893, 14
<i>Millericrinus pratti</i> . . .	1895, 996	<i>ocyalus</i>	1893, 14
	1895, 1001	<i>periphema</i>	1893, 14
<i>Millsonia nigra</i>	1894, 381	<i>pieria</i>	1893, 14
	1894, 383	<i>pityusa</i>	1893, 14
	1894, 385	<i>sela</i>	1893, 14
	1894, 387	<i>versicolor</i>	1893, 14
	1900, 171	<i>Mimorista</i>	1899, 174
<i>rubens</i>	1894, 381		1899, 175
	1894, 382	<i>marginalis</i>	1898, 652
	1894, 384	<i>salaconalis</i>	1894, 704

	Page		Page
Mimoschinia.....	1899, 278	Mitra virgata	1900, 118
Mimudea	1899, 240	(Strigatella) literata	1900, 118
Mimus leucospilos	1892, 373	(—) paupercula	1900, 118
longicaudatus	1892, 373	Mitrephanes ochracei-	
nigriloris	1892, 403	ventris	1896, 367
Minara pardalina	1892, 373	olivaceus	1896, 323
Miniopterus	1896, 637	1896, 367	
schreibersi.....	1898, 75	Mitrephorus ochracei-	
1892, 7		ventris	1896, 367
1893, 494		Mitrocomella polydia-	
1898, 74		dema	1896, 487
1898, 78		Mitromorpha brazieri ..	1891, 487
Miochira filiformis	1897, 252	1891, 491	
Miodon collaris	1900, 454	Mitrularia cicatricosa ..	1891, 417
gabonensis	1900, 454	Mixophida venatusalis ..	1895, 973
Miolania	1900, 64	Mnesictena	1898, 601
Miomantis fenestrata ..	1900, 37	1899, 231	
Mionectes rufiventris ..	1899, 513	flavidalis	1899, 231
striaticollis	1896, 362	marmorina	1899, 231
— poliocephalus ..	1896, 363	notata	1899, 231
Miopristis atrofasciata ..	1897, 246	pactolina	1899, 247
1897, 265		quadralis	1899, 231
1898, 221		Moca dentilinea	1899, 289
natalensis	1897, 246	velutina	1899, 289
1897, 265		Modiola auriculata	1891, 430
pusilla	1898, 220	Modiolaria coenobita ..	1891, 393
1898, 242		1891, 394	
subrugosa	1897, 246	1891, 395	
1897, 265		cumingiana	1891, 394
(Lophobasis) nata-		cuneata	1891, 394
lensis.....	1897, 245	marmorata	1891, 393
Miospondylus	1896, 1039	1891, 394	
rhenanus	1896, 1039	1891, 395	
Miraфра fischeri.....	1900, 2	Modisimus glaucus	1894, 519
gilletti	1895, 472	Modunga palpigera	1899, 289
Miresa divergens	1896, 650	Moggridgea abrahami ..	1897, 733
syrtis	1898, 437	1897, 734	
Miro albifrons	1893, 612	dyeri	1897, 733
Mirobriga albicans	1898, 614	1897, 735	
Mirosternus laevis	1898, 327	meyeri	1897, 735
1898, 333		tidmarshi	1897, 733
1898, 333		whytei	1897, 733
Misumena americana ..	1897, 876	1897, 734	
asperata	1897, 876	1897, 735	
foliata	1897, 876	1897, 774	
georgiana	1897, 876	Molge alpestris.....	1898, 485
spinosa	1897, 876	1898, 486	
Mithrax aspera.....	1900, 725	aspera	1895, 150
suborbicularis	1900, 575	1895, 154	
Mithrodia clavigera....	1894, 396	1895, 155	
Mitra amphorilla	1891, 410	1895, 156	
ferruginea	1891, 410	1895, 157	
granatina	1891, 410	1895, 158	
literata	1891, 410	1895, 159	
miranda.....	1891, 440	1895, 160	
1891, 445		— rugosa	1895, 151
rubritincta.....	1891, 410	1895, 152	
scabriuscula	1891, 410	1895, 154	
scutulata	1891, 410	blasii	1898, 127

	Page		Page
Molge boscae	1898, 487	Molva byrkelänge	1894, 413
cristata	1895, 151	dipterygia	1894, 413
	1896, 548		1894, 422
	1896, 554	elongata	1894, 414
	1898, 127		1894, 415
— karelinii	1896, 548	vulgaris	1894, 445
— × marmorata ..	1898, 127		1899, 455
— platycephala ..	1895, 150		1899, 940
italica	1898, 478	Molvina guttalis	1899, 289
	1898, 482	Molybdophora concin-	
	1898, 487	naria	1896, 649
marmorata	1898, 127	Molynda humeralis	1896, 639
montana	1895, 160	Momotus	1898, 89
montandoni	1898, 484	lessoni	1897, 471
	1898, 487	Monachoda grossa	1897, 904
palmata	1896, 555	Monachus albiventer ..	1897, 351
	1898, 484		1897, 354
	1898, 487	americanus	1897, 355
rusconii	1895, 160	senegalensis	1897, 355
	1895, 161	tropicalis	1897, 351
vittata	1896, 548		1897, 355
	1896, 554	Monæses attenuatus ..	1899, 529
	1896, 555		1899, 532
vulgaris	1896, 548	greeni	1899, 530
	1896, 555		1899, 532
	1898, 483	Monandroptera inuncans	1898, 943
	1898, 484		1898, 954
	1898, 485	Monas	1897, 790
— meridionalis....	1898, 486	Monda delicatissima ..	1896, 529
	1898, 487	Monilia semicanella....	1899, 289
	1900, 267	Moniligaster bahamensis	1892, 666
	1896, 548		1892, 690
	1898, 486		1892, 691
	1898, 487		1892, 693
waltli	1895, 150		1892, 694
	1895, 154		1892, 695
	1895, 155		1892, 705
	1895, 160		1893, 482
Molossus obscurus	1893, 334	barwelli	1892, 692
rufus	1893, 334		1892, 693
temmincki	1898, 78		1892, 694
Molothrus bonariensis ..	1892, 378	beddardii	1892, 692
occidentalis	1892, 372		1892, 693
	1892, 378		1892, 695
	1892, 404	houtenii	1892, 691
	1892, 406	minutus	1892, 695
	1892, 408	Monitor albogularis....	1894, 87
	1896, 323	niloticus	1894, 87
purpurascens	1892, 372	Monobelus fasciatus....	1895, 58
	1892, 378	Monobia cyanipennis ..	1893, 685
Molva abyssorum	1894, 413	Monocentropus	1897, 746
	1894, 414		1897, 758
	1894, 415		1897, 773
	1894, 418	balfouri	1897, 759
	1894, 420		1897, 773
	1894, 421	Monocida	1899, 370
	1894, 422	inornata	1900, 259
	1894, 445	saturata	1899, 370

	Page		Page
<i>Monocida saturata</i>	1900, 259	<i>Monticola cyanus</i>	1900, 473
<i>Monocoena</i>	1898, 602	<i>saxatilis</i>	1895, 485
<i>rubralis</i>	1899, 232	<i>solitarius</i>	1900, 473
<i>rubralis</i>	1899, 232	<i>Monticularia lobata</i>	1899, 745
<i>Monocoptera</i>	1898, 596	<i>microconos</i>	1899, 744
<i>ecmetallescens</i>	1898, 610	<i>polygonata</i>	1899, 745
<i>Monocreagra chares</i>	1893, 295	<i>Montina aequalis</i>	1899, 289
<i>chorax</i>	1893, 310	<i>disparalis</i>	1899, 289
<i>chorax</i>	1893, 295	<i>Montipora</i>	1899, 157
<i>orthyades</i>	1893, 310	<i>caliculata</i>	1898, 267
<i>orthyades</i>	1893, 295	<i>piriformis</i>	1898, 267
<i>pheloides</i>	1893, 295	<i>columnaris</i>	1898, 257
<i>Monocrocis</i>	1899, 191	<i>foveolata</i>	1898, 265
<i>Monolepta bifasciata</i> ..	1899, 373	<i>foveolata</i>	1898, 276
<i>citrinella</i>	1899, 372	<i>granifera</i>	1898, 267
<i>conradi</i>	1899, 376	<i>incognita</i>	1898, 267
<i>divisa</i>	1899, 374	<i>inconspicua</i>	1900, 122
<i>elegans</i>	1897, 575	<i>irregularis</i>	1898, 266
<i>estcourtiana</i>	1899, 372	<i>parasitica</i>	1900, 122
<i>exclamationis</i>	1900, 258	<i>profunda</i>	1898, 267
<i>kirschi</i>	1900, 266	<i>saxea</i>	1898, 267
<i>kraatzi</i>	1899, 374	<i>socialis</i>	1898, 266
<i>longiuscula</i>	1899, 374	<i>spongilla</i>	1900, 122
<i>malvernensis</i>	1899, 372	<i>verrucosa</i>	1898, 267
<i>melanogaster</i>	1899, 373	<i>Montoides licinius</i>	1896, 683
<i>nigrocincta</i>	1900, 258	<i>Mormidea scutellata</i> ..	1900, 811
<i>nigro-ornata</i>	1899, 375	<i>upsilon</i>	1900, 825
<i>octomaculata</i>	1899, 372	<i>upsilon</i>	1894, 172
<i>octomaculata</i>	1899, 375	<i>ypsilon</i>	1893, 705
<i>octomaculata</i>	1899, 376	<i>Mormyrops</i>	1898, 780
<i>striatipennis</i>	1900, 257	<i>anguilloides</i>	1898, 777
<i>Monoloxis</i>	1897, 640	<i>anguilloides</i>	1898, 781
<i>cinerascens</i>	1897, 670	<i>attenuatus</i>	1898, 782
<i>Monomorium destructor</i> ..	1896, 418	<i>attenuatus</i>	1898, 786
<i>glyciphilum</i>	1896, 418	<i>breviceps</i>	1898, 781
<i>latinode</i>	1896, 419	<i>breviceps</i>	1898, 783
<i>speculare</i>	1896, 418	<i>cyprinoides</i>	1898, 805
<i>vastator</i>	1896, 418	<i>deliciosus</i>	1898, 777
<i>Mononyx raptoris</i>	1894, 223	<i>deliciosus</i>	1898, 781
<i>Monopeltis dumerilii</i> ..	1900, 448	<i>deliciosus</i>	1900, 512
<i>koppenfelsii</i>	1900, 448	<i>elongatus</i>	1898, 805
<i>magnipartita</i>	1895, 706	<i>engystoma</i>	1898, 781
<i>magnipartita</i>	1900, 448	<i>engystoma</i>	1898, 784
<i>sphenorhynchus</i> ..	1891, 306	<i>henryi</i>	1898, 791
<i>Monopis imella</i>	1896, 281	<i>labiatus</i>	1898, 805
<i>Monotrichis safitza</i>	1894, 335	<i>lineolatus</i>	1898, 781
<i>monotrichis</i>	1899, 963	<i>lineolatus</i>	1898, 785
<i>monotrichis</i>	1900, 914	<i>longiceps</i>	1898, 781
<i>Montacuta acuminata</i> ..	1891, 442	<i>longiceps</i>	1898, 783
<i>Monticola cyanus</i>	1891, 472	<i>macrolepidotus</i>	1898, 804
		<i>marie</i>	1898, 781
		<i>marie</i>	1898, 786
		<i>masuianus</i>	1898, 781
		<i>masuianus</i>	1898, 784
		<i>microstoma</i>	1898, 781
		<i>microstoma</i>	1898, 786

	Page		Page
Mormyrops sirenoides ..	1898, 781	Mormyrus kannume	1898, 813
	1898, 785		1898, 817
sphekodes	1898, 793	kingsleyæ	1898, 794
tuckeyi	1898, 781	labiatus	1898, 805
zambanenje	1893, 619	lacerdæ	1898, 815
	1898, 777	lepturus	1898, 803
	1898, 782	lhuyssii	1898, 795
zancirostris	1898, 777	liberiensis	1898, 794
	1898, 781	longibarbis	1898, 802
	1898, 783	longiceps	1899, 731
Mormyrus	1898, 780	longipinnis	1898, 779
	1898, 812		1898, 815
abbreviatus	1898, 805	longirostris	1898, 813
adpersus	1898, 795		1898, 817
affinis	1898, 799	macrolepidotus	1898, 804
anchietæ	1898, 812	macrophthalmus ..	1898, 812
	1898, 814		1898, 815
bachiqua	1898, 817	marchei	1898, 793
bane	1898, 788	mento	1898, 807
bebe	1898, 819	microcephalus	1898, 794
bentleyi	1898, 804	monteiri	1898, 807
bovei	1898, 789	moorii	1898, 803
brachyestius	1898, 793	mucupe	1898, 817
caballus	1898, 813	niger	1898, 802
	1898, 818	niloticus	1898, 813
caschive	1898, 777		1898, 816
	1898, 813	ovis	1898, 812
	1898, 815		1898, 815
castostoma	1898, 790	oxyrhynchus	1898, 817
cobitiformis	1898, 791	pauciradiatus	1898, 795
cyprinoides	1898, 779	petersii	1898, 803
	1898, 788	proboscirostris	1898, 813
	1898, 805		1898, 818
dendera	1898, 782	psittacus	1898, 798
dequesne	1898, 788	rume	1898, 813
discorhynchus	1893, 619		1898, 816
	1898, 797	salahie	1898, 805
dorsalis	1898, 819	senegalensis	1898, 806
ehrenbergii	1898, 788	simus	1898, 790
elongatus	1898, 805	sphecodes	1898, 793
geoffroyi	1898, 816	stanleyanus	1898, 806
	1898, 817	tamandura	1898, 809
gliroides	1898, 790	tenuicauda	1898, 789
grandisquamis	1898, 803	tenuirostris	1898, 813
greshoffii	1898, 809		1898, 819
guentheri	1898, 812	tuckeyi	1898, 781
	1898, 814	ussheri	1898, 803
hasselquistii	1898, 812	walkeri	1898, 799
	1898, 813	zambanenje	1896, 224
henryi	1898, 791		1898, 781
herse	1898, 813		1898, 782
hildebrandti	1898, 818	zancirostris	1898, 783
isidori	1898, 798	(Isistius) henryi ..	1898, 791
joannisii	1898, 788	(Mormyrops) mariæ	1898, 786
jubelini	1898, 813	(—) swanenburgi	1898, 782
	1898, 816	(—) zambanenje.	1898, 782
	1900, 512	(Petrocephalus)	
kannume	1898, 777	sauvagii	1898, 788

	Page		Page
Mormyrus (Petro- cephalus) simus .	1898, 789	Mullerornis agilis	1894, 123
Morocosma polybapta .	1898, 736	Mullus barbatus	1899, 478
Morone labrax	1898, 308		1899, 940
Morphaga angula- tella	1897, 168	surmuletus	1899, 478
hirsutevestita	1897, 167	Munia acuticauda	1900, 466
Morova subfasciata . . .	1897, 633	cantans	1895, 466
Morphippus imbricatus .	1899, 562	topela	1900, 465
	1899, 563	Munona iridescens	1894, 233
Morphnus guyanensis . .	1899, 515	Muraena atra	1892, 135
Moschus	1899, 801	helena	1899, 949
	1900, 161	Muraenophis helena	1899, 949
javanicus	1900, 883	Murex aduncospinosus . .	1891, 404
moschiferus	1892, 612	cyacanthus	1891, 405
	1893, 449	haustellum	1891, 405
	1900, 686	lycacantha	1891, 405
Mota massyla	1892, 637	macgillivrayi	1891, 404
Motacilla borealis	1900, 467	martinianus	1891, 404
flava	1895, 473	occa	1891, 404
francisi	1900, 467	scolopax	1891, 404
leucopsis	1900, 467	ternispina	1891, 404
melanope	1900, 467	tribulus	1891, 435
ocularis	1900, 467	trocheli	1891, 404
taivana	1900, 467	(Chicoreus) anguli- ferus	1891, 405
vidua	1894, 598	(—) ramosus	1891, 405
	1895, 473	Murgantia bifasciata . .	1900, 824
	1900, 2	tessellata	1900, 812
Motasingha	1893, 71	varicolor	1900, 812
	1893, 73	Murgaria	1893, 19
dirphia	1893, 71		1893, 37
	1893, 73	albociliatus	1893, 19
	1893, 132		1893, 37
quadrimaculata	1893, 73	Murgisca cervicalis	1897, 683
trimaculata	1893, 73	Muricella complanata . .	1899, 50
Motella trichirrata	1899, 447	crassa	1899, 50
	1899, 940	flexilis	1899, 46
Motya abseusalis	1896, 643		1899, 49
	1899, 286		1899, 54
Mucronodes oricusaria . .	1896, 644	gracilis	1899, 50
Mugil auratus	1899, 485	nitida	1899, 50
brasiliensis	1891, 357	perramosa	1899, 50
capito	1899, 485	tenera	1899, 49
	1899, 940		1899, 50
	1899, 955	umbraticoides	1899, 50
cephalus	1899, 485	Murina leucogastra	1898, 771
chelo	1899, 485	Mursa calialis	1896, 642
falcipinnis	1900, 515	Mus sp.	1892, 227
liza	1892, 444		1896, 807
	1899, 507		1900, 103
Mulelocha calligramma . .	1896, 648	abbotti	1899, 82
exsiccata	1896, 648		1899, 381
Mülleria echinites	1898, 836		1900, 420
flavocastanea	1898, 836	agrarius	1898, 774
parvula	1898, 836		1900, 422
varians	1898, 836	— mantchuricus	1898, 774
Mullerornis agilis	1894, 111	— typicus	1898, 774
	1894, 117	albipes	1900, 80
	1894, 118	alexandrinus	1897, 323

	Page
<i>Mus alexandrinus</i>	1899, 433
— <i>rufescens</i>	1900, 878
<i>alticola</i>	1893, 495
<i>aquilus</i>	1896, 607
	1896, 608
<i>arborarius</i>	1891, 186
	1892, 550
	1897, 936
	1900, 803
<i>arboricola</i>	1897, 857
	1897, 860
<i>argenteus</i>	1900, 388
	1900, 389
	1900, 420
	1900, 421
	1900, 428
<i>argillosus</i>	1891, 186
<i>arianus</i>	1898, 361
	1899, 83
	1900, 413
	1900, 414
	1900, 416
	1900, 417
	1900, 418
— <i>griseus</i>	1900, 416
<i>auricomis</i>	1896, 802
	1896, 807
<i>bactrianus</i>	1895, 550
	1895, 554
	1897, 959
	1899, 86
	1899, 87
	1900, 415
<i>bandicota</i>	1900, 363
<i>barbarus</i>	1896, 160
	1896, 164
	1896, 168
	1896, 170
	1896, 171
	1896, 175
	1896, 178
	1896, 179
	1896, 180
	1896, 181
	1896, 182
<i>blanfordi</i>	1891, 326
<i>brunneusculus</i>	1900, 194
<i>cahirinus</i>	1897, 288
<i>callosus</i>	1898, 211
<i>campestris</i>	1900, 398
<i>cellarius</i>	1900, 406
<i>chevrieri</i>	1898, 773
	1899, 83
	1900, 413
	1900, 418
	1900, 419
<i>chrysophilus</i>	1896, 801
	1896, 802
	1896, 807

	Page
<i>Mus chrysophilus</i>	1897, 431
	1897, 936
<i>ciliata</i>	1900, 879
<i>concolor</i>	1900, 195
	1900, 361
	1900, 879
<i>confucianus</i>	1898, 773
	1900, 396
	1900, 418
<i>coxingi</i>	1892, 227
	1898, 773
<i>cremoriventer</i>	1900, 869
	1900, 879
<i>decumanus</i>	1893, 495
	1895, 553
	1895, 703
	1896, 160
	1896, 164
	1896, 175
	1897, 858
	1897, 860
	1898, 772
	1899, 433
	1900, 362
	1900, 879
— <i>major</i>	1900, 413
<i>dichrurus</i>	1900, 410
<i>dolichurus</i>	1891, 186
	1892, 550
	1893, 502
	1893, 619
	1894, 141
	1896, 794
<i>edwardsi</i>	1898, 773
	1900, 879
	1900, 880
<i>ephippium</i>	1893, 495
<i>erythronotus</i>	1900, 413
	1900, 415
<i>exulans</i>	1895, 338
<i>flavescens</i>	1899, 86
	1900, 194
<i>flavicollis</i>	1899, 78
	1899, 81
	1900, 404
	1900, 405
	1900, 406
	1900, 407
<i>flaviventris</i>	1899, 86
<i>gentilis</i>	1897, 958
	1899, 86
<i>griseus</i>	1900, 417
<i>harti</i>	1898, 774
<i>hayi</i>	1900, 395
	1900, 410
<i>hebridensis</i>	1899, 78
	1899, 79
	1899, 81
	1900, 403

	Page		Page
<i>Mus hellwaldi</i>	1893, 495	<i>Mus musculus</i>	1899, 77
<i>hibernicus</i>	1900, 398		1899, 80
<i>hildebrandti</i>	1900, 179		1899, 81
<i>hirtensis</i>	1899, 81		1899, 82
	1899, 83		1899, 86
	1899, 84		1899, 87
	1899, 88		1899, 88
	1900, 404		1900, 194
<i>hortulanus</i>	1899, 86		1900, 362
<i>humiliatus</i>	1898, 772		1900, 393
<i>infraluteus</i>	1893, 495		1900, 399
<i>intermedius</i>	1900, 398		1900, 409
<i>islandicus</i>	1899, 82		1900, 410
	1899, 84		1900, 415
	1900, 409		1900, 416
<i>jacksoni</i>	1900, 174		1900, 417
<i>jerdoni</i>	1893, 495		1900, 420
	1898, 773		1900, 421
	1900, 879		1900, 423
<i>kaiseri</i>	1896, 801	— <i>gentilis</i>	1897, 958
	1897, 430		1897, 959
	1897, 936	— <i>jalapæ</i>	1899, 80
<i>lateralis</i>	1895, 342	— <i>typicus</i>	1899, 87
<i>latouchi</i>	1898, 769	<i>musschenbroecki</i> ..	1893, 495
	1898, 772	<i>namaquensis</i>	1896, 802
<i>lewisi</i>	1899, 381	<i>natalensis</i>	1892, 550
	1900, 390		1893, 502
	1900, 420		1896, 794
<i>longipes</i>	1892, 311		1896, 807
<i>macleari</i>	1899, 429	<i>nativitatis</i>	1899, 433
<i>mahomet</i>	1900, 80	<i>nitidus</i>	1898, 773
<i>maorium</i>	1895, 338		1900, 194
<i>margaretæ</i>	1893, 495	<i>nivalis caucasicus</i> ..	1900, 412
<i>mariquensis</i>	1896, 803	<i>nordmanni</i>	1899, 86
<i>meridionalis</i>	1893, 213	<i>nudipes</i>	1893, 502
<i>messorius</i>	1900, 416	<i>nyikæ</i>	1897, 431
<i>mettada</i>	1900, 881		1897, 926
<i>minimus</i>	1892, 550		1897, 936
<i>minutus</i>	1900, 398	<i>orthodon</i>	1891, 468
	1900, 416		1893, 212
<i>modestus</i>	1894, 141		1893, 213
	1896, 794		1899, 82
<i>muelleri</i>	1893, 495		1900, 390
<i>muralis</i>	1899, 81		1900, 421
	1899, 86	<i>pachycereos</i>	1899, 86
	1899, 87	<i>peregrinus</i>	1897, 959
	1899, 88	<i>pygmæus</i>	1898, 775
<i>musculus</i>	1892, 10	<i>rattus</i>	1892, 550
	1892, 117		1893, 339
	1892, 550		1893, 495
	1893, 495		1893, 502
	1893, 503		1894, 450
	1894, 308		1896, 160
	1895, 550		1896, 164
	1895, 554		1896, 166
	1897, 958		1896, 168
	1897, 959		1896, 170
	1898, 210		1896, 178

	Page		Page
<i>Mus rattus</i>	1896, 179	<i>Mus sylvaticus arianus</i> .	1900, 395
	1896, 180		1900, 413
	1896, 181		1900, 414
	1896, 182		1900, 415
	1896, 794		1900, 419
	1896, 803		1900, 427
	1896, 807	— <i>cellarius</i>	1900, 406
	1896, 975		1900, 407
	1897, 323	— <i>celticus</i> ,	1900, 395
	1897, 860		1900, 399
	1897, 936		1900, 401
	1897, 958		1900, 402
	1898, 210		1900, 403
	1898, 773		1900, 425
	1900, 194		1900, 428
	1900, 361	— <i>chevrieri</i>	1900, 395
	1900, 878		1900, 418
	1900, 953		1900, 427
— <i>alexandrinus</i> ..	1895, 553	— <i>dichrurus</i>	1900, 427
	1900, 103	— <i>draco</i>	1900, 388
— <i>flavipectus</i>	1898, 772		1900, 395
— <i>rufescens</i>	1894, 450		1900, 397
	1895, 553		1900, 418
	1897, 323		1900, 428
	1900, 361	— <i>flavicollis</i>	1900, 408
— <i>typicus</i>	1895, 553	— <i>fossilis</i>	1900, 398
<i>rufescens</i>	1900, 361	— <i>griseus</i>	1900, 395
	1900, 878		1900, 416
<i>rutilans</i>	1891, 186	— <i>hayi</i>	1900, 410
<i>sabanus</i>	1900, 879		1900, 426
	1900, 880	— <i>hebridensis</i>	1900, 395
<i>setifer</i>	1900, 363		1900, 401
<i>spicilegus</i>	1899, 86		1900, 403
	1899, 87		1900, 404
<i>spretus</i>	1897, 959		1900, 420
	1897, 86		1900, 425
<i>subanus</i>	1893, 495	— <i>hirtensis</i>	1900, 395
<i>sublimis</i>	1893, 449		1900, 401
<i>sumatrensis</i>	1900, 881		1900, 404
<i>sylvaticus</i>	1896, 808		1900, 425
	1897, 959	— <i>intermedius</i>	1900, 394
	1898, 773		1900, 395
	1899, 77		1900, 398
	1899, 78		1900, 400
	1899, 79		1900, 401
	1899, 80		1900, 403
	1899, 81		1900, 405
	1899, 82		1900, 407
	1899, 83		1900, 414
	1899, 86		1900, 417
	1899, 88		1900, 419
	1899, 381		1900, 422
	1900, 387-428		1900, 423
— <i>algius</i>	1900, 397	— <i>islandicus</i>	1900, 395
	1900, 411		1900, 409
	1900, 412		1900, 426
	1900, 427	— <i>lewisi</i>	1900, 420
— <i>arianus</i>	1900, 394	— <i>major</i>	1900, 412

	Page		Page
<i>Mus sylvaticus major</i> ..	1900, 413	<i>Mus (Isomys) pumilio</i> ..	1891, 186
	1900, 416	(Leggada) minu-	
	1900, 418	toides	1892, 550
— <i>pallipes</i>	1900, 427		1893, 503
	1900, 395		1896, 608
	1900, 417		1896, 794
— <i>princeps</i>	1900, 388		1900, 174
	1900, 394	<i>Musca domestica</i>	1896, 776
	1900, 397	vomitorea	1898, 957
	1900, 399	<i>Muscardinus avellan-</i>	
	1900, 405	arius	1894, 462
	1900, 406	— <i>anglicus</i>	1900, 86
	1900, 407	— <i>pulcher</i>	1900, 86
	1900, 408	— <i>speciosus</i>	1900, 85
	1900, 413		1900, 87
	1900, 426	— <i>typicus</i>	1900, 85
	1900, 428		1900, 86
— <i>tauricus</i>	1900, 399		1900, 87
	1900, 412	<i>pulcher</i>	1900, 85
	1900, 427		1900, 87
— <i>typicus</i>	1899, 81	<i>speciosus</i>	1900, 87
	1900, 388	<i>Muscicapa albicilla</i>	1900, 480
	1900, 394	<i>atricapilla</i>	1895, 311
	1900, 401		1895, 312
	1900, 404	<i>collaris</i>	1895, 311
	1900, 406		1895, 312
	1900, 407	<i>colonus</i>	1896, 358
	1900, 408	<i>coronata</i>	1892, 396
	1900, 418	<i>fischeri</i>	1900, 608
	1900, 425	<i>fulvicauda</i>	1896, 331
— <i>wintoni</i>	1900, 394	<i>grisola</i>	1895, 481
	1900, 400		1895, 490
	1900, 401	<i>lugens</i>	1894, 603
	1900, 403	<i>parva</i>	1891, 628
	1900, 405	<i>semitorquata</i>	1895, 311
	1900, 406		1895, 312
	1900, 408	<i>Muscigralla brevicauda</i> ..	1892, 379
	1900, 409		1892, 405
	1900, 425	<i>Muscisaxicola albifrons</i> ..	1891, 134
<i>tokmak</i>	1900, 413		1896, 358
<i>variegatus</i>	1895, 553	<i>cinerea</i>	1896, 358
<i>vociferans</i>	1900, 879	<i>flavinucha</i>	1896, 358
	1900, 880	<i>fluviatilis</i>	1896, 359
<i>vulgaris</i>	1900, 394	<i>juninensis</i>	1896, 358
<i>wagneri</i>	1899, 86	<i>maculirostris</i>	1896, 358
	1899, 87	— <i>rufescens</i>	1896, 359
	1900, 413	<i>mentalis</i>	1892, 395
	1900, 414		1892, 405
	1900, 415		1892, 409
— <i>major</i>	1900, 413	<i>rubricapilla</i>	1896, 358
	1900, 414	<i>rufipennis</i>	1896, 359
<i>whiteheadi</i>	1900, 880	<i>rufivertex</i>	1891, 134
<i>wintoni</i>	1900, 408		1896, 358
(<i>Dasymys</i>) <i>incom-</i>		<i>Musculus alexandrinus</i> ..	1900, 411
<i>tus</i>	1893, 502	<i>dichrurus</i>	1900, 411
(<i>Isomys</i>) <i>abyss-</i>		<i>frugivorus</i>	1900, 411
<i>sinicus</i>	1891, 186	<i>Musculus assimilis</i>	1895, 462
	1896, 608	<i>Musonia surinama</i>	1892, 199

	Page		Page
<i>Musonia surinama</i>	1892, 206	<i>Mustela putorius</i>	1897, 395
	1893, 605		1897, 396
<i>Musophaga rossæ</i>	1894, 597		1897, 398
<i>violacea</i>	1894, 457		1897, 399
<i>Mussa</i>	1899, 736		1897, 400
<i>cactus</i>	1899, 737		1897, 401
	1899, 738		1897, 402
<i>cristata</i>	1899, 737		1897, 404
<i>hemprichi</i>	1899, 738		1897, 405
<i>multilobata</i>	1899, 737		1897, 407
<i>recta</i>	1899, 159		1898, 155
<i>regalis</i>	1900, 125		1898, 167
	1900, 126		1898, 169
<i>sinuosa</i>	1899, 738		1898, 171
<i>Mustela erminea</i>	1899, 2		1898, 175
<i>eversmanni</i>	1900, 301	<i>subpalmata</i>	1897, 600
<i>flavigula</i>	1893, 495		1897, 601
	1898, 771	<i>vulgaris</i>	1897, 601
	1900, 333	<i>Mustelus antarcticus</i> ..	1899, 499
<i>foina</i>	1893, 449	<i>lævis</i>	1899, 499
	1893, 497	<i>vulgaris</i>	1899, 468
	1895, 140		1899, 485
	1897, 373		1899, 499
	1897, 380	<i>Mutela</i> sp.	1900, 971
	1897, 387	<i>rostrata</i>	1900, 970
	1897, 389	<i>rubens</i>	1900, 971
	1897, 391	<i>petersi</i>	1900, 971
	1897, 392	(<i>Spatha</i>) <i>nyassa-</i>	
	1897, 394	<i>ensis</i>	1893, 641
	1897, 395	<i>Mutilla æstuans</i>	1896, 424
	1897, 396	<i>analis</i>	1896, 425
	1897, 401	<i>arenaria</i>	1900, 47
	1897, 402	<i>aureorubra</i>	1896, 425
	1897, 404	<i>bicincta</i>	1896, 425
	1897, 405	<i>ceylanensis</i>	1896, 425
	1897, 408	<i>chrysophthalma</i> ..	1896, 425
	1898, 155	<i>coronata</i>	1896, 425
	1898, 156	<i>denticollis</i>	1896, 425
	1898, 158	<i>dimidiata</i>	1896, 425
	1898, 160	<i>egregia</i>	1896, 425
	1898, 163	<i>fuscipennis</i>	1896, 425
	1898, 165	<i>hexaops</i>	1896, 425
	1898, 166	<i>humbertiana</i>	1896, 426
	1898, 169	<i>insularis</i>	1896, 426
	1898, 171	<i>intermedia</i>	1896, 426
	1898, 185	<i>kanaræ</i>	1896, 426
<i>furo</i>	1899, 2	<i>kanthellæ</i>	1896, 426
<i>martes</i>	1900, 836	<i>maculo-fasciata</i> ..	1896, 426
<i>putorius</i>	1893, 497	<i>metallica</i>	1896, 426
	1897, 373	<i>ocellata</i>	1896, 426
	1897, 381	<i>opulenta</i>	1896, 426
	1897, 382	<i>rufogastra</i>	1896, 425
	1897, 386	<i>sibylla</i>	1896, 427
	1897, 387	<i>soror</i>	1896, 427
	1897, 389	<i>subintrans</i>	1896, 427
	1897, 391	<i>taprobanæ</i>	1896, 427
	1897, 393	<i>yerburyi</i>	1896, 427
	1897, 394	<i>Myacis</i>	1899, 558

	Page		Page
<i>Mycalesis anapita</i>	1891, 262	<i>Mycalesis selousi</i>	1898, 188
<i>anaxias</i>	1891, 259		1898, 903
<i>anaxioides</i>	1891, 259	<i>simonsii</i>	1896, 822
<i>ankoma</i>	1894, 559	<i>socotrana</i>	1894, 336
<i>anyana</i>	1898, 374	<i>surkha</i>	1891, 261
<i>aurivillii</i>	1895, 722	<i>technatis</i>	1895, 723
	1895, 725	<i>ustulata</i>	1891, 261
	1895, 742	<i>vulgaris</i>	1895, 723
<i>caffra</i>	1898, 50	(<i>Monotrichtis</i>) <i>eusi-</i>	
	1898, 396	<i>rus</i>	1893, 645
<i>campa</i>	1894, 81		1894, 559
	1894, 82	(—) <i>miriam</i>	1893, 645
<i>charaka</i>	1891, 260	(—) <i>rhacotis</i>	1893, 645
<i>diniche</i>	1891, 261	(—) <i>safitza</i>	1894, 335
<i>dohertyi</i>	1891, 261	<i>Mycetes auratus</i>	1893, 592
	1891, 262	<i>caraya</i>	1892, 174
	1891, 289	<i>niger</i>	1899, 517
<i>doleta</i>	1894, 336	<i>Mycteris senegalensis</i> ..	1897, 189
<i>ena</i>	1894, 82	<i>Mycteris cærulea</i>	1893, 44
	1896, 852		1893, 56
	1898, 903		1893, 131
<i>eusirus</i>	1896, 852	<i>cambyses</i>	1893, 56
<i>evenus</i>	1895, 723	<i>Myctophum glaciale</i> ..	1898, 552
	1898, 396	<i>Mydaus marchei</i>	1893, 495
<i>fusca</i>	1891, 261	<i>meliceps</i>	1893, 495
<i>fuscum</i>	1891, 261		1894, 358
	1891, 262	<i>Mydrodoxa semperi</i>	1892, 122
<i>gopa</i>	1891, 260	<i>Mydrothauma</i>	1892, 121
<i>gotama</i>	1891, 260	<i>ada</i>	1892, 122
<i>janardana</i>	1891, 262		1892, 133
<i>khasiana</i>	1891, 260	<i>Myelois basifuscalis</i>	1899, 289
<i>maianeas</i>	1891, 262	<i>marsyusalis</i>	1899, 289
<i>malsara</i>	1891, 260	<i>Mygale atra</i>	1897, 749
<i>malsarida</i>	1891, 260	<i>avicularia</i>	1896, 741
<i>matuta</i>	1895, 723	<i>cæsia</i>	1896, 744
<i>mnasicles</i>	1891, 262	<i>coracina</i>	1897, 749
<i>nicotia</i>	1891, 260	<i>detrita</i>	1896, 744
<i>oculata</i>	1891, 260	<i>diversipes</i>	1896, 744
<i>oroates</i>	1891, 261	<i>funebra</i>	1897, 749
<i>perdicias</i>	1891, 260	<i>gabonensis</i>	1899, 846
<i>perspicua</i>	1893, 646	<i>guyanensis</i>	1891, 551
	1894, 336		1896, 762
	1895, 251	<i>hirsutissima</i>	1896, 744
	1896, 109	<i>læta</i>	1896, 744
	1896, 530	<i>leporina</i>	1896, 744
	1898, 396	<i>macrura</i>	1896, 754
<i>rhacotis</i>	1896, 109	<i>occidentalis</i>	1899, 842
<i>rudis</i>	1891, 260	<i>plumipes</i>	1896, 745
<i>safitza</i>	1894, 22		1898, 899
	1894, 81	<i>sancti-vincenti</i>	1891, 553
	1894, 82		1896, 745
	1894, 335	<i>scoparia</i>	1896, 741
	1898, 50	<i>testacea</i>	1896, 741
	1898, 396	<i>walckenaerii</i>	1896, 744
	1898, 903	<i>Mygnumia ceylonica</i> ..	1896, 435
	1900, 914	<i>intermedia</i>	1896, 435
<i>sanatana</i>	1891, 260	<i>rubida</i>	1896, 435
<i>saussurei</i>	1893, 724	<i>Myiadestes leucotis</i>	1896, 327

	Page		Page
<i>Myiadestes ralioides</i>	1896, 327	<i>Mylothris agathina</i>	1894, 570
<i>Myiagra azurea</i>	1900, 481		1895, 263
<i>Myiarchus cephalotes</i> ..	1896, 367		1895, 720
<i>nigriceps</i>	1896, 367		1896, 124
<i>tricolor</i>	1896, 367		1896, 526
<i>Myiobius cinnamomeus</i> ..	1896, 366		1896, 534
<i>erythrurus</i>	1896, 366		1896, 833
<i>fulvularis</i>	1896, 366		1896, 852
<i>nævius</i>	1896, 366		1897, 850
<i>nationi</i>	1892, 381		1897, 924
<i>rufescens</i>	1892, 380		1898, 55
	1892, 381		1898, 270
	1892, 405		1898, 407
<i>Myiodioctes canadensis</i> ..	1896, 332		1898, 822
<i>Myiodynastes chryso-</i>			1898, 908
<i>cephalus</i>	1896, 366		1899, 424
<i>solitarius</i>	1896, 365		1899, 969
<i>Myiopatis wagæ</i>	1896, 363		1900, 17
<i>Myiotheretes erythro-</i>			1900, 930
<i>pygius</i>	1896, 355	<i>agylla</i>	1893, 662
<i>striaticollis</i>	1896, 355	<i>bernice</i>	1893, 557
<i>Myiothlypis striaticeps</i> ..	1896, 331	<i>clarissa</i>	1891, 189
<i>Myiozetetes similis</i>	1896, 365	<i>crawshayi</i>	1896, 124
<i>texensis colom-</i>			1896, 136
<i>bianus</i>	1896, 365		1896, 833
<i>Mylabris bihumerosa</i> ..	1893, 742	<i>croceus</i>	1895, 722
<i>dicincta</i>	1893, 742		1895, 734
<i>hypolachna</i>	1900, 31		1895, 742
<i>lateplagiata</i>	1900, 31	<i>dentatus</i>	1900, 931
<i>sennæ</i>	1900, 31	<i>jacksoni</i>	1891, 190
<i>somalica</i>	1900, 31		1891, 194
<i>tristigma</i>	1893, 742		1894, 346
<i>Myletes dentex</i>	1899, 477		1896, 124
<i>Myliobatis aquila</i>	1893, 559		1900, 931
	1899, 499	<i>knutsoni</i>	1900, 931
<i>pentoni</i>	1893, 559	<i>lasti</i>	1894, 578
<i>Mylodon</i>	1899, 144		1898, 412
	1899, 145	<i>mackenziana</i>	1891, 190
	1899, 152		1891, 194
	1899, 153	<i>narcissus</i>	1891, 190
	1899, 154		1894, 346
	1899, 155		1894, 578
	1899, 156		1900, 931
	1900, 64	— <i>dentatus</i>	1896, 124
	1900, 66		1896, 136
	1900, 67	<i>neumanni</i>	1900, 913
	1900, 69		1900, 931
	1900, 71	<i>ortygna</i>	1894, 580
	1900, 73	<i>poppea spica</i>	1894, 68
<i>darwinii</i>	1900, 64	<i>rhodope</i>	1894, 346
<i>robustus</i>	1899, 151	<i>rubricosta</i>	1900, 913
	1900, 68		1900, 930
	1900, 73	<i>rueppelli</i>	1891, 190
<i>Mylothris agathina</i>	1891, 95		1891, 191
	1893, 662		1893, 663
	1894, 63		1894, 570
	1894, 68		1896, 853
	1894, 346		1898, 197

	Page		Page
<i>Mylothris swaynei</i>	1898, 822	<i>Myotis murinus</i>	1898, 75
<i>trimenia</i>	1900, 931	<i>Myoxus catei</i>	1895, 860
.....	1894, 68	<i>dryas</i>	1896, 160
.....	1896, 124	1896, 183
.....	1900, 931	<i>glis</i>	1894, 356
<i>wintoniana</i>	1891, 189	<i>melitensis</i>	1895, 860
.....	1891, 194	<i>murinus</i>	1895, 800
<i>yulei</i>	1896, 852	<i>muscardinus</i>	1900, 86
.....	1896, 853	<i>siculæ</i>	1900, 411
.....	1896, 855	<i>smithii</i>	1896, 800
.....	1898, 822	(<i>Eliomys</i>) <i>nanus</i> ..	1896, 799
<i>Myodes lemmus</i>	1891, 655	<i>Myra australis</i>	1900, 766
.....	1896, 160	<i>Myriastria simplicifurca</i> ..	1900, 131
.....	1896, 304	<i>Myrina acte</i>	1892, 640
.....	1896, 305	<i>amrita</i>	1892, 640
<i>schisticolor</i>	1896, 305	1895, 608
<i>torquatus</i>	1896, 305	<i>cinesia</i>	1895, 614
<i>Myodocha unispinosa</i> ..	1893, 705	1895, 615
.....	1894, 186	<i>dermaptera</i>	1900, 913
<i>Myogale moschata</i>	1894, 356	1900, 925
.....	1899, 431	<i>donina</i>	1892, 642
<i>Myomenippe duplici-</i>		<i>ficedula</i>	1894, 54
<i>dens</i>	1900, 740	1896, 852
<i>granulosa</i>	1900, 740	1897, 924
<i>Myomyrus</i>	1898, 780	1898, 54
.....	1898, 800	1898, 195
<i>macrodon</i>	1898, 777	1898, 908
.....	1898, 800	1899, 969
.....	1898, 800	1900, 925
<i>Myopias ambliops</i>	1896, 413	<i>hiemalis</i>	1892, 640
<i>Myopopone maculata</i> ..	1896, 415	<i>hypoleuca</i>	1896, 677
<i>Myopotamus bonari-</i>		<i>isabella</i>	1891, 372
<i>ensis</i>	1894, 357	<i>jolcus</i>	1891, 372
<i>coyppu</i>	1892, 596	<i>lapithis</i>	1892, 642
.....	1892, 598	1895, 619
.....	1894, 251	1892, 638
.....	1894, 313	<i>lisides</i>	1892, 638
<i>Myopsittacus</i>	1899, 29	<i>lorisona</i>	1898, 406
.....	1899, 30	<i>mandarinus</i>	1896, 676
.....	1899, 44	<i>maneia</i>	1895, 619
.....	1899, 45	<i>mantra</i>	1895, 600
<i>Myoscalops albifrons</i> ..	1897, 937	<i>marciana</i>	1895, 603
<i>argenteo-cinereus</i> ..	1892, 552	<i>martina</i>	1895, 606
.....	1893, 504	1896, 677
.....	1896, 795	<i>meduana</i>	1895, 618
.....	1897, 937	<i>micea</i>	1895, 620
(<i>Heliophobius</i>) <i>ar-</i>		<i>moenala</i>	1895, 612
<i>gentocinereus</i> ..	1894, 356	<i>nassyla</i>	1892, 637
<i>Myosorex johnstoni</i>	1897, 931	<i>pallene</i>	1891, 86
<i>morio</i>	1897, 931	1896, 833
<i>sorella</i>	1897, 926	1892, 641
.....	1897, 930	<i>scæva</i>	1892, 641
.....	1897, 931	<i>silenus</i>	1898, 405
.....	1897, 931	<i>thecloides</i>	1895, 603
<i>varius</i>	1897, 931	<i>thesmia</i>	1892, 641
<i>Myostoma</i>	1893, 346	1895, 613
<i>straminea</i>	1893, 346	<i>travana</i>	1895, 602
.....	1893, 347	<i>Myrioblephara</i>	1893, 428
<i>Myotis bocagei</i>	1897, 927	<i>albipunctata</i>	1893, 428
<i>myotis</i>	1897, 954	<i>enormis</i>	1893, 429

	Page		Page
<i>Myrioblephara rubrifusa</i>	1893, 428	<i>Myrtis fannyæ</i>	1892, 407
	1893, 429		1892, 409
<i>Myriostephes</i>	1899, 213	<i>Myscelus amystis</i>	1893, 15
<i>heliamma</i>	1899, 264	<i>assaricus</i>	1893, 15
<i>Myrmarctos eversmanni</i>	1897, 415	<i>epimachia</i>	1893, 15
	1897, 416	<i>nobilis</i>	1893, 11
	1897, 417		1893, 15
	1897, 419	<i>oethrus</i>	1893, 15
<i>Myrmeciza loricata</i>	1899, 515	<i>pardalina</i>	1893, 15
<i>spodiogastra</i>	1896, 323	<i>phoronis</i>	1893, 15
	1896, 383	<i>santhiliarius</i>	1893, 15
<i>Myrmecobius fasciatus</i>	1892, 108	<i>Mysmenopsis</i>	1897, 865
	1892, 366	<i>femoralis</i>	1897, 865
<i>Myrmecocichla mela-</i>		<i>funnebris</i>	1897, 865
<i>nura</i>	1895, 486	<i>Mysoria</i>	1893, 10
<i>yerburyi</i>	1895, 487		1893, 12
<i>Myrmecophaga</i>	1899, 154	<i>acastus</i>	1893, 10
	1899, 991-1017		1893, 12
	1900, 70	<i>barcastus</i>	1893, 12
<i>jubata</i>	1893, 613	<i>thasus</i>	1893, 12
	1894, 356	<i>venezuelæ</i>	1893, 12
	1897, 3	<i>verbena</i>	1893, 12
	1899, 315	<i>Mystacina tuberculata</i>	1898, 58
	1899, 319	<i>Mytilis afer</i>	1891, 430
	1899, 991	<i>chorus</i>	1900, 77
<i>Myrmecopsis opaca</i>	1896, 635	<i>modiolus</i>	1899, 85
<i>Myrmecozela ochra-</i>		<i>perna</i>	1891, 430
<i>ceella</i>	1891, 517	<i>pictus</i>	1891, 430
	1891, 545	<i>senegalensis</i>	1891, 430
	1897, 166	<i>taprobanensis</i>	1891, 430
<i>Myrmeleon variegatus</i>	1900, 34	<i>variabilis</i>	1891, 397
<i>Myrmica basalis</i>	1896, 424	<i>Myxine glutinosa</i>	1892, 706
<i>consternans</i>	1896, 424		1892, 707
<i>contigua</i>	1896, 424		1892, 708
<i>fodiens</i>	1896, 417		1893, 731
<i>glyciphila</i>	1896, 418		1893, 732
<i>hæmatodes</i>	1896, 412	<i>Nabara limacodella</i>	1899, 290
<i>lævigata</i>	1896, 422	<i>Nabida capsiformis</i>	1894, 205
<i>obscurata</i>	1896, 424	<i>Nabis crassipes</i>	1894, 205
<i>pallinodis</i>	1896, 424	<i>sericans</i>	1894, 205
<i>pellucida</i>	1896, 412	<i>Nacaduba aberrans</i>	1892, 626
<i>trinodis</i>	1896, 422		1892, 664
<i>unispinosa</i>	1896, 412	<i>aluta</i>	1895, 558
<i>vastator</i>	1896, 418		1895, 578
<i>Myrmicaria brunnea</i>	1896, 417		1895, 626
<i>fodiens</i>	1896, 417		1896, 656
<i>subcarinata</i>	1896, 417	<i>amaura</i>	1891, 361
<i>Myrmotherula brevi-</i>			1891, 362
<i>cauda</i>	1899, 515		1891, 372
<i>gutturalis</i>	1896, 381	<i>ancyra</i>	1891, 361
<i>longicauda</i>	1896, 323		1895, 558
	1896, 381		1895, 579
<i>melanogaster</i>	1899, 515	<i>angusta</i>	1895, 557
<i>multostriata</i>	1896, 381		1895, 577
<i>sororia</i>	1896, 323		1895, 578
	1896, 381	<i>ardates</i>	1891, 366
<i>surinamensis</i>	1896, 381		1892, 444
<i>Myrtis fannyæ</i>	1892, 384		

	Page		Page
Nacaduba ardates.....	1892, 625	Nacaduba lugine	1895, 577
	1895, 558		1895, 626
	1895, 578	macrophthalma....	1891, 359
	1895, 579		1891, 360
	1896, 656		1892, 625
	1900, 507		1895, 577
astarte	1891, 359	mallicollo	1892, 434
atrata.....	1892, 625		1892, 439
	1892, 626		1892, 446
	1895, 557	maniana.....	1891, 361
	1895, 578		1891, 372
	1895, 579		1895, 579
	1896, 656	nanda.....	1896, 656
azureus	1895, 578	nebulosa	1892, 434
beroe	1895, 558		1892, 440
	1895, 578		1892, 446
bhutea	1892, 625	nora	1891, 359
	1895, 558	noreia.....	1896, 651
	1895, 578		1896, 656
biocellata	1892, 434	novæ-hebridensis..	1892, 434
	1892, 440		1892, 438
catochloris	1892, 435		1892, 446
	1892, 440	palmyra	1891, 363
coelestis.....	1892, 625	pavana	1895, 557
	1900, 507		1895, 577
dana	1895, 579	perusia	1896, 656
deplorans	1892, 435	plumbata	1891, 359
	1892, 440		1891, 360
dion	1891, 363		1891, 372
	1892, 434	prominens.....	1891, 360
	1892, 439	pseustis	1895, 579
dyopa	1892, 434	samoensis	1892, 434
	1892, 437		1892, 437
euretes	1891, 360		1892, 446
	1891, 361	sichela	1896, 829
	1891, 372		1896, 852
	1892, 439		1898, 194
felderi	1891, 359		1898, 404
florinda	1892, 434		1898, 907
	1892, 438	striatus	1895, 557
	1892, 446		1895, 578
gemmaata	1892, 437	ugiensis.....	1891, 360
hermes	1892, 625		1891, 372
	1896, 651	vincula	1891, 363
	1896, 656		1891, 364
keiria.....	1891, 362		1891, 372
	1891, 372	viola	1892, 625
	1892, 440		1896, 656
kerriana	1892, 625	vitiensis.....	1892, 434
	1895, 578		1892, 437
korene	1891, 361		1892, 438
	1891, 372		1892, 446
kurava	1900, 507	Nachaba auritalis.....	1897, 687
ligamenta	1891, 361	carbonalis	1897, 687
	1891, 372	congrualis	1896, 641
lineata	1891, 363		1897, 687
	1891, 364	flavisparsalis.....	1897, 687
lugine	1895, 557	funerea	1897, 687

	Page		Page
Nachaba oppositalis....	1896, 641	Nacoleia major.....	1898, 703
	1897, 687	marionalis.....	1898, 695
reconditana.....	1897, 687	mellealis.....	1898, 696
transversa.....	1899, 290	mesochlora.....	1898, 695
tryphænalis.....	1897, 687	mesodora.....	1898, 697
Nacoleia.....	1898, 597	moninalis.....	1898, 702
	1898, 693	mercusalis.....	1898, 694
accepta.....	1898, 699	niphealis.....	1898, 698
albidaivalis.....	1898, 701	obliquialis.....	1898, 695
allocosma.....	1898, 694	octasema.....	1898, 703
amphicedalis.....	1898, 694	ceaxalis.....	1898, 702
apicalis.....	1898, 701	olivia.....	1898, 700
apygalis.....	1898, 701	ossea.....	1898, 703
aurantifascialis.....	1898, 699	pallidipennis.....	1898, 701
aurotinctalis.....	1898, 698	pantheralis.....	1898, 704
barbata.....	1898, 696	parasephis.....	1898, 694
batrachalis.....	1898, 701	pedicialis.....	1898, 703
benepictalis.....	1898, 700	pelealis.....	1898, 698
blackburni.....	1898, 699	perdentalis.....	1898, 697
canacealis.....	1898, 698	perfenestrata.....	1898, 701
charesalis.....	1898, 703	persinulalis.....	1898, 701
chlorura.....	1898, 695	phaleasalis.....	1898, 703
chrysanthos.....	1898, 697	photias.....	1898, 696
cirosalis.....	1898, 696	pæonalis.....	1898, 694
coatepecensis.....	1898, 702		1898, 698
cœneusalis.....	1898, 702	præteritalis.....	1898, 695
colubralis.....	1898, 702	progonialis.....	1898, 696
commixta.....	1898, 694		1898, 761
confusalis.....	1898, 698	puncticostalis.....	1898, 702
continentalis.....	1898, 699	ranalis.....	1898, 702
costisignalis.....	1898, 694	rhealis.....	1898, 703
cuprealis.....	1898, 699	rhœocalis.....	1898, 694
cyanealis.....	1898, 695	rubralis.....	1898, 701
cydonalis.....	1898, 701	rufiterminalis.....	1898, 703
dairalis.....	1898, 697	salbialis.....	1898, 699
demaratalis.....	1898, 699	scitalis.....	1898, 701
didasalis.....	1898, 703	semicostalis.....	1898, 700
diemenalis.....	1898, 699		1898, 761
dorsalis.....	1898, 697	stenialis.....	1898, 703
ebulealis.....	1898, 701	stigmatilis.....	1898, 699
eximialis.....	1898, 703	subargentalis.....	1898, 697
fusalis.....	1898, 702	subulalis.....	1898, 694
fuscifimbrialis.....	1898, 699	tampiusalis.....	1898, 702
helialula.....	1898, 702	tholeropa.....	1898, 704
holophæa.....	1898, 695	tiasalis.....	1898, 695
iarchasalis.....	1898, 696	tricossa.....	1898, 695
indicata.....	1898, 699	tristrialis.....	1898, 698
insolitalis.....	1898, 700	valvata.....	1898, 696
junctithyralis.....	1898, 701	vestalialis.....	1898, 701
	1898, 761	villialis.....	1898, 702
kingdoni.....	1898, 700	vittifera.....	1898, 699
lacertalis.....	1898, 702	vulgaris.....	1896, 273
ladonalis.....	1898, 698		1898, 699
leonina.....	1898, 702	xanthialis.....	1898, 700
leucostrepta.....	1898, 698	zoilusalis.....	1898, 696
localis.....	1898, 699	Nadagara grisea.....	1893, 412
lunidiscalis.....	1898, 700	Nænia inca.....	1892, 400
lunulalis.....	1898, 697	signiplena.....	1896, 650

	Page
<i>Næsia moesta</i>	1896, 639
<i>Nagara phryganiæ</i> ..	1899, 290
<i>steirialis</i>	1899, 290
<i>Nagia desmialis</i>	1898, 724
<i>incomitata</i>	1898, 662
<i>Nagidusa xylocam-</i>	
<i>poides</i>	1896, 647
<i>Naia annulata</i>	1900, 455
<i>bungarus</i>	1896, 782
	1896, 894
	1897, 196
	1897, 201
	1897, 227
	1899, 607
	1899, 608
	1899, 666
	1899, 691
<i>crawshayi</i>	1893, 620
<i>goldii</i>	1900, 455
<i>guentheri</i>	1900, 455
<i>haie</i>	1891, 308
<i>lutescens</i>	1896, 894
<i>melanoleuca</i>	1900, 455
<i>mossambica</i>	1891, 308
<i>nigricollis</i>	1891, 308
	1893, 618
	1893, 620
	1894, 88
	1896, 216
	1897, 801
<i>tripudians</i>	1893, 620
	1896, 782
	1896, 894
	1899, 607
	1899, 608
	1899, 690
<i>yakomæ</i>	1900, 455
<i>Naidium luteum</i>	1892, 351
<i>Nais elinguis</i>	1891, 51
<i>Naja</i> , see <i>Naia</i> .	
<i>Nanaguna breviuscula</i> ..	1899, 289
<i>stipata</i>	1899, 290
<i>Nandinia gerrardi</i>	1896, 792
	1897, 931
<i>Nandoges hainana</i>	1900, 505
<i>Nanina albersi</i>	1891, 31
<i>amphidroma</i>	1891, 31
<i>atrofusca</i>	1891, 26
<i>aulopsis</i>	1895, 446
<i>borneensis</i>	1891, 29
<i>brookei</i>	1891, 27
<i>castor</i>	1891, 313
<i>consul</i>	1891, 34
<i>corrosa</i>	1891, 26
<i>densa</i>	1891, 26
<i>donovani</i>	1891, 27
<i>glutinosa</i>	1891, 55
<i>herklotsiana</i>	1891, 26

	Page
<i>Nanina hyalina</i>	1891, 35
<i>infans</i>	1891, 38
<i>janus</i>	1891, 31
	1895, 103
<i>jucunda nana</i>	1891, 35
<i>macdougalli</i>	1891, 37
<i>obliquata</i>	1891, 27
<i>producta</i>	1891, 32
<i>regalis</i>	1891, 31
<i>saravakana</i>	1895, 104
<i>souleyetiana</i>	1891, 27
<i>striata</i>	1891, 32
	1891, 334
<i>subcastor</i>	1891, 313
	1891, 315
<i>subconsul</i>	1895, 107
<i>tersa</i>	1891, 36
<i>tritonensis</i>	1891, 313
(<i>Ariophanta</i>) <i>sara-</i>	
<i>wakana</i>	1891, 32
(<i>Hemiplecta</i>) <i>hugo-</i>	
<i>nis</i>	1891, 29
(—) <i>nasuta</i>	1891, 32
(<i>Macrochlamys</i>)	
<i>aglaia</i>	1891, 35
	1895, 108
(—) <i>jucunda</i> ...	1891, 35
(<i>Microcystis</i>) <i>towns-</i>	
<i>endiana</i>	1891, 333
(<i>Rhyssota</i>) <i>borne-</i>	
<i>ensis</i>	1891, 29
(—) <i>brookei</i>	1891, 27
(<i>Rotularia</i>) <i>massoni</i>	1895, 447
(<i>Trochomorpha</i>)	
<i>thais</i>	1891, 42
(<i>Xesta</i>) <i>deces-</i>	
<i>pignyi</i>	1891, 26
(—) <i>glutinosa</i> ..	1891, 25
<i>Nannodrilus africanus</i> ..	1894, 380
	1894, 388
<i>Nannophrys ceylonensis</i> .	1892, 348
<i>guentheri</i>	1892, 348
<i>Nannosciurus concinnus</i> .	1893, 189
	1893, 215
<i>exilis</i>	1893, 189
<i>melanotis</i>	1893, 189
<i>minutus</i>	1893, 189
	1893, 215
<i>whiteheadi</i>	1893, 189
<i>Nanodes discolor</i>	1896, 236
(<i>Lathamus</i>) <i>discolor</i>	1899, 37
<i>Nanotragus livingstoni-</i>	
<i>anus</i>	1893, 237
	1893, 238
	1893, 239
<i>moschatus</i>	1893, 237
<i>pygmæus</i>	1892, 318
<i>saltianus</i>	1892, 428

	Page		Page
<i>Nanotragus scoparius</i> ..	1893, 504	<i>Nasua</i>	1899, 558
	1894, 146	<i>fusca</i>	1897, 373
	1896, 796		1898, 154
<i>Naobranchia cygniformis</i>	1899, 441		1898, 159
	1899, 507		1898, 160
<i>Naprepa albicollis</i>	1894, 586		1898, 163
<i>camelinerdes</i>	1896, 634		1898, 169
<i>Narathura achelous</i>	1892, 120	<i>nasica</i>	1894, 358
<i>amphimuta</i>	1892, 121		1897, 373
	1895, 592		1897, 408
<i>buxtoni</i>	1895, 591		1898, 154
<i>centaurus</i>	1895, 589		1898, 159
<i>farquhari</i>	1895, 591		1898, 160
<i>metamuta</i>	1892, 633		1898, 163
<i>pryeri</i>	1892, 121		1898, 169
	1895, 590		1898, 172
<i>Nardoa tuberculata</i>	1894, 394		1898, 185
	1894, 395	<i>rufa</i>	1892, 314
	1894, 396		1895, 140
	1900, 116		1897, 373
<i>Narga chiriquensis</i>	1893, 130		1897, 379
<i>Narvesus carolinensis</i> ..	1893, 706		1897, 399
	1894, 210		1898, 154
<i>Nasalis larvatus</i>	1893, 494		1898, 163
	1899, 785		1898, 171
	1899, 786	<i>Natica chemnitzii</i>	1891, 414
<i>Nascia</i>	1899, 252	<i>forskalii</i>	1891, 414
<i>arenalis</i>	1899, 253	<i>maroccana</i>	1891, 414
<i>Nascus</i>	1893, 18	<i>publicaris</i>	1891, 413
	1893, 28	<i>rufa</i>	1891, 414
<i>broteas</i>	1893, 28	<i>tæniata</i>	1891, 413
<i>cæpio</i>	1893, 28	<i>vestalis</i>	1891, 435
<i>cephise</i>	1893, 28	(<i>Mamilla</i>) <i>melano-</i>	
<i>eripis</i>	1893, 28	<i>stoma</i>	1891, 414
<i>etias</i>	1893, 28	(<i>Naticina</i>) <i>papilla</i> ..	1891, 414
<i>euribates</i>	1893, 28	(<i>Neverita</i>) <i>didyma</i> ..	1891, 414
<i>hesus</i>	1893, 28	(<i>Polinices</i>) <i>mamilla</i>	1891, 414
<i>nicias</i>	1893, 28	<i>Naucoris femorata</i>	1894, 223
<i>pherenice</i>	1893, 28	<i>raptoria</i>	1894, 223
<i>phocus</i>	1893, 18	<i>Nauphoëta lævigata</i> ..	1893, 604
	1893, 28	<i>Nautilus macromphalus</i>	1899, 8
<i>Nasiterna pygmæa</i>	1899, 26	<i>pompilius</i>	1895, 664
<i>Nassa albescens</i>	1891, 408		1895, 666
— <i>fenestrata</i>	1891, 408		1895, 675
<i>albipunctata</i>	1891, 408		1895, 686
<i>coronata</i>	1891, 408		1899, 7
<i>crenolirata</i>	1891, 408		1899, 8
<i>fissilabris</i>	1891, 408	<i>radiatus</i>	1895, 45
<i>gemmulata</i>	1891, 408	<i>umbilicatus</i>	1899, 8
<i>grandiosa</i>	1891, 407	<i>venosus</i>	1895, 47
<i>lentiginosa</i>	1891, 407	<i>Naxa orthostigialis</i>	1893, 343
<i>marginulata</i>	1891, 435	<i>textilis</i>	1892, 131
<i>molliana</i>	1891, 406	<i>Neargyria</i>	1895, 923
<i>nodicostata</i>	1891, 408	<i>argyraspis</i>	1895, 923
<i>pullus</i>	1891, 407	<i>Nebela barbata</i>	1897, 788
<i>punctata</i>	1891, 407	<i>collaris</i>	1897, 786
<i>velata</i>	1891, 407		1897, 787
<i>verrucosa</i>	1891, 408		1897, 788

	Page		Page
<i>Nebroda echeria</i>	1894, 335	<i>Nemorhædus</i>	1900, 704
<i>lobengula</i>	1893, 644		1900, 705
<i>Necia camoralis</i>	1899, 290		1900, 706
<i>concinna</i>	1899, 290		1900, 707
<i>Necrobia rufipes</i>	1900, 27		1900, 708
<i>Necrosyrtes monachus</i> ..	1900, 598		1900, 712
<i>Nectarinia æneigularis</i> ..	1900, 604		1900, 715
<i>albiventris</i>	1895, 474		1900, 716
<i>cupreonitens</i>	1900, 604		1900, 717
<i>deckeni</i>	1900, 604	<i>rubidus</i>	1900, 675
<i>famosa</i>	1896, 284	<i>sumatrensis</i>	1894, 654
	1896, 291		1900, 370
	1900, 604		1900, 371
<i>habessinica</i>	1895, 474		1900, 675
<i>johnstoni</i>	1900, 604		1900, 882
<i>kilimensis</i>	1895, 342	<i>swettenhami</i>	1900, 675
<i>osiris</i>	1895, 474		1900, 882
<i>reichenowi</i>	1900, 603	<i>Nemoria directa</i>	1896, 268
<i>tacazzæ</i>	1900, 604	<i>pulvereisparsa</i>	1896, 268
<i>Nectes subasper</i>	1899, 916		1896, 283
<i>Nectogale elegans</i>	1893, 449	<i>solidaria</i>	1896, 268
	1899, 573	<i>Nemosia flavicollis</i>	1899, 515
<i>sikhimensis</i>	1899, 573	<i>guira</i>	1899, 511
<i>Nectomys squamiceps</i> ..	1897, 707	<i>pileata</i>	1899, 511
	1897, 713	<i>Neobalæna marginata</i> ..	1900, 775
<i>Nectophryne afra</i>	1900, 436	<i>Neocænyra duplex</i>	1891, 62
<i>everetti</i>	1898, 477		1893, 646
<i>guentheri</i>	1896, 910		1894, 336
	1899, 908		1894, 557
<i>hosii</i>	1892, 508		1894, 558
	1894, 642		1894, 559
<i>macrotis</i>	1898, 477		1894, 560
<i>misera</i>	1894, 642		1894, 593
<i>signata</i>	1894, 642		1898, 188
	1894, 645		1899, 963
	1894, 646	<i>extensa</i>	1898, 188
<i>tuberculosa</i>	1892, 348		1898, 201
<i>Nectris amaurosoma</i> ..	1892, 401	<i>gregorii</i>	1894, 560
<i>brevicaudus</i>	1893, 749		1894, 593
<i>Neda delauneyi</i>	1898, 340		1895, 724
<i>viridula</i>	1898, 340		1898, 188
<i>Nedusia multilaria</i>	1898, 368		1899, 419
<i>Nelo caullama</i>	1892, 288		1899, 963
<i>lippa</i>	1892, 287	<i>neita</i>	1897, 839
<i>philodamea</i>	1893, 290	<i>rufilineata</i>	1894, 559
<i>toxicrata</i>	1893, 290		1896, 530
	1893, 310	<i>safitza</i>	1899, 693
<i>Nematocampa nyparia</i> ..	1896, 644	<i>ypthimoides</i>	1893, 646
<i>varicata</i>	1896, 644		1894, 559
<i>Nemertodrilus griseus</i> ..	1891, 173		1896, 109
<i>Nemesis carchariarum</i> ..	1899, 476	<i>Neocheritra amrita</i>	1892, 640
<i>lamnæ</i>	1899, 476		1895, 558
<i>mediterranea</i>	1899, 476		1895, 608
<i>robusta</i>	1899, 476	— <i>theodora</i>	1895, 558
<i>Nemobius cubensis</i>	1893, 600		1895, 608
	1893, 609		1896, 678
<i>Nemorhædus</i>	1900, 699	<i>gama</i>	1896, 678
	1900, 701	<i>nisibis</i>	1896, 678

	Page		Page
<i>Neocheritra teunga</i>	1895, 558	<i>Neophrynus palmatus</i> ..	1897, 890
	1895, 608	<i>Neopithecops zalmora</i> ..	1892, 621
<i>theodora</i>	1895, 606		1895, 557
	1895, 608		1895, 570
<i>Neodera fulva</i>	1897, 563		1896, 655
<i>transversicollis</i>	1897, 564		1900, 507
<i>Neodiplura jelskii</i>	1896, 723	<i>Neoplagiaulax</i>	1899, 571
	1896, 755	<i>Neoprobea varians</i>	1894, 193
	1896, 766	<i>Neorhynchus nasesus</i> ..	1892, 376
<i>Neodrilus monocystis</i> ..	1892, 667		1892, 396
<i>Neohydnum basalis</i>	1893, 578		1892, 397
<i>cinerascens</i>	1893, 579		1892, 404
<i>despectus</i>	1893, 578		1892, 408
<i>lugubris</i>	1893, 579	<i>peruvianus</i>	1892, 376
<i>relucens</i>	1893, 578		1892, 396
<i>sordidus</i>	1893, 579	<i>Neosciurus carolinensis</i> ..	1897, 933
<i>Neojanella dubia</i>	1891, 217	<i>Neotragus campestris</i> ..	1895, 361
	1894, 529	<i>kirki</i>	1891, 211
	1894, 530		1891, 212
<i>Neolaurona</i>	1893, 292	<i>melanotis</i>	1895, 361
<i>ovia</i>	1893, 292		1895, 520
	1893, 310	<i>pygmæus</i>	1894, 323
<i>Neolycæna cissus</i>	1897, 843	<i>saltianus</i>	1891, 211
	1898, 193		1891, 212
	1898, 907		1892, 100
<i>Neomeris phocænoides</i> ..	1900, 376		1892, 118
<i>Neomiresa copac</i>	1892, 324		1892, 307
<i>Neomorphus geoffroyi</i> ..	1899, 515	<i>scoparius</i>	1894, 132
<i>Neomylodon</i>	1900, 64		1895, 361
	1900, 65	<i>Neozatrephes</i>	1893, 286
<i>listai</i>	1899, 1	<i>telesilla</i>	1893, 287
	1899, 144-156		1893, 310
	1899, 830	<i>Nephele accentifera</i>	1896, 853
<i>Neomyrina hyemalis</i> ..	1892, 640	<i>funebis</i>	1893, 674
<i>Neon pompatus</i>	1893, 703		1895, 720
	1893, 704	<i>Nephelodes finifascia</i> ..	1898, 424
<i>Neoninus illustris</i>	1894, 184	<i>Nepheloleuca politia</i> ..	1898, 363
<i>Neonoma</i>	1893, 42	<i>Nepheronia arabica</i>	1896, 248
	1893, 44		1896, 256
<i>platon</i>	1893, 42		1896, 528
	1893, 44	<i>argia</i>	1894, 347
	1893, 45		1894, 580
<i>Neope agrestis</i>	1891, 265	<i>buquetii</i>	1894, 347
<i>armandii</i>	1891, 265		1894, 580
<i>bhadra</i>	1891, 265	<i>capensis</i>	1894, 580
<i>bhima</i>	1891, 255		1896, 528
	1891, 257	<i>thalassina</i>	1893, 666
	1891, 266		1894, 347
<i>khasiana</i>	1891, 265		1894, 580
<i>moorei</i>	1891, 266		1895, 736
<i>muirheadi</i>	1891, 266	<i>Nephila argyrotoxa</i>	1898, 508
<i>pulaha</i>	1891, 265	<i>bennetti</i>	1898, 387
<i>Neophema</i>	1899, 38		1898, 391
<i>pulchella</i>	1899, 37	<i>bragantina</i>	1899, 848
<i>Neophrida aurolimbalis</i> ..	1897, 646	<i>constricta</i>	1899, 849
<i>Neophron monachus</i> ..	1900, 598	<i>cornuta</i>	1898, 893
	1900, 959	<i>cruentata</i>	1899, 848
<i>percnopterus</i>	1900, 959	<i>femoralis</i>	1898, 388

	Page		Page
<i>Nephila femoralis</i>	1899, 848	<i>Neptis agatha</i>	1897, 692
<i>genualis</i>	1899, 848		1898, 53
<i>hymenæa</i>	1899, 848		1898, 190
<i>keyserlingii</i>	1898, 388		1898, 399
	1899, 848		1898, 822
<i>lucasii</i>	1899, 848		1898, 905
<i>madagascariensis</i>	1898, 508		1899, 964
<i>pilipes</i>	1898, 509		1900, 920
	1899, 848	<i>amba</i>	1891, 275
<i>sumptuosa</i>	1898, 388	— <i>carticoides</i>	1891, 275
	1898, 508	<i>ananta</i>	1891, 274
<i>vittata</i>	1899, 848	<i>anjana</i>	1891, 275
<i>Nephodia cissa</i>	1893, 303	<i>burmana</i>	1891, 275
	1893, 304	<i>cartica burmana</i>	1891, 275
<i>clelia</i>	1893, 304	<i>carticoides</i>	1891, 275
<i>colada</i>	1893, 304	<i>clinia</i>	1891, 276
<i>perimede</i>	1893, 303	<i>dindinga</i>	1891, 274
<i>philyra</i>	1893, 304	<i>disrupta</i>	1891, 276
<i>pieria</i>	1893, 303	<i>duryodana</i>	1891, 275
<i>Nephoterix</i> sp.	1898, 383	<i>eurymene</i>	1891, 276
<i>acialis</i>	1899, 289	<i>eurynome</i>	1891, 276
<i>æolusalis</i>	1899, 289	<i>goochii</i>	1894, 37
<i>argiadesalis</i>	1899, 289	<i>hainana</i>	1900, 507
<i>cyllusalis</i>	1899, 289	<i>hordonia</i>	1891, 256
<i>demptella</i>	1899, 290	<i>incongrua</i>	1896, 112
<i>divisella</i>	1896, 271		1896, 136
<i>etolusalis</i>	1899, 289		1896, 826
<i>harpaxalis</i>	1899, 289	<i>kamarupa</i>	1891, 276
<i>indistinctalis</i>	1899, 201	<i>khasiana</i>	1891, 275
<i>intractella</i>	1899, 210	<i>lermanni</i>	1900, 913
<i>neglectalis</i>	1899, 290		1900, 920
<i>phycisella</i>	1899, 290	<i>leuconota</i>	1900, 507
<i>rudisella</i>	1899, 289	<i>mahendra</i>	1891, 276
<i>spoliata</i>	1899, 289	<i>marpessa</i>	1894, 37
<i>variella</i>	1899, 290		1896, 112
(<i>Salebria</i>) <i>meta-</i>			1896, 113
<i>melana</i>	1896, 271		1896, 532
	1896, 283		1898, 399
(—) <i>nigristriata</i>	1896, 272		1900, 921
	1896, 283	<i>meetana</i>	1891, 276
(<i>Thylocoptila</i>) <i>pau-</i>		<i>melicerta</i>	1895, 728
<i>rosema</i>	1896, 271	<i>miah</i>	1891, 274
<i>Neptidopsis ophione</i>	1900, 921	<i>nandina</i>	1891, 256
— <i>velleda</i>	1899, 964		1891, 276
<i>Neptis aceris</i>	1891, 276	<i>nata</i>	1891, 275
<i>adara</i>	1891, 276	<i>nemetes</i>	1895, 728
<i>agatha</i>	1891, 276	<i>radha</i>	1891, 274
	1893, 653	<i>shepherdi</i>	1896, 113
	1894, 36	<i>swinhoi</i>	1891, 276
	1894, 341	<i>thamala</i>	1892, 120
	1894, 565	<i>trigonophora</i>	1900, 913
	1895, 261		1900, 920
	1895, 720	<i>varmona</i>	1891, 256
	1895, 728		1891, 276
	1896, 112	<i>Neptunides polychrous</i>	1893, 740
	1896, 532	<i>Neptunus hastatoides</i>	1900, 745
	1896, 826	<i>pelagicus</i>	1900, 745
	1896, 852	<i>sanguinolentus</i>	1900, 745

	Page		Page
Neptunus (Achelous)		Neritina punctulata....	1892, 529
granulatus	1900, 568		1892, 530
	1900, 578		1892, 531
(Amphitrite) hasta-			1892, 539
toides.....	1900, 745	schmideliana.....	1892, 528
	1900, 770		1892, 539
Nereis diversicolor	1898, 306	smithii	1892, 529
Nerita albicilla.....	1891, 419	tahitiensis	1892, 529
arabica	1891, 419	virginea.....	1892, 529
chamæleon	1891, 419		1892, 531
conoidea	1892, 528	zebra	1892, 529
	1892, 539	Nerula nautes	1893, 130
costata	1900, 118	Nesara apicalis.....	1896, 634
longii	1891, 419	Nesarcha	1899, 226
perversa.....	1892, 528	bilunaris	1899, 227
	1892, 539	Nesites attenuata.....	1892, 85
plexa	1892, 530	Nesocia sp.	1900, 362
polita.....	1891, 419	barclayana	1900, 363
	1892, 530	bengalensis	1900, 363
quadricolor	1891, 419	Nesolocha	1899, 187
schmideliana sinis-		autolitha	1899, 188
trorsa	1892, 539	Nesomys betsileoensis ..	1897, 695
Neritina sp.	1892, 539		1897, 697
bicolor	1892, 529	rufus	1897, 712
	1892, 539	Nesophora latiferalis ..	1898, 664
canalis	1892, 529	obliquialis	1898, 662
	1892, 530	ochnodes	1898, 662
	1892, 539	panaresalis	1898, 664
conoidea	1892, 539	parvipunctalis	1898, 662
cornea	1892, 529	quadrisignata	1898, 663
	1892, 530	scotaula.....	1898, 662
	1892, 539	semitritalis	1898, 663
crepidularia	1891, 391	triguttalis	1898, 662
	1892, 529	Nesopithecus australis..	1899, 988
	1892, 531	roberti	1899, 988
	1892, 532		1899, 989
	1892, 536	Nesotragus livingstoni-	
	1892, 537	anus	1898, 394
	1892, 539	moschatus	1900, 178
	1892, 540		1900, 686
dubia	1892, 529	Nessipus crypturus	1899, 459
	1892, 539	orientalis	1899, 459
fluviatilis	1892, 529	Nestor	1899, 9
	1892, 523		1899, 14
	1892, 539		1899, 15
gagates	1892, 529		1899, 18
	1892, 535		1899, 19
	1892, 539		1899, 21
granosa	1892, 529		1899, 26
	1892, 539		1899, 39
intermedia	1892, 529		1899, 41
	1892, 530		1899, 42
latissima	1892, 529	meridionalis	1896, 236
	1892, 530		1896, 237
	1892, 539		1899, 17
peloronta	1892, 530		1900, 304
	1892, 539	notabilis	1899, 14
perversa.....	1892, 539		1900, 304

	Page		Page
Netrocoryne repanda ..	1893, 44	Ninus notabilis	1894, 184
	1893, 61	Ninyas strabo	1894, 185
Nettion crecea	1900, 492	Niphadaza bicolor	1895, 909
Nettopus coromandeli-		Niphadolepis auricincta .	1898, 437
anus	1897, 370		1898, 444
	1900, 492	Niphanda cymbia.....	1895, 576
Neurobasis apicalis	1891, 204	reter	1895, 557
	1891, 206		1895, 576
Neurophyseta	1898, 594		1895, 626
	1898, 605	tessellata	1892, 623
clymenalis.....	1898, 605	Niphe cephalus.....	1900, 810
Neurosigma doubledayi .	1891, 256	subferruginea	1900, 810
	1891, 277	Niphograpta	1899, 252
	1891, 289	Niphopyralis albida	1895, 901
siva	1891, 277	contaminata	1895, 901
Neurosymploca procri-		nivalis	1895, 901
oides	1893, 676	suffidalis	1895, 901
Nevrina	1898, 597	Nipteria chthonia.....	1893, 299
	1898, 675	cissoessa	1893, 300
procopia	1898, 676		1893, 310
Nezara capicola	1900, 813	cleona	1893, 301
	1900, 824	cletagora	1893, 301
chloris	1900, 813	clytia	1893, 302
chlorocephala	1900, 812		1893, 311
marginalis.....	1900, 823	diaphanata	1893, 301
marginata	1894, 175	discoloraria	1893, 300
viridula	1893, 705	impunctata	1893, 300
	1894, 176	pania	1893, 301
	1900, 811		1893, 302
	1900, 813		1893, 310
	1900, 824	panthea	1893, 301
Niaccaba sumptualis ..	1899, 290	perilla	1893, 300
Niconiades cydia	1893, 120	philomela	1893, 300
xanthaphes	1893, 93		1893, 310
	1893, 119	phocusa	1893, 301
	1893, 120	(Genusa) albifascia .	1893, 302
Nicoria annulata	1898, 108	Nisaëtus bellicosus	1897, 189
spengleri	1893, 237	pennatus	1900, 3
trijuga ederiana ..	1896, 782	spilogaster.....	1895, 508
Nigetia formosalis	1899, 290	Nisomades bromius	1893, 43
Nigramma quadratifera.	1899, 289		1893, 51
Nigrita cabanisi	1895, 465		1893, 52
canicapilla	1894, 597	dasahara	1892, 652
	1894, 598	diocles	1892, 663
	1894, 601	djælælæ.....	1894, 353
Nigritella conicoides ..	1891, 42		1896, 4
tropidophora.....	1891, 42		1896, 537
Nilasera moelleri	1892, 632	flesus	1896, 16
Nilas afer	1895, 480	kobela	1896, 11
brubru	1895, 479	mokeezi.....	1896, 15
capensis	1895, 479	motozi	1894, 79
minor	1895, 479	pato	1896, 7
nigritemporalis....	1895, 480	phyllophila	1896, 18
Niltava cyanomelæna ..	1900, 480	sabadus	1896, 18
Nilus cartus	1898, 31	salsala	1892, 661
Ninox japonica.....	1900, 488	umbra	1896, 4
scutulata	1900, 488	westermanni.....	1896, 537
Ninus notabilis.....	1893, 705	Nisotra apicalis	1899, 355

	Page		Page
<i>Nisotra chapuisi</i>	1897, 551	<i>Noctuella comastis</i>	1899, 279
	1899, 354	<i>desertalis</i>	1899, 280
<i>congoensis</i>	1899, 355	<i>elautalis</i>	1899, 280
<i>costatipennis</i>	1899, 353	<i>flaviceps</i>	1899, 279
<i>delecta</i>	1897, 551	<i>floralis</i>	1899, 278
<i>incisicollis</i>	1897, 550		1899, 279
<i>klugii</i>	1892, 572	<i>fuscinervis</i>	1899, 280
<i>nigritarsis</i>	1892, 572	<i>intrudens</i>	1899, 279
<i>ovatipennis</i>	1899, 352	<i>isatidalis</i>	1899, 280
<i>spadicea</i>	1892, 572	<i>lamprodeta</i>	1899, 280
	1899, 355	<i>ligatalis</i>	1899, 279
<i>testacea</i>	1897, 551	<i>mardinalis</i>	1899, 280
	1899, 354	<i>nuchalis</i>	1899, 280
<i>unifasciata</i>	1899, 353	<i>obscura</i>	1899, 279
	1899, 355	<i>plebeialis</i>	1899, 280
<i>uniforma</i>	1899, 354	<i>polystrigalis</i>	1899, 279
<i>Nisus badius</i>	1895, 505	<i>puella</i>	1899, 279
<i>gabar</i>	1895, 506	<i>similalis</i>	1899, 280
<i>niger</i>	1895, 506	<i>simplex</i>	1899, 280
<i>Nitocris</i>	1900, 612	<i>staudingeri</i>	1899, 279
<i>similis</i>	1893, 744	<i>superba</i>	1899, 279
<i>Noctilio leporinus</i>	1892, 315	<i>thalialis</i>	1899, 279
	1892, 316	<i>undulosella</i>	1899, 280
	1898, 75	<i>vespertalis</i>	1899, 279
	1898, 76	<i>Noctulina malaccensis</i> ..	1900, 345
<i>Noctiluca miliaris</i>	1896, 480	<i>Noctuomorpha modes-</i>	
<i>scintillans</i>	1896, 481	<i>talis</i>	1899, 236
<i>Noctua amabilis</i>	1893, 674	<i>pulchellalis</i>	1899, 236
	1894, 583	<i>Nodaria externalis</i>	1898, 426
	1895, 739	<i>Nodosaria adolphina</i> ..	1895, 32
	1896, 844	<i>hispida</i>	1894, 652
<i>armigera</i>	1894, 587	<i>ovulata</i>	1895, 6
<i>bigutta</i>	1899, 235		1895, 31
<i>carneola</i>	1899, 263		1895, 52
<i>discerpta</i>	1896, 643	<i>pyrula</i>	1895, 30
<i>elongata</i>	1897, 688		1895, 52
<i>fulminans</i>	1899, 231	<i>radicula</i>	1894, 649
<i>illibata</i>	1892, 128		1895, 32
<i>lugubrina</i>	1899, 236		1895, 52
<i>major</i>	1896, 637	<i>raphanus</i>	1895, 32
<i>meneta</i>	1893, 674		1895, 52
	1894, 583	<i>scalaris</i>	1895, 32
	1896, 134		1895, 52
	1896, 844	— <i>separans</i>	1895, 32
<i>monedula</i>	1899, 236		1895, 52
<i>perlata</i>	1895, 504	(<i>Dentalina</i>) <i>acicula</i> ..	1895, 6
<i>radiata</i>	1899, 231		1895, 31
<i>repanda</i>	1893, 682		1895, 52
	1894, 590	(—) <i>adolphina</i> ..	1895, 6
	1895, 741		1895, 32
	1898, 424		1895, 52
<i>stolida</i>	1898, 422	(—) <i>calomorpha</i> ..	1895, 30
<i>tricolor</i>	1894, 583		1895, 52
<i>trigutta</i>	1899, 270	(—) <i>communis</i> ..	1895, 30
<i>unigutta</i>	1899, 255		1895, 52
<i>Noctuella</i>	1898, 602	(—) <i>consobrina</i> ..	1895, 31
	1899, 278		1895, 52
<i>altacolalis</i>	1899, 279	(—) <i>farcimen</i> ..	1895, 30

	Page		Page
Nodularia (Dentalina)		Nonagria sp.	1895, 740
farcimen	1895, 52	confusa	1896, 260
(—) filiformis ..	1895, 30	Nonionina pompilioides ..	1895, 45
(—) inflexa	1895, 52	umbilicatulula	1895, 54
(—) intercellu-	1895, 31	umbilicatulula	1895, 44
laris	1895, 52	Noorda	1895, 54
(—) obliqua	1895, 32	blitealis	1898, 599
(—) roemeri	1895, 52	blitealis	1899, 220
(—) soluta	1895, 32	blitealis	1896, 275
(—) — subacu-	1895, 52	blitealis	1899, 220
leata	1895, 31	blitealis	1899, 221
(—) subcanali-	1895, 52	esmeralda	1899, 221
culata	1895, 55	fessalis	1896, 275
culata	1895, 32	fessalis	1899, 221
Nogagus angustatus....	1899, 459	ignealis	1899, 221
angustulus	1899, 463	margaritalis	1899, 221
borealis	1899, 460	nigropunctalis	1899, 222
braccatus	1899, 460	sinualis	1899, 221
brevicaudatus	1899, 460	Nops coccineus	1891, 572
cælebs	1899, 460	Nops coccineus	1891, 575
cranchii	1899, 466	Nora kesava	1900, 507
elongatus	1899, 460	Norape puella	1896, 634
errans	1899, 466	Norion expansus	1899, 469
gracilis	1899, 460	Nosophora	1898, 597
grandis	1899, 459	alboguttalis	1898, 661
latreillii	1899, 459	althealis	1898, 661
lunatus	1899, 467	althealis	1898, 663
tenax	1899, 460	barbata	1898, 663
validus	1899, 460	barbata	1898, 761
Nolekenia minuscula ..	1897, 155	chironalis	1898, 662
Nolekenia minuscula ..	1897, 156	conjunctalis	1898, 662
Nomada lusca	1896, 455	dispalalis	1898, 662
scutellaris	1896, 453	euspilalis	1898, 663
Nomia capitata	1896, 451	flavibasalis	1898, 761
carinata	1896, 451	fulvalis	1898, 663
chalybeata	1896, 451	hypsalis	1898, 663
quadridentata	1896, 451	Notarcha sp.	1896, 529
rustica	1896, 451	butyrina	1898, 721
vineta	1896, 451	chrysoplasta	1898, 728
Nomis	1899, 239	compsogramma....	1898, 691
tessellalis	1899, 250	dubia	1898, 721
Nomophila	1898, 601	exculta	1898, 725
astigmatis	1899, 201	halurga	1898, 713
moluccana	1899, 201	paucinotalis	1898, 725
noctuella	1896, 275	semiflava	1898, 729
noctuella	1899, 201	tenuis	1898, 723
trititalis	1899, 201	triparalis	1898, 711
		Notaspis	1899, 227
		Notauges albicapillus ..	1895, 461
		superbus	1895, 461
		Nothrus invenustus....	1897, 792
		Nothura media	1899, 511
		Notochelys platynota ..	1896, 858
		Notochelys platynota ..	1899, 612
		Notoecrypta albifascia ..	1893, 113
		alysos	1892, 658

	Page		Page
<i>Notocrypta alysos</i>	1893, 113	<i>Nucula umbonata</i>	1891, 443
<i>basiflava</i>	1893, 113		1891, 445
<i>curvifascia</i>	1893, 92	<i>Numenius americanus</i>	
	1893, 112	<i>minor</i>	1892, 392
<i>feisthamelii</i>	1893, 113	<i>arcuatus</i>	1897, 189
<i>ficulnea</i>	1892, 658	<i>arquatus</i>	1896, 151
<i>insulata</i>	1893, 113		1900, 496
<i>neæra</i>	1892, 658		1900, 965
<i>proserpina</i>	1893, 113	<i>femoralis</i>	1897, 469
<i>restricta</i>	1893, 113	<i>hudsonicus</i>	1892, 372
<i>signata</i>	1892, 658		1892, 395
<i>Notodonta plagiata</i>	1896, 637		1892, 408
<i>scitipennis</i>	1896, 647	<i>major</i>	1900, 496
<i>stragula</i>	1896, 647	<i>phæopus</i>	1897, 189
<i>Notogoneus cuvieri</i>	1896, 503		1900, 496
<i>osculus</i>	1896, 501		1900, 965
	1896, 502	<i>tahitiensis</i>	1891, 299
	1896, 503		1891, 300
	1896, 504	<i>variegatus</i>	1900, 496
<i>squamosseus</i>	1896, 502	<i>Numida ptilorhyncha</i> . .	1900, 966
	1896, 504	<i>reichenowi</i>	1900, 597
<i>Notogonia deplanata</i> . . .	1896, 442	<i>tiarata</i>	1894, 94
<i>jaculator</i>	1896, 442	<i>vulturina</i>	1895, 519
<i>laboriosa</i>	1896, 442	<i>Nummulina venosa</i> . . .	1895, 47
<i>subtesselata</i>	1896, 442	<i>Nummulites cumingii</i> . .	1895, 47
<i>tisiphone</i>	1896, 442	<i>targionii</i>	1895, 47
<i>vigilans</i>	1896, 442	<i>Nursia hardwickii</i> . . .	1900, 767
<i>Notohippus toxodont-</i>		<i>plicata</i>	1900, 766
<i>oides</i>	1899, 563		1900, 767
<i>Notomela</i>	1899, 357	<i>Nychitona alcesta</i>	1893, 663
<i>cyanipennis</i>	1899, 357		1894, 344
<i>Notonecta americana</i> . . .	1894, 223		1894, 570
<i>Notopithecus fossulatus</i> .	1899, 564		1896, 833
<i>Notopterus afer</i>	1900, 512		1900, 932
<i>Notornis mantelli</i>	1899, 88	<i>immaculata</i>	1900, 932
<i>Notoryctes typhlops</i> . . .	1891, 327	<i>medusa</i>	1898, 407
	1891, 328		1900, 17
	1891, 466		1900, 932
	1892, 2	— <i>alcesta</i>	1898, 55
	1892, 361		1898, 197
	1895, 703		1898, 407
<i>Nototrema angustifrons</i> .	1898, 124		1899, 961
	1898, 126		1900, 932
	1898, 478	— <i>immaculata</i> . . .	1899, 977
<i>bolivianum</i>	1898, 478	<i>nupta</i>	1893, 557
<i>cornutum</i>	1898, 124	<i>rupta</i>	1895, 734
	1898, 126	<i>sylvicola</i>	1895, 734
	1898, 478	<i>xiphia</i>	1898, 407
<i>masupiatum</i>	1898, 124	<i>Nyctarcha paracentra</i> . .	1899, 281
<i>oviferum</i>	1893, 527	<i>Nyctea nivea</i>	1892, 471
	1898, 125	<i>Nyctemera apicalis</i> . . .	1896, 847
<i>Nubecularia lucifuga</i> . . .	1895, 7	<i>fallax</i>	1898, 419
	1895, 48	<i>integra</i>	1892, 123
<i>Nucras tessellata</i>	1891, 306	<i>leuconoe</i>	1893, 678
	1897, 800		1898, 419
<i>Nucula dilecta</i>	1891, 442	<i>Nycteridium platyurus</i> .	1896, 866
	1891, 445	<i>schneideri</i>	1896, 866
			1899, 629

	Page		Page
<i>Nycteris capensis</i>	1897, 927	<i>Nyctinomus lobatus</i>	1891, 182
<i>hispidia</i>	1896, 791	1891, 183
<i>javanica</i>	1900, 344	<i>miarensis</i>	1891, 183
<i>thebaica</i>	1895, 542	<i>midas</i>	1891, 183
.....	1895, 544	<i>norfolcensis</i>	1893, 335
.....	1895, 546	<i>plicatus</i>	1893, 495
.....	1900, 99	1900, 351
<i>Nycthemerus argentatus</i> .	1893, 692	<i>tæniotis</i>	1891, 182
<i>Nyctibatrachus pyg-</i>		1891, 183
<i>mæus</i>	1892, 348	<i>tenuis</i>	1900, 351
<i>sinensis</i>	1899, 166	<i>ventralis</i>	1891, 183
<i>Nyctibora latipennis</i> ..	1897, 904	<i>Nyctiornis athertoni</i> ..	1900, 486
<i>sericea</i>	1897, 904	<i>Nyctipao latona</i>	1896, 263
<i>Nycticebus cinereus</i>	1900, 321	<i>Nyctiphanes norvegica</i> .	1898, 578
<i>javanicus</i>	1891, 451	1898, 585
.....	1895, 144	<i>Nyctipithecus trivirga-</i>	
<i>tardigradus</i>	1891, 453	<i>tus</i>	1892, 174
.....	1893, 494	1893, 334
.....	1895, 142	<i>Nyctiprogne leucopygia</i> .	1896, 773
.....	1895, 144	<i>Nyctochoerus hassama</i> ..	1897, 368
.....	1897, 306	<i>Nyctocleptes dekan</i>	1897, 700
.....	1899, 826	<i>Nyctophilus timoriensis</i> .	1897, 319
.....	1900, 321	1898, 78
.....	1900, 873	<i>Nyctotherus ovalis</i>	1898, 244
(Stenops) <i>tardi-</i>		<i>Nyctus crinitus</i>	1893, 130
<i>gradus</i>	1894, 358	<i>Nymphalis alpheda</i>	1891, 280
<i>Nycticejus kuhlîi</i>	1900, 346	<i>caledonia</i>	1891, 284
.....	1900, 876	<i>candiope</i>	1891, 80
<i>Nycticorax</i>	1898, 85	1894, 562
<i>sp.</i>	1900, 964	1895, 254
<i>caledonicus</i>	1891, 178	1895, 725
<i>gardeni</i>	1894, 495	1900, 916
.....	1894, 496	<i>ephyra</i>	1891, 80
.....	1894, 497	1894, 43
.....	1896, 627	1894, 46
<i>griseus</i>	1891, 18	<i>guderiana</i>	1891, 81
.....	1891, 178	1893, 648
.....	1896, 235	1894, 42
.....	1900, 493	1894, 561
<i>leuconotus</i>	1900, 493	1895, 254
<i>magnifica</i>	1900, 461	1896, 822
.....	1900, 493	<i>neanthes</i>	1893, 650
.....	1900, 504	1898, 397
<i>nycticorax</i>	1900, 493	<i>schreiberi</i>	1891, 283
— <i>nævius</i>	1899, 510	<i>tiridates</i>	1894, 341
<i>obscurus</i>	1891, 136	<i>zoolina</i>	1894, 38
<i>violaceus</i>	1891, 176	1896, 823
.....	1891, 177	1898, 397
.....	1891, 178	1900, 916
.....	1896, 235	<i>Nymphicus</i>	1899, 38
<i>Nyctimantis papua</i>	1898, 478	1899, 39
<i>Nyctinomus</i>	1898, 59	1899, 43
<i>africanus</i>	1891, 182	<i>uvæensis</i>	1897, 311
.....	1891, 183	1899, 38
<i>cestoni</i>	1891, 182	1900, 304
<i>johorensis</i>	1900, 351	<i>Nymphophidium sub-</i>	
<i>kalinowskii</i>	1893, 334	<i>annulatum</i>	1896, 881
.....	1893, 341	<i>Nymphula lotialis</i>	1896, 643

	Page		Page
<i>Nymphula rantis</i>	1899, 210	<i>Ochthoeca cenantoides</i> ..	1895, 356
<i>sordida</i>	1899, 211	— <i>brunneifrons</i> ..	1896, 355
<i>Nysius californicus</i>	1894, 183	<i>polionota</i>	1896, 356
<i>inaequalis</i>	1894, 184	<i>pulchella</i>	1896, 356
<i>providus</i>	1894, 183	<i>rufimarginata</i>	1896, 357
<i>scolopax</i>	1893, 705	<i>thoracica</i>	1896, 357
<i>Nyssia sulla</i>	1894, 182	<i>Ochyrocera</i>	1891, 565
<i>Nystalea aequipars</i>	1892, 324	<i>arietina</i>	1891, 566
<i>seminivea</i>	1896, 639	1891, 575
<i>Nystalia zeuzeroides</i> ..	1896, 639	<i>quinquevittata</i>	1891, 566
	1895, 961	1891, 575
<i>Oarisma poweshiek</i>	1893, 130	<i>Ochyrotica fasciata</i>	1897, 58
<i>Obeidia fumosa</i>	1893, 389	<i>Ocinara lida</i>	1892, 125
<i>libellulalis</i>	1893, 389	<i>Ocirrhoë roei</i>	1900, 815
<i>miltepunctata</i>	1893, 389	1900, 825
<i>vagipardata</i>	1893, 389	<i>virescens</i>	1900, 815
<i>Obelia lucifera</i>	1896, 481	1900, 825
<i>Obtusipalpis</i>	1895, 906	<i>Ocnara sp.</i>	1900, 28
<i>pardalis</i>	1895, 906	<i>Ocnodrilus eiseni</i>	1892, 355
<i>Obucola expansens</i>	1896, 640	<i>Ocresia bisinualis</i>	1897, 685
<i>Oceania cacuminata</i>	1896, 483	<i>Octochaetus antarcticus</i> ..	1892, 669
<i>cruciata</i>	1896, 483	1892, 670
<i>danica</i>	1896, 480	1892, 675
<i>dinema</i>	1896, 475	1892, 677
<i>flavidula</i>	1896, 488	<i>huttoni</i>	1892, 666
<i>lineolata</i>	1896, 483	1892, 674
<i>phosphorica</i>	1896, 488	1892, 675
<i>Oceanites oceanicus</i>	1899, 411	<i>multioporus</i>	1892, 669
.....	1899, 510	1892, 671
<i>Oceanodroma leucorrhoea</i> ..	1899, 392	1892, 672
.....	1899, 393	1892, 673
<i>Ocha brunnea</i>	1894, 238	1892, 674
<i>falsa</i>	1894, 238	1892, 675
<i>famata</i>	1894, 238	1892, 681
<i>marginata</i>	1894, 239	<i>thomasi</i>	1895, 214
<i>Ochlodes agricola</i>	1893, 99	1892, 666
<i>nemorum</i>	1893, 91	1892, 671
.....	1893, 99	1892, 672
<i>pustula</i>	1893, 367	1892, 673
<i>sonora</i>	1893, 99	1892, 675
<i>Ochotona ladacensis</i> ..	1900, 197	<i>Octodon cumingii</i>	1892, 596
<i>roylii</i>	1899, 577	1894, 251
<i>tibetana</i>	1899, 577	<i>Octonematachthys</i>	1899, 718
<i>Ochrimnus collaris</i>	1893, 705	<i>Octopus sp.</i>	1900, 117
<i>Ochthodicta fumigatus</i> ..	1896, 355	<i>Octorchis campanulatus</i> ..	1896, 494
<i>Ochthodromus geoffroyi</i> ..	1900, 495	<i>gegenbauri</i>	1896, 460
<i>mongolicus</i>	1900, 495	1896, 494
<i>Ochthoeca citrinifrons</i> ..	1896, 356	<i>Ocyale atalanta</i>	1899, 862
<i>fumicolor</i>	1896, 355	<i>Ocydromus australis</i> ..	1899, 412
.....	1896, 356	1899, 413
<i>jelskii</i>	1896, 356	<i>Ocyphaps lophotes</i>	1892, 77
.....	1896, 357	<i>Ocyopode</i>	
— <i>spodionota</i>	1896, 356	<i>cerato-</i>	
<i>lessoni</i>	1896, 356	<i>phthalma</i>	1900, 570
<i>leucometopa</i>	1896, 356	1900, 595
<i>cenantoides</i>	1896, 355	1900, 751
		<i>cordimana</i>	1900, 752
		<i>urvillei</i>	1900, 569

	Page		Page
<i>Ocypode urvillei</i>	1900, 595	<i>Odostomia fauroti</i>	1891, 435
(<i>Macrophthalmus</i>)		<i>fischeri</i>	1891, 441
<i>dilatata</i>	1900, 759	(<i>Turbonilla</i>) <i>consan-</i>	
(—) <i>japonica</i> ..	1900, 760	<i>guinea</i>	1891, 441
<i>Ocypotamus cæruleus</i> ..	1893, 134		1891, 445
<i>dimidiatus</i>	1893, 134	(—) <i>constricta</i> ..	1891, 441
<i>funebri</i>	1893, 134		1891, 445
<i>fuscipennis</i>	1893, 134	(—) <i>fischeri</i>	1891, 441
<i>iris</i>	1893, 133		1891, 445
	1893, 163	<i>Odynerus ambiguus</i> ...	1893, 686
(<i>Baccha</i>) <i>cæruleus</i> ..	1893, 133	<i>angulicollis</i>	1893, 689
(<i>Pipiza</i>) <i>costalis</i> ..	1893, 134	<i>antucensis</i>	1893, 688
(<i>Syrphus</i>) <i>trigonus</i> ..	1893, 134	<i>antuco</i>	1893, 688
<i>Ocytes metea</i>	1893, 99		1893, 689
<i>Odenestis potatoria</i>	1891, 180	<i>araucanus</i>	1893, 689
<i>Odina chrysomelæna</i> ..	1893, 43	<i>arcuatus</i>	1893, 686
	1893, 50	<i>bustillosii</i>	1893, 686
<i>decoratus</i>	1893, 50	<i>caupolicanus</i>	1893, 687
<i>hieroglyphica</i>	1893, 50	<i>ceylonicus</i>	1896, 449
<i>Odontaster belli</i>	1893, 260	<i>chilensis</i>	1893, 688
<i>dilatatus</i>	1893, 260	<i>chiliotus</i>	1893, 688
<i>elongatus</i>	1893, 261	<i>coarctatus</i>	1893, 687
<i>granulosus</i>	1893, 261	<i>colocolo</i>	1893, 686
<i>grayi</i>	1893, 261		1893, 687
<i>hispidus</i>	1893, 261	<i>coquimbensis</i>	1893, 688
<i>meridionalis</i>	1893, 261	<i>cyanipennis</i>	1893, 685
<i>miliaris</i>	1893, 262	<i>exciendus</i>	1893, 686
<i>paxillosus</i>	1893, 262	<i>fistulosus</i>	1896, 449
<i>pedicellaris</i>	1893, 262	<i>gayi</i>	1893, 689
<i>singularis</i>	1893, 260	<i>hirsutus</i>	1893, 689
	1893, 263	<i>humbertianus</i>	1896, 449
<i>Odontia</i>	1899, 230	<i>humeralis</i>	1893, 687
<i>exoticalis</i>	1899, 231		1893, 688
<i>Odontiomorpha</i>	1900, 238	<i>intendens</i>	1896, 449
<i>minuta</i>	1900, 239	<i>labiatus</i>	1893, 687
	1900, 266	<i>lachesis</i>	1893, 687
<i>Odontionopa cærulea</i> ..	1900, 228	<i>marginicollis</i>	1893, 687
<i>discolor</i>	1900, 229	<i>maypinus</i>	1893, 689
<i>Odontodactylus scyllarus</i>	1898, 33	<i>molinae</i>	1893, 687
	1898, 36	<i>molinius</i>	1893, 687
	1898, 38	<i>obscuripennis</i>	1893, 688
<i>Odontomachus hæma-</i>		<i>ovalis</i>	1896, 449
<i>todes</i>	1896, 412	<i>petiolatus</i>	1893, 687
<i>simillimus</i>	1896, 412	<i>ruficollis</i>	1893, 689
<i>Odontopteryx</i>	1899, 781	<i>scabriusculus</i>	1893, 686
<i>Odontoptilum angulata</i> ..	1893, 62	<i>sicheli</i>	1896, 449
<i>helias</i>	1893, 62	<i>sotoi</i>	1893, 689
<i>leptogramma</i>	1893, 62	<i>subpetiolatus</i>	1893, 687
<i>pygela</i>	1893, 62	<i>tinicipennis</i>	1896, 449
<i>sura</i>	1893, 44	<i>tuberculatus</i>	1893, 687
	1893, 61	<i>tuberculi ventris</i> ..	1893, 687
	1893, 62	<i>vespiformis</i>	1893, 688
<i>Odontopus sexpunctatus</i> ..	1900, 48		1893, 689
<i>Odontorhynchus bra-</i>		<i>vestitus</i>	1893, 688
<i>nickii</i>	1896, 324	<i>vicinus</i>	1893, 686
	1896, 329	<i>villosus</i>	1893, 688
<i>Odontoscelis pulicarius</i> ..	1894, 170	<i>Oëbia</i>	1899, 239
<i>Odonturus dentatus</i>	1898, 499	<i>Æchydrus</i>	1893, 18

	Page		Page
<i>Æchydrus</i>	1893, 35	<i>Edionychis centurio</i> ..	1894, 615
<i>aziris</i>	1893, 35	<i>chapuisi</i>	1894, 620
<i>chersis</i>	1893, 18	<i>clypeata</i>	1892, 574
.....	1893, 35	<i>crucifera</i>	1894, 613
<i>evelina</i>	1893, 35	1894, 614
<i>Æcia</i>	1897, 111	<i>crux-nigra</i>	1894, 613
<i>maculata</i>	1897, 111	<i>cyaneo-fasciata</i>	1894, 618
.....	1897, 165	<i>dilecta</i>	1894, 612
.....	1897, 166	<i>discicollis</i>	1894, 611
<i>Æcodoma cephalotis</i> ..	1891, 462	<i>eburata</i>	1894, 615
.....	1898, 81	<i>evanida</i>	1894, 611
<i>diversa</i>	1896, 420	<i>extrema</i>	1894, 623
<i>quadrispinosa</i>	1896, 419	<i>faceta</i>	1894, 612
<i>Æcophora basqueella</i> ..	1897, 75	<i>fasciaticollis</i>	1894, 624
<i>Æcophylla smaragdina</i> .	1896, 408	1894, 631
.....	1896, 409	<i>formosa</i>	1894, 617
<i>virescens</i>	1896, 409	<i>fuscoannulata</i>	1894, 625
<i>Æctoperodes rufitinc-</i>		1894, 631
<i>talis</i>	1897, 680	<i>högei</i>	1894, 622
<i>Edaleus abruptus</i>	1900, 40	<i>honesta</i>	1894, 615
<i>infernalis</i>	1900, 40	<i>inconstans</i>	1894, 617
<i>instillatus</i>	1900, 39	<i>intersignata</i>	1894, 617
<i>nigrofasciatus</i>	1900, 40	<i>jamaicensis</i>	1894, 621
<i>senegalensis</i>	1900, 40	1894, 622
<i>Edemasia guarana</i>	1892, 331	<i>labiata</i>	1894, 620
<i>inca</i>	1892, 332	<i>libentina</i>	1894, 617
<i>maxtla</i>	1892, 331	<i>morosa</i>	1894, 623
<i>terrena</i>	1892, 331	<i>multomaculata</i>	1894, 625
<i>tropica</i>	1894, 241	<i>murrayi</i>	1894, 613
<i>Edematophorus am-</i>		<i>natalensis</i>	1900, 266
<i>brosiæ</i>	1897, 59	<i>nigronotata</i>	1894, 619
<i>basalis</i>	1891, 495	<i>nigropunctata</i>	1894, 625
.....	1897, 60	<i>nigroscutata</i>	1894, 610
<i>inquinatus</i>	1897, 59	1894, 631
<i>Edicnemus sp.</i>	1900, 965	<i>oblonga</i>	1894, 617
<i>affinis</i>	1895, 513	<i>ornamentalis</i>	1894, 619
<i>grallarius</i>	1897, 469	<i>osculans</i>	1894, 616
<i>edicnemus</i>	1896, 311	1894, 617
<i>scolopax</i>	1896, 311	<i>palpalis</i>	1894, 619
<i>superciliaris</i>	1892, 395	<i>pardalis</i>	1894, 627
.....	1892, 405	1894, 631
<i>Edionychis advena</i>	1894, 626	<i>peruviana</i>	1894, 622
<i>africana</i>	1894, 628	<i>princeps</i>	1894, 622
.....	1894, 631	1894, 631
.....	1899, 343	<i>pulchella</i>	1894, 618
.....	1900, 266	<i>quadriplagiata</i>	1894, 614
<i>albipennis</i>	1894, 609	1894, 615
<i>apicata</i>	1894, 623	1894, 619
.....	1894, 631	<i>quadripustulata</i>	1894, 612
<i>beatula</i>	1894, 614	1894, 631
<i>beskii</i>	1894, 622	<i>rugicollis</i>	1899, 342
<i>bifasciata</i>	1894, 615	1899, 380
<i>biloba</i>	1894, 621	1900, 266
<i>blanda</i>	1894, 615	<i>semidivisa</i>	1894, 621
<i>brunneicollis</i>	1894, 625	<i>sexsignatus</i>	1894, 628
.....	1894, 626	1894, 631
<i>brunneofasciata</i> ..	1894, 624	<i>siamensis</i>	1894, 629
.....	1894, 631	1894, 631

	Page		Page
<i>Edionychis spilota</i>	1894, 611	<i>Æta fastuosa</i>	1891, 547
<i>steinheili</i>	1894, 615	1897, 113
.....	1894, 619	<i>fulviguttata</i>	1897, 113
<i>sulcicollis</i>	1899, 343	<i>fulviguttella</i>	1891, 532
<i>tabida</i>	1894, 610	1891, 547
<i>trimaculata</i>	1894, 616	1897, 112
<i>turpis</i>	1894, 626	1897, 113
<i>vigintinotata</i>	1894, 627	<i>gemmata</i>	1897, 113
.....	1894, 631	<i>punctella</i>	1891, 532
<i>Edura africana</i>	1894, 608	1891, 547
<i>nivaria</i>	1894, 609	1897, 113
.....	1894, 722	<i>sidera</i>	1891, 533
.....	1894, 726	1891, 547
<i>Elia varicornis</i>	1900, 810	1897, 113
<i>Ena capensis</i>	1895, 518	<i>Ogoa simplex</i>	1898, 427
<i>Enops pernigra</i>	1892, 388	<i>Ogulnius infumatus</i>	1897, 875
<i>Enonistis quadra</i>	1898, 419	<i>Oides collaris</i>	1893, 746
<i>Estrelata</i> sp.	1893, 751	<i>typographica</i>	1892, 92
<i>affinis</i>	1893, 753	<i>Oileides zephodes</i>	1893, 32
<i>armingoniana</i>	1893, 755	<i>Oithina spinifrons</i>	1898, 541
<i>brevirostris</i>	1893, 755	1898, 543
<i>cervicalis</i>	1893, 751	<i>Olapa adpersa</i>	1893, 678
<i>cookii</i>	1893, 750	<i>fulvinotata</i>	1893, 678
.....	1894, 653	<i>Olceclostera azteca</i>	1894, 234
<i>defilippiana</i>	1892, 401	<i>castrona</i>	1894, 233
<i>fuliginosa</i>	1893, 755	<i>mayar</i>	1892, 326
<i>gularis</i>	1893, 753	<i>microps</i>	1892, 326
<i>incerta</i>	1893, 752	<i>mutusca</i>	1892, 326
<i>lessonii</i>	1893, 752	<i>Oligia expuncta</i>	1896, 639
<i>leucophrys</i>	1893, 752	<i>subobliqua</i>	1896, 648
.....	1893, 753	<i>Oligocentris</i>	1898, 597
.....	1894, 653	1898, 687
<i>leucoptera</i>	1893, 751	<i>deciusalis</i>	1898, 687
<i>mollis</i>	1893, 752	1898, 688
.....	1893, 753	<i>Oligocercus rufescens</i> ..	1895, 482
.....	1893, 755	<i>Oligodon everetti</i>	1893, 524
.....	1893, 752	<i>sublineatus</i>	1895, 705
.....	1893, 753	<i>tæniurus</i>	1897, 221
.....	1893, 754	<i>waandersii</i>	1897, 196
.....	1893, 755	1897, 200
.....	1893, 757	1897, 221
.....	1894, 653	<i>Oligoria maculata</i>	1893, 92
.....	1899, 400	1893, 107
<i>nigripennis</i>	1893, 750	1893, 108
.....	1894, 653	<i>Oligostigma amœnalis</i> ..	1896, 649
<i>parvirostris</i>	1891, 295	<i>exhibitilis</i>	1896, 649
.....	1891, 300	<i>iasusalis</i>	1896, 643
<i>phillipi</i>	1893, 754	<i>incommoda</i>	1898, 382
.....	1893, 755	<i>scuthesalis</i>	1896, 643
.....	1893, 757	<i>sempunctalis</i>	1892, 129
<i>solandri</i>	1893, 755	<i>Olios guineensis</i>	1899, 864
<i>torquata</i>	1891, 122	<i>Oliva bulbosa</i>	1891, 435
<i>trinitatis</i>	1893, 755	<i>inflata</i>	1891, 411
<i>Æta aurea</i>	1897, 112	<i>Olulis puncticeinctalis</i> ..	1899, 290
.....	1897, 113	<i>Omadius nebulosa</i>	1893, 569
<i>compta</i>	1891, 532	<i>Omalonyx patera</i>	1891, 218
.....	1897, 112	<i>unguis</i>	1891, 218
.....	1897, 113	<i>Omiodes heterogenalis</i> ..	1898, 686
<i>fastuosa</i>	1891, 533	<i>hiracia</i>	1898, 684

	Page		Page
<i>Omiodes leporalis</i>	1898, 684	<i>Oncopeltus varicolor</i>	1894, 189
<i>liodyta</i>	1898, 704	(<i>Erythriscus</i>)	
<i>monogona</i>	1898, 704	<i>cingulifer</i>	1894, 189
<i>nigriscripta</i>	1898, 679	<i>Oniscosoma pallida</i>	1895, 893
<i>pallicostalis</i>	1898, 685	<i>Oniscus asitus</i>	1900, 552
<i>scabripennis</i>	1898, 686	<i>conglobator</i>	1900, 552
<i>Omiza muscicolor</i>	1893, 407	<i>globator</i>	1900, 552
	1893, 434	<i>serratus</i>	1900, 552
<i>Ommatides insignis</i>	1894, 156	<i>Onoba trogonoides</i>	1896, 640
	1894, 159	<i>Onohippidium saldiasii</i> ..	1900, 76
<i>Ommatophoca rosii</i>	1892, 106	<i>Onotragus vardonii</i>	1892, 98
	1892, 107	<i>Onryza</i>	1893, 92
	1892, 108		1893, 112
	1892, 114	<i>meiktila</i>	1893, 92
<i>Ommatospila</i>	1898, 599		1893, 112
	1898, 759		1893, 131
<i>descriptalis</i>	1898, 759	<i>Onthophagus</i> sp.	1900, 24
	1898, 760	<i>bicallus</i>	1893, 748
<i>narcæusalis</i>	1898, 760	<i>gazella</i>	1900, 24
<i>nummulalis</i>	1898, 760	<i>gerstaeckeri</i>	1900, 24
<i>Ommatostrephes</i> sp....	1900, 117	<i>Onychaster flexilis</i>	1896, 1040
<i>Omocena syrtis</i>	1898, 437	<i>Onychogale unguifera</i> ..	1897, 327
<i>Omphalotropis ander-</i>		<i>Onychogalea frenata</i> ..	1896, 784
<i>soni</i>	1895, 445	<i>Onychognathus</i> sp.	1894, 600
<i>brevis</i>	1895, 445	<i>Onychoteuthis robusta</i> ..	1900, 992
<i>carinata</i>	1891, 347	<i>Oocæra fragosa</i>	1896, 415
<i>carolinensis</i>	1891, 490	<i>Oocyaneus violaceus</i>	1898, 335
	1891, 491	<i>Oonops figuratus</i>	1891, 564
<i>conoidea</i>	1895, 445		1891, 575
<i>decussata</i>	1895, 445	<i>globimanus</i>	1891, 563
<i>disterrina</i>	1895, 445		1891, 575
<i>pallida</i>	1895, 445	<i>princeps</i>	1891, 557
<i>sordida</i>	1895, 445	<i>pulicarius</i>	1891, 564
(<i>Realia</i>) <i>brevis</i>	1895, 445		1891, 575
<i>Omphis</i>	1898, 603	<i>spinimanus</i>	1891, 563
	1899, 183		1891, 575
<i>anastomosalis</i>	1899, 183	<i>Oopelta nigropunctata</i> ..	1891, 222
<i>ingens</i>	1899, 184	<i>Ootheca</i> sp.	1893, 747
<i>praxiteles</i>	1899, 184	<i>lævipennis</i>	1899, 362
<i>repetitalis</i>	1899, 184	<i>mutabilis</i>	1899, 363
<i>Oncerodes robusta</i>	1894, 156	<i>Opeas achatinacea</i>	1895, 443
	1894, 160	<i>apex</i>	1895, 443
<i>Oncerotrachelus acumi-</i>		— <i>nicobarica</i>	1895, 443
<i>natus</i>	1894, 211	<i>filiforme</i>	1894, 151
<i>conformis</i>	1894, 211		1894, 156
<i>Oncidium (Oncidiella)</i>		<i>gracile</i>	1891, 337
<i>sp.</i>	1895, 443		1894, 151
(—) <i>marmorata</i> ..	1895, 443		1895, 443
(—) <i>mauritiana</i> ..	1895, 344	<i>walkeri</i>	1895, 443
(—) <i>steenstrupii</i> ..	1895, 443	<i>Operculina arabica</i>	1895, 47
<i>Oncinopus angulatus</i> ..	1900, 723	<i>complanata</i>	1895, 47
<i>aranea</i>	1900, 722		1895, 54
<i>neptunus</i>	1900, 722	— <i>granulosa</i>	1895, 48
<i>subpellucidus</i>	1900, 722		1895, 54
<i>Oncopeltus cingulifer</i> ..	1893, 705	<i>Opharus basalis</i>	1896, 637
	1894, 189	<i>gemma</i>	1894, 230
<i>fasciatus</i>	1893, 705	<i>lugubris</i>	1892, 282
	1894, 189	<i>morosus</i>	1892, 282
<i>varicolor</i>	1893, 705	<i>Ophiactis savignii</i>	1898, 849

	Page		Page
<i>Ophiarachna clavigera</i> ..	1894, 397	<i>Ophiopeza conjungens</i> ..	1894, 395
<i>Ophiarthrum elegans</i> ..	1898, 849	<i>Ophiophagus elaps</i>	1894, 594
<i>pictum</i>	1898, 849	<i>Ophioplocus inubricatus</i> ..	1894, 395
<i>Ophideres aurantia</i>	1892, 127		1898, 849
<i>divitiosa</i>	1898, 424	<i>Ophioteresis elegans</i> ..	1892, 175
<i>fullonica</i>	1892, 127		1892, 179
<i>materna</i>	1896, 265		1892, 183
<i>Ophidiaster</i> sp.	1900, 117	<i>Ophiothrix capillaris</i> ..	1894, 397
<i>cylindricus</i>	1898, 849	<i>comata</i>	1894, 397
<i>helicostichus</i>	1894, 394	<i>longipeda</i>	1894, 395
	1894, 405	<i>martensi</i>	1894, 395
<i>Ophidium blacodes</i>	1899, 492		1894, 408
<i>ocellatum</i>	1892, 585	<i>melanogramma</i>	1894, 395
<i>Ophiobyrsa hystricus</i> ..	1892, 175		1894, 397
	1892, 183	<i>melanosticta</i>	1894, 395
<i>Ophiocephalus obscurus</i> ..	1900, 515	<i>punctolimbata</i>	1894, 395
<i>striatus</i>	1897, 428		1894, 397
<i>Ophiocoma æthiops</i>	1900, 117	<i>purpurea</i>	1894, 397
<i>erinaceus</i>	1898, 849		1894, 407
<i>pica</i>	1894, 395	<i>rotata</i>	1894, 397
	1894, 396	<i>smaragdina</i>	1894, 395
<i>scolopendrina</i>	1894, 395	<i>trilineata</i>	1894, 395
	1894, 397	<i>Ophiotreron elegans</i>	1894, 392
	1898, 849		1894, 397
	1900, 117		1894, 408
<i>Ophiocrene ænigma</i>	1894, 392	<i>Ophis saurocephalus</i> ..	1894, 531
	1894, 894	<i>Ophisaurus apus</i>	1895, 695
	1894, 397		1895, 706
	1894, 410	<i>gracilis</i>	1899, 161
	1894, 413	<i>harti</i>	1899, 160
<i>Ophiodes croceipennis</i> ..	1893, 682		1899, 161
<i>disjungens</i>	1892, 128		1899, 172
<i>finifascia</i>	1898, 424	<i>ventralis</i>	1895, 695
<i>intermedius</i>	1894, 724		1895, 706
<i>Ophiognomon aben-</i>		<i>Ophisma inversa</i>	1892, 128
<i>drothii</i>	1895, 706	<i>Ophistoporus biciliatus</i> ..	1892, 469
<i>Ophiolepis annulosa</i>	1894, 395	<i>birostris</i>	1892, 469
<i>cineta</i>	1898, 849	<i>corniculum</i>	1892, 469
<i>irregularis</i>	1894, 395	<i>euryomphalus</i>	1892, 469
<i>Ophiomastix caryo-</i>		<i>javanus</i>	1892, 469
<i>phyllata</i>	1894, 397	<i>latistrigus</i>	1892, 469
<i>Ophiomaza cacaotica</i> ..	1894, 395	<i>pertusus</i>	1892, 469
<i>obscura</i>	1892, 175	<i>pterocycloides</i>	1892, 469
	1892, 182	<i>quadra</i>	1892, 462
	1892, 183		1892, 469
	1894, 395	<i>rostellatus</i>	1892, 469
<i>Ophiomorus blanfordii</i> ..	1891, 631	<i>sumatranus</i>	1892, 469
<i>brevipes</i>	1892, 628	<i>Ophiuche echionalis</i>	1892, 590
	1891, 631	<i>masuralis</i>	1894, 590
	1894, 725		1898, 426
<i>Ophiomyxa australis</i> ..	1894, 395	<i>Ophiurina lymani</i>	1896, 1037
	1894, 397	<i>Ophiura abnegans</i>	1898, 422
<i>brevispinis</i>	1894, 397	<i>algira</i>	1896, 264
<i>flaccida</i>	1892, 180	<i>anfractuosa</i>	1896, 265
<i>longipeda</i>	1894, 397	<i>angularis</i>	1898, 422
<i>pentagona</i>	1892, 180	<i>derogans</i>	1893, 186
<i>vivipara</i>	1892, 180	<i>fulvotenaria</i>	1892, 128
<i>Ophionereis dubia</i>	1894, 395	<i>judicans</i>	1893, 681

	Page		Page
<i>Ophiura judicans</i>	1896, 136	<i>Opostega saltatrix</i>	1897, 140
<i>lienardi</i>	1898, 422	<i>venticola</i>	1897, 140
<i>melicerte</i>	1896, 264	<i>Opsariichthys platypus</i>	1899, 961
.	1900, 20	<i>Opsibotys</i>	1899, 252
<i>rubricans</i>	1893, 682	<i>latipennis</i>	1899, 255
<i>Ophthalmidion fuscum</i>	1891, 352	<i>Oralien</i>	1899, 489
<i>Ophthalmidium incon-</i>		<i>asellinus</i>	1899, 490
<i>stans</i>	1895, 11	1899, 507
.	1895, 49	<i>Oratha significata</i>	1899, 290
<i>Opilo sinensis</i>	1893, 577	<i>Orbicella</i>	1899, 751
<i>Opisthacanthus afri-</i>		<i>acropora</i>	1899, 752
<i>canus</i>	1899, 837	<i>annuligera</i>	1899, 753
<i>duodecim-dentatus</i>	1899, 837	<i>coronata</i>	1899, 754
<i>lecomtei</i>	1899, 837	1899, 755
<i>septem-dentatus</i>	1899, 837	1899, 756
<i>Opisthocornus cristatus</i>	1896, 618	<i>curta</i>	1899, 754
.	1896, 619	1899, 755
.	1896, 622	1899, 756
.	1896, 625	<i>funafutensis</i>	1899, 756
.	1896, 626	1899, 764
.	1896, 773	<i>heliopora</i>	1899, 756
.	1897, 465	1899, 764
<i>Opisthograptis ablunata</i>	1893, 403	<i>klunzingeri</i>	1899, 755
.	1893, 404	<i>orion</i>	1899, 752
<i>longipennis</i>	1893, 403	<i>rotumana</i>	1899, 755
<i>mölli</i>	1893, 403	1899, 764
.	1893, 434	<i>solidior</i>	1899, 756
<i>Opisthomum mucro-</i>		<i>versipora</i>	1899, 753
<i>natum</i>	1893, 496	<i>wakayana</i>	1899, 753
<i>Opisthoporus corni-</i>		1899, 764
<i>culum</i>	1894, 152	(<i>Heliastrea</i>) <i>heliopora</i>	1899, 751
<i>penangensis</i>	1891, 340	<i>Orbitolites complanata</i>	1895, 12
<i>quadrasi</i>	1895, 99	1895, 49
<i>setosus</i>	1894, 152	1900, 141
.	1894, 156	<i>duplex</i>	1900, 141
<i>solutus</i>	1891, 340	<i>marginalis</i>	1895, 12
<i>Opisthostoma austeni</i>	1895, 118	1895, 49
.	1895, 127	1900, 141
<i>cookei</i>	1895, 118	<i>Orbulina universa</i>	1895, 38
.	1895, 127	1895, 53
<i>depauperatum</i>	1895, 118	<i>Orca gladiator</i>	1897, 267
.	1895, 127	<i>Orcella brevirostris</i>	1893, 496
<i>otostoma</i>	1895, 118	1900, 376
.	1895, 127	<i>Orchesticus ater</i>	1896, 348
<i>paulucciæ</i>	1891, 343	<i>Orchilus albiventris</i>	1896, 323
<i>perakense</i>	1891, 343	1896, 361
<i>pumilio</i>	1895, 118	1899, 513
.	1895, 127	<i>Orcothphora ceylonica</i>	1896, 422
<i>Opius interstitialis</i>	1895, 785	<i>pusilla</i>	1896, 421
<i>rejectus</i>	1895, 785	<i>Oreas canna</i>	1891, 373
<i>salvini</i>	1895, 785	1893, 504
<i>unifasciatus</i>	1895, 785	1894, 131
<i>Opopæa</i>	1891, 560	1894, 145
<i>cupidus</i>	1891, 560	1896, 507
<i>deserticola</i>	1891, 560	1896, 797
.	1891, 575	1896, 981
<i>Opostega abrupta</i>	1897, 139	1896, 983
<i>adusta</i>	1897, 140		

	Page		Page
<i>Oreas canna</i>	1898, 281	<i>Oriolus monachus</i>	1895, 463
	1900, 686	<i>nigellicaudus</i>	1900, 465
	1900, 702	<i>persicus</i>	1896, 354
— <i>livingstonii</i>	1894, 595	<i>rolleti</i>	1895, 462
	1895, 690		1895, 463
	1897, 456	<i>trailli</i>	1897, 813
	1898, 394	<i>Ormenis contaminata</i> ..	1895, 71
<i>derbianus</i>	1898, 349	<i>mesochlorus</i>	1895, 72
	1898, 350	<i>Ormiscodes opis</i>	1892, 318
	1899, 935	<i>Orneates</i>	1899, 345
	1899, 936	<i>nigritus</i>	1899, 345
<i>Oreaster lincki</i>	1900, 296	<i>Orneodes eudactyla</i>	1891, 496
<i>nodosus</i>	1900, 296		1891, 542
<i>nodulosus</i>	1900, 296		1897, 61
<i>turritus</i>	1900, 295		1897, 62
<i>Orectochilus bicostatus</i> ..	1893, 748	<i>hexadactyla</i>	1897, 59
<i>Orenaia</i>	1898, 603	<i>Ornithion imberbe sclateri</i>	1892, 380
	1899, 184		1892, 404
<i>alpestralis</i>	1899, 185		1892, 406
<i>helveticalis</i>	1899, 185		1892, 409
<i>rupestralis</i>	1899, 185	<i>sclateri</i>	1892, 380
<i>Oreobatrachus baluensis</i> ..	1898, 474	<i>Ornithodoros savignyi</i> ..	1900, 49
<i>Oreochromis</i>	1899, 105	<i>Ornithognathus generosus</i>	1892, 93
<i>hunteri</i>	1894, 89	<i>Ornithoptera paradisea</i> ..	1894, 608
	1899, 110	<i>Ornithorhynchus</i>	1899, 788
<i>niger</i>	1894, 89	<i>anatinus</i>	1893, 505
	1894, 91		1894, 13
	1899, 110		1895, 2
<i>shiranus</i>	1896, 916	<i>paradoxus</i>	1894, 694
	1896, 917		1894, 717
	1899, 110	<i>Ornithospila cincta</i>	1892, 133
<i>Oreocinclia varia</i>	1897, 892	<i>submonstrans</i>	1892, 133
<i>Oreomys typus</i>	1891, 185	<i>Ornix errantella</i>	1897, 147
<i>Oreophis</i>	1897, 284	<i>Oroatis signata</i>	1896, 639
<i>boulengeri</i>	1897, 284	<i>Orobena</i>	1899, 185
<i>Oreophorus rugosus</i>	1900, 767	<i>allardalis</i>	1899, 187
<i>Oreophrynella quelchii</i> ..	1898, 476	<i>bicoloralis</i>	1899, 186
<i>Oreotragus megalotis</i> ..	1894, 320	<i>blandalis</i>	1899, 186
<i>oreotragus</i>	1897, 938	<i>castanealis</i>	1899, 273
	1900, 803	<i>dispersalis</i>	1899, 186
<i>saltator</i>	1891, 211	<i>grummi</i>	1899, 187
	1891, 389	<i>implicitalis</i>	1899, 187
	1892, 100	<i>infirmalis</i>	1899, 187
	1892, 118	<i>lemniscalis</i>	1899, 187
	1892, 308	<i>manglisalis</i>	1899, 187
	1892, 553	<i>orientalis</i>	1899, 186
	1894, 145	<i>plumbo-fascialis</i> ..	1899, 187
	1895, 361	<i>reluctalis</i>	1898, 608
	1896, 303	<i>renatalis</i>	1899, 187
	1896, 796	<i>seminivealis</i>	1899, 187
<i>Oriolus brachyrhynchus</i> ..	1894, 597	<i>subcitrinalis</i>	1899, 187
	1894, 598	<i>submundalis</i>	1899, 187
<i>chinensis</i>	1900, 465	<i>vagabundalis</i>	1899, 187
<i>diffusus</i>	1900, 465	<i>Orocala distentalis</i>	1896, 649
<i>larvatus</i>	1895, 462	<i>Orocharis gryllodes</i>	1892, 200
	1895, 463		1892, 220
	1900, 2		
<i>melanocephalus</i> ..	1897, 813		

	Page		Page
<i>Orocharis grylloides</i>	1893, 610	<i>Orthoschizops assimilis</i> .	1900, 809
<i>Orocrambus catacaustus</i>	1895, 925		1900, 825
<i>melampetrus</i>	1895, 925	<i>rugosus</i>	1900, 809
<i>mylites</i>	1895, 925		1900, 825
<i>tritonellus</i>	1895, 925	<i>Orthostylus amalæ</i>	1892, 452
<i>Orphanostigma versi-</i>		<i>bicolorata</i>	1892, 452
<i>color</i>	1898, 645	<i>codonensis</i>	1892, 452
<i>Orphula punctata</i>	1892, 198	<i>concinna</i>	1892, 452
	1892, 199	<i>daphnis</i>	1892, 448
	1892, 208		1892, 452
	1893, 606	<i>faunus</i>	1892, 452
<i>Orsonoba clelia</i>	1896, 267	<i>flammula</i>	1892, 452
<i>Orsotriena medus</i>	1900, 505	<i>grandis</i>	1892, 452
<i>Orthaga pyralisalis</i>	1899, 290	<i>imperator</i>	1892, 452
<i>Orthagoriscus mola</i>	1899, 454	<i>juglans</i>	1892, 452
	1899, 465	<i>leucophaea</i>	1892, 452
	1899, 467	<i>lignaria</i>	1892, 452
	1899, 483	<i>macrostoma</i>	1892, 452
	1899, 953	<i>marinduquensis</i>	1892, 452
<i>truncatus</i>	1899, 940	<i>monozona</i>	1892, 452
	1899, 953	<i>nux</i>	1892, 452
	1899, 956	<i>philippinensis</i>	1892, 452
<i>Orthetrum brevistylum</i>	1896, 521	<i>pictor</i>	1892, 448
<i>cærulescens</i>	1896, 522	<i>pithogaster</i>	1892, 452
<i>carnaticum</i>	1891, 203	<i>polillensis</i>	1892, 452
	1891, 204	<i>porteri</i>	1892, 452
	1891, 206	<i>rufogaster</i>	1892, 448
<i>lorti</i>	1896, 522		1892, 452
<i>phillipsi</i>	1896, 522	<i>sarcinosa</i>	1892, 452
<i>pruinotum</i>	1891, 203	<i>supra-badia</i>	1892, 452
<i>subfasciolatum</i>	1896, 522	<i>ticaonica</i>	1892, 452
<i>triangularis</i>	1891, 204	<i>turbinoides</i>	1892, 452
<i>Orthocabera brunneiceps</i>	1893, 387	<i>turgens</i>	1892, 452
	1893, 434	<i>turris</i>	1892, 452
<i>sericea</i>	1893, 387	<i>vidali</i>	1892, 452
<i>Orthocentrus variabilis</i>	1895, 780	<i>woodiana</i>	1892, 452
<i>Orthocera acicula</i>	1895, 31	<i>Orthotomus longicauda</i>	1900, 471
<i>Orthodes infirma</i>	1896, 639	<i>Orthrius brachialis</i>	1893, 577
<i>tirhaca</i>	1897, 925	<i>cylindricus</i>	1893, 577
<i>Orthogramma perse-</i>		<i>tarsalis</i>	1893, 577
<i>verans</i>	1896, 638	<i>Ortyx pectoralis</i>	1895, 688
<i>rufitibia</i>	1897, 613	<i>Orya barbarica</i>	1892, 26
<i>Ortholitha duplicata</i>	1893, 385	<i>Oryba achemenides</i>	1896, 637
<i>megalaria</i>	1894, 592	<i>robusta</i>	1896, 637
<i>monosticta</i>	1894, 592	<i>Orycteropus</i>	1899, 992-1017
	1894, 593	<i>æthiopicus</i>	1896, 296
<i>Orthomecyna albicau-</i>		<i>afer</i>	1897, 939
<i>data</i>	1899, 290	<i>capensis</i>	1896, 296
<i>aphanopis</i>	1899, 290		1896, 298
<i>cupripennis</i>	1899, 290		1899, 315
<i>exigua</i>	1899, 290		1899, 338
<i>Orthoraphis</i>	1898, 594		1899, 992
	1898, 604		1899, 1017
<i>metasticta</i>	1898, 604	<i>gaudryi</i>	1893, 239
<i>obfuscata</i>	1898, 604		1896, 296
<i>Orthorhynchus amazilia</i>	1892, 396		1896, 297
<i>cora</i>	1892, 396	<i>Oryctes boas</i>	1899, 294
<i>exilis</i>	1892, 499	<i>Oryctopleura arcuatalis</i>	1897, 649

	Page		Page
<i>Orynx xanthomelas</i>	1895, 465	<i>Osmodes laronia</i>	1893, 78
<i>Oryx beatrix</i>	1892, 174		1893, 79
	1894, 449		1896, 40
	1894, 451		1896, 104
<i>beisa</i>	1891, 207	<i>lux</i>	1896, 42
	1892, 102		1896, 104
	1892, 118	<i>ranoha</i>	1893, 670
	1892, 195		1894, 582
	1892, 196		1896, 45
	1892, 300		1896, 129
	1897, 454		1896, 852
	1898, 768	<i>staudingeri</i>	1896, 42
	1900, 83		1896, 104
	1900, 680	<i>thops</i>	1896, 41
	1900, 682		1896, 43
	1900, 686		1896, 104
<i>callotis</i>	1892, 195	<i>thora</i>	1893, 79
	1892, 196		1896, 40
	1897, 454		1896, 104
<i>gazella</i>	1891, 467	<i>Osmotreron bicincta</i>	1900, 501
	1892, 196	<i>domvilli</i>	1900, 501
	1900, 686	<i>Osphantes</i>	1896, 46
<i>leucoryx</i>	1893, 614	<i>ogowena</i>	1896, 46
	1898, 280	<i>Osteoglossum</i>	1895, 307
	1898, 281	<i>formosum</i>	1895, 302
	1898, 350		1895, 307
	1898, 352		1895, 310
<i>Oryzomys venustus</i>	1898, 211	<i>leichardti</i>	1895, 307
<i>Oryzoryctes tetradactylus</i>	1896, 975		1898, 493
	1899, 431	<i>Osteolæmus tetraspis</i> ..	1891, 151
<i>Osca guttulosa</i>	1897, 623		1896, 632
<i>Oscella æneonivella</i>	1891, 517		1900, 447
<i>Osiriaca</i>	1899, 239	<i>Ostinops alfredi</i>	1896, 353
<i>Osmeroides crassus</i>	1894, 659	<i>atrovirens</i>	1896, 353
<i>lewesiensis</i>	1894, 656	<i>decumanus</i>	1896, 353
	1894, 660	<i>Ostræa cochlear</i>	1899, 822
	1894, 663	<i>congesta</i>	1895, 975
<i>mantelli</i>	1894, 656	<i>cornupina</i>	1891, 435
<i>Osmerus eperlanus</i>	1899, 940	<i>crista-galli</i>	1891, 435
	1899, 955	<i>limacella</i>	1891, 435
<i>Osmilia cœlestis</i>	1893, 600	<i>Ostrinia</i>	1899, 252
	1893, 606	<i>Otaria californiana</i>	1896, 783
<i>Osmodes</i>	1893, 71		1896, 784
	1893, 78		1897, 190
<i>adon</i>	1896, 41		1897, 812
	1896, 104	<i>cinerea</i>	1892, 109
<i>adosus</i>	1896, 41	<i>gillespii</i>	1891, 326
	1896, 104	<i>jubata</i>	1894, 301
<i>bang-haasii</i>	1896, 42	<i>stelleri</i>	1891, 326
	1896, 104		1897, 190
<i>chrysauge</i>	1896, 41		1897, 192
	1896, 43	<i>ursina</i>	1892, 108
	1896, 104		1897, 190
<i>distincta</i>	1896, 43	<i>Othorene arpi</i>	1892, 289
	1896, 104	<i>janeira</i>	1892, 289
<i>fan</i>	1896, 79	<i>Othria meridionalis</i>	1892, 272
<i>laronia</i>	1893, 71	<i>Otiaphysa angustipennis</i>	1900, 43
			1900, 63

	Page		Page
Otiaphysa hebetata	1900, 44	Ovibos moschatus	1900, 680
Otiathops amazonicus ..	1891, 575		1900, 686-718
lapidicola	1891, 574	— pallantis	1900, 832
oblongus	1891, 574	— wardi	1900, 832
walckenaeri	1891, 575	Ovis	1900, 144-167
Otis melanogaster	1897, 189	ammon	1895, 691
Otocinclus affinis	1891, 234		1896, 786
nigricauda	1891, 234		1896, 787
	1891, 235		1899, 64
Otocyon caffer	1899, 550		1900, 114
lalandii	1899, 551		1900, 636
megalotis	1896, 987	argali	1891, 321
	1899, 550	arkal	1900, 303
	1899, 551	hodgsoni	1893, 449
Otogale kirki	1893, 501		1896, 787
	1894, 137	karelini	1896, 787
	1896, 790	musimon	1896, 784
	1897, 927	nahoor	1891, 321
Otogyps auricularis	1900, 959	nahura	1893, 449
Otolicnus galago	1894, 358	ophion	1900, 686
Otomys anchietæ	1891, 184	poli	1891, 321
brantsii	1891, 185		1896, 787
irroratus	1891, 184		1900, 114
	1891, 185		1900, 686
	1892, 549		1900, 702
	1893, 502	sairensis	1900, 113
	1896, 793		1900, 114
	1896, 801		1900, 686
	1897, 935	tragelaphus	1894, 473
	1900, 175		1895, 85
— orestes	1900, 175		1895, 86
jacksoni	1891, 184		1895, 521
	1900, 175		1896, 784
unisulcatus	1891, 185		1896, 814
Otostigma deserti	1892, 26		1896, 816
spinicauda	1892, 26		1897, 962
Ottolengua reticulina..	1897, 627	vignei	1893, 449
Otus brachyotus	1900, 489	Oxya velox	1895, 891
mexicanus	1892, 387		1895, 893
Oulodon grayi	1893, 217	Oxybelis acuminata	1894, 510
	1893, 229		1894, 518
	1893, 230		1898, 117
Ourebia haggardi	1897, 451	brevirostris	1898, 117
	1900, 804	fulgida	1895, 815
hastata	1896, 796		1895, 817
	1897, 938		1895, 825
	1899, 771	insularis	1896, 447
	1900, 686	lewisi	1896, 447
montana	1897, 451	Oxydia alpiscaria	1896, 644
	1900, 83	apidania	1896, 644
	1900, 803	cariaria	1896, 644
	1900, 955	nesisaria	1896, 644
nigricaudata	1896, 984	noctuitaria	1896, 644
	1898, 350	trychiata	1896, 644
	1900, 686	Oxydoras bachi	1898, 44
Ovibos bombifrons	1900, 700	eigenmanni	1895, 524
moschatus	1899, 985	elongatus	1898, 44
	1900, 142-167	trachyparia	1898, 44

	Page		Page
<i>Oxydoras trimaculatus</i> ..	1898, 44	<i>Oxyrhopus plumbeus</i> ..	1891, 352
<i>Oxyechus tricoloris</i> ..	1895, 514		1891, 354
<i>Oxyglossus lævis</i>	1896, 897		1894, 518
	1897, 197	<i>tergeminus</i>	1895, 705
	1897, 202	<i>Oxyrhynchus deliciosa</i> ..	1898, 781
	1897, 228	<i>Oxytes sakaya</i>	1891, 334
	1899, 887	<i>Oxythyrea vitticollis</i> ..	1893, 741
	1900, 884	<i>Oxytricha pellationella</i> ..	1897, 790
<i>lima</i>	1896, 897	<i>Ozius</i> (<i>Euruppellia</i>)	
	1899, 886	<i>annulipes</i>	1900, 589
	1899, 887	<i>Ozophora</i> sp.	1893, 705
	1900, 884	<i>burmeisteri</i>	1893, 705
<i>martensii</i>	1897, 228		1894, 186
	1898, 474	<i>consanguinea</i>	1894, 186
	1899, 887	<i>pallescent</i>	1893, 705
<i>Oxygrapha monochroma</i>	1897, 132		1894, 187
<i>negans</i>	1897, 131	<i>Pachyarches tibialis</i> ..	1898, 735
<i>rotundipennis</i>	1897, 132	<i>Pachycalamus brevis</i> ..	1892, 485
<i>Oxylides tharis</i>	1892, 641		1895, 702
	1895, 618		1895, 706
<i>Oxynaspis celata</i>	1899, 822	<i>Pachychalina spino-</i>	
<i>Oxynetra annulatus</i>	1893, 14	<i>sissima</i>	1900, 127
<i>felderi</i>	1893, 15	<i>Pachychondila rufipes</i> ..	1896, 412
<i>semihyalina</i>	1893, 11	<i>Pachycoris attenuata</i> ..	1900, 819
	1893, 14	<i>deplanatus</i>	1894, 170
<i>zambesiaca</i>	1893, 264	<i>fabricii</i>	1900, 822
<i>Oxyopes</i> sp.	1900, 52	<i>flavescens</i>	1900, 822
<i>rana</i>	1897, 889	<i>linnaei</i>	1900, 822
<i>salticus</i>	1897, 889	<i>lobata</i>	1900, 819
<i>Oxypalpus</i>	1893, 71	<i>nitens</i>	1900, 822
	1893, 78	<i>obliquus</i>	1894, 170
<i>annulifer</i>	1896, 39	<i>piperitia</i>	1900, 822
	1896, 104	<i>pumila</i>	1900, 822
<i>gisgon</i>	1893, 78	<i>Pachydactylus affinis</i> ..	1898, 914
<i>harona</i>	1898, 199	<i>oshaughnessyi</i>	1891, 306
<i>ignita</i>	1893, 71	<i>Pachydasy</i>	1892, 125
	1893, 78	<i>consentanea</i>	1892, 125
	1896, 39		1892, 133
	1896, 104	<i>Pachydissus</i> (<i>Derolus</i>)	
<i>ruso</i>	1893, 669	<i>somalicus</i>	1900, 32
	1896, 39	<i>Pachygrapsus aethio-</i>	
	1896, 104	<i>picus</i>	1900, 593
	1896, 129	<i>corrugatus</i>	1900, 593
	1896, 841	<i>lævis</i>	1900, 569
	1898, 199		1900, 592
<i>Oxyptilus anisodactylus</i> .	1897, 56		1900, 596
	1897, 57	<i>longipes</i>	1900, 593
<i>caffer</i>	1897, 56	<i>minutus</i>	1900, 570
	1897, 57		1900, 593
<i>direpitalis</i>	1897, 57	<i>plicatus</i>	1900, 593
<i>periscelidactylus</i> ..	1897, 57	<i>transversus</i>	1900, 755
<i>pusillidactylus</i>	1891, 495	<i>Pachygrontha bimacu-</i>	
	1897, 57	<i>lata</i>	1894, 185
<i>walkeri</i>	1897, 56	<i>longiceps</i>	1893, 705
	1897, 57		1894, 185
<i>Oxyrhamphus flammi-</i>		<i>cedancalodes</i>	1894, 185
<i>ceps</i>	1899, 513	<i>Pachylia inconspicua</i> ..	1896, 637
<i>Oxyrhina glauca</i>	1899, 463		

	Page		Page
<i>Pachylia resumens</i>	1896, 637	<i>Pachyzancla coptobasalis</i>	1899, 204
<i>Pachylomerus asperulus</i>	1891, 551	<i>cynaralis</i>	1899, 205
<i>natalensis</i>	1897, 727	<i>desmiodides</i>	1899, 203
<i>salebrosus</i>	1891, 550	<i>dilatipes</i>	1899, 203
<i>scrupens</i>	1891, 550	<i>granulata</i>	1898, 698
<i>Pachymorphis sub-</i>		<i>hipponalis</i>	1899, 205
<i>ductellus</i>	1895, 972	<i>innotalis</i>	1899, 205
<i>Pachyneuria obscura</i>	1893, 130	<i>intensalis</i>	1899, 205
<i>Pachynoa</i>	1899, 196	<i>latifuscalis</i>	1899, 205
<i>cresus</i>	1899, 199	<i>licarsisalis</i>	1899, 202
<i>lederi</i>	1899, 197	<i>maledicta</i>	1899, 203
<i>megapteralis</i>	1898, 685	<i>marginalis</i>	1899, 205
<i>obstructalis</i>	1899, 197	<i>minoralis</i>	1899, 205
<i>opalinalis</i>	1898, 685	<i>mutualis</i>	1896, 275
<i>walkeri</i>	1899, 197	<i>nigricornalis</i>	1899, 203
<i>Pachynolophus maldani</i>	1893, 209	<i>olivascens</i>	1899, 202
<i>siderolithicus</i>	1897, 705	<i>pachycera</i>	1899, 204
<i>Pachynus</i>	1899, 31	<i>periusalis</i>	1899, 203
	1899, 32	<i>phæopteralis</i>	1899, 202
	1899, 44	<i>rufescentalis</i>	1899, 205
	1899, 45	<i>semilaniata</i>	1899, 203
	1899, 46	<i>stultalis</i>	1899, 204
<i>brachyurus</i>	1899, 30	<i>subdentalis</i>	1899, 205
<i>Pachyornis elephan-</i>		<i>ustulalis</i>	1899, 205
<i>topus</i>	1891, 480	<i>Padraona angustula</i>	1893, 102
	1891, 481	<i>colattus</i>	1896, 60
<i>immanis</i>	1891, 482	<i>coroller</i>	1893, 102
<i>rothschildi</i>	1891, 481		1896, 54
	1891, 482	<i>dara</i>	1892, 651
<i>Pachypalpia dispilalis</i>	1897, 685		1893, 102
<i>Pachyprora orientalis</i>	1895, 489	<i>epictetus</i>	1893, 102
<i>Pachyrhamphus albi-</i>		<i>flava</i>	1893, 102
<i>nucha</i>	1893, 166	<i>gola</i>	1892, 652
	1893, 167		1893, 102
	1893, 168	<i>goloides</i>	1893, 102
<i>niger</i>	1896, 369	<i>lascivia</i>	1893, 102
<i>polychropterus</i>	1896, 369	<i>marnas</i>	1893, 102
<i>versicolor</i>	1896, 369	<i>mæsa</i>	1893, 92
<i>Pachyrhopala phidias</i>	1893, 11		1893, 101
<i>Pachysmopoda abbrevi-</i>			1893, 102
<i>ata</i>	1898, 384	<i>mæsoïdes</i>	1892, 651
<i>Pachythyris rajah</i>	1897, 609		1893, 102
<i>siculoides</i>	1897, 609	<i>oides</i>	1900, 510
<i>thyridina</i>	1897, 609	<i>palmarum</i>	1892, 652
<i>Pachytoma gigantea</i>	1892, 93		1893, 102
	1893, 747	<i>prusias</i>	1893, 102
<i>obscura</i>	1892, 93		1893, 103
<i>Pachytylus migrator-</i>		<i>pseudomæsa</i>	1893, 102
<i>oides</i>	1894, 2		1900, 510
<i>Pachyura hosei</i>	1893, 495	<i>sunias</i>	1892, 651
<i>indica</i>	1893, 495		1893, 102
<i>Pachyzancla</i>	1898, 601	<i>watsoni</i>	1893, 671
	1899, 201		1895, 634
<i>acyptera</i>	1899, 205		1896, 60
<i>ægrotalis</i>	1898, 369		1896, 108
	1899, 204		1896, 131
<i>bipunctalis</i>	1899, 204	<i>zeno</i>	1895, 733
<i>calistalis</i>	1899, 205		1896, 46

	Page		Page
Padraona zeno	1896, 59	Pagurus tibicen	1898, 462
	1896, 103	(Aniculus) aniculus.	1898, 461
	1896, 108	(Calcinus) tibicen	1898, 462
	1896, 131	Pagyda	1898, 596
	1899, 974		1898, 634
	1900, 945	amphisalis	1898, 635
Paduka glandulosa	1892, 647	argyritis	1898, 635
	1893, 85	aurantialis	1898, 635
	1893, 86	auroralis	1898, 635
lebadea	1892, 647	botydalis	1898, 635
	1893, 72	calida	1898, 635
	1893, 85	caritalis	1898, 636
	1893, 86	discolor	1898, 635
subfasciata	1893, 86	erythrias	1898, 636
Pædisca lavaterana	1897, 127	exalbalis	1898, 636
longipalpana	1891, 506	fulvistriga	1898, 636
	1891, 544	lustralis	1898, 636
	1897, 126	paraphragma	1898, 636
simulana	1897, 129	pœasalis	1898, 636
strenuana	1897, 127	quadrilineata	1898, 636
Pagara venosa	1896, 636	rubricatalis	1898, 635
Pagellus centrodonatus .	1899, 447	salvalis	1898, 634
erythrinus	1899, 507		1898, 635
mormyrus	1899, 478	schaliphora	1898, 635
penna	1899, 471	straminealis	1898, 636
Pagophila eburnea	1896, 781	subtessellalis	1898, 636
Pagrus guttulatus	1899, 471	traducalis	1896, 274
vulgaris	1899, 478		1898, 636
	1899, 505	Pais gordonii	1895, 267
Paguma leucomystax ..	1900, 329	Palæaster ruthveni ...	1896, 1035
trivirgata	1900, 330	Palæmon sp.	1898, 1001
Pagurus aniculus	1898, 461		1898, 1009
asper	1898, 460	endehensis	1899, 710
clypeatus	1898, 459	hispidus	1898, 1002
comptus	1900, 535	lar	1898, 1001
corallinus	1898, 463		1898, 1008
decorus	1898, 461	marmoratus	1898, 1009
deformis	1898, 458	moorei	1899, 709
	1898, 460		1899, 712
elegans	1898, 461	niloticus	1899, 710
euopsis	1898, 457	ornatus	1898, 1008
	1898, 461	pilimanus	1900, 93
forceps	1900, 535	scabriculus	1899, 710
	1900, 536	serratus	1898, 311
gaimardii	1898, 462	(Macrobrachium)	
gemmatus	1898, 460	pilimanus	1900, 93
guttatus	1898, 461	Palæmonella tridentata.	1898, 1000
lævimanus	1898, 462		1898, 1007
latens	1898, 458		1898, 1015
latro	1898, 458	Palæmonetes varians ..	1898, 1004
lividus	1898, 462		1899, 937
maculatus	1900, 592	Palæolybas dorsalis	1892, 96
pedunculatus	1898, 460	Palæonictis	1899, 558
punctulatus	1898, 458	Palæophiura simplex ..	1896, 1034
	1898, 461	Palæornis	1899, 34
setifer	1898, 457		1899, 35
	1898, 460		1899, 45
	1898, 461		1899, 46

	Page		Page
<i>Palæornis derbianus</i> ..	1900, 304	<i>Palomena viridissima</i> ..	1900, 811
<i>docilis</i>	1900, 958	<i>Paloplotherium mag-</i>	
<i>fasciata</i>	1900, 484	<i>num</i>	1893, 209
<i>javanicus</i>	1900, 459	<i>Palpares papilionoides</i> ..	1900, 34
.....	1900, 484	<i>tristis</i>	1900, 34
<i>lathamii</i>	1900, 484	<i>walkeri</i>	1900, 34
<i>Palæortyx</i> sp.	1893, 521	<i>Palthis agrotoralis</i>	1896, 642
.....	1893, 522	<i>arcasalis</i>	1891, 515
<i>blanchardi</i>	1893, 520	1897, 173
<i>brevipes</i>	1893, 521	1898, 368
<i>edwardsi</i>	1893, 517	<i>aspisalis</i>	1896, 642
.....	1893, 519	1896, 648
.....	1893, 520	<i>mimasalis</i>	1891, 515
.....	1893, 522	1897, 173
<i>gallica</i>	1893, 520	<i>Paltothyreus pesti-</i>	
<i>grivensis</i>	1893, 521	<i>lentius</i>	1900, 47
.....	1893, 522	<i>Paludicola borellii</i>	1898, 477
<i>maxima</i>	1893, 520	<i>Paludina bengalensis</i>	
.....	1893, 522	<i>polygramma</i>	1891, 347
<i>Palæospondylus gunni</i> .	1897, 313	<i>sumatrensis</i>	1891, 347
.....	1897, 314	<i>Palyna metagona</i>	1896, 638
.....	1898, 343	<i>Palystodes</i>	1899, 879
<i>Palæosyops lævidens</i> ..	1893, 209	<i>plumosus</i>	1899, 879
<i>Palæotragus rouenii</i> ..	1891, 319	1899, 885
.....	1891, 320	<i>Pamea excavata</i>	1896, 634
<i>Palaina nevillei</i>	1891, 343	<i>notata</i>	1896, 634
<i>superba</i>	1891, 344	<i>vittata</i>	1896, 634
<i>Palanedeia</i>	1898, 92	<i>Pamera bilobata</i>	1893, 705
<i>cornuta</i>	1894, 495	1894, 186
.....	1894, 536	<i>curvipes</i>	1894, 186
.....	1895, 350	<i>parvula</i>	1894, 186
.....	1895, 358	<i>serripes</i>	1893, 705
.....	1896, 312	<i>vincta</i>	1893, 705
.....	1893, 623	1894, 186
<i>Palarus orientalis</i>	1896, 444	<i>Pammeces albivitella</i> ..	1897, 104
<i>Palastropecten zitteli</i> ..	1896, 1038	<i>lithochroma</i>	1897, 103
<i>Paleopithecus</i>	1898, 77	1897, 104
<i>Paliga</i>	1899, 252	<i>pallida</i>	1897, 103
<i>contractalis</i>	1899, 246	<i>Pammene pharaonana</i> ..	1896, 277
<i>fuscicostalis</i>	1899, 263	<i>Pampa acuminata</i>	1896, 636
<i>rubicundalis</i>	1899, 263	<i>fusiformis</i>	1896, 636
<i>Palindia</i> sp.	1898, 368	<i>Pamphila</i> sp.	1900, 202
<i>alabastraria</i>	1896, 638	1900, 203
<i>cæruleilinea</i>	1896, 639	<i>adon</i>	1896, 41
<i>perlata</i>	1896, 639	<i>adosus</i>	1896, 41
<i>punctangulata</i>	1896, 638	<i>ahrendti</i>	1893, 668
<i>spectabilis</i>	1896, 639	<i>albigutta</i>	1896, 59
<i>Palla ussheri</i>	1894, 341	<i>albirostris</i>	1896, 62
<i>varanes</i>	1893, 650	<i>amadhu</i>	1893, 672
.....	1894, 341	1896, 73
.....	1894, 562	1896, 132
<i>Palmipes rosaceus</i>	1900, 289	<i>argenteipuncta</i>	1896, 41
.....	1900, 297	<i>argyrostigma</i>	1893, 90
<i>Palmista palmarum</i>	1897, 933	<i>ariel</i>	1896, 77
<i>Paloda dentifera</i>	1896, 645	<i>aures</i>	1896, 102
<i>Palomena prasina</i>	1900, 811	<i>ayresii</i>	1891, 104
<i>unicolor</i>	1900, 811	1896, 72
.....	1900, 825	<i>borbonica</i>	1891, 104

	Page		Page
<i>Pamphila borbonica</i> ..	1894, 77	<i>Pamphila hottentota</i> ..	1896, 58
	1896, 62	<i>ibara</i>	1896, 61
	1896, 66	<i>icteria</i>	1896, 45
<i>brontes</i>	1893, 90		1898, 415
<i>bubovi</i>	1896, 38	<i>ignita</i>	1896, 39
<i>cænira</i>	1896, 82	<i>ilerda</i>	1896, 91
<i>callicles</i>	1891, 102	<i>incerta</i>	1896, 75
	1896, 55	<i>inconspicua</i>	1893, 672
<i>calpis</i>	1896, 89		1894, 77
<i>camerona</i>	1896, 47		1894, 352
<i>chamæleon</i>	1896, 73		1896, 61
<i>chirala</i>	1894, 18		1896, 537
	1894, 76	<i>leonora</i>	1896, 88
	1894, 77	<i>lepenula</i>	1896, 54
	1894, 82	<i>letterstedti</i>	1896, 58
	1896, 28	<i>leucosoma</i>	1896, 47
<i>chrysauge</i>	1896, 41	<i>lodra</i>	1896, 61
<i>cinerea</i>	1896, 66	<i>lugens</i>	1893, 673
<i>cojo</i>	1896, 70		1896, 66
<i>comus</i>	1896, 93	<i>mackenii</i>	1894, 78
<i>coroller</i>	1896, 54		1896, 29
<i>detecta</i>	1896, 63		1896, 30
	1900, 945	<i>macomo</i>	1896, 55
<i>dysmephila</i>	1894, 77	<i>mæsa</i>	1892, 651
	1896, 94	<i>mæsoides</i>	1892, 651
<i>eltola</i>	1892, 649	<i>malchus</i>	1894, 77
<i>erinnys</i>	1894, 77	<i>mandan</i>	1893, 90
	1896, 93	<i>mangala</i>	1892, 650
<i>ethlius</i>	1896, 520	<i>marchalii</i>	1896, 66
<i>euryspila</i>	1896, 69	<i>mathias</i>	1894, 77
<i>fallatus</i>	1896, 63	— <i>elegans</i>	1896, 61
<i>fatuellus</i>	1891, 104	<i>mesapano</i>	1893, 90
	1893, 672	<i>micipsa</i>	1894, 77
	1894, 582		1896, 60
	1896, 66	<i>misera</i>	1900, 203
	1896, 131	<i>mohopaani</i>	1891, 104
	1898, 415		1894, 77
<i>fiara</i>	1896, 94		1896, 60
<i>galesa</i>	1896, 72		1896, 61
<i>gambica</i>	1896, 59	<i>monasi</i>	1891, 104
<i>gemella</i>	1896, 62		1896, 70
<i>gillias</i>	1894, 77		1896, 71
	1896, 28	<i>morantii</i>	1891, 102
<i>gisgon</i>	1893, 670		1894, 74
	1896, 39		1894, 75
<i>gonessa</i>	1896, 102		1894, 607
<i>grandiplaga</i>	1896, 72		1896, 45
	1896, 73		1896, 46
<i>harona</i>	1894, 74	<i>moritili</i>	1891, 104
	1894, 75		1894, 77
	1896, 46		1896, 72
<i>herilus</i>	1896, 76	<i>murga</i>	1896, 71
<i>heterochrus</i>	1896, 32	<i>mystic</i>	1894, 77
<i>heterophyla</i>	1896, 73	<i>natalensis</i>	1896, 71
<i>hottentota</i>	1891, 103	<i>neoba</i>	1896, 71
	1891, 104	<i>niveostriga</i>	1896, 56
	1894, 78	<i>nostrodamus</i>	1896, 58
	1894, 352	<i>nox</i>	1896, 66

	Page		Page
Pamphila obumbrata ..	1891, 10	Pamphila zabulon	1894, 77
	1891, 103	zeno	1894, 76
	1891, 107		1894, 352
	1896, 59		1895, 738
occulta	1891, 61		1896, 59
	1891, 103		1896, 131
	1891, 104		1900, 945
	1896, 59	zimbaso	1896, 45
octo-fenestrata	1896, 61	zimbaso	1894, 15
ophiusa	1894, 72		1894, 18
palæmon	1893, 72		1894, 74
	1893, 89		1894, 82
	1893, 90		1894, 607
palmarum	1892, 652	Pamphilus leucopyga ..	1896, 74
paniscus	1893, 90	Panæthia georgiata	1892, 131
panoquin	1896, 520	Panchala paramuta	1892, 632
parilis	1896, 520	Panchlora maderæ	1892, 205
peckius	1894, 77	surinamensis	1892, 205
philander	1893, 669	viridis	1892, 199
	1894, 78		1892, 205
	1896, 81		1893, 604
	1896, 843	Pandarus affinis	1899, 467
phylæus	1896, 520	alatus	1899, 464
	1900, 203	armatus	1899, 467
poutieri	1896, 63	bicolor	1899, 466
quaternata	1896, 94	bosci	1899, 466
ranoha	1893, 670	brevicaudatus	1899, 467
	1894, 15	carchariæ	1899, 466
	1894, 74	cocinnatus	1899, 467
	1894, 582	cranchii	1899, 466
	1894, 607	dentatus	1899, 466
	1896, 45	fissifrons	1899, 466
	1896, 129	lugubris	1899, 467
rega	1896, 78	pallidus	1899, 466
rhabdophorus	1896, 45	satyrus	1899, 467
roncilgonis	1894, 78	vulgaris	1899, 466
	1896, 70	zygæna	1899, 467
rufipuncta	1896, 70	Pandemis securiferana ..	1899, 649
ruso	1893, 669	Pandinus africanus	1899, 836
	1896, 39	bellicosus	1900, 53
	1896, 129		1900, 61
	1896, 841		1900, 62
sator	1896, 75	cavimanus	1900, 61
sinnis	1896, 62	colei	1900, 53
siva	1892, 651		1900, 59
sosia	1896, 45		1900, 61
splendens	1896, 60	dictator	1899, 836
statira	1896, 69	gregorii	1900, 58
stoechri	1896, 88	hawkeri	1900, 60
subflavidus	1896, 34		1900, 62
sylvicola	1893, 90	imperator gambi-	
sylvius	1893, 90	ensis	1899, 836
tarace	1896, 70	— typicus	1899, 836
thaumas	1900, 203	meidensis	1900, 58
violascens	1896, 90		1900, 62
watsoni	1895, 738	militaris	1900, 61
weiglei	1896, 95		1900, 62
xylos	1896, 67		1900, 63

	Page		Page
<i>Pandinus pallidus</i>	1900, 58	<i>Pantala flavescens</i>	1898, 386
	1900, 59	<i>Pantholops hodgsoni</i> ..	1893, 449
<i>peeli</i>	1900, 48	<i>Pantoclenia gemmans</i> ..	1896, 845
	1900, 53	<i>Pantoccome</i>	1899, 201
	1900, 60	<i>deformis</i>	1899, 203
	1900, 61	<i>Pantograpta cybelealis</i> ..	1898, 717
	1900, 62	<i>orsonalis</i>	1898, 717
<i>phillipsi</i>	1900, 63	<i>Pantolambda cavipectus</i> ..	1899, 568
	1900, 58	<i>Panulirus penicillatus</i> ..	1898, 1001
	1900, 59		1898, 1014
	1900, 62	<i>Paonias excæcatus</i>	1893, 279
<i>pugillator</i>	1900, 48	<i>Paophila garnoti</i>	1898, 368
	1900, 52	<i>immunis</i>	1898, 368
	1900, 61	<i>obligata</i>	1898, 368
	1900, 63	<i>Paphia inachus</i>	1891, 283
<i>roeseli</i>	1899, 836	<i>paralekta</i>	1891, 283
<i>smithi</i>	1900, 58	<i>Papilio acheron</i>	1900, 510
	1900, 62	<i>achine</i>	1891, 98
<i>Pandion haliaëtus</i>	1900, 304		1897, 30
	1900, 491	<i>actæon</i>	1896, 57
<i>Panesthia javanica</i>	1897, 904	<i>æsopeus</i>	1895, 594
<i>Pangæus</i> sp.	1893, 705	<i>agamemnon</i>	1892, 120
<i>margo</i>	1894, 171	<i>agatha</i>	1891, 78
<i>serripes</i>	1893, 705		1893, 653
<i>Pangonia bricchetii</i> ..	1900, 8		1894, 36
<i>tricolor</i>	1900, 7		1894, 565
	1900, 8		1895, 261
	1900, 63		1895, 728
<i>Panisala olivescens</i>	1893, 395		1896, 112
<i>truncataria</i>	1893, 395		1896, 826
<i>Panochthus</i>	1899, 145		1898, 399
<i>tuberculatus</i>	1899, 152		1900, 920
<i>Panolia acuticornis</i>	1900, 372	<i>agathina</i>	1891, 95
<i>eldi</i>	1900, 303		1893, 662
<i>Panomœa borneensis</i> ..	1897, 463		1894, 63
<i>cinghalensis</i>	1897, 463		1894, 570
<i>coccinellina</i>	1897, 463		1895, 263
<i>indiana</i>	1897, 462		1896, 124
	1897, 463		1896, 833
	1897, 464		1898, 407
<i>pardalina</i>	1897, 463	<i>agenor</i>	1900, 509
<i>sumatrensis</i>	1897, 462	<i>agetes</i>	1900, 510
	1897, 463	<i>ajax</i>	1891, 180
<i>undecimnotata</i>	1897, 463		1892, 194
<i>Panopæus caystrus</i>	1900, 580		1893, 279
<i>Panopea coromana</i>	1896, 532		1894, 134
<i>delagoæ</i>	1898, 51		1895, 138
<i>expansa</i>	1893, 650		1896, 241
	1900, 913		1897, 296
	1900, 919		1898, 80
<i>heliogenes</i>	1900, 919		1899, 293
<i>heliogenis</i>	1896, 823		1900, 182
	1896, 850	<i>alceæ</i>	1896, 26
<i>tarquinia</i>	1900, 913	<i>alcesta</i>	1893, 663
	1900, 919		1894, 62
<i>walensensis</i>	1896, 532		1894, 570
<i>Pansydia canaxa</i>	1893, 100		1896, 833
<i>Pantala flavescens</i>	1896, 521		1898, 407

	Page		Page
<i>Papilio alcesta</i>	1900, 932	<i>Papilio bathycles</i>	1892, 120
alexanor	1892, 194		1900, 510
	1893, 279	bennetti	1898, 381
alexis	1892, 626		1898, 382
	1892, 648		1898, 391
alsus	1900, 110	bibulus	1894, 61
amata	1897, 9	bixæ	1896, 101
anacardii	1893, 653	bochus	1892, 626
	1894, 35		1895, 580
	1894, 564	bonhotei	1900, 201
	1896, 825		1900, 203
	1900, 918	brasidas	1894, 69
andræmon	1900, 201		1898, 198
antheus	1891, 100	brigitta	1891, 94
— utuba	1899, 973		1894, 570
antinatorii	1896, 528	bromius	1893, 557
	1896, 537		1895, 737
	1897, 693		1897, 693
	1898, 822		1898, 822
apidanus	1892, 631	— brontes	1895, 720
aratus	1891, 368	brontes	1894, 351
	1895, 584		1895, 737
archesia	1894, 34		1896, 537
	1895, 258	brutus	1894, 70
	1896, 823		1895, 253
arcturus	1891, 251	bubastus	1893, 660
arethusa	1897, 27	cæcilia	1894, 566
argia	1894, 580	calais	1894, 571
	1900, 938		1897, 9
argiades	1892, 624		1898, 408
	1895, 577		1900, 933
aristolochiæ	1900, 510	camillus	1895, 729
arycles	1892, 120	camulus	1894, 41
asterias	1891, 180	cardui	1893, 653
	1892, 194		1894, 564
	1893, 279		1895, 259
	1894, 134		1895, 628
	1895, 138		1895, 728
	1896, 241		1896, 112
	1897, 296		1898, 398
	1898, 80		1900, 918
	1899, 293	castor	1894, 41
	1900, 182	celæus	1891, 81
atymnus	1892, 641	celeno	1892, 626
	1895, 618		1895, 583
augias	1892, 651	cenea	1894, 18
aurelius	1891, 270		1894, 70
aurora	1897, 26		1894, 351
axion	1900, 510		1898, 414
bæticus	1892, 445		1900, 938
	1894, 568		1900, 939
	1895, 587	centaurus	1892, 629
	1895, 630		1895, 589
	1895, 732	chaon	1900, 509
	1896, 118	chrysippus	1893, 644
	1896, 828		1894, 558
	1898, 403		1895, 723
	1900, 930		1896, 821

	Page		Page
<i>Papilio chrysippus</i>	1899, 810	<i>Papilio dædalus</i>	1891, 80
<i>clelia</i>	1891, 74		1893, 653
	1893, 653		1894, 37
	1894, 32		1894, 565
	1894, 563		1895, 261
	1895, 259		1895, 728
	1895, 726		1896, 112
	1896, 824		1896, 825
	1898, 398		1898, 399
	1900, 917		1900, 919
<i>cloantha</i>	1893, 652	<i>damis</i>	1893, 537
	1894, 32		1893, 539
	1894, 563	<i>damocles</i>	1895, 722
	1896, 111	<i>dan</i>	1891, 659
	1900, 917	<i>danaë</i>	1897, 22
<i>cocalia</i>	1895, 728	<i>danis</i>	1891, 365
<i>cocles</i>	1891, 282		1893, 536
<i>cœneus</i>	1897, 26		1893, 539
<i>colonna</i>	1894, 351	<i>dardanus</i>	1894, 351
	1894, 581	<i>demodocus</i>	1900, 940
<i>columbina</i>	1893, 653	<i>demoleus</i>	1891, 101
	1894, 565		1893, 557
	1895, 261		1893, 667
	1896, 113		1894, 69
	1898, 399		1894, 350
<i>comus</i>	1896, 93		1894, 581
<i>constantinus</i>	1891, 187		1895, 720
	1891, 188		1895, 736
	1893, 668		1896, 248
	1894, 352		1896, 255
	1894, 581		1896, 256
	1897, 855		1896, 528
	1898, 414		1896, 536
<i>continentalis</i>	1900, 510		1896, 852
<i>corinneus</i>	1891, 100		1897, 693
	1893, 667		1897, 855
	1894, 69		1898, 56
	1895, 138		1898, 371
	1895, 263		1898, 381
	1895, 720		1898, 382
	1896, 129		1898, 414
	1898, 56		1898, 822
	1898, 198		1898, 824
	1898, 413		1898, 827
<i>creona</i>	1898, 412		1899, 425
<i>cresphontes</i>	1891, 180		1899, 812
	1892, 194		1900, 17
	1894, 134		1900, 509
	1895, 138	<i>doddsi</i>	1900, 510
	1896, 241	<i>donaldsoni</i>	1896, 537
	1897, 296	<i>dryope</i>	1893, 654
	1898, 80		1894, 36
	1900, 182		1894, 561
<i>crithea</i>	1895, 728		1895, 729
<i>cupavia</i>	1895, 728		1898, 400
<i>cyanea</i>	1893, 549		1900, 921
<i>cynorta</i>	1891, 188	<i>dubius</i>	1895, 725
<i>cypæra</i>	1897, 9	<i>eborea</i>	1897, 22

	Page		Page
<i>Papilio eborea</i>	1897, 27	<i>Papilio forestan</i>	1891, 107
<i>echerioides</i>	1891, 189		1894, 81
	1894, 70		1896, 98
	1894, 71		1896, 133
	1895, 737		1898, 416
<i>edipus</i>	1896, 75		1900, 946
<i>edusa</i>	1893, 663	<i>ganeesa</i>	1891, 251
	1896, 833	<i>goetzius</i>	1900, 922
<i>egina</i>	1895, 731	<i>gyas</i>	1891, 251
<i>electo</i>	1900, 932		1891, 258
<i>electra</i>	1894, 67	<i>hamela</i>	1900, 509
	1894, 570		1900, 511
	1895, 633	<i>hanna</i>	1897, 27
	1896, 125	<i>haquinus</i>	1891, 287
<i>elephenor</i>	1891, 250	<i>haraldus</i>	1895, 575
<i>enecedon</i>	1891, 72	<i>harpax</i>	1891, 89
	1894, 29		1893, 662
	1900, 922		1894, 55
<i>ennius</i>	1896, 93		1895, 631
<i>enotrea</i>	1895, 729		1898, 405
<i>epidanus</i>	1895, 590	<i>helenus</i>	1900, 509
<i>eponina</i>	1893, 655	<i>helops</i>	1896, 93
	1893, 656	<i>hesperus</i>	1894, 351
	1895, 730	<i>hiarbas</i>	1894, 36
<i>eran</i>	1891, 251		1900, 921
<i>erinus</i>	1893, 668	<i>hippocoon</i>	1894, 70
	1894, 581	<i>hippocrates</i>	1898, 404
	1895, 720	<i>horribilis</i>	1895, 635
	1895, 737		1895, 721
	1897, 693		1896, 840
	1897, 695	<i>hylax</i>	1892, 621
	1898, 56		1895, 570
	1898, 822	<i>ilioneus</i>	1895, 138
<i>etolus</i>	1892, 639		1897, 296
	1895, 605	<i>ilithyia</i>	1891, 78
<i>eucharis</i>	1897, 26		1894, 36
<i>eumolphus</i>	1892, 631		1894, 561
<i>euphranor</i>	1897, 855		1898, 400
	1898, 199		1900, 922
<i>eurydamus</i>	1896, 514	<i>inaria</i>	1893, 650
	1896, 518		1894, 562
<i>evemon</i>	1892, 120	<i>iphis</i>	1896, 101
<i>evippe</i>	1897, 27	<i>jacksoni</i>	1891, 188
<i>exclamationis</i>	1892, 645		1891, 194
<i>fausta</i>	1897, 8		1894, 71
<i>flavus</i>	1896, 57		1894, 351
<i>flesus</i>	1894, 80		1895, 722
	1896, 16		1895, 737
	1896, 841	<i>jarbas</i>	1892, 643
<i>florella</i>	1891, 99	<i>jupiter</i>	1896, 101
	1893, 664	<i>kirbyi</i>	1894, 581
	1894, 68	<i>krishna</i>	1891, 251
	1894, 578		1891, 258
	1896, 128	<i>laches</i>	1894, 61
	1896, 254	<i>larydas</i>	1894, 51
	1898, 412	<i>leda</i>	1894, 22
	1900, 935		1900, 914
<i>folus</i>	1892, 655		

	Page		Page
Papilio leonidas	1893, 667	Papilio metis	1894, 71
	1894, 68		1896, 48
	1894, 350		1900, 944
	1898, 56	minerva	1891, 264
linea	1896, 57	minimus	1900, 110
lineola	1896, 57	minutus	1900, 110
lingeus	1893, 659	miriam	1893, 645
	1894, 50	misippus	1893, 650
	1895, 733		1894, 562
	1896, 251		1895, 725
lurlinus	1891, 100		1896, 249
	1893, 666		1896, 823
	1896, 852		1898, 398
lyæus	1894, 69		1899, 810
	1894, 70		1900, 919
lycia	1893, 656	morania	1891, 61
	1894, 566		1891, 100
	1895, 730		1891, 107
	1898, 400	nedymona	1895, 620
lysimon	1891, 82	neodamas	1896, 519
	1892, 623	nireus	1894, 69
	1900, 103		1894, 70
maackii	1892, 194		1894, 350
machaon	1891, 180		1895, 634
	1891, 258		1896, 537
	1892, 194		1898, 199
	1893, 279		1898, 414
	1894, 134		1899, 973
	1895, 138		1900, 939
	1896, 241		1900, 940
	1897, 296	niso	1896, 58
	1897, 297	nivinox	1893, 667
	1898, 80		1895, 263
	1899, 293		1895, 270
	1900, 181		1896, 851
machaonides	1898, 366		1896, 852
mackinnoni	1891, 187	nobilis	1900, 913
	1891, 194		1900, 938
	1894, 351	nothus	1896, 79
	1894, 722	nyassæ	1894, 351
	1895, 737		1894, 581
meleagris	1891, 80		1898, 56
melicerta	1895, 728	octavia	1891, 75
menesthius	1894, 69		1894, 34
menippe	1894, 567	oileus	1896, 26
merope	1893, 668	ophidicephalus	1893, 667
	1894, 70		1894, 69
	1894, 351		1894, 352
	1894, 581		1895, 264
	1898, 414		1897, 855
— dardanus	1898, 56		1898, 199
	1898, 414	ophion	1894, 80
	1898, 824		1896, 16
mesentina	1891, 95	ophione	1894, 561
	1894, 579		1900, 921
	1895, 263	otis	1892, 623
	1899, 812		1895, 575
	1900, 937		1900, 111

	Page		Page
Papilio palemon	1895, 733	Papilio pseudonireus ..	1895, 633
	1896, 121		1895, 634
	1896, 831		1896, 528
	1900, 928		1896, 839
paris	1891, 251		1898, 371
	1900, 510	pumilio	1896, 58
parsimon	1891, 81	pygmæus	1896, 58
	1894, 47	pylades	1891, 100
	1895, 732		1896, 852
pelodurus	1895, 720	quirina	1895, 731
	1895, 721		1900, 923
periander	1891, 282	rex	1900, 913
perion	1893, 662		1900, 938
	1894, 570	rhetenor	1891, 251
	1896, 123	rhodope	1894, 68
	1896, 832	rosimon	1892, 628
phalantha	1894, 31		1895, 586
	1900, 920	saba	1893, 666
phidias	1896, 101		1894, 63
philenor	1893, 279	sakontala	1891, 250
	1897, 296	sarpedon	1900, 510
	1900, 182	severina	1891, 96
philonoë	1894, 581		1893, 664
	1898, 413		1894, 64
phocion	1896, 79		1894, 578
phorcas	1894, 351		1896, 128
	1894, 581	similis	1894, 68
	1896, 839		1896, 852
	1900, 913		1898, 824
	1900, 939	slateri	1900, 510
podalirius	1891, 180	solandra	1893, 645
	1892, 194		1894, 558
	1893, 279		1895, 251
	1894, 134		1896, 821
	1895, 138		1898, 397
	1896, 241	sphinx	1895, 621
	1897, 296	spio	1900, 943
	1898, 80	striatus	1900, 510
	1899, 293	sulpitia	1891, 281
polícenes	1895, 720	sylvanus	1898, 405
	1896, 852	symethus	1892, 617
polistratus	1898, 56		1895, 559
pollux	1894, 41	taboranus	1895, 263
	1895, 252		1896, 851
polycæon	1898, 365	telearchus	1891, 250
polydamas	1898, 365	telephus	1892, 120
	1900, 202	telicanus	1891, 82
polynice	1891, 284		1900, 929
porthæon	1895, 138	terea	1894, 563
	1896, 852	terpsichore	1893, 655
preussius	1895, 737	thaumas	1896, 57
prexaspes	1892, 120	thersander	1900, 913
pringlei	1894, 352		1900, 939
	1894, 353		1900, 940
	1900, 938	thetis	1892, 634
protenor	1900, 509	thrax	1892, 656
proto	1896, 25	thysa	1894, 68

	Page		Page
<i>Papilio tibullus</i>	1894, 70	<i>Parabuthus pallidus</i>	1898, 499
	1900, 938	<i>Paracarnus mexicanus</i> .	1894, 194
	1900, 939	<i>Parachma lutealis</i>	1897, 659
timoleon	1892, 628	meterythra	1897, 659
tiridates	1893, 649	ochracealis	1897, 659
tragicus	1894, 581	<i>Paradisea apoda</i>	1895, 541
troilus	1894, 134		1900, 305
	1897, 296	minor	1896, 228
	1899, 293	papuana	1900, 305
	1900, 182	papuensis	1895, 541
trophonius	1894, 70	<i>Paradosis villosalis</i>	1898, 732
turnus	1894, 134	<i>Paradoxurus</i> sp.	1894, 366
	1895, 138	derbyanus	1900, 330
	1898, 80	finlaysonii	1900, 329
	1900, 182	hermaphroditus ..	1893, 495
varanes	1893, 650		1900, 329
	1894, 39		1900, 873
	1894, 562	laniger	1894, 449
	1895, 256	leucomystax	1893, 495
	1898, 397		1900, 301
venula	1896, 57		1900, 329
vindex	1891, 101	macrodus	1900, 328
	1894, 72		1900, 329
	1896, 22	musanga	1900, 328
virgula	1896, 57	niger	1900, 328
vulcanus	1892, 637	philippinensis	1893, 495
xenocles	1900, 510		1894, 357
zetes	1895, 731	typus	1894, 357
	1898, 366		1897, 372
zolicaon	1897, 296		1897, 378
	1897, 297		1897, 380
	1898, 80		1897, 387
	1899, 293		1897, 400
zoroastres	1894, 71		1897, 405
<i>Papio</i> sp.	1895, 341		1898, 153
anubis	1900, 952	tytleri	1900, 301
arabicus	1899, 929	<i>Paradrilus rosæ</i>	1891, 173
	1900, 95	<i>Paradros</i>	1893, 19
	1900, 96		1893, 39
doguera	1900, 773	alcmon	1893, 39
	1900, 802	eous	1893, 39
falconeri	1900, 97	phœnice	1893, 19
hamadryas	1895, 542		1893, 39
	1895, 545	<i>Paræcanthus</i> sp.	1893, 600
	1899, 929		1893, 610
	1900, 95	<i>Paragerydus aphocha</i> ..	1895, 557
	1900, 96		1895, 563
heuglini	1900, 802		1896, 652
maimon	1896, 784	caudatus	1895, 557
nemestrinus	1900, 315		1895, 563
pruinosis	1896, 789		1895, 626
	1897, 927	fabius	1895, 557
subhimalayanus ..	1900, 97		1895, 563
thoth	1896, 789	horsfieldi	1892, 618
	1897, 927		1895, 557
	1900, 96		1895, 561
<i>Parabuthus granimanus</i> .	1900, 56		1895, 562
heterurus	1900, 56		1896, 652

	Page		Page
Paragerydus melos	1896, 651	Parapanope euagora....	1900, 737
	1896, 652	Paraperipatus	1899, 9
moorei	1895, 557	Parapetalus orientalis..	1899, 445
	1895, 562	Paraphia epioneata	1896, 645
	1895, 626	macariata	1896, 645
pyxus.....	1895, 557	Parapison agile	1896, 441
	1895, 562	Parapontia subpunctata.	1898, 402
	1896, 652	undularis	1898, 402
taras	1892, 619	Parasa chloris	1895, 138
	1895, 557	fulvi-corpus	1896, 276
	1895, 563		1896, 283
waterstradti	1895, 557		1900, 21
	1895, 562	minima	1892, 322
	1895, 563	vidida	1898, 371
	1895, 626	Parasciurus niger.....	1897, 933
Paragrillus rex	1896, 652	Parasopia dissimilalis ..	1895, 921
	1893, 600	Parasphæria nigra	1892, 199
	1893, 609		1892, 206
Paragus scutellaris	1893, 159		1892, 220
Paralepis borealis	1898, 563	ParaspheX fervens	1896, 440
coregonoides.....	1898, 563	Parastagmatoptera flayo-	
sphyraenoides	1898, 563	guttata	1892, 207
Paralimnax inter-		lobipes	1892, 199
mittens	1891, 224		1892, 206
Paralomis	1900, 531		1892, 220
aculeata.....	1900, 532		1893, 605
aspera	1900, 532		1893, 611
	1900, 533	Parasynegia	1893, 413
formosa	1900, 532	complicata	1893, 414
	1900, 533	pluristriaria	1893, 414
granulosa	1900, 532	suffusa	1893, 414
	1900, 533	Parata alexis	1892, 648
indica.....	1900, 533	chromus	1892, 648
investigatoris	1900, 533		1893, 127
longipes.....	1900, 532	Paratalanta	1898, 602
multispina.....	1900, 532		1899, 251
papillata	1900, 532	ussurialis	1899, 251
verrilli	1900, 532	Parathelphusa	1899, 700
	1900, 533		1899, 703
verrucosa	1900, 532	convexa.....	1900, 93
	1900, 533	Parathemisto abyssorum	1898, 567
Paralophia	1893, 371		1898, 583
pustulata	1893, 371		1898, 585
	1893, 433	Parathyris ennomoides .	1896, 647
Paramesius thoracicus..	1895, 802	Paratilapia	1899, 99
Paramimus empolæus..	1893, 50		1899, 101
hemes	1893, 50	afra	1898, 138
lucaria	1893, 50		1898, 142
scurra	1893, 43		1899, 102
	1893, 50	bleekeri.....	1898, 137
stigma	1893, 50		1898, 139
Paramiomœa	1895, 751		1899, 101
heptatoma.....	1895, 751	bloyeti	1898, 138
Paramithrax peronii ..	1900, 528		1898, 143
(Chlorinoides) acu-			1899, 102
leatus armatus..	1900, 724	cavifrons	1898, 137
Paramorpha sp.	1894, 591		1898, 141
Parantipathes larix	1899, 814		1899, 102

	Page		Page
Paratilapia dimidiata ..	1898, 138	Paratilapia (Pelmatochro-	
	1898, 145	mis) büttikoferi .	1898, 147
	1899, 102	(—) jentinkii ..	1898, 148
furcifer	1898, 495	Paratiquadra	1897, 116
	1899, 103	forficulella	1897, 116
intermedia	1898, 138	Paratrechina vagabunda	1896, 409
	1898, 145	Paratrigonidium	1895, 895
	1899, 102	pacificum	1895, 895
leptosoma	1898, 495	Paratropis papilligera ..	1896, 722
	1899, 103		1896, 723
livingstonii	1898, 138		1896, 727
	1898, 145		1896, 766
	1899, 102	scruposa	1896, 723
longiceps	1898, 137		1896, 726
	1898, 138	Paraxerus cepapi	1897, 933
	1898, 146	Parbattia	1898, 601
	1899, 103		1899, 199
	1899, 143	vialis	1899, 199
longirostris	1898, 137		1899, 200
	1898, 140	Pardaleodes ariel	1896, 77
	1899, 101	astrape	1896, 77
macrops	1898, 495		1896, 104
	1899, 102	atratus	1896, 13
modesta	1898, 138	bule	1896, 104
	1898, 144	coanza	1893, 117
	1899, 102		1896, 75
moffati	1898, 137	edipus	1893, 93
	1898, 140		1893, 117
	1899, 101		1896, 75
pfefferi	1898, 495		1896, 76
	1899, 102	fan	1896, 79
polleni	1898, 137	festus	1893, 117
	1898, 138	fulgens	1894, 80
	1899, 101		1896, 12
	1899, 143	herilus	1896, 76
retrodens	1898, 138	illustris	1896, 12
	1898, 142	incerta	1896, 75
	1899, 102	interniplaga	1896, 13
robusta	1898, 137	ligora	1896, 78
	1898, 141	lucens	1896, 14
	1899, 102	parcus	1896, 77
	1899, 143	pusiella	1896, 77
sacra	1898, 137	reichenowi	1896, 76
	1898, 139		1896, 77
	1899, 101		1896, 104
	1899, 143	rutilans	1896, 12
schwebischi	1898, 138	sator	1893, 117
	1898, 144		1896, 75
	1899, 102	sierræ	1896, 78
serranus	1898, 138		1896, 104
	1898, 143	vibius	1896, 78
	1899, 102	xanthias	1896, 78
thumbergii	1898, 146		1896, 103
typus	1898, 137	xanthioides	1896, 78
	1898, 139		1896, 104
	1899, 101	xanthopeplus	1896, 76
ventralis	1898, 495		1896, 103
	1899, 103		1896, 104

	Page		Page
Pardasena acronyctella .	1899, 290	Parnara detecta	1896, 63
minorella	1899, 290		1898, 201
Pardomima acutalis . .	1898, 719		1898, 912
Pardopsis punctatissima.	1896, 524		1900, 945
	1896, 531	eltola	1892, 649
	1897, 692	flexilis	1893, 105
	1897, 924	gemella	1896, 62
	1898, 401	guttata	1892, 650
Parepanorthus minutus .	1895, 875		1893, 91
	1895, 878		1893, 105
Paretroplus	1899, 100	leucophæa	1896, 68
	1899, 142	mabea	1896, 68
damii	1899, 142	mangala	1893, 105
polyactis	1899, 142	marchalii	1893, 105
	1899, 143	mathias	1893, 105
Paribacus antarcticus . .	1898, 1001		1893, 132
	1898, 1014		1897, 857
Paricterodes	1893, 389		1899, 427
commixta	1893, 390		1899, 812
luciguttata	1893, 390	melphis	1896, 69
tenebraria	1893, 390	mencia	1893, 105
violacea	1893, 391	micans	1896, 63
	1893, 433		1896, 104
Paridnea holophæalis . .	1897, 665		1900, 913
Parisoma boehmi	1895, 490		1900, 946
Parnacella valen-		miosticta	1892, 650
ciennii	1891, 224	mohopaani	1893, 105
Parmarion beccarii . . .	1891, 24	moolata	1892, 650
	1891, 224	niso	1893, 558
doriæ	1891, 24	pagana	1892, 650
	1891, 224	picanini	1896, 72
everetti	1897, 778	plebeia	1892, 650
	1897, 779	poutieri	1893, 105
	1897, 780		1896, 63
	1897, 781	prominens	1893, 105
intermedium	1897, 778	pugnans	1892, 650
	1897, 779	semamora	1892, 650
	1897, 780	subnotata	1896, 70
	1897, 781	subochracea	1896, 63
martensi	1897, 779		1896, 104
	1897, 781	toona	1892, 649
pupillaris	1891, 34	unistriga	1896, 68
	1895, 247	ursula	1896, 64
	1895, 250		1896, 103
	1897, 780	watsoni	1892, 649
	1897, 781	Parnassius apollo	1892, 194
Parmula batesii	1896, 779		1893, 279
Parnara agna	1893, 105	Parcedis	1899, 185
argyrodes	1896, 68	Parosmodes harona . . .	1896, 46
austeni	1892, 650	icteria	1896, 45
bada	1893, 105		1898, 200
batangæ	1896, 73		1898, 415
bevani	1892, 650		1898, 911
borbonica	1893, 105	morantii	1896, 45
	1899, 427		1898, 200
	1896, 62	ranolia	1898, 200
cahira	1892, 650	Parotis planalis	1898, 733
chaya	1893, 105	Parra gymnostoma	1892, 472

	Page		Page
Parthenope (Lambrus)		Patlasingha maheta....	1893, 75
valida	1900, 726	petalia	1893, 75
Partula newcombiana ..	1892, 466	phigalia	1893, 71
Parus afer	1900, 2		1893, 74
	1900, 3		1893, 75
ater	1896, 315	scepticalis	1893, 75
— britannicus	1896, 315	Patula acuticostata	1892, 260
— typicus	1896, 315	aperta	1892, 463
britannicus	1896, 315	bilamellata	1892, 262
cinereus	1900, 469		1892, 269
dresseri	1896, 315	biplicata	1892, 262
major	1896, 158	cutteri	1892, 263
palustris	1896, 315	dianæ	1892, 261
— dresseri	1896, 315		1892, 269
— typicus	1896, 315	lætissima	1892, 261
thruppi	1895, 476		1892, 269
varius	1894, 457	leptalea	1892, 264
Paryphanta bisecta	1898, 437		1892, 269
	1898, 444	macrops	1892, 192
fimbriata	1898, 437		1892, 193
Pasipeda roseiventris ..	1898, 424	minutissima	1892, 264
satellitica	1898, 424		1892, 269
Passer cinnamomeus ..	1900, 305	multilamellata	1892, 260
dentatus	1900, 305	persoluta	1892, 261
diffusus	1894, 603		1892, 269
	1894, 606	polyodon	1892, 263
	1895, 469		1892, 264
	1900, 2		1892, 269
domesticus	1900, 957	pseustes	1892, 262
montanus	1900, 466		1892, 269
swainsoni	1894, 603	pusilla	1892, 259
	1895, 469	quinelirata	1892, 260
	1900, 305	radiella	1892, 260
Pastona rudis	1896, 639	spurca	1892, 260
	1896, 649		1892, 269
Pastor roseus	1896, 228	unilamellata	1892, 262
Patara albida	1895, 69	vernoni	1892, 262
guttata	1895, 69		1892, 269
Patella chitonoides	1891, 420	walkeri	1895, 720
Patiria sp.	1900, 289		1896, 850
briareus	1894, 396	(Macrocyclus)	
	1894, 404	obscurata	1891, 42
	1894, 413	Paurodon	1899, 557
Patissa sp.	1898, 441		1899, 571
curvilinealis	1895, 912	Pausiris fuscitarsus	1900, 240
erythrozonalis	1895, 911	rotundicollis	1900, 240
fulvosparsa	1895, 911	subfasciatus	1900, 239
	1898, 441	(Colaspidea) arach-	
lactealis	1895, 911	noides	1898, 232
latifuscalis	1895, 911	Pavoncella pugnax	1900, 3
tortualis	1895, 911	Pavonia calicifera	1898, 529
virginea	1895, 911		1898, 530
xantholeucalis	1895, 911		1898, 531
Patlasingha	1893, 71		1898, 539
	1893, 74	clavus	1898, 525
compacta	1893, 75	cristata	1898, 530
iacchus	1893, 75		1898, 531
lutea	1893, 75	decussata	1898, 530

	Page		Page
<i>Pavonia divaricata</i>	1898, 530	<i>Pedetes capensis</i>	1894, 362
<i>frondifera</i>	1898, 531		1899, 433
<i>intermedia</i>	1898, 529	<i>Pediculus salmonis</i>	1899, 500
	1898, 530	<i>Pedrillia madagascari-</i>	
	1898, 531	<i>ensis</i>	1897, 244
	1898, 533	<i>Peirates sulcicollis</i>	1894, 210
	1898, 539	<i>Pelæa ramalis</i>	1899, 286
<i>obtusangula</i>	1898, 536	<i>Pelagodroma</i>	1899, 1026
<i>repens</i>	1898, 529	<i>marina</i>	1899, 393
	1898, 531	<i>Pelamis bicolor</i>	1892, 482
	1898, 539		1899, 686
<i>Pavonina flabelli-</i>		<i>Pelamys sarda</i>	1899, 452
<i>formis</i>	1894, 651	<i>Pelargodes magnus</i>	1891, 477
<i>Pecten challengerii</i>	1891, 443		1891, 479
	1891, 445	<i>Pelargopsis magnus</i>	1891, 477
<i>lividus</i>	1891, 434	<i>Pelagis hypogryphalis</i> .	1897, 681
<i>luculentus</i>	1891, 434	<i>Pelea capreolus</i>	1895, 360
<i>plica</i>	1891, 434	<i>Pelecanoides garnoti</i> ..	1899, 411
<i>sanguineus</i>	1891, 435	<i>urinatrix</i>	1899, 410
<i>sanguinolentus</i>	1891, 435	<i>Pelecanus</i>	1898, 83
<i>senatorius</i>	1891, 392		1898, 84
	1891, 393		1898, 85
	1891, 395		1898, 86
	1891, 434		1898, 87
<i>splendidulus</i>	1891, 435		1898, 89
<i>varius</i>	1891, 392		1898, 90
	1891, 393		1898, 91
	1891, 395		1898, 94
<i>Pectinator spekii</i>	1891, 244		1898, 95
	1898, 766		1898, 96
<i>Pectinura arenosa</i>	1894, 406		1898, 97
<i>capensis</i>	1894, 406		1898, 98
<i>elegans</i>	1894, 396		1898, 99
	1894, 406		1899, 780
<i>gorgonia</i>	1898, 849	<i>crispus</i>	1898, 852
<i>heros</i>	1894, 406	<i>fuscus</i>	1896, 145
<i>infernalis</i>	1894, 396	<i>gaimardi</i>	1892, 396
	1894, 406	<i>manillensis</i>	1892, 1
<i>megaloplax</i>	1894, 394		1900, 492
<i>sphenisci</i>	1894, 394	<i>minor</i>	1900, 598
	1894, 406	<i>mitratus</i>	1898, 902
	1894, 413	<i>molinae</i>	1892, 399
<i>spinosa</i>	1894, 406	<i>onocrotalus</i>	1899, 827
<i>Pectunculus amboin-</i>			1900, 960
<i>ensis</i>	1891, 433	<i>philippensis</i>	1900, 492
<i>pectiniiformis</i>	1891, 432	<i>roseus</i>	1900, 598
	1891, 433	<i>rufescens</i>	1892, 1
<i>pectunculus</i>	1891, 432		1898, 101
<i>subauritus</i>	1891, 432		1900, 960
	1891, 433	<i>Pelena unicolor</i>	1895, 974
<i>Pedestes</i>	1893, 71	<i>Pelias berus</i>	1891, 579
	1893, 81		1893, 596
<i>masuriensis</i>	1893, 71	— <i>ursinii</i>	1893, 596
	1893, 81	<i>chersea</i>	1893, 596
<i>pandita</i>	1893, 81	<i>migratorius</i>	1898, 1004
<i>Pedetes</i>	1899, 1004	<i>renardi</i>	1893, 598
<i>caffer</i>	1898, 858		1893, 758
	1899, 428		1893, 760
<i>capensis</i>	1894, 357	<i>ursinii</i>	1893, 596

	Page		Page
Pelcinus	1891, 559	Pelobates cultripes	1891, 627
marmoratus	1891, 559	fuscus	1891, 593
	1891, 575		1891, 601
Pelidna alpina	1900, 499		1891, 602
Pelinobius muticus	1897, 746		1891, 603
	1898, 504		1891, 604
Pelion thaumas	1893, 98		1891, 605
Pella arnotti	1893, 634		1891, 614
Pellicia castolus	1893, 56		1891, 615
dimidiana	1893, 44		1891, 616
	1893, 56		1891, 626
ithrana	1893, 56		1891, 627
nyctineme	1893, 56		1893, 275
	1893, 57		1897, 580
Pellina eusiphonia	1900, 138		1897, 594
Pelmatochromis	1899, 99	syriacus	1894, 643
	1899, 103	Pelochelys cantoris	1896, 861
buettikoferi	1898, 147		1899, 601
	1899, 103		1899, 602
congicus	1898, 147		1899, 621
	1898, 149	Pelocoris femorata	1894, 223
	1899, 103	Pelodytes	1898, 3
guentheri	1898, 147		1898, 5
	1898, 148		1898, 6
	1898, 150		1898, 7
	1899, 104		1898, 8
jentinki	1898, 147		1898, 10
	1898, 148		1898, 11
	1899, 103		1899, 793
	1900, 516	caucasicus	1896, 548
lateralis	1898, 147		1896, 551
	1898, 148		1896, 552
	1899, 103		1896, 555
ocellifer	1899, 104		1898, 478
subocellatus	1898, 147	punctatus	1891, 542
	1898, 150		1891, 595
	1899, 104		1891, 597
	1899, 143		1891, 598
welwitschi	1898, 147		1891, 599
	1898, 149		1891, 601
	1898, 152		1891, 603
	1899, 104		1891, 604
Pelmatosilpha margi-			1891, 617
nalis	1893, 600		1891, 619
	1893, 603		1891, 626
	1893, 611		1891, 627
Pelobates	1898, 6		1896, 551
	1898, 103		1896, 552
	1899, 790		1896, 553
	1899, 791		1897, 577-595
	1899, 792		1898, 12
	1899, 793	Pelodyopsis caucasica ..	1896, 553
cultripes	1891, 601	Pelogonus marginatus ..	1893, 706
	1891, 603		1894, 222
	1891, 604	Pelomedusa galeata	1894, 85
	1891, 615		1895, 531
	1891, 616		1896, 213
	1891, 626	gehafæ	1895, 531

	Page		Page
<i>Pelomyxa palustris</i>	1897, 787	<i>Pentagonaster meridionalis</i>	1893, 261
<i>villosa</i>	1897, 787	<i>paxillosus</i>	1893, 262
<i>Pelonium crinitum</i>	1898, 322	<i>singularis</i>	1893, 261
<i>insulare</i>	1898, 322	<i>Pentamerocera</i>	1895, 774
<i>lineolatum</i>	1898, 322	<i>angularis</i>	1895, 774
<i>nigro-æneum</i>	1893, 580	<i>connectans</i>	1895, 775
<i>quadrisignatum</i>	1898, 322	<i>distinguenda</i>	1895, 777
<i>Pelopidas midea</i>	1896, 27	<i>erythropleura</i>	1895, 775
<i>Pelopceus bengalensis</i> ..	1896, 438	<i>lateralis</i>	1895, 775
<i>flebilis</i>	1896, 438	<i>nanella</i>	1895, 777
<i>javanus</i>	1896, 437	<i>sempunctata</i>	1895, 776
<i>spinolæ</i>	1896, 438	<i>Pentatoma acutesta</i>	1900, 821
<i>violaceus</i>	1896, 438	<i>æquinoxialis</i>	1900, 823
<i>Peltarion</i>	1900, 519	<i>africana</i>	1900, 813
<i>magellanicus</i>	1900, 519	<i>albonotata</i>	1900, 824
<i>spinosulum</i>	1900, 520	<i>aliena</i>	1900, 815
<i>Pelycodus helveticus</i> ..	1893, 209	<i>anchorago</i>	1900, 821
<i>Pena costalis</i>	1899, 290	<i>angularis</i>	1900, 824
<i>Penæus</i> sp.	1900, 116	<i>angulosa</i>	1900, 811
<i>Penella brachiata</i>	1899, 483	<i>antiguensis</i>	1900, 812
<i>diodontis</i>	1899, 483	<i>atrox</i>	1900, 821
<i>exocœti</i>	1899, 483	<i>bengalensis</i>	1900, 815
<i>filosa</i>	1899, 483	<i>berylina</i>	1900, 823
<i>histiophori</i>	1899, 483	<i>bifida</i>	1900, 813
<i>pustulosa</i>	1899, 483	<i>bimaculata</i>	1900, 824
<i>sagitta</i>	1899, 483	<i>binotata</i>	1900, 812
<i>sultana</i>	1899, 486	<i>bronzea</i>	1900, 823
<i>varians</i>	1899, 483	<i>bufo</i>	1900, 821
<i>Penelope obscura</i>	1899, 513	<i>cænosa</i>	1900, 824
<i>superciliaris</i>	1896, 989	<i>cafræ</i>	1900, 810
<i>Penicillaria abscon-</i>		<i>capicola</i>	1900, 821
<i>dens</i>	1896, 639	<i>cephalus</i>	1900, 813
<i>areusa</i>	1896, 648	<i>chinensis</i>	1900, 821
<i>Peniculus clavatus</i>	1899, 482	<i>chloris</i>	1900, 813
<i>fistula</i>	1899, 482	<i>chlorocephala</i>	1900, 821
<i>furcatus</i>	1899, 482	<i>ciliata</i>	1890, 170
<i>Pennatula sagitta</i>	1899, 483		
<i>Pentaceros alveolatus</i> ..	1900, 296		
<i>granulosus</i>	1900, 294		
<i>hiuleus</i>	1900, 296		
<i>muricatus</i>	1900, 296		
— <i>intermedia</i>	1900, 296		
— <i>mutica</i>	1900, 296		
<i>nodulosus</i>	1894, 394		
<i>turritus</i>	1900, 289		
.....	1900, 295		
.....	1900, 296		
<i>Pentacrinus blakei</i>	1895, 994		
<i>naresianus</i>	1895, 994		
<i>Pentacrita coxalis</i>	1895, 749		
<i>proxima</i>	1895, 746		
.....	1895, 750		
<i>Pentadactylus felinus</i> ..	1896, 865		
.....	1899, 627		
<i>Pentagonaster belli</i>	1893, 260		
<i>dilatatus</i>	1893, 260		

	Page		Page
<i>Pentatoma collaris</i>	1900, 824	<i>Pentatoma pallescens</i> ..	1900, 821
<i>concinna</i>	1900, 824	<i>pallipes</i>	1900, 810
<i>confusa</i>	1900, 811		1900, 821
<i>crassa</i>	1900, 821	<i>pantherina</i>	1900, 814
<i>crocipes</i>	1900, 821		1900, 818
<i>crudelis</i>	1900, 824		1900, 823
<i>cummingii</i>	1900, 822	<i>pavonina</i>	1900, 821
<i>deplanata</i>	1900, 811	<i>pennsylvaniæ</i>	1900, 823
	1900, 821	<i>platygaster</i>	1900, 821
<i>difficilis</i>	1900, 812	<i>proxima</i>	1900, 813
	1900, 821		1900, 824
<i>ferruginea</i>	1900, 810	<i>pulchella</i>	1900, 824
<i>fimbriata</i>	1900, 814	<i>pulchra</i>	1900, 824
	1900, 824	<i>punctipes</i>	1900, 823
<i>formosa</i>	1900, 821	<i>purpurea</i>	1900, 821
<i>frontalis</i>	1900, 813	<i>roei</i>	1900, 810
	1900, 824	<i>rosea</i>	1900, 821
<i>gloriosa</i>	1900, 821	<i>rotundicollis</i>	1900, 811
<i>grisea</i>	1900, 811	<i>rufo-spilota</i>	1900, 821
<i>harrisi</i>	1900, 818	<i>rugicollis</i>	1900, 822
	1900, 824	<i>scutellata</i>	1900, 811
<i>hostilis</i>	1900, 812		1900, 821
	1900, 824	<i>semimarginata</i>	1900, 821
<i>inconspecta</i>	1900, 812	<i>senilis</i>	1900, 811
	1900, 824		1900, 824
<i>inconspicua</i>	1900, 814	<i>serva</i>	1900, 811
<i>indica</i>	1900, 812	<i>spilota</i>	1900, 811
	1900, 821		1900, 824
<i>interrupta</i>	1900, 824	<i>spinosa</i>	1900, 811
<i>lata</i>	1900, 813	<i>subferruginea</i>	1900, 821
	1900, 824	<i>sublurida</i>	1900, 824
<i>lateralis</i>	1900, 810	<i>subsericea</i>	1900, 813
	1900, 818		1900, 824
	1900, 824	<i>tæniola</i>	1894, 173
<i>leii</i>	1900, 813		1900, 812
	1900, 824	<i>trifasciata</i>	1900, 824
<i>lineaticollis</i>	1900, 821	<i>trimaculata</i>	1900, 821
<i>luteipennis</i>	1900, 821	<i>trinotata</i>	1900, 821
<i>luteo-varia</i>	1900, 822	<i>tripunctifera</i>	1900, 813
<i>marginalis</i>	1900, 821	<i>tripunctigera</i>	1900, 824
<i>marginata</i>	1894, 175	<i>tristigma</i>	1900, 812
<i>marginella</i>	1900, 822	<i>unicolor</i>	1900, 811
<i>miniata</i>	1900, 816		1900, 813
	1900, 824		1900, 821
<i>miniaticollis</i>	1900, 824		1900, 824
<i>nepalensis</i>	1900, 823	<i>varia</i>	1900, 821
<i>nigripes</i>	1900, 818	<i>varicolor</i>	1900, 812
	1900, 824		1900, 821
<i>nitida</i>	1900, 823	<i>varipennis</i>	1900, 821
<i>oblonga</i>	1900, 811	<i>ventralis</i>	1900, 821
	1900, 813	<i>vilis</i>	1900, 810
	1900, 824	<i>violacea</i>	1900, 824
<i>obscura</i>	1900, 812	<i>violascens</i>	1900, 821
	1900, 821	<i>viridicollis</i>	1900, 814
<i>orbitalis</i>	1900, 823		1900, 821
<i>ovalis</i>	1900, 811	<i>vitrea</i>	1900, 821
	1900, 824		1900, 821
<i>pallescens</i>	1900, 812	<i>wilkinsonii</i>	1900, 823

	Page		Page
<i>Penthema darlisa</i>	1891, 276	<i>Peramys ilheringii</i>	1894, 464
<i>michallati</i>	1900, 507	1894, 465
<i>Penthesilea sacculalis</i>	1897, 689	<i>tristriatus</i>	1894, 463
.	1897, 690	1894, 465
<i>Penthina altheana</i>	1897, 127	<i>Peraspalax</i>	1899, 571
<i>Pentila abraxas</i>	1894, 57	<i>Perasphaeria rufipes</i>	1893, 600
.	1894, 58	1893, 604
<i>amenaida</i>	1893, 659	1893, 611
.	1896, 121	<i>Perca chuatsi</i>	1899, 444
.	1898, 402	<i>fluviatilis</i>	1899, 448
<i>muhata</i>	1894, 58	1899, 498
<i>peucetia</i>	1894, 58	1899, 940
.	1896, 121	1899, 956
<i>tropicalis</i>	1894, 57	<i>labrax</i>	1892, 411
.	1894, 58	<i>laca</i>	1899, 498
.	1894, 60	<i>Percis colias</i>	1899, 471
<i>undularis</i>	1894, 57	<i>Percnia interfusa</i>	1893, 392
<i>zymna</i>	1895, 561	<i>submissa</i>	1893, 391
.	1895, 733	<i>Percnostola funebris</i>	1899, 515
<i>Peosina numeria</i>	1898, 368	<i>Percopsis guttatus</i>	1895, 302
<i>Peplonyssus cruciplica</i>	1892, 7	<i>Perdix cinerea</i>	1896, 311
<i>Peploptera abyssinica</i>	1900, 211	<i>perdix</i>	1896, 311
.	1900, 213	<i>Pericallia syringaria</i>	1897, 296
<i>anchoralis</i>	1900, 212	<i>Perichaeta</i>	1900, 612
<i>angulato-fasciata</i>	1897, 249	<i>acrophila</i>	1900, 636
<i>angustata</i>	1900, 211	<i>acystis</i>	1899, 803
<i>apicata</i>	1900, 210	1899, 804
.	1900, 266	1899, 805
<i>collaris</i>	1897, 248	1900, 638
<i>cylindroformis</i>	1900, 211	<i>æliana</i>	1900, 626
<i>eckloni</i>	1897, 248	<i>affinis</i>	1892, 162
<i>fulvitaris</i>	1897, 248	1892, 163
<i>hæmorrhagica</i>	1900, 211	1900, 641
<i>humeralis</i>	1897, 250	<i>agrestis</i>	1900, 637
.	1900, 213	<i>amazonica</i>	1898, 447
<i>lateralis</i>	1897, 251	1900, 645
<i>lefevrei</i>	1900, 211	<i>annulata</i>	1896, 203
<i>postica</i>	1897, 250	1900, 634
<i>punctata</i>	1900, 212	<i>arturi</i>	1900, 620
<i>quadripunctata</i>	1897, 247	<i>aspergillum</i>	1892, 161
<i>semifasciata</i>	1900, 211	1892, 162
<i>Pepsis albifrons</i>	1896, 439	1900, 631
<i>fervens</i>	1896, 440	<i>atheca</i>	1899, 805
<i>pubescens</i>	1896, 440	1900, 620
<i>sericea</i>	1896, 439	<i>barami</i>	1899, 805
<i>violaceus</i>	1896, 438	1900, 639
<i>Peragalea (Macrotis)</i>		<i>barbadensis</i>	1892, 167
<i>lagotis</i>	1892, 369	1892, 169
<i>Peralestes</i>	1899, 571	1892, 172
<i>longirostris</i>	1896, 586	1898, 447
<i>Perameles gunni</i>	1900, 790	1900, 645
<i>lagotis</i>	1900, 302	<i>batjanensis</i>	1900, 630
<i>macrura</i>	1897, 333	<i>belli</i>	1900, 615
<i>nasuta</i>	1891, 140	<i>bermudensis</i>	1892, 160
<i>obesula</i>	1897, 333	1892, 161
<i>Peramys americanus</i>	1894, 464	1892, 162
.	1894, 465	1892, 166
<i>henseli</i>	1894, 465	1892, 170

	Page		Page
<i>Perichæta bermudensis</i>	1896, 203	<i>Perichæta dyeri</i>	1896, 207
	1896, 207		1900, 623
	1896, 208	<i>elongata</i>	1892, 164
	1900, 645		1895, 239
<i>birmanica</i>	1900, 637		1896, 207
<i>biserialis</i>	1899, 803		1900, 650
	1899, 804	<i>enganensis</i>	1900, 623
	1899, 805	<i>coa</i>	1900, 615
	1899, 806	<i>esafatae</i>	1900, 632
	1900, 638	<i>everetti</i>	1900, 639
<i>bonthainensis</i>	1900, 630	<i>falcata</i>	1900, 618
<i>bosschæ</i>	1900, 625	<i>fasciata</i>	1900, 629
	1900, 892	<i>feæ</i>	1900, 643
<i>bournei</i>	1900, 635	<i>ferdinandi</i>	1900, 617
<i>brevis</i>	1900, 636	<i>flavescens</i>	1900, 628
<i>caducichæta</i>	1896, 199	<i>floweri</i>	1900, 644
	1900, 618	<i>forbesi</i>	1892, 155
<i>cæcilia</i>	1900, 630		1900, 648
<i>campanulata</i>	1900, 613	<i>fumigata</i>	1900, 631
<i>campestris</i>	1900, 632	<i>fuscata</i>	1900, 625
<i>canaliculata</i>	1892, 163	<i>galelensis</i>	1900, 630
<i>candida</i>	1900, 633	<i>gamsungi</i>	1900, 630
<i>capensis</i>	1891, 174	<i>glandularis</i>	1900, 634
	1896, 207	<i>glandulosus</i>	1900, 643
	1897, 336	<i>grossa</i>	1900, 625
	1898, 447	<i>grubei</i>	1900, 650
	1900, 617	<i>guarini</i>	1900, 627
<i>carinensis</i>	1900, 625	<i>gulielmi</i>	1900, 614
<i>carnosa</i>	1900, 645	<i>halmahereæ</i>	1900, 630
<i>ceylonensis</i>	1892, 172	<i>hasselti</i>	1900, 638
<i>ceylonica</i>	1892, 164	<i>hawayana</i>	1896, 195
	1892, 165		1896, 201
<i>cingulata</i>	1892, 163		1896, 208
	1892, 164		1900, 645
	1900, 615	<i>hesperidum</i>	1892, 169
	1900, 648		1896, 208
<i>communissima</i>	1900, 635		1900, 633
<i>corticis</i>	1896, 195	<i>heterochæta</i>	1900, 622
	1900, 651	<i>heteropoda</i>	1900, 625
<i>crassicystis</i>	1900, 620	<i>hexatheca</i>	1900, 621
<i>crescentica</i>	1898, 445	<i>hilgendorfi</i>	1896, 206
	1898, 447		1900, 633
	1898, 448	<i>hippocrepis</i>	1900, 643
	1900, 614	<i>houletti</i>	1892, 153
<i>cupulifera</i>	1898, 445		1892, 154
	1898, 446		1892, 156
	1900, 645		1892, 161
<i>darnleiensis</i>	1892, 153		1896, 199
	1900, 615		1896, 207
<i>decimpapillata</i>	1900, 636		1898, 449
<i>densipapillata</i>	1900, 621		1900, 613
<i>dicystis</i>	1895, 239	<i>hupeiensis</i>	1900, 646
<i>digitata</i>	1900, 630	<i>ijimæ</i>	1900, 636
<i>divergens</i>	1900, 625	<i>imparicystis</i>	1900, 631
<i>dubia</i>	1900, 614	<i>indica</i>	1892, 155
<i>dyeri</i>	1892, 157		1892, 156
	1892, 160		1892, 163
	1892, 172		1896, 195

	Page		Page
<i>Perichæta indica</i>	1896, 197	<i>Perichæta operculata</i> ..	1900, 618
	1896, 207	<i>pacifica</i>	1900, 642
	1899, 807	<i>padasensis</i>	1900, 624
	1900, 515	<i>pallida</i>	1896, 207
	1900, 622		1900, 645
<i>inflata</i>	1900, 618	<i>papillata</i>	1900, 639
<i>insulæ</i>	1896, 204	<i>papua</i>	1900, 644
	1896, 205	<i>papulosa</i>	1900, 644
	1900, 645		1900, 892
<i>irregularis</i>	1900, 633	<i>parvicystis</i>	1900, 633
<i>izukai</i>	1900, 625	<i>parvula</i>	1900, 636
<i>jampeana</i>	1900, 630	<i>pataniensis</i>	1900, 637
<i>japonica</i>	1896, 203	<i>pauli</i>	1900, 648
<i>javana</i>	1900, 616	<i>peguana</i>	1898, 449
<i>kamakurensis</i>	1900, 636		1900, 628
<i>kinabaluensis</i>	1900, 639	<i>pentacystis</i>	1900, 614
<i>klabatensis</i>	1900, 640	<i>peregrina</i>	1892, 170
<i>labuensis</i>	1900, 637		1896, 201
<i>levis</i>	1900, 634		1900, 644
<i>longa</i>	1900, 629	<i>perkinsi</i>	1896, 195
<i>loriæ</i>	1900, 641		1896, 198
<i>macrochæta</i>	1900, 619		1896, 200
<i>madelinæ</i>	1900, 615		1900, 622
<i>malamaniensis</i>	1900, 620	<i>philippina</i>	1900, 616
<i>mandhorensis</i>	1900, 645	<i>posthuma</i>	1892, 159
<i>martensi</i>	1900, 615		1892, 163
<i>masatakæ</i>	1900, 632		1896, 207
<i>mauritiana</i>	1892, 170		1900, 641
	1892, 172	<i>producta</i>	1900, 628
	1900, 645	<i>propora</i>	1900, 635
<i>mauritii</i>	1892, 170	<i>pulchra</i>	1900, 619
<i>megascolidioides</i> ..	1900, 622	<i>pura</i>	1900, 617
<i>merabahensis</i>	1900, 617	<i>purpurea</i>	1900, 630
<i>micronaria</i>	1900, 625	<i>pusilla</i>	1900, 649
<i>minahassæ</i>	1900, 626	<i>quadragenaria</i>	1892, 164
<i>minima</i>	1900, 649		1900, 649
<i>mirabilis</i>	1900, 622	<i>queenslandica</i>	1892, 153
<i>modiglianii</i>	1892, 158		1892, 165
	1900, 622		1900, 643
<i>molokaiensis</i>	1896, 195	<i>racemosa</i>	1900, 621
	1896, 201	<i>recta</i>	1900, 630
	1900, 644	<i>ringeana</i>	1896, 207
<i>monilicystis</i>	1900, 623		1900, 627
<i>morrisi</i>	1892, 166	<i>robusta</i>	1892, 170
	1892, 171		1900, 648
	1892, 172	<i>rokugo</i>	1900, 633
	1898, 446	<i>sancti-jacobi</i>	1895, 239
	1900, 645		1896, 207
<i>moseleyi</i>	1900, 655		1900, 645
<i>musica</i>	1896, 206	<i>sandvicensis</i>	1896, 195
	1900, 629		1896, 203
<i>nana</i>	1900, 639		1900, 633
<i>neo-guinensis</i>	1900, 642	<i>sangirensis</i>	1892, 164
<i>nipponica</i>	1900, 622		1900, 620
<i>novæ britanniae</i> ..	1900, 169	<i>sarawacensis</i>	1900, 639
	1900, 632	<i>schizopora</i>	1900, 633
<i>novaræ</i>	1900, 619	<i>schmardæ</i>	1900, 619
<i>obscura</i>	1900, 625	<i>scholastica</i>	1900, 625

	Page		Page
<i>Perichæta sedgwickii</i> ..	1900, 172	<i>Perichares albicornis</i> ..	1896, 132
	1900, 647		1896, 136
<i>seriata</i>	1900, 640	<i>corydon</i>	1893, 94
<i>sexta</i>	1900, 618		1893, 122
<i>shimâensis</i>	1900, 623		1893, 123
<i>sieboldi</i>	1894, 380	<i>fulvimargo</i>	1893, 123
	1896, 206	<i>telisignata</i>	1896, 133
	1900, 635		1896, 136
<i>sinensis</i>	1892, 155		1900, 913
	1892, 158		1900, 946
	1892, 159	<i>Periclimenes danæ</i>	1898, 1000
	1892, 166		1898, 1004
	1892, 172		1898, 1015
	1896, 208	<i>grandis</i>	1898, 1006
	1900, 623	<i>petitthouarsi</i>	1898, 1006
<i>sluiteri</i>	1900, 630	<i>rotumanus</i>	1898, 1001
<i>solomonis</i>	1900, 641		1898, 1005
<i>spectabilis</i>	1900, 642		1898, 1015
<i>stelleri</i>	1900, 639	<i>spinigerus</i>	1898, 1001
<i>sumatrana</i>	1892, 155		1898, 1004
	1892, 156	<i>vitiensis</i>	1898, 1001
	1892, 172		1898, 1005
	1896, 207		1898, 1006
	1900, 618		1898, 1015
<i>supuensis</i>	1900, 638	<i>Pericopis disjuncta</i>	1896, 636
<i>taitensis</i>	1900, 619	<i>hazara</i>	1893, 292
<i>takatorii</i>	1900, 631	<i>humeralis</i>	1892, 283
<i>taprobanæ</i>	1892, 154	<i>larvata</i>	1896, 636
	1892, 155	<i>lycaste</i>	1898, 636
	1892, 163	<i>montezuma</i>	1892, 283
	1892, 164	<i>parnassioides</i>	1896, 647
	1892, 165	<i>Pericrocotus cantonensis</i>	1900, 479
	1900, 648	<i>cinereus</i>	1900, 479
<i>tenkatei</i>	1900, 618	<i>elegans</i>	1900, 479
<i>tetra</i>	1900, 623	<i>fraterculus</i>	1900, 479
<i>tigrina</i>	1900, 631	<i>griseigularis</i>	1900, 479
<i>tjibodæ</i>	1900, 618	<i>Peridinium divergens</i> ..	1898, 1029
<i>tokioensis</i>	1900, 633	<i>Perigea adornata</i>	1896, 647
<i>travancorensis</i>	1900, 614	<i>circuita</i>	1898, 368
<i>tricystis</i>	1895, 239	<i>conceisa</i>	1896, 639
<i>trinitatis</i>	1896, 206	<i>conducta</i>	1894, 588
	1900, 624	<i>fidelia</i>	1896, 639
<i>tritiphla</i>	1896, 205	<i>inexacta</i>	1896, 260
	1900, 619	<i>trilinea</i>	1896, 640
<i>udei</i>	1900, 628	<i>Perigonimus minutus</i> ..	1896, 462
<i>udekemi</i>	1900, 614	<i>repens</i>	1896, 459
<i>upoluensis</i>	1900, 630		1896, 462
<i>urceolata</i>	1900, 619	<i>Perionyx</i> sp.	1891, 174
<i>vaillanti</i>	1900, 615	<i>excavatus</i>	1892, 186
<i>variabilis</i>	1900, 618		1892, 666
<i>vesiculata</i>	1900, 619		1892, 685
<i>violacea</i>	1896, 208		1892, 686
	1900, 641		1892, 687
<i>vitiensis</i>	1900, 620		1892, 688
<i>vittata</i>	1900, 635		1892, 689
<i>vordermanni</i>	1900, 624		1892, 690
<i>willeyi</i>	1900, 629	<i>gruenewaldi</i>	1892, 685
<i>zebra</i>	1900, 637		1892, 686
<i>zonoporus</i>	1900, 620		1892, 687

	Page		Page
<i>Perionyx gruenewaldi</i> ..	1892, 688	<i>Periplysia leda</i>	1893, 647
<i>intermedius</i>	1892, 666	<i>panda</i>	1893, 647
	1892, 687	<i>Periptichus carinidens</i> ..	1893, 209
	1892, 688	<i>ditrigonus</i>	1893, 209
	1892, 689	<i>rhabdodon</i>	1893, 199
<i>macintoshii</i>	1892, 666		1893, 209
	1892, 687	<i>Perisoreus infaustus</i> ...	1897, 894
	1892, 689	<i>Perispasta</i>	1899, 239
<i>saltans</i>	1892, 689	<i>immaculalis</i>	1899, 241
<i>sansibaricus</i>	1892, 686	<i>immixtalis</i>	1899, 241
	1892, 689	<i>Perissodus</i>	1898, 496
<i>Periophthalmus</i>	1900, 116		1899, 100
<i>koelreuteri</i>	1898, 3		1899, 142
	1898, 587	<i>microlepis</i>	1898, 496
<i>Peripatus tholloni</i>	1899, 9		1899, 142
<i>Peripia cantoris</i>	1899, 631		1899, 143
<i>peronii</i>	1896, 865	<i>Perissolophia</i>	1893, 350
	1896, 866	<i>subrosea</i>	1893, 350
	1899, 630	<i>Perissopus armatus</i> ...	1899, 468
<i>Periplaneta americana</i> ..	1895, 893	<i>communis</i>	1899, 468
	1897, 904	<i>dentatus</i>	1899, 468
	1897, 905	<i>incisus</i>	1899, 468
	1897, 906	<i>Perixera obscurata</i> ...	1893, 361
	1897, 907		1893, 434
	1897, 916	<i>Perizoma affinis</i>	1893, 377
	1898, 932	<i>albidivisa</i>	1893, 380
	1898, 933	<i>albulata</i>	1893, 377
	1898, 935	<i>apicistrigata</i>	1893, 378
	1898, 937		1893, 433
	1898, 938	<i>bicolor</i>	1893, 379
	1898, 939	<i>conjuncta</i>	1893, 381
	1898, 946	<i>fasciata</i>	1893, 379
	1898, 947		1893, 433
	1898, 948	<i>interrupta</i>	1893, 380
	1898, 957		1893, 433
	1900, 36	<i>lacteiguttata</i>	1893, 378
<i>australasiae</i>	1893, 600		1893, 433
	1893, 604	<i>seriata</i>	1893, 380
	1897, 905	<i>variabilis</i>	1893, 377
	1897, 906		1893, 378
	1897, 907		1893, 433
	1897, 916	<i>Perna femoralis</i>	1891, 435
	1898, 933	<i>samoensis</i>	1900, 118
	1898, 937	<i>Peroderma branchiata</i> ..	1899, 488
	1898, 938	<i>cylindricum</i>	1899, 488
<i>orientalis</i>	1898, 932	<i>Perodicticus calabari-</i>	
	1898, 933	<i>ensis</i>	1894, 359
	1898, 934	<i>potto</i>	1891, 453
	1898, 936		1891, 455
	1898, 937		1895, 142
	1898, 938		1895, 145
	1898, 939	<i>Peroechinus albiventris</i> .	1895, 420
	1898, 949	<i>pruneri</i>	1895, 420
	1898, 957	<i>Perognathus paradoxus</i> .	1896, 1022
<i>Periplysia johnstoni</i> ...	1893, 647	<i>Perola admirabilis</i>	1894, 237
	1893, 684	<i>Peronella decagonalis</i> ..	1894, 412
	1894, 15	<i>orbicularis</i>	1894, 412
	1896, 109	<i>Peronia peronii</i>	1900, 118

	Page		Page
Peronura sp.....	1900, 41	Petrocephalus pictus ..	1898, 803
Perophora acuta	1892, 327	sauvagii.....	1898, 787
corcovada	1892, 326	simus.....	1898, 788
Persis lineata	1895, 69	simus.....	1898, 787
Pessida interlineata....	1896, 638	simus.....	1898, 789
Pessocosma	1899, 174	Petrochelidon ruficol-	
.....	1899, 175	laris	1892, 374
Petalidium foliaceum ..	1896, 967	1892, 403
.....	1896, 968	Petrochromis	1898, 496
Petalognathus nebulatus	1894, 518	polyodon	1898, 496
.....	1898, 116	Petrocincla manilla	1900, 473
(Leptognathus) ne-		Petrodromus rovmæ ..	1897, 434
bulatus	1895, 705	1897, 435
(—) penicillata ..	1895, 131	1897, 928
.....	1895, 133	sultani	1897, 435
.....	1895, 134	1897, 928
.....	1895, 135	tetradactylus	1891, 182
.....	1895, 136	1892, 548
Petasia spumans	1896, 242	1893, 501
Petaurista cineraceus ..	1900, 193	1894, 139
lylei	1900, 192	1896, 792
.....	1900, 195	1897, 434
oral	1900, 193	1897, 435
phillipensis	1900, 193	1897, 436
yunnanensis	1900, 193	1897, 928
Petaurus breviceps ..	1897, 332	Petrogale brachyotis ..	1897, 326
Petersius	1899, 717	concinna	1897, 326
occidentalis	1899, 731	1897, 327
.....	1899, 732	penicillata	1893, 451
Petisius diversus	1894, 188	1893, 452
Petricola bipartita	1891, 394	1893, 455
chinensis	1891, 394	1893, 456
hemprichi	1891, 394	1893, 461
.....	1891, 435	1893, 465
lithophaga	1891, 394	1894, 12
.....	1891, 396	1896, 713
.....	1891, 398	xanthopus	1893, 458
.....	1891, 435	1893, 473
typica	1891, 394	1896, 683
Petrocephalus	1898, 780	1896, 713
.....	1898, 787	Petrolisthes armatus ..	1898, 464
affinis	1898, 799	1898, 465
balayi	1898, 787	asiaticus	1898, 464
.....	1898, 789	1898, 465
bane	1898, 777	1898, 466
.....	1898, 787	bellis	1898, 466
.....	1898, 788	dentatus	1898, 465
bovei	1898, 787	1898, 466
.....	1898, 789	1898, 467
catostoma	1898, 787	—, var.	1898, 465
.....	1898, 790	gundlachii.....	1898, 465
de joannis	1898, 788	haswelli.....	1898, 464
dequesne	1898, 788	1898, 466
ehrenbergii	1898, 788	lamarecki	1898, 457
gliroides	1898, 787	1898, 458
.....	1898, 790	1898, 464
isidori	1898, 798	1898, 465
marchei	1898, 792	1898, 466

	Page		Page
<i>etrolisthes lamarchi</i> ..	1898, 467	<i>Phacochærus æliani</i>	1896, 784
	1898, 468	<i>æthiopicus</i>	1893, 729
— <i>asiaticus</i>	1898, 457		1894, 145
	1898, 458		1894, 594
	1898, 464		1896, 796
	1898, 465	<i>africanus</i>	1900, 955
	1898, 466	<i>Phædra insularis</i>	1896, 672
	1898, 467	<i>nesophila</i>	1895, 594
	1898, 468	<i>Phædusa filicostata</i>	1891, 339
— <i>fimbriatus</i>	1898, 457	<i>Phægoptera arpi</i>	1894, 231
	1898, 458	<i>cinnamomea</i>	1896, 637
	1898, 466	<i>flavopunctata</i>	1896, 637
	1898, 467	<i>granifera</i>	1892, 281
	1898, 468	<i>jonesi</i>	1894, 230
— <i>rufescens</i>	1898, 457	<i>notata</i>	1892, 281
	1898, 458	<i>proba</i>	1892, 281
	1898, 465	<i>schæfferi</i>	1892, 280
	1898, 466	<i>subtilis</i>	1896, 637
	1898, 467	<i>ursina</i>	1892, 281
<i>leporina</i>	1898, 465	<i>Phægorista zebra</i>	1896, 853
<i>leporinoides</i>	1898, 465		1896, 854
<i>marginatus</i>	1898, 465		1896, 855
	1898, 466	<i>Phaenna spinifera</i>	1898, 543
<i>rufescens</i>	1898, 466		1898, 548
<i>speciosus</i>	1898, 464	<i>Phænothele gaujoni</i>	1891, 551
	1898, 465	<i>insularis</i>	1891, 551
	1898, 466	<i>Phæochlæma quadri-</i>	
<i>Petromyzon fluviatilis</i> ..	1893, 731	<i>color</i>	1896, 636
<i>planeri</i>	1893, 731	<i>Phæochrous beccarii</i> ..	1900, 22
<i>Petronia pyrgita</i>	1895, 469	<i>Phælæma cervini-</i>	
	1895, 470	<i>gularis</i>	1896, 324
<i>Petropedetes cameron-</i>		<i>Phaëthon</i>	1898, 82
<i>ensis</i>	1900, 439		1898, 83
<i>johnstoni</i>	1900, 439		1898, 84
<i>newtoni</i>	1900, 439		1898, 85
<i>Petrophassa albipennis</i> .	1898, 353		1898, 86
	1898, 354		1898, 87
<i>rufipennis</i>	1898, 354		1898, 89
<i>Petrosia contignata</i>	1900, 137		1898, 90
<i>exigua</i>	1900, 128		1898, 91
	1900, 139		1898, 93
	1900, 141		1898, 94
<i>similis</i>	1900, 139		1898, 95
<i>Pettigramma spiculata</i> .	1898, 439		1898, 96
<i>Peucetia foliifera</i>	1899, 862		1898, 97
<i>longipes</i>	1899, 861		1898, 98
	1899, 884		1898, 99
<i>luteiceps</i>	1899, 862		1898, 100
<i>pulchra</i>	1899, 862		1898, 101
<i>striata</i>	1899, 862		1899, 776
<i>Pexicnemidia mirella</i> ..	1891, 518		1899, 779
	1891, 545		1899, 780
	1897, 167		1899, 781
<i>Pezoporus</i>	1899, 42		1899, 783
<i>Pfeifferia micans</i>	1892, 453		1899, 784
<i>Phacellura advenalis</i> ..	1898, 738	<i>æthereus</i>	1891, 300
<i>Phachthia lignigeralis</i> ..	1895, 973		1892, 399
<i>Phacochærus</i>	1900, 681		1892, 500

	Page		Page
Phaëthon æthereus	1899, 778	Phalacrocorax	1899, 1033
candidus	1897, 291		1899, 1034
flavirostris	1894, 161		1899, 1037
	1897, 288	sp.	1899, 959
	1898, 87	africanus	1897, 189
	1898, 89		1900, 3
	1898, 90	bicristatus	1898, 100
	1898, 100	bougainvillei	1892, 399
	1898, 101		1892, 409
rubricauda	1891, 293	brasilianus	1892, 399
	1891, 298		1892, 408
	1891, 300		1894, 301
	1897, 291	carbo	1898, 83
Phaëthornis eurynome. .	1896, 289		1898, 84
	1896, 295		1898, 88
	1899, 513		1898, 90
griseigularis	1892, 401		1898, 100
malaris	1892, 401		1898, 101
pygmæus	1896, 324		1900, 492
superciliosus	1892, 401	cristatus	1892, 295
Phaethusa magnirostris.	1891, 301	gaimardi	1892, 399
Phagrus dorsalis	1898, 819		1892, 409
Phakellura abruptalis ..	1898, 747	lucidus	1900, 3
curcubitalis	1898, 738	varius	1891, 465
dardusalis	1896, 640	Phalæa canescens . . .	1899, 864
eumeusalis	1896, 640	ferox	1899, 863
fuscicollis	1898, 747		1899, 864
gazoralis	1898, 738	vulpina	1899, 864
gigantalis	1898, 737	Phalæna angustalis . .	1898, 623
grisealis	1898, 747	argentalis	1899, 213
guenealis	1898, 737	atralis	1899, 270
immaculalis	1898, 737	cribrata	1898, 442
infernalis	1898, 747	erosalis	1898, 630
marianalis	1898, 735	flaveolata	1899, 208
peridromella	1898, 442	jatrophalis	1899, 274
	1898, 739	linneella	1897, 118
plumbidorsalis	1898, 737	marginata	1898, 747
subauralis	1898, 747	perspectata	1898, 754
zygænalis	1898, 738	phenice	1898, 443
Phalacrocorax	1898, 83	ramalis	1899, 231
	1898, 84	recurvalis	1894, 591
	1898, 85		1898, 623
	1898, 86	sacraria	1894, 592
	1898, 89	sinuata	1893, 684
	1898, 90		1898, 443
	1898, 91	socialis	1898, 666
	1898, 93	splendidialis	1898, 642
	1898, 94	stigmatalis	1899, 274
	1898, 95	stygialis	1898, 669
	1898, 96	surinamensis	1899, 274
	1898, 97	vallantina	1898, 429
	1898, 98	variegalis	1899, 186
	1898, 99	(Alucita) capitella .	1897, 74
	1899, 780	(—) dentella . . .	1897, 99
	1899, 781	(—) minutella . .	1897, 162
	1899, 782	(—) monodactyla .	1897, 58
	1899, 783	(—) parvella . .	1897, 102
	1899, 784	(Bombyx) reflexa. .	1897, 173

	Page		Page
<i>Phalæna</i> (<i>Geometra</i>)		<i>Phaneroptera quadri-</i>	
<i>sacraria</i>	1895, 742	<i>punctata</i>	1900, 42
(<i>Noctua</i>) <i>algira</i> ..	1893, 681	<i>Phanerotis fletcheri</i> ..	1894, 642
(—) <i>archesia</i>	1893, 682	<i>Phanerotoma humeralis</i> ..	1895, 784
(—)	1898, 424	<i>insularis</i>	1898, 784
(—) <i>cyllaria</i>	1892, 127	<i>Phanocles curvipes</i>	1892, 199
(—) <i>fluctuosa</i> ..	1898, 421	1892, 207
(—) <i>fullonica</i> ..	1892, 127	1892, 220
(—) <i>geometrica</i> ..	1893, 681	<i>Phanopria angulifera</i> ..	1895, 810
(—) <i>hypaspia</i> ..	1893, 681	<i>balthazari</i>	1895, 809
.....	1894, 590	1895, 811
.....	1896, 849	<i>grenadensis</i>	1895, 809
.....	1898, 423	<i>magniclavata</i>	1895, 809
(—) <i>latona</i>	1893, 681	1895, 812
.....	1894, 589	<i>nigriclavata</i>	1895, 809
.....	1895, 270	1895, 811
.....	1898, 421	<i>nigricornis</i>	1895, 810
(—) <i>materna</i>	1896, 850	<i>simillima</i>	1895, 809
.....	1898, 424	1895, 812
(—) <i>umminea</i> ..	1892, 128	<i>subclavata</i>	1895, 809
(<i>Pyralis</i>) <i>sericea</i> ..	1893, 684	1895, 811
(<i>Tinea</i>) <i>punctella</i> ..	1891, 532	<i>Phanoptis cyanomelas</i> ..	1893, 286
.....	1897, 112	<i>Phanus marshalli</i>	1893, 40
(—) <i>pustulella</i> ..	1897, 112	<i>momus</i>	1893, 40
(—) <i>schulzella</i> ..	1897, 109	<i>vitreus</i>	1893, 19
(<i>Tortrix</i>) <i>burman-</i>		1893, 40
<i>niana</i>	1897, 101	1893, 131
(—) <i>walchiana</i> ..	1897, 99	<i>Phaps chalcoptera</i>	1892, 77
<i>Phalanger</i> sp.	1900, 786	<i>Pharambara compunc-</i>	
.....	1900, 788	<i>talis</i>	1897, 617
<i>maculatus</i>	1898, 246	<i>hamifera</i>	1897, 622
<i>orientalis</i>	1892, 108	<i>obliquistrigalis</i>	1897, 622
.....	1892, 109	<i>parcipunctalis</i>	1897, 622
<i>Phalangiodes rivulalis</i> ..	1898, 753	<i>reticulata</i>	1897, 621
<i>serinalis</i>	1899, 194	<i>sphoraria</i>	1897, 621
<i>Phalangista vulpina</i> ..	1891, 140	<i>ulterior</i>	1897, 617
.....	1895, 136	<i>vinosa</i>	1892, 130
<i>Phalangium medium</i> ..	1899, 837	1892, 133
<i>reniforme</i>	1897, 890	1897, 619
<i>Phalaropus hyperboreus</i> ..	1900, 499	<i>Phareus gentius</i>	1893, 40
<i>lobatus</i>	1892, 400	<i>peleus</i>	1893, 40
.....	1892, 406	<i>Pharga fasciculella</i>	1895, 972
.....	1892, 408	<i>Pharissura nyasana</i>	1896, 852
<i>wilsoni</i>	1896, 324	1896, 853
<i>Phalera argentifera</i>	1896, 844	1896, 855
<i>flavescens</i>	1896, 844	<i>Phascolaretos cinereus</i> ..	1891, 142
<i>latipennis</i>	1896, 844	1899, 434
.....	1896, 850	1900, 779
<i>sigmata</i>	1896, 845	<i>Phascologale flavipes</i> ..	1897, 334
<i>Phalonia distigmatana</i> ..	1897, 137	— <i>leucogaster</i>	1897, 334
<i>ichthyochroa</i>	1897, 136	<i>penicillata</i>	1897, 334
<i>prolectana</i>	1897, 138	<i>wallacei</i>	1895, 872
<i>subolivacea</i>	1897, 137	<i>Phascolomys gigas</i>	1893, 474
<i>tectonica</i>	1897, 138	<i>mittelli</i>	1900, 779
<i>vicinitana</i>	1897, 138	1900, 787
<i>Phanæus mimas</i>	1896, 777	1900, 788
<i>Phaneroptera nana</i>	1900, 42	<i>platyrhinus</i>	1892, 362
<i>punctulata</i>	1900, 41	1899, 77

	Page		Page
<i>Phascolomys wombat</i> ..	1894, 355	<i>Phemiades phineus</i>	1893, 92
<i>Phasianus altus</i>	1893, 517		1893, 103
	1893, 519		1893, 104
	1893, 522	<i>utha</i>	1893, 104
<i>colchicus</i>	1893, 692		1898, 367
	1896, 292	<i>Phengus cincinniformis</i> .	1892, 452
	1896, 982	<i>concinna</i>	1892, 452
<i>klossovskii</i>	1892, 270	<i>cossmanniana</i>	1892, 452
<i>mongolicus</i>	1892, 270	<i>eburnea</i>	1892, 452
<i>persicus</i>	1892, 270	<i>möllendorffi</i>	1892, 452
<i>principalis</i>	1892, 270	<i>opalina</i>	1892, 452
	1892, 271	<i>quadrasi</i>	1892, 452
<i>scoemmeringi</i>	1900, 306	<i>romblonensis</i>	1892, 452
<i>tarnovskii</i>	1892, 271	<i>simplex</i>	1892, 452
<i>versicolor</i>	1896, 982	<i>subcarinata</i>	1892, 452
<i>zerafshanicus</i>	1892, 270	<i>Pheretima</i>	1900, 612
<i>Phasicnecus gregorii</i> ..	1894, 586	<i>californica</i>	1900, 622
	1894, 593		1900, 627
<i>Phasis thero</i>	1898, 908	<i>montana</i>	1900, 619
(<i>Trachycystis</i>) <i>fusco-</i>		<i>Pherterus cubensis</i>	1892, 200
<i>cornea</i>	1899, 585		1892, 216
	1899, 592		1893, 608
(—) <i>fusco-</i>		<i>Pheucticus chrysogaster</i> .	1892, 398
<i>olivacea</i>	1899, 585		1892, 407
	1899, 592		1896, 349
<i>Phassus abysirtus</i>	1892, 330	<i>Phiala costipuncta</i>	1893, 678
<i>Phastia basalis</i>	1896, 647	<i>Phialidium</i> sp.	1898, 1030
<i>Phazaca erosioides</i>	1899, 290	<i>buskianum</i>	1896, 460
<i>Phecada confinis</i>	1896, 635		1896, 487
<i>Pheidole ceylonica</i>	1896, 422		1896, 488
<i>dedita</i>	1896, 421		1896, 490
<i>diversa</i>	1896, 420		1896, 499
<i>indica</i>	1896, 421	<i>cymbaloideum</i>	1896, 460
<i>janus</i>	1896, 421		1896, 487
<i>latinoda</i>	1896, 421		1896, 488
<i>megacephala</i>	1896, 421		1896, 489
	1896, 422		1896, 490
<i>nanus</i>	1896, 420		1896, 491
<i>pronotalis</i>	1896, 422		1896, 500
<i>quadrispinosa</i>	1896, 419	<i>ferrugineum</i>	1896, 488
<i>rugosa</i>	1896, 421	<i>flavidulum</i>	1896, 488
<i>silenus</i>	1896, 420	<i>phosphoricum</i>	1896, 488
<i>sulcaticeps</i>	1896, 421	<i>temporarium</i>	1896, 460
<i>wood-masoni</i>	1896, 421		1896, 488
<i>Pheidologeton diversus</i> .	1896, 420		1896, 489
<i>laboriosus</i>	1896, 420		1896, 490
<i>nanus</i>	1896, 420		1896, 491
<i>silenus</i>	1896, 420		1896, 492
<i>taprobanae</i>	1896, 420		1896, 500
<i>Pheloticus aeneicollis</i> ..	1892, 568	<i>variabile</i>	1896, 460
	1892, 569		1896, 482
	1892, 579		1896, 487
<i>bifasciatus</i>	1892, 568		1896, 488
	1892, 579		1896, 489
<i>brunneus</i>	1892, 567	<i>viridicans</i>	1896, 488
	1892, 579	(<i>Eucope</i>) <i>variabile</i> .	1896, 488
<i>seripunctatus</i>	1892, 567		1896, 490
<i>Phelsuma breviceps</i>	1898, 914	<i>Phibalapteryx erosiata</i> .	1896, 647
<i>dubium</i>	1894, 723	<i>intrusata</i>	1896, 646

	Page		Page
<i>Phibalapteryx mediata</i> .	1896, 616	<i>Philotherma jacchus</i> ..	1895, 269
<i>Phibalura flavirostris</i> ..	1899, 513	<i>Philougria marina</i>	1900, 565
<i>Philampelus achemon</i> ..	1895, 138	<i>Philydor euophrys</i>	1896, 375
	1897, 296	<i>ruficaudatus</i>	1896, 375
	1899, 293	<i>subflavescens</i>	1896, 374
<i>Philanaphora</i>	1897, 171		1896, 375
<i>hedemanni</i>	1897, 171	<i>subfulvus</i>	1896, 375
<i>Philanthus basalis</i>	1896, 446	<i>Philygria thomsoni</i>	1900, 565
<i>Philea senator</i>	1900, 822	<i>Philyra globosa</i>	1900, 764
<i>Philematium nitidipenne</i>	1893, 743	<i>globulosa</i>	1900, 764
<i>Philereme natalata</i>	1894, 593	<i>polita</i>	1900, 764
<i>Philetærus cabanisi</i>	1895, 465	<i>porcellana</i>	1900, 764
<i>Philichthys baraldi</i>	1899, 479	<i>sexangula</i>	1900, 765
<i>denticus</i>	1899, 479	<i>Phissama vacillans</i>	1892, 122
<i>edwardsi</i>	1899, 478	<i>Phlebodes pertinax</i>	1893, 92
<i>lichia</i>	1899, 478		1893, 110
<i>pagelli</i>	1899, 478	<i>Phlegethontius convol-</i>	
<i>pagri</i>	1899, 478	<i>vuli</i>	1900, 20
<i>sciænæ</i>	1899, 479	<i>Phlœocryptes melanops</i> .	1892, 383
<i>steenstrupi</i>	1899, 478		1892, 408
<i>xiphæ</i>	1899, 440		1892, 409
	1899, 478		1893, 371
	1899, 507		1899, 513
<i>Philidora hardouini</i>	1891, 335		1899, 514
<i>wrayi</i>	1891, 335	<i>Phlogœnas crinigera</i> ..	1892, 77
<i>Philine angasi</i>	1891, 392	<i>cruenta</i>	1896, 153
<i>angulata</i>	1894, 668	<i>tristigmata</i>	1891, 327
<i>aperta</i>	1891, 392	<i>Phlyaria heritsia</i>	1899, 967
	1891, 396	<i>virgo</i>	1899, 967
	1891, 398	<i>Phlyctœnia cuneifera</i> ..	1896, 641
	1894, 667	<i>nerissalis</i>	1896, 643
<i>catena</i>	1894, 666	<i>paolinalis</i>	1899, 248
<i>lima</i>	1894, 668	<i>scitalis</i>	1896, 643
<i>orientalis</i>	1891, 392	<i>Phlyctœnodes</i>	1898, 602
<i>velutinoides</i>	1894, 668		1899, 207
<i>Philochortus neumanni</i> .	1895, 635	<i>æruginalis</i>	1899, 209
	1895, 643	<i>affinitalis</i>	1899, 211
<i>Philodina</i> sp.	1897, 795	<i>albifascialis</i>	1899, 211
<i>citrina</i>	1897, 795	<i>anartalis</i>	1899, 211
<i>erythrophthalma</i> ..	1897, 795	<i>annaphilalis</i>	1899, 211
<i>roseola</i>	1897, 795	<i>asopialis</i>	1899, 212
<i>Philodromus alpestris</i> ..	1898, 488	<i>bifidalis</i>	1899, 210
<i>Philodryas olfersii</i>	1895, 705	<i>brevivittalis</i>	1899, 209
	1895, 818	<i>calliaspis</i>	1899, 212
	1895, 825	<i>castalis</i>	1899, 209
<i>schottii</i>	1895, 818	<i>chortalis</i>	1899, 208
	1895, 825	<i>clathralis</i>	1899, 209
<i>Philognoma azota</i>	1894, 40	<i>coloradensis</i>	1899, 208
<i>ussheri</i>	1894, 341	<i>comptalis</i>	1899, 210
<i>varanes</i>	1894, 341	<i>crocalis</i>	1899, 209
<i>Philodus nostrodamus</i> .	1893, 104	<i>cruentalis</i>	1899, 212
<i>Philothamnus dorsalis</i> ..	1900, 452	<i>cyralis</i>	1899, 208
<i>irregularis</i>	1891, 306	<i>dasconalis</i>	1899, 208
<i>punctatus</i>	1891, 307	<i>decoloralis</i>	1899, 209
<i>semivariegatus</i>	1891, 307	<i>diplochrysa</i>	1899, 212
	1896, 216	<i>epichrysa</i>	1899, 212
	1897, 801	<i>eurychrysa</i>	1899, 212
	1900, 452	<i>ferruginea</i>	1899, 210

	Page		Page
Phlyctænodes flavifim-		Phocides cruentus	1893, 22
brialis	1899, 209	lilia	1893, 22
frustalis	1899, 211	oreades	1893, 22
fulvalis	1899, 210	palemon	1893, 17
helvalis	1899, 210	1893, 21
inornatalis	1899, 209	1893, 22
.	1899, 210	pialia	1893, 22
mancalis	1899, 208	pigmalion	1893, 22
massalis	1899, 208	1893, 131
.	1899, 211	pyres	1898, 366
mucosalis	1899, 210	socius	1893, 22
nasonialis	1899, 212	urania	1893, 22
nubilalis	1899, 211	yokhara	1893, 22
nudalis	1899, 210	Phœbis agarithe	1900, 201
oblinalis	1899, 212	argante	1896, 518
obliteralis	1899, 208	Phœgoptera almopia . .	1893, 289
ophionalis	1899, 212	chimaera	1893, 288
palealis	1899, 208	umber	1893, 288
palmalis	1899, 211	Phœnicobius bintuan-	
peltalis	1899, 211	ensis	1892, 464
perbonalis	1899, 209	campanula	1892, 464
philocapna	1899, 209	conciisa	1892, 465
plumbatalis	1899, 212	mamilla	1892, 465
protealis	1899, 211	papilla	1892, 465
pseliota	1899, 212	quoyi	1892, 465
pustulalis	1899, 211	Phœniconaias minor . .	1900, 960
sesquialteralis	1899, 212	Phœnicops	1893, 18
similalis	1899, 210	1893, 30
simplalis	1899, 210	beata	1893, 18
sticticalis	1899, 211	1893, 30
sulphuralis	1899, 209	1893, 131
tetraplaca	1899, 212	denitza	1893, 30
turbidalis	1899, 209	Phœnicopterus andinus .	1891, 136
umbrosalis	1899, 210	jamesi	1891, 132
ustrinalis	1899, 211	1891, 136
venustalis	1899, 211	roseus	1897, 189
verticalis	1899, 208	Pholas dactylus	1891, 395
— nigricillialis	1899, 208	erythræa	1891, 395
vespertilio	1899, 211	Pholcus convexus	1894, 519
vibicalis	1899, 212	distinctus	1894, 519
virescalis	1899, 209	elongatus	1894, 519
zaide	1899, 212	gibbosus	1894, 519
Phlyxia erosa	1900, 572	margarita	1894, 519
Phoca barbata	1897, 354	phalangioides	1894, 519
fasciata	1897, 355	rotundatus	1894, 519
grœnlandica	1892, 107	tipuloides	1894, 519
.	1892, 108	Pholeoptynx cunicu-	
.	1892, 109	laria	1892, 387
.	1897, 354	Pholidanges verreauxi .	1897, 189
pealei	1897, 267	Pholidobolus montium .	1898, 114
vitulina	1893, 719	Pholidotus	1899, 1003
.	1894, 358	Pholisora catullus . . .	1893, 44
.	1897, 267	1893, 68
.	1897, 354	chlorocephala	1893, 68
Phocæna dalli	1897, 267	hayhurstii	1893, 68
phocænoides	1900, 376	velasquez	1893, 68
Phocides albicilla	1893, 22	Phoneutria auricularis .	1898, 15
batabano	1893, 22	1898, 19
charonotis	1893, 22	capulina	1898, 15

	Page		Page
<i>Phoneutria capulina</i> ..	1898, 871	<i>Photinus elongatus</i>	1898, 320
<i>debilis</i>	1898, 15	<i>interruptus</i>	1898, 320
<i>decora</i>	1898, 20	<i>limbipennis</i>	1898, 320
<i>erythrochelis</i>	1898, 15	<i>littoralis</i>	1898, 320
<i>fasciata</i>	1898, 18	<i>minutus</i>	1898, 319
<i>marshalli</i>	1898, 15	<i>notatus</i>	1898, 319
<i>melanogastra</i>	1898, 19	<i>pallens</i>	1898, 333
.....	1898, 26	<i>parvulus</i>	1898, 320
.....	1899, 872	<i>quadrinaculatus</i> ..	1898, 320
<i>Phoneyusa antilope</i>	1897, 762	<i>rufus</i>	1898, 320
.....	1899, 841	<i>vittatus</i>	1898, 320
.....	1899, 842	<i>vittiger</i>	1898, 320
<i>belandana</i>	1897, 746	<i>Photoscotia atromar-</i>	
.....	1897, 760	<i>ginata</i>	1893, 369
.....	1897, 761	1893, 433
.....	1897, 762	<i>fulguritis</i>	1893, 370
.....	1899, 841	1893, 433
.....	1899, 842	<i>miniosata</i>	1893, 369
<i>bettoni</i>	1898, 503	<i>multilinea</i>	1893, 369
.....	1898, 504	1893, 433
<i>bidentata</i>	1899, 843	<i>Photuris brunipennis</i> ..	1898, 320
.....	1899, 884	<i>Phoxinus marsili</i>	1899, 481
<i>büttneri</i>	1897, 762	<i>Phoxopteris virididor-</i>	
.....	1899, 841	<i>sana</i>	1891, 504
.....	1899, 842	1891, 543
.....	1899, 843	1897, 125
.....	1899, 843	<i>Phoxopteryx virididor-</i>	
<i>ectypa</i>	1897, 761	<i>sana</i>	1897, 125
.....	1897, 762	<i>Phreoryctis smithii</i>	1892, 355
<i>gracilipes</i>	1897, 761	<i>Phrissoma giganteum</i> ..	1893, 748
.....	1897, 762	<i>Phrissura ægis</i>	1900, 935
.....	1897, 762	<i>confusa</i>	1900, 936
.....	1897, 761	<i>dubia</i>	1900, 936
<i>gregorii</i>	1897, 761	<i>illana</i>	1900, 935
.....	1897, 762	<i>isokani</i>	1900, 936
.....	1897, 774	<i>lasti</i>	1894, 578
.....	1898, 503	1896, 108
.....	1898, 504	1896, 124
<i>occidentalis</i>	1899, 841	1898, 412
.....	1899, 842	<i>nyasana</i>	1899, 418
.....	1899, 843	1899, 425
(<i>Harpaxotheria</i>)		1899, 427
<i>antilope</i>	1899, 843	<i>phaola</i>	1893, 662
(—) <i>ectypa</i>	1899, 843	<i>phœbe</i>	1900, 936
(—) <i>gracilipes</i> ..	1899, 843	1900, 946
(—) <i>gregorii</i>	1899, 843	<i>polisma</i>	1900, 935
<i>Phonipara bicolor</i>	1892, 499	<i>Phryctena glaucopidalis</i> ..	1898, 671
<i>fuliginosa</i>	1899, 515	<i>Phryganodes</i>	1898, 597
<i>Phorodesma megaspi-</i>		1898, 677
<i>laria</i>	1892, 133	<i>abnormalis</i>	1898, 671
<i>Phororhacos inflatus</i> ..	1899, 437	<i>albipedalis</i>	1898, 686
<i>Phos roseatus</i>	1891, 408	<i>albirenalis</i>	1898, 682
<i>Phostria confluen-</i>		<i>anal.</i>	1898, 684
<i>talis</i>	1896, 641	<i>apicalis</i>	1898, 685
.....	1898, 679	<i>attenuata</i>	1898, 680
<i>Photinus blandus</i>	1898, 319	<i>basalticalis</i>	1898, 678
.....	1898, 320	<i>biguttata</i>	1898, 681
<i>decipiens</i>	1898, 320	1898, 761

	Page		Page
<i>Phryganodes caniusalis</i> .	1898, 686	<i>Phryganodes rutilalis</i> ..	1898, 683
capillalis	1898, 683	schediusalis	1898, 686
centralbalis	1898, 681	setifera	1898, 682
	1898, 761	simialis	1898, 685
concolor	1898, 683	similis	1898, 369
crithonalis	1898, 684	tagiadalis	1898, 686
croceiceps	1898, 685	tedea	1898, 679
cuniculalis	1898, 684	temira	1898, 679
dariusalis	1898, 685	tetraplagalis	1898, 681
delilalis	1898, 685	unitalis	1898, 685
diffusimarginalis ..	1898, 680	unitinctalis	1898, 686
dispilotalis	1898, 685	varialis	1898, 679
erebusalis	1898, 678	xipharesalis	1898, 683
euagra	1898, 685	<i>Phrygilus alaudinus</i>	1892, 377
eucharisalis	1898, 682		1892, 407
flocculentalis	1898, 680		1896, 351
	1898, 761	atriceps	1891, 132
fulvicauda	1898, 684		1891, 133
glyphodalis	1898, 685	chloronotus	1896, 323
hamiferalis	1898, 684		1896, 350
hesusalis	1898, 682	coracinus	1891, 132
humeralis	1898, 684		1891, 133
imbecilis	1898, 686	fruticeti	1891, 133
insolutalis	1898, 684		1892, 402
lanialis	1898, 681		1896, 351
	1898, 761	gayi	1896, 350
lithosialis	1898, 679		1896, 351
longipennis	1898, 679	— punensis	1900, 305
lophophoralis	1898, 683	plebejus	1892, 402
maculicostalis	1898, 685		1892, 398
margarita	1898, 680		1892, 407
martyralis	1898, 686		1892, 409
milvalis	1898, 679		1896, 351
mimastis	1898, 685	punensis	1896, 350
niccalis	1898, 680		1896, 351
noctescens	1898, 677	rusticus	1896, 351
	1898, 683	saturatus	1896, 351
nubilis	1898, 678	unicolor	1896, 351
obscurata	1898, 678	<i>Phrynarachne fatalis</i> ..	1899, 525
ochrosoma	1898, 684		1899, 532
odontosticta	1898, 685	mamorata	1892, 880
omphalobasis	1898, 683		1899, 884
	1898, 761	rugosa	1899, 880
origoalis	1898, 679		1899, 881
pachycraspedalis ..	1898, 683	(<i>Ornithoscatoides</i>)	
palliventralis	1898, 684	decipiens	1899, 525
perfulvalis	1898, 679	<i>Phrynella pollicaris</i>	1896, 910
	1898, 761		1899, 908
periusalis	1898, 679	pulchra	1896, 910
piasusalis	1898, 684		1899, 908
plicatalis	1898, 682	<i>Phrynetes spinator</i>	1893, 748
productalis	1898, 678	<i>Phrynixalus oxyrhinus</i> .	1898, 476
prolongalis	1898, 369		1898, 480
	1898, 678		1898, 482
purpuralis	1898, 682	<i>Phrynobatrachus acri-</i>	
quadriguttata	1898, 685	doides	1897, 801
radicalis	1898, 678	auritus	1900, 440
regalis	1898, 681		1900, 456

	Page		Page
<i>Phrynobatrachus latirostris</i>	1900, 440	<i>Phyllobates trinitatis</i> ..	1894, 507
	1900, 456		1895, 210
<i>perpalmatus</i>	1898, 474	<i>Phyllocephala irrorata</i> ..	1900, 820
	1898, 479	<i>Phyllocnema semijanthina</i>	1900, 32
	1898, 482	<i>Phyllodactylus androyensis</i>	1894, 722
<i>plicatus</i>	1900, 440	<i>elisæ</i>	1898, 913
<i>ranoides</i>	1894, 641	<i>julieni</i>	1894, 722
	1894, 644	<i>siamensis</i>	1898, 913
	1894, 646		1898, 918
<i>Phrynocara tuberatum</i> ..	1894, 642		1898, 923
<i>Phrynocephalus arabicus</i>	1894, 723		1899, 601
<i>euptilopus</i>	1898, 915		1899, 603
<i>przewalskii</i>	1894, 723		1899, 627
<i>raddii</i>	1891, 628	<i>unctus</i>	1898, 913
<i>vlangalii</i>	1894, 723	<i>Phyllodonta caninata</i> ..	1896, 646
<i>Phrynomaderma asperum</i> ..	1894, 642	<i>Phyllodromia</i> sp.	1898, 384
<i>Phrynoglossus martensii</i> ..	1899, 887	<i>adspersicollis</i>	1892, 199
<i>Phrynomantis bifasciata</i> ..	1891, 308		1892, 202
	1894, 88		1893, 601
	1897, 801	<i>delicatula</i>	1892, 199
<i>Phrynorhombus unimaculatus</i>	1894, 437		1892, 202
<i>Phrynosoma blainvillii</i> ..	1894, 724		1893, 602
<i>coronatum</i>	1894, 724	<i>germanica</i>	1897, 905
<i>frontale</i>	1898, 915		1897, 906
<i>Phrynosus bassamensis</i> ..	1899, 837		1897, 916
<i>granulosus</i>	1899, 837		1898, 384
<i>kochii</i>	1899, 837	<i>hieroglyphica</i>	1895, 892
<i>savateri</i>	1899, 837	<i>notata</i>	1893, 600
<i>tibialis</i>	1899, 838		1893, 602
<i>Phthonoloba olivacea</i> ..	1893, 363		1893, 611
	1893, 434	<i>obtusata</i>	1895, 892
<i>Phthoropæa</i>	1896, 282	<i>Phyllodromus pulchellus</i> ..	1898, 119
<i>carpella</i>	1896, 282	<i>Phyllomedusa iheringii</i> ..	1895, 90
<i>Phuphena fusipennis</i> ..	1896, 640		1895, 94
<i>Phuys asseverans</i>	1896, 640		1895, 96
<i>basilans</i>	1896, 642	<i>Phyllomyias brevis-</i>	
<i>mensurata</i>	1896, 650	<i>rostris</i>	1899, 513
<i>partita</i>	1896, 648	<i>burmeisteri</i>	1899, 513
<i>Phya psamathe</i>	1892, 339	<i>griseicapilla</i>	1899, 515
<i>Phycanassa viator</i>	1893, 93	<i>semifusca</i>	1896, 363
	1893, 111	<i>— superciliaris</i>	1896, 363
<i>Phycidicera manicalis</i> ..	1898, 708	<i>wagæ</i>	1896, 363
<i>salebrialis</i>	1898, 708	<i>Phyllopertha horticola</i> ..	1900, 25
<i>Phyciodes frisia</i>	1900, 199	<i>Phyllopezus africanus</i> ..	1900, 3
<i>Phycis punctella</i>	1897, 112		1900, 965
<i>Phycita phœnicocraspis</i> ..	1896, 272	<i>goyazensis</i>	1894, 722
<i>poteriella</i>	1896, 272	<i>Phyllophorus cornutus</i> ..	1899, 465
<i>Phyllacanthus annulifer</i> ..	1894, 395	<i>Phyllopneuste fasciata</i> ..	1900, 471
	1900, 274	<i>plumbeitarsus</i>	1900, 470
<i>Phyllidia varicosa</i>	1900, 118	<i>Phyllopseuste trochilus</i> ..	1895, 481
<i>Phyllium gelonus</i>	1894, 135	<i>Phylloptera laurifolia</i> ..	1892, 211
<i>Phyllobates infraguttatus</i>	1898, 118	<i>marginella</i>	1892, 211
	1898, 126	<i>thoracica</i>	1892, 211
	1898, 476	<i>Phyllorhina</i>	1898, 75
		<i>bicolor fulva</i>	1900, 343
		<i>stoliczkana</i>	1900, 344

	Page		Page
<i>Phyllornis lazulina</i>	1900, 478	<i>Physcosoma pacificum</i> ..	1898, 433
<i>Phylloscopus plumbei-</i>			1899, 56
<i>tarsus</i>	1900, 470	<i>scolops</i>	1898, 470
<i>proregulus</i>	1896, 856		1899, 56
<i>supercilius</i>	1891, 628	<i>varians</i>	1898, 468
	1896, 856		1898, 471
	1900, 470	<i>Physematia pollutalis</i> ..	1898, 616
<i>Phyllostoma hastatum</i> .	1893, 335	<i>rotundalis</i>	1898, 727
	1894, 358	<i>Physignathus cochini-</i>	
<i>pusillum</i>	1893, 337	<i>chinensis</i>	1899, 641
<i>Phyllostrophus pauper</i> .	1895, 489		1899, 642
<i>strepitans</i>	1895, 489	<i>mentager</i>	1899, 601
<i>Phyllotis griseoflavus</i> ..	1898, 210		1899, 603
<i>Phyllotreta capensis</i> ..	1900, 243		1899, 641
<i>mashonana</i>	1897, 554		1899, 642
<i>natalensis</i>	1899, 342	<i>Physocyclus globosus</i> ..	1894, 519
<i>opaca</i>	1897, 554	<i>Physodactyla africana</i> ..	1900, 266
<i>unicostata</i>	1900, 244	<i>Physophora hydrostatica</i>	1898, 545
<i>Phymastrea</i>	1899, 157	<i>Physopsis africana</i>	1891, 309
<i>Phymata angulata</i>	1893, 706		1894, 166
	1894, 204	<i>Phytocoris eximius</i>	1893, 705
<i>Phymateus leprosus</i> ..	1897, 297		1894, 191
<i>morbillosus</i>	1900, 40	<i>Piagetia fasciatiipennis</i> .	1896, 443
<i>stollii</i>	1900, 40	<i>Pica caudata</i>	1900, 462
<i>Phymodius unguatus</i> ..	1900, 570	<i>media</i>	1900, 462
	1900, 587	<i>pica</i>	1896, 311
<i>Phymosoma</i>	1898, 468		1900, 462
<i>Physa karongensis</i>	1893, 640	<i>rustica</i>	1896, 311
	1893, 641	<i>Picolaptes falcinellus</i> ..	1899, 513
<i>nyasana</i>	1891, 309		1899, 516
	1893, 640	<i>fuscicapillus</i>	1896, 324
<i>succinoides</i>	1891, 309		1896, 378
<i>Physaloptera turgida</i> ..	1894, 531	<i>lacrymiger warsze-</i>	
<i>Physcæneura leda</i>	1894, 20	<i>wiczi</i>	1896, 378
	1894, 21	<i>squamatus</i>	1899, 515
	1894, 561		1899, 516
	1898, 397	<i>warszewiczi</i>	1896, 378
<i>panda</i>	1894, 20	<i>Picumnus minutus</i>	1891, 125
	1894, 21	<i>Picus</i> sp.	1894, 600
	1897, 838		1894, 604
<i>pione</i>	1894, 15		1894, 605
	1894, 18	<i>cabanisi</i>	1900, 482
	1894, 20	<i>gaudryi</i>	1893, 517
	1894, 82	<i>hemprichi</i>	1895, 491
	1894, 561	<i>kaleensis</i>	1900, 483
	1896, 109	<i>kalinowskii</i>	1892, 195
	1896, 821	<i>mandarinus</i>	1900, 483
	1898, 50	<i>minor quadrifas-</i>	
<i>— lucida</i>	1896, 852	<i>ciatus</i>	1895, 311
	1896, 853	<i>nubicus</i>	1895, 492
	1896, 855	<i>quadrifasciatus</i>	1895, 311
<i>Physcosoma dentigerum</i>	1898, 471	<i>richardsi</i>	1892, 195
<i>japonicum</i>	1899, 54	<i>schoensis</i>	1895, 491
<i>microdontoton</i>	1898, 471	<i>Pieris abyssinica</i>	1896, 534
	1898, 473	<i>agrippina</i>	1893, 664
	1899, 56		1893, 665
<i>nigrescens</i>	1898, 470		1894, 345
<i>pacificum</i>	1898, 470		1896, 128

	Page		Page
<i>Pieris alba</i>	1894, 64	<i>Pieris thalassina</i>	1895, 736
albusta	1898, 365	thyra	1894, 346
amytis	1897, 27		1894, 578
boguensis	1894, 345		1896, 534
charina	1894, 344		1897, 850
eriphia	1891, 96		1898, 412
	1893, 666	titea	1897, 26
	1894, 64	virginia	1896, 514
	1896, 129		1896, 518
eunoma	1897, 16	zochalia	1894, 374
gidica	1893, 665		1894, 579
	1894, 346	(Belenois) lasti	1894, 68
	1894, 579	<i>Piezodorus guildingii</i> ..	1893, 705
	1896, 526		1894, 175
	1896, 534	incarnatus	1900, 823
	1898, 370	<i>Piezosternum calidum</i> ..	1900, 823
	1898, 412	<i>Piezostethus sordidus</i> ..	1894, 156
infida	1896, 526		1894, 201
	1898, 370	<i>Pigia tergemina</i>	1896, 646
ione	1894, 65	<i>Pigritia biatomella</i>	1897, 93
	1897, 18	mediocris	1897, 94
	1897, 19	<i>Pilemia deformalis</i>	1899, 286
iranica	1899, 812	<i>Pileolus plicatus</i>	1892, 539
liagore	1899, 812	<i>Piletosoma</i>	1898, 595
lordaca	1896, 255		1898, 707
	1896, 534	ignedorsalis	1898, 708
	1898, 412		1898, 671
malatha	1894, 63	novalis	1898, 707
mananhari	1897, 16	<i>Pihdion lineatum</i>	1896, 876
mesentina	1891, 95		1899, 615
monuste	1896, 518		1899, 652
ogygia	1894, 578	<i>Piloerocis</i>	1898, 597
omphale	1893, 664		1898, 655
	1894, 577	acutangula	1898, 659
	1897, 27	anigrusalis	1898, 657
	1898, 410	anormalis	1898, 658
	1900, 934	barcalis	1898, 657
orbona	1894, 63	calamistis	1898, 657
phileta	1900, 201	chlorisalis	1898, 659
phisadia	1897, 10	collustralis	1898, 660
	1899, 811	confixalis	1898, 659
pigea	1894, 344	coptobasis	1898, 656
	1894, 580	cryptalis	1898, 658
polycaste	1897, 15	cyricalis	1898, 658
rüppellii	1893, 663	damonalis	1898, 658
	1894, 570	delimitalis	1898, 655
saba	1894, 63	discodontalis	1898, 658
	1897, 853	dryalis	1898, 657
severina	1891, 96	gilippusalis	1898, 658
	1894, 64	imbrexalis	1898, 655
	1894, 345	infuscalis	1898, 369
	1896, 534		1898, 658
simana	1894, 64	inguinalis	1898, 657
	1894, 344	latifuscalis	1898, 659
spilleri	1894, 344	lauralis	1898, 655
thalassina	1893, 666	leucoplagalalis	1898, 658
	1894, 67		1898, 761
	1894, 580	liberalis	1898, 658

	Page		Page
<i>Pilocrocis maceralis</i> ..	1898, 659	<i>Pimelodus (Rhamdia)</i>	
<i>melanoproctis</i>	1898, 659	<i>hilarii</i>	1891, 233
<i>plumbicostalis</i>	1898, 655	<i>Pinacia ocularis</i>	1898, 640
<i>purpurascens</i>	1898, 656	<i>Pinacopteryx alba</i>	1894, 64
<i>ramentalis</i>	1898, 655	<i>astarte</i>	1899, 971
.....	1898, 656	1899, 972
<i>roxonalis</i>	1898, 658	1899, 975
<i>synomotis</i>	1898, 656	<i>charina</i>	1897, 854
<i>tripunctata</i>	1898, 655	1899, 973
<i>tristigmalis</i>	1898, 659	<i>falkensteinii</i>	1899, 971
<i>xanthyalinalis</i>	1898, 657	<i>gerda</i>	1899, 972
<i>xiphialis</i>	1898, 657	1899, 973
<i>Pilodeudorex cærulea</i> ..	1900, 913	1900, 913
.....	1900, 925	1900, 937
<i>Pilodius spinipes</i>	1900, 588	<i>larima</i>	1899, 972
<i>Pilorhinus</i> sp.	1894, 600	<i>liliana</i>	1894, 580
<i>Pilumnopeus macu-</i>		1898, 413
<i>latus</i>	1900, 744	<i>nigropunctata</i>	1894, 344
<i>Pilumnus andreossyi</i> ..	1900, 581	<i>orbona</i>	1899, 972
<i>hirsutus</i>	1900, 570	<i>ortygna</i>	1894, 580
.....	1900, 581	<i>pigea</i>	1894, 344
.....	1900, 596	1894, 580
.....	1900, 743	1897, 854
<i>labyrinthicus</i>	1900, 743	1898, 198
<i>lævis</i>	1900, 743	1899, 272
<i>minutus</i>	1900, 743	<i>simana</i>	1894, 344
— <i>hirsutus</i>	1900, 743	1899, 972
<i>mus</i>	1900, 743	1899, 973
<i>prunosus</i>	1900, 568	<i>spilleri</i>	1894, 344
.....	1900, 581	1899, 972
<i>rotumanus</i>	1900, 569	<i>vidua</i>	1899, 972
.....	1900, 581	1899, 975
.....	1900, 596	<i>Pinarochroa ernesti</i>	1900, 606
<i>ursulus</i>	1900, 743	<i>hypospodia</i>	1900, 606
<i>vespertilio</i>	1900, 743	<i>sordida</i>	1900, 606
<i>Pimelepterus fuscus</i> ..	1892, 134	<i>Pinarocichla schmac-</i>	
<i>Pimelia cenchrota</i> ..	1900, 28	<i>keri</i>	1900, 478
<i>hildebrandti</i>	1900, 28	<i>Pinconia coa</i>	1892, 322
<i>Pimelodus buckleyi</i>	1891, 232	<i>Pindara illibata</i>	1892, 128
<i>bufonius</i>	1891, 233	<i>Pindictora acreonalis</i> ..	1899, 290
<i>charus</i>	1891, 233	<i>annusalis</i>	1899, 290
<i>cattoides</i>	1891, 233	<i>thysbesalis</i>	1895, 965
<i>maculatus</i>	1891, 233	<i>Pinna attenuata</i>	1891, 435
.....	1895, 274	<i>bicolor</i>	1891, 433
.....	1895, 275	<i>nigrina</i>	1891, 435
.....	1895, 282	<i>penna</i>	1891, 435
.....	1899, 498	<i>rigida</i>	1891, 433
<i>valenciennis</i>	1891, 232	<i>rudis</i>	1891, 435
(<i>Pimelodella</i>) <i>eigen-</i>		<i>serra</i>	1891, 433
<i>manni</i>	1891, 232	<i>Pinnotheres arcophilus</i> .	1900, 762
(—) <i>lateristriga</i> ..	1891, 232	<i>modiolicola</i>	1900, 761
(—) <i>nigribarbis</i> ..	1891, 232	<i>ortmanni</i>	1900, 761
.....	1891, 235	<i>semperi</i>	1900, 761
(<i>Pseudopimelodus</i>)		<i>Pionea</i>	1898, 601
<i>cottoides</i>	1891, 233	1899, 239
.....	1891, 235	<i>ablactalis</i>	1899, 247
(<i>Pseudorhamdia</i>)		<i>ademonalis</i>	1896, 643
<i>nigribarbis</i>	1891, 232	<i>africalis</i>	1899, 247

	Page
<i>Pionea albicostalis</i>	1899, 246
<i>albifimbrialis</i>	1899, 246
<i>albopedalis</i>	1899, 242
<i>amitina</i>	1899, 249
<i>angustalis</i>	1899, 245
<i>antigastridia</i>	1899, 244
<i>arenacea</i>	1899, 242
<i>auratalis</i>	1899, 247
<i>aureolalis</i>	1899, 246
<i>aurora</i>	1899, 246
<i>aurorina</i>	1899, 246
<i>autoclesalis</i>	1899, 250
<i>bicoloralis</i>	1899, 245
<i>bifascialis</i>	1899, 187
<i>brevialis</i>	1899, 247
<i>cæmaroalis</i>	1896, 643
<i>castoralis</i>	1899, 247
<i>cervinalis</i>	1899, 242
<i>clavifera</i>	1899, 241
<i>cœculalis</i>	1899, 241
<i>comalis</i>	1898, 759
<i>confinalis</i>	1899, 242
<i>conquisitalis</i>	1899, 250
<i>crocealis</i>	1899, 245
<i>cyanalis</i>	1899, 250
<i>daiclesalis</i>	1899, 246
<i>decretialis</i>	1899, 248
<i>decrepidalis</i>	1899, 249
<i>deidamialis</i>	1899, 242
<i>delineatalis</i>	1899, 243
<i>desistalis</i>	1899, 248
<i>despecta</i>	1899, 248
<i>detersalis</i>	1899, 250
<i>dicealis</i>	1899, 249
<i>dionalis</i>	1899, 259
<i>ectoxanthia</i>	1899, 241
<i>elutalis</i>	1899, 243
<i>ennychioides</i>	1899, 244
<i>eumusalis</i>	1899, 186
<i>eupalusalis</i>	1899, 248
<i>externalis</i>	1899, 247
<i>exuvialis</i>	1899, 247
<i>fentoni</i>	1899, 246
<i>ferrugalis</i>	1899, 240
	1899, 243
<i>ferruginealis</i>	1899, 248
<i>flavicillialis</i>	1899, 241
<i>flavinotata</i>	1899, 244
<i>flavofimbriata</i>	1899, 240
<i>forficalis</i>	1899, 247
<i>fulvalis</i>	1899, 242
<i>fumipennis</i>	1899, 249
<i>furnacalis</i>	1899, 246
<i>fuscipalpalis</i>	1899, 248
<i>fuscizonalis</i>	1899, 240
<i>fusculalis</i>	1899, 243
<i>genialis</i>	1899, 246
<i>gracilis</i>	1899, 245

	Page
<i>Pionea helviusalis</i>	1899, 248
<i>imitans</i>	1899, 247
<i>inclusalis</i>	1899, 247
<i>incomalis</i>	1898, 759
<i>indistinctalis</i>	1899, 249
<i>infuscalis</i>	1899, 247
<i>inhospitalis</i>	1899, 250
<i>inornata</i>	1899, 242
<i>inquinatalis</i>	1899, 245
<i>institalis</i>	1899, 242
<i>itysalis</i>	1899, 249
<i>lacteata</i>	1899, 249
<i>languidalis</i>	1899, 242
<i>leucanalisis</i>	1899, 246
<i>leucocraspiæ</i>	1899, 245
<i>leucostictalis</i>	1899, 250
<i>lugubralis</i>	1899, 246
<i>lutealis</i>	1899, 242
	1899, 245
<i>mandronalis</i>	1899, 245
<i>micacea</i>	1899, 244
<i>minnehaha</i>	1899, 246
<i>minnithalis</i>	1899, 246
<i>mitis</i>	1899, 250
<i>monticolans</i>	1899, 244
<i>nebulalis</i>	1899, 249
<i>nerissalis</i>	1899, 248
<i>nigrescens</i>	1899, 244
<i>nigrostigmalis</i>	1899, 245
<i>nobilis</i>	1899, 247
<i>nolalis</i>	1899, 249
<i>numeralis</i>	1899, 249
<i>nypsiusalis</i>	1899, 241
<i>octonalis</i>	1899, 243
<i>olivalis</i>	1899, 244
	1899, 249
<i>opalialis</i>	1899, 247
<i>orbicentralis</i>	1899, 246
<i>pandalis</i>	1899, 242
<i>phæalis</i>	1899, 244
<i>phæochysis</i>	1899, 248
<i>phialusalis</i>	1899, 247
<i>phœnicistis</i>	1899, 240
<i>placens</i>	1899, 246
<i>poliosticta</i>	1899, 245
<i>præpandalis</i>	1899, 246
<i>praxitalis</i>	1899, 241
<i>profundalis</i>	1899, 242
<i>prolausalis</i>	1899, 246
<i>prunalis</i>	1899, 243
<i>pulchripictalis</i>	1899, 245
<i>renalis</i>	1899, 243
<i>rhexialis</i>	1899, 246
<i>rhodochrysa</i>	1899, 246
<i>rosinalis</i>	1899, 246
<i>rubigalis</i>	1899, 242
<i>rubiginalis</i>	1899, 248
<i>sabulosalis</i>	1899, 249

	Page		Page
<i>Pionea scoparialis</i>	1899, 243	<i>Pipilo mystacalis</i>	1892, 402
<i>scorialis</i>	1899, 243	<i>Pipilopsis mystacalis</i> . .	1896, 347
<i>seriopunctalis</i>	1899, 248	<i>tricolor</i>	1896, 347
<i>silvalis</i>	1899, 243	<i>Pipistrellus</i> sp.	1897, 927
<i>sobrinalis</i>	1899, 243	<i>abramus</i>	1898, 771
<i>sodalis</i>	1899, 247		1900, 191
<i>stachydalis</i>	1899, 245		1900, 876
<i>staiusalis</i>	1899, 248	<i>kuhli</i>	1897, 927
<i>stellata</i>	1899, 244		1897, 954
<i>straminata</i>	1899, 249	<i>ridleyi</i>	1900, 345
<i>subrosea</i>	1899, 244	<i>savii pulveratus</i> . .	1898, 771
<i>susialis</i>	1899, 290	<i>Pipiza costalis</i>	1893, 134
<i>sylvialis</i>	1899, 248	<i>divisa</i>	1893, 134
<i>taeniolalis</i>	1899, 247	<i>dolosa</i>	1893, 134
<i>tatalis</i>	1899, 248	<i>pica</i>	1893, 134
<i>terminalis</i>	1899, 250	<i>Pipra caeruleocapilla</i> . .	1896, 368
<i>testacealis</i>	1899, 245	<i>chloromeros</i>	1896, 368
<i>thyalis</i>	1899, 250	<i>comata</i>	1896, 323
<i>thyriphora</i>	1899, 240		1896, 368
<i>tripartalis</i>	1899, 247	<i>leucocilla</i>	1899, 515
<i>turiusalis</i>	1899, 246	<i>rubricapilla</i>	1899, 515
<i>verbascalis</i>	1899, 245	<i>rubricilla</i>	1899, 515
<i>vinotinctalis</i>	1899, 248	<i>Pipreola elegans</i>	1896, 370
<i>washingtonialis</i> . . .	1899, 249	<i>frontalis</i>	1896, 324
<i>zonalis</i>	1899, 247		1896, 370
<i>Pionias chalcopertus</i> . .	1900, 304	<i>viridis intermedia</i> . .	1896, 370
<i>rufiventris</i>	1895, 494	<i>Pipridea castaneo-</i>	
<i>Pionidia</i>	1897, 637	<i>ventris</i>	1896, 342
	1897, 664	<i>Piprites pileatus</i>	1899, 514
<i>albicilla</i>	1897, 664	<i>tsehudii</i>	1896, 367
<i>Pionopsittacus pileatus</i> .	1900, 304	<i>Pirata latitans</i>	1898, 488
<i>Pionus</i>	1899, 30	<i>Pirdana hyela</i>	1892, 647
	1899, 31		1892, 648
	1899, 44		1893, 93
	1899, 45		1893, 116
	1899, 46		1893, 117
<i>maximiliani</i>	1899, 30	<i>ismene</i>	1893, 117
<i>menstruus</i>	1899, 30	<i>rudolpheii</i>	1892, 648
<i>violaceus</i>	1893, 514	<i>Pirithous pallipes</i>	1894, 193
<i>Pipa</i>	1898, 4	<i>Pirula decussata</i>	1891, 435
	1898, 8	<i>ficus</i>	1891, 413
	1898, 10	<i>nodosa</i>	1891, 435
	1898, 12	<i>Pisa monoceros</i>	1900, 574
<i>americana</i>	1894, 456		1900, 722
	1894, 693	<i>planasia</i>	1900, 724
	1895, 827	<i>(Naxia) diacantha</i> . .	1900, 723
	1895, 828	<i>Pisania ignea</i>	1891, 405
	1895, 830	<i>tissoti</i>	1891, 409
	1895, 845	<i>tritonoides</i>	1891, 405
	1895, 846	<i>Pisenor höhneli</i>	1897, 741
	1896, 595		1898, 498
<i>surinamensis</i>	1895, 86		1898, 505
	1895, 87	<i>nigellus</i>	1897, 741
	1895, 831		1898, 505
	1895, 832	<i>notius</i>	1897, 741
	1895, 840	<i>Pisenorodes</i>	1898, 504
<i>Pipastes agilis</i>	1900, 467	<i>höhneli</i>	1898, 505
<i>Pipile cumanensis</i>	1900, 305		1898, 506

	Page		Page
<i>Pisenorodes höhneli</i>	1898, 524	<i>Plagiaulax minor</i>	1891, 585
<i>Pisidia asiatica</i>	1898, 464	<i>Plagiodera congo-</i>	
<i>lamarckii</i>	1898, 464	<i>ensis</i>	1900, 242
<i>Pisola cerinthus</i>	1893, 31	<i>Plagiolepis flava</i>	1896, 410
<i>zennara</i>	1892, 648	<i>longipes</i>	1896, 419
	1893, 18	<i>pissina</i>	1896, 410
	1893, 31	<i>Plagioscion ternetzi</i>	1895, 523
<i>Pison (Parapison) agile</i>	1896, 441	<i>Plagiosella</i>	1897, 605
<i>Pitacanda</i>	1899, 196		1897, 625
<i>Pitama lativitta</i>	1898, 739	<i>clathrata</i>	1897, 626
<i>Pitangus sulphuratus</i>	1896, 228	<i>interrupta</i>	1897, 626
<i>Pithauria aitchisoni</i>	1893, 119	<i>Plagodis reticulata</i>	1893, 408
<i>murdava</i>	1892, 649	<i>Plagusia serripes</i>	1900, 592
	1893, 93	<i>speciosa</i>	1900, 569
	1893, 119		1900, 570
<i>stramineipennis</i>	1892, 649		1900, 591
	1893, 119	<i>Planaxis breviculus</i>	1891, 416
<i>Pithauriopsis aitchisoni</i>	1893, 119	<i>Planema aganice</i>	1897, 841
<i>Pithea ferruginea</i>	1896, 636	<i>esebria</i>	1894, 31
<i>Pithechir melanurus</i>	1892, 2		1895, 732
<i>Pithecopis dionisius</i>	1891, 358	<i>euryta</i>	1891, 635
	1891, 372	<i>fulvescens</i>	1894, 338
— <i>steirema</i>	1891, 358	<i>jacksoni</i>	1898, 400
	1891, 372	<i>johnstoni</i>	1893, 658
<i>fulgens</i>	1891, 250		1894, 18
	1892, 621		1894, 30
<i>hylax</i>	1891, 358		1894, 31
	1892, 621		1894, 338
	1895, 557		1895, 732
	1895, 570	<i>latifasciata</i>	1891, 635
<i>steirema</i>	1900, 507		1891, 638
<i>zalmora</i>	1891, 358		1895, 731
	1892, 621		1899, 977
	1895, 570	<i>lycoa</i>	1894, 31
<i>Pitheculus australis</i>	1899, 564		1895, 732
<i>Pitta bengalensis</i>	1900, 305	<i>montana</i>	1894, 338
<i>Pitthea trifasciata</i>	1898, 419		1894, 567
<i>Pituophis catenifer</i>	1892, 481		1898, 400
<i>Pitylus albociliaris</i>	1896, 348	<i>poggei</i>	1899, 976
<i>brasiliensis</i>	1899, 515	<i>protea</i>	1895, 732
<i>capistratus</i>	1900, 305	<i>proteina</i>	1894, 338
<i>olivaceus</i>	1892, 375	<i>scalivittata</i>	1896, 826
	1892, 396		1896, 850
<i>puteus</i>	1892, 375	<i>Planispira breviseta</i>	1891, 335
	1892, 396	<i>helferi</i>	1895, 442
<i>Placopsilina cenomana</i>	1895, 17		1895, 449
	1895, 50	<i>hemiopta</i>	1895, 442
<i>Placosaris</i>	1899, 252	— <i>albina</i>	1895, 442
<i>Placostylus calus</i>	1891, 489	— <i>unifasciata</i>	1895, 442
	1891, 491	<i>Planispirina celata</i>	1895, 11
<i>eddytonensis</i>	1891, 489	<i>sigmoidea</i>	1895, 11
<i>guppyi</i>	1891, 489	<i>trochalia</i>	1895, 442
	1891, 491	— <i>conico-elata</i>	1895, 442
<i>macfarlandi</i>	1891, 490	<i>wimberleyi</i>	1895, 442
<i>macgillivrayi</i>	1891, 490		1895, 449
<i>Plagiaulax</i>	1899, 571	<i>Planorbis exustus</i>	1891, 339
<i>dawsoni</i>	1891, 585	(Planorbula) <i>alex-</i>	
	1891, 586	<i>andrina</i>	1893, 640

	Page		Page
<i>Planorbula tangani-</i>		<i>Platurus colubrinus</i>	1899, 689
<i>kana</i>	1893, 640	<i>fasciatus</i>	1895, 822
<i>Planorbulina acervalis</i> . .	1895, 39		1895, 826
	1895, 53	<i>fischeri</i>	1899, 688
<i>larvata</i>	1895, 40	<i>laticaudatus</i>	1895, 705
	1895, 53		1895, 712
<i>Plastingia bicuta</i>	1896, 40		1899, 607
<i>callineura</i>	1892, 657		1899, 688
	1893, 118		1899, 689
<i>charita</i>	1896, 82	<i>Platycercus</i>	1899, 38
<i>edipus</i>	1896, 75		1899, 39
<i>flavescens</i>	1893, 93	<i>browni</i>	1900, 304
	1893, 118	<i>elegans</i>	1899, 37
	1896, 46	<i>erythropeplus</i>	1891, 130
<i>helena</i>	1892, 657	<i>eximius</i>	1891, 130
	1893, 118	<i>hæmatonotus</i>	1900, 304
<i>laronia</i>	1896, 40	<i>icterotis</i>	1891, 129
<i>latoia</i>	1893, 118	<i>multicolor</i>	1900, 304
<i>litrunia</i>	1893, 118	<i>pennanti</i>	1891, 130
<i>luehderi</i>	1896, 15	<i>xanthogenys</i>	1891, 129
<i>margherita</i>	1892, 657	<i>Platydictylus gecko</i> . .	1896, 867
	1893, 118		1899, 631
<i>naga</i>	1892, 658	<i>lugubris</i>	1896, 867
	1893, 118		1899, 631
<i>noemi</i>	1892, 658	<i>monarchus</i>	1896, 868
	1893, 118		1899, 635
<i>ogowena</i>	1896, 46	<i>muralis</i>	1895, 638
<i>podora</i>	1896, 86	<i>stentor</i>	1896, 867
<i>reichenowi</i>	1896, 76		1899, 634
<i>sator</i>	1896, 75	<i>Platydasys</i>	1892, 126
<i>tessellata</i>	1892, 658	<i>pryeri</i>	1892, 126
	1893, 118		1892, 133
<i>thora</i>	1896, 40	<i>Platydia mollealis</i> . . .	1896, 648
	1896, 41	<i>Platyja umminea</i>	1892, 128
	1896, 43	<i>Platylesches</i>	1896, 72
<i>vermiculata</i>	1893, 118	<i>amadhu</i>	1896, 73
<i>Platacantha lutea</i>	1900, 823		1896, 104
<i>Platalea</i> sp.	1900, 962	<i>batangæ</i>	1896, 73
<i>ajaja</i>	1897, 469	<i>chamæleon</i>	1896, 73
<i>alba</i>	1891, 327	<i>galesa</i>	1896, 72
<i>leucorodia</i>	1896, 144		1896, 103
	1897, 469	<i>moritili</i>	1896, 72
<i>minor</i>	1900, 306		1898, 912
<i>Platamonia binotalis</i> . .	1898, 699	<i>nigerrima</i>	1896, 73
<i>Plataspis</i>	1900, 818		1896, 103
<i>flaviceps</i>	1900, 822	<i>nigricans</i>	1896, 73
<i>hemisphærica</i>	1900, 820		1896, 103
<i>nigrita</i>	1900, 819	<i>picanini</i>	1896, 72
<i>nigriventris</i>	1900, 820		1896, 73
<i>nitida</i>	1900, 820	<i>Platynota breviplicana</i> .	1897, 135
<i>subænea</i>	1900, 820	<i>diminutana</i>	1897, 135
<i>Plateros forreranus</i> . . .	1898, 317	<i>flavedana</i>	1897, 134
<i>fraternus</i>	1898, 317		1897, 135
<i>palliatu</i>	1898, 317	<i>labrosana</i>	1897, 135
<i>Platessa flesas</i>	1894, 249	<i>repandana</i>	1891, 499
<i>limanda</i>	1899, 492		1891, 543
<i>Platurus colubrinus</i> . . .	1896, 893		1897, 134
	1899, 607	<i>rostrana</i>	1891, 499

	Page		Page
Platynota rostrana	1891, 543	Platytes rufisignella ..	1895, 944
	1897, 134	sagitella	1895, 946
stultana	1897, 135	simplex	1895, 944
Platyptilia sp.	1891, 495	squamulella	1895, 946
	1891, 542	strigulalis	1895, 946
cosmodactyla	1897, 57	tenella	1895, 944
pusillidactyla	1891, 495	Platythelphusa	1899, 700
	1891, 542		1899, 701
	1897, 57		1899, 702
tecnidion	1891, 495		1899, 703
	1897, 57		
Platyrhynchus flavi-		Platythomisus heraldi-	
gularis	1896, 359	cus	1899, 883
Platysternum mega-		insignis	1899, 882
cephalum	1899, 602		1899, 883
	1899, 610	nigriceps	1899, 885
Platysticta greeni	1891, 204		1899, 883
	1891, 206	pantherinus	1899, 884
hilaris	1891, 205		1899, 883
maculata	1891, 205	sex-maculatus	1899, 883
Platystoma juruense ..	1898, 44		1899, 884
Platytes albipennella ..	1895, 946	Platythyris fasciata	1897, 609
alpinella	1895, 948	Platyxantha abdominalis	1897, 575
argentisparsalis	1895, 948	apicalis	1899, 371
auratella	1895, 945	bicincta	1900, 264
caractella	1895, 948		1900, 266
cerusella	1895, 947	fascialis	1899, 370
croceicinctella	1895, 945	livingstoni	1899, 372
croceivitella	1895, 944	lukunguensis	1899, 371
densella	1895, 946	pallida	1897, 576
divisella	1895, 944	scutellata	1897, 576
endochalybella	1895, 947	Plautia fimbriata	1900, 814
furvicornis	1895, 944		1900, 824
fuscivenalis	1895, 947	viridicollis	1900, 814
ictericalis	1895, 947	Plaxia falcigera	1896, 638
	1896, 269	Plea striola	1893, 706
interlineata	1895, 946		1894, 224
interruptella	1895, 945	Plebeius sp.	1894, 569
interstriatellus	1895, 945	albobacruleus	1900, 107
kadenii	1895, 948	cyanea	1893, 549
lucidella	1895, 944	damis	1893, 539
lugdunella	1895, 948	danis	1893, 541
marginepunctalis ..	1895, 945	falkensteinii	1895, 733
nivalis	1895, 944		1900, 928
niveifascialis	1895, 944	hymetus	1893, 547
	1895, 945	illustris	1893, 552
nummulalis	1895, 944	malaccanus	1892, 627
opposita	1895, 944	optimus	1895, 583
pallidella	1895, 946	orbitulus	1896, 829
parallellus	1895, 945	osias	1892, 627
pentadactylus	1895, 947		1895, 582
plumbeolinealis ..	1895, 947	poggei	1894, 50
polyactinella	1895, 946		1896, 831
pulverulentella	1895, 946	ribbei	1893, 543
pusillalis	1895, 944	trochilus	1894, 569
	1896, 643		1896, 120
	1898, 369		1896, 830
pustulella	1895, 944		1899, 811

	Page		Page
<i>Plebeius trochilus</i>	1900, 13	<i>Plesioneura alysos</i>	1892, 658
<i>Plecodus</i>	1898, 497	<i>andrachne</i>	1896, 18
	1899, 100	<i>aurivittata</i>	1892, 663
	1899, 142	<i>biseriata</i>	1896, 13
<i>paradoxus</i>	1898, 497	<i>cameroni</i>	1892, 663
	1899, 142	<i>chamunda</i>	1892, 661
<i>Plecoptera</i> sp.	1893, 682	<i>curvifascia</i>	1893, 112
<i>reflexa</i>	1896, 264	<i>dhanada</i>	1892, 662
	1900, 19		1892, 663
<i>resistans</i>	1893, 682	<i>galeus</i>	1894, 80
<i>reversa</i>	1894, 589		1896, 12
<i>Plecostomus</i> commer-		<i>hoehneli</i>	1896, 13
<i>soni</i>	1891, 234	<i>humbloti</i>	1896, 14
<i>francisci</i>	1895, 526	<i>hyalinata</i>	1896, 18
<i>ternetzi</i>	1895, 525	<i>indrani</i>	1892, 659
<i>Pleocotus</i>	1898, 61	<i>laxmi</i>	1892, 659
<i>auritus</i>	1892, 5	<i>liliana</i>	1892, 664
	1892, 6	<i>monteithi</i>	1892, 658
<i>communis</i>	1893, 497	<i>nigricans</i>	1892, 661
<i>Plectana lata</i>	1897, 874	<i>paralysos</i>	1892, 658
<i>linnæi</i>	1897, 874	<i>pinwilli</i>	1892, 661
<i>Plectopylis polyptychia</i> .	1892, 467	<i>proxima</i>	1896, 14
<i>trochospira</i>	1892, 467	<i>pulomaya</i>	1892, 659
<i>Plectotropis squamuli-</i>		<i>signata</i>	1892, 658
<i>fera</i>	1892, 461	<i>sumitra</i>	1892, 660
<i>squamulosa</i>	1892, 469	<i>Plestia dorus</i>	1893, 21
<i>sumatrana</i>	1892, 469		1893, 131
<i>visayana</i>	1892, 469	<i>staudingeri</i>	1893, 17
<i>winteriana</i>	1892, 469		1893, 21
<i>Plectrona dohrnii</i>	1898, 686	<i>Pletholax gracilis</i>	1898, 914
<i>Plectropterus</i> sp.	1900, 960	<i>Pleurechinus bothry-</i>	
<i>gambensis</i>	1897, 467	<i>oides</i>	1894, 410
<i>niger</i>	1893, 614	<i>ruber</i>	1894, 410
	1897, 189	<i>variabilis</i>	1894, 410
<i>Plegadis falcinellus</i>	1897, 811	<i>Pleurocorallium</i>	1899, 57
	1897, 812	<i>johnsoni</i>	1899, 61
	1900, 961		1899, 62
<i>guarauna</i>	1897, 811		1899, 63
	1897, 812	<i>maderense</i>	1899, 60
	1899, 513		1899, 63
<i>Plemyria flaviata</i>	1896, 646		1899, 978
<i>Pleonectusa planalis</i> ..	1898, 693	<i>secundum</i>	1899, 57
<i>Pleretes thelwalli</i>	1895, 269		1899, 63
	1895, 720	— <i>elator</i>	1899, 57
<i>tigris</i>	1894, 584		1899, 63
	1895, 740	<i>tricolor</i>	1899, 58
<i>Plesiadapis gervaisii</i> ..	1893, 193		1899, 63
<i>Plesiartomys sciuroides</i>	1893, 202	<i>Pleurodeles watlii</i>	1898, 106
	1893, 203	<i>Pleuromma abdominale</i> .	1898, 543
<i>Plesiastrea</i>	1899, 157		1898, 546
	1899, 751		1898, 547
<i>versipora</i>	1899, 751		1898, 549
	1899, 753		1898, 579
<i>Plesiocera filipalpis</i>	1893, 130	<i>Pleuronectes flesus</i>	1894, 423
<i>Plesioceris</i>	1898, 533		1894, 434
<i>australis</i>	1898, 534		1894, 439
<i>Plesioneura agni</i>	1892, 659		1899, 940
<i>albifasciata</i>	1892, 658	<i>limanda</i>	1894, 423

	Page		Page
Pleuronectes limanda..	1894, 438	Plexaura antipathes....	1899, 52
microcephalus	1894, 423	principalis.	1899, 51
	1894, 436	suffruticosa	1899, 51
	1899, 492	Plicatula sp.	1891, 434
pinguis	1899, 501	Plinthisus sp.	1893, 705
platessa	1894, 423	Pliodon spekei	1893, 641
	1894, 436	Plocederus melancholi-	
platessoides	1898, 310	cus.	1900, 32
rhombus	1899, 457	peeli	1900, 32
solea	1899, 443	Ploceipasser pectoralis .	1900, 2
(Arnoglossus) groh-		Ploceus abyssinicus....	1894, 598
manni	1899, 456	nigerrimus	1894, 598
(Rhombus) maxi-		1894, 601
mus	1899, 501	nigricollis	1894, 599
Pleuroptya fuscalis	1898, 719	1894, 602
Pleurostomella alternans	1895, 25	1894, 605
	1895, 51	rubiginosus	1895, 463
subnodosa	1895, 25	sanguinirostris	
	1895, 51	aethiopicus	1895, 465
Pleurotoma albicostata .	1893, 489	Plociomera oblonga....	1894, 187
albovaricosa	1893, 488	Ploetzia amygdalis	1893, 130
	1893, 492	1896, 94
delicata	1893, 490	capronnieri	1896, 95
edithæ	1893, 488	cerymica	1896, 94
	1893, 492	1896, 95
huberti	1893, 487	1898, 827
	1893, 492	dysmephila	1896, 94
hungerfordi	1893, 489	fiara	1896, 94
	1893, 492	nobilior	1896, 95
inclinata	1893, 488	1896, 104
	1893, 492	quaternata.....	1896, 94
infracusca	1893, 489	weiglei	1896, 95
	1893, 492	Plotheia celtis	1896, 262
keeni	1893, 489	Plotus	1898, 83
	1893, 492	1898, 84
obliquata	1893, 489	1898, 85
tuberculata	1891, 404	1898, 86
violacea.....	1891, 403	1898, 90
walcotæ.....	1893, 487	1898, 91
	1893, 492	1898, 93
(Drillia) baynhami .	1891, 404	1898, 94
	1891, 435	1898, 95
(—) challengeri .	1891, 438	1898, 96
	1891, 444	1898, 97
(—) crossei	1891, 439	1898, 98
	1891, 444	1898, 99
(—) hoylei	1891, 439	1899, 780
	1891, 444	1899, 781
(—) virginia....	1891, 404	1899, 782
(—) watsoni....	1891, 439	1899, 783
	1891, 444	1899, 1033
(Surcula) catena ..	1891, 403	anhinga.....	1892, 291
Pleurotomaria adanson-		1892, 292
ana.....	1891, 485	1892, 295
beyrichi.....	1891, 485	1892, 296
quoyana.....	1891, 484	1892, 471
rumphii.....	1891, 485	1896, 312
Plexaura antipathes....	1899, 51	1897, 289

	Page		Page
<i>Plotus anHINGA</i>	1898, 84	<i>Pocillopora damicornis</i> ..	1897, 944
<i>levallanti</i>	1892, 291	<i>danæ</i>	1897, 947
<i>melanogaster</i>	1900, 3	<i>elegans</i>	1897, 948
.....	1892, 291	<i>elongata</i>	1897, 950
.....	1892, 292	1897, 951
.....	1892, 295	<i>eydouxii</i>	1897, 950
.....	1892, 296	1897, 951
<i>nanus</i>	1892, 544	<i>favosa</i>	1897, 942
<i>rufus</i>	1900, 960	1897, 946
<i>Plusia admonens</i>	1896, 638	1897, 953
<i>basigera</i>	1896, 638	1900, 124
.....	1896, 639	<i>glomerata</i>	1897, 951
<i>eriosoma</i>	1893, 682	1897, 953
.....	1896, 265	<i>grandis</i>	1897, 942
.....	1898, 424	1897, 950
<i>intracta</i>	1896, 639	1897, 951
<i>limbirena</i>	1896, 265	1897, 953
<i>ni</i>	1896, 265	<i>lacera</i>	1897, 945
<i>Plusiodonta commoda</i> ..	1893, 682	<i>ligulata</i>	1897, 948
<i>Plutella cruciferarum</i> ..	1891, 518	<i>lobifera</i>	1897, 944
.....	1891, 545	<i>madreporacea</i>	1897, 942
.....	1896, 280	1897, 952
.....	1897, 117	<i>mæandrina</i>	1897, 949
<i>xylostella</i>	1891, 519	<i>nobilis</i>	1897, 949
.....	1891, 545	<i>obtusata</i>	1897, 945
.....	1897, 117	1897, 953
<i>Plutellus heteroporus</i> ..	1892, 137	<i>paucistellata</i>	1897, 942
.....	1892, 138	<i>plicata</i>	1897, 948
.....	1892, 139	1897, 950
.....	1892, 140	<i>pulchella</i>	1897, 944
.....	1892, 141	<i>rugosa</i>	1897, 950
<i>perrieri</i>	1892, 136	1897, 953
.....	1892, 138	<i>septata</i>	1897, 943
.....	1892, 141	1897, 953
.....	1892, 151	<i>squarrosa</i>	1897, 948
<i>Plutodes costatus</i>	1893, 388	<i>suffruticosa</i>	1897, 942
<i>cyclaria</i>	1892, 132	1898, 267
<i>triangularis</i>	1893, 388	<i>verrucosa</i>	1897, 948
<i>Pluvianus ægyptius</i> ...	1900, 965	<i>Pocobletus bivittatus</i> ..	1897, 867
<i>Poanes massasoit</i>	1893, 92	<i>Podabacia</i>	1898, 527
.....	1893, 110	<i>Podagricæ glabrata</i>	1899, 349
.....	1893, 111	<i>Podalia vesta</i>	1896, 637
<i>Poaphila figurata</i>	1896, 650	<i>Podargus</i>	1899, 11
<i>plagiata</i>	1896, 650	<i>strigoides</i>	1892, 477
<i>reversa</i>	1894, 589	<i>Podiceps caliparæus</i> ..	1891, 137
<i>revoluta</i>	1896, 638	<i>capensis</i>	1895, 515
<i>Pocillopora</i>	1899, 159	<i>fluvialis capensis</i> ..	1895, 515
<i>acuta</i>	1897, 942	<i>minor</i>	1895, 515
<i>aspera</i>	1897, 947	<i>taczanowskii</i>	1896, 323
.....	1897, 948	<i>Podicipes</i>	1899, 1040
<i>brevicornis</i>	1897, 944	1899, 1042
.....	1900, 123	<i>cornutus</i>	1896, 541
<i>cespitosa</i>	1897, 943	<i>coronatus</i>	1896, 542
<i>clavaria</i>	1897, 945	<i>cristatus</i>	1896, 541
.....	1897, 946	1896, 542
.....	1897, 953	1899, 1018
<i>coronata</i>	1897, 949		
.....	1897, 953		

	Page		Page
<i>Podiceps cristatus</i>	1899, 1038	<i>Pœcilotheia striata</i>	1898, 81
	1899, 1039	<i>Pœcilothraupis igni-</i>	
	1899, 1042	<i>crissa</i>	1896, 342
	1899, 1046	<i>igniventris igni-</i>	
<i>fluvialis</i>	1899, 1036	<i>crissa</i>	1896, 342
	1899, 1042	<i>lacrymosa</i>	1896, 342
<i>minor</i>	1896, 541	<i>Pœocephalus</i>	1899, 9
<i>novæ hollandiæ</i> ..	1896, 541		1899, 31
<i>philippensis</i>	1900, 500		1899, 32
<i>Podisus gaumeri</i>	1894, 172		1899, 44
<i>luridus</i>	1900, 824		1899, 45
<i>neglectus</i>	1900, 817		1899, 46
	1900, 825	<i>fuscicapillus</i>	1899, 30
<i>sagitta</i>	1894, 172		1899, 31
<i>Podoces panderi</i>	1897, 893	<i>gulielmi</i>	1894, 603
	1897, 894	<i>massaicus</i>	1900, 599
<i>Podocoryne albida</i>	1896, 463	<i>meyeri</i>	1894, 603
<i>areolata</i>	1897, 817	<i>rufiventris</i>	1895, 494
	1897, 818	<i>versteri</i>	1897, 813
<i>carnea</i>	1896, 459		1900, 304
	1896, 463	<i>Poephus grunniens</i> ..	1896, 988
	1897, 818	<i>Pœphila acuticauda</i> ..	1900, 305
<i>Podontia stolidia</i>	1900, 253	<i>costatipennis</i>	1899, 364
<i>Podops spinifera</i>	1900, 819		1899, 365
<i>Podoscirtus modestus</i> ..	1893, 600		1900, 265
	1893, 610	<i>fulvipes</i>	1899, 364
<i>Podothecus peristethus</i> ..	1894, 674		1900, 265
<i>Podylimbus</i>	1899, 1042	<i>gouldi</i>	1899, 929
<i>Pœcilaicis</i>	1893, 427	<i>mirabilis</i>	1891, 465
<i>latifasciata</i>	1893, 427		1899, 929
<i>nigridorsaria</i>	1893, 427	<i>Poesula transversaria</i> ..	1896, 650
<i>Pœcilia extranea</i>	1891, 521	<i>Pogonorhynchus</i> sp.	1894, 600
	1891, 546		1894, 601
	1897, 71	<i>Pogonotriccus eximius</i> ..	1899, 510
<i>Pœcilocampa plurilinea</i> ..	1896, 650	<i>ophthalmicus</i>	1896, 362
<i>Pœcilocerus sokotranus</i> ..	1898, 384	<i>plumbeiceps</i>	1896, 363
	1898, 391	<i>Polemon barthi</i>	1900, 454
<i>Pœcilocoris hardwickii</i> ..	1900, 822	<i>bocourti</i>	1900, 454
<i>Pœcilogale albinucha</i> ..	1896, 793	<i>Polioaëtus humilis</i>	1900, 491
	1897, 931	<i>ichthyaëtus</i>	1900, 491
	1898, 1	<i>plumbeus</i>	1900, 491
<i>Pœcilogramma</i>	1892, 126	<i>Poliohierax semitor-</i>	
<i>picata</i>	1892, 126	<i>quatus</i>	1895, 510
	1892, 133	<i>Poliomyias luteola</i>	1900, 480
<i>Pœcilomorpha hirsuta</i> ..	1898, 216	<i>Poliopsar cineraceus</i> ..	1900, 463
	1898, 242	<i>sericeus</i>	1900, 464
<i>murrayi</i>	1892, 91	<i>Poliophtila dumicola</i>	1899, 512
<i>tomentosa</i>	1898, 216	<i>leucogastra</i>	1899, 512
<i>Pœcilonetta erythro-</i>			1899, 516
<i>rhyncha</i>	1895, 511	<i>Polistes canadensis</i>	1896, 775
<i>Pœcilopectera compta</i> ..	1897, 112	<i>ferruginea</i>	1896, 450
<i>Pœciloscytus basalis</i> ..	1893, 715	<i>stigma</i>	1896, 450
<i>obscurus</i>	1893, 706	<i>tamula</i>	1896, 450
	1893, 715	<i>Polites coras</i>	1893, 101
<i>(Lygus) cuneatus</i> ..	1894, 192	<i>peckius</i>	1893, 91
<i>Pœcilosoma gaudens</i> ..	1896, 635		1893, 101
<i>insperata</i>	1896, 635	<i>thauamas</i>	1900, 203
<i>sperans</i>	1896, 635	<i>wamsutta</i>	1893, 101

	Page		Page
<i>Poltys bimaculatus</i>	1899, 521	<i>Polygrammodes spilo-</i>	
	1899, 532	<i>somoides</i>	1899, 198
<i>corticus</i>	1898, 513	<i>spissalis</i>	1899, 198
	1898, 524	<i>tapsusalis</i>	1899, 198
<i>furcifer</i>	1899, 519	<i>thoosalis</i>	1899, 196
	1899, 522		1899, 197
<i>illepidus</i>	1898, 514	<i>Polyhirma calliaudi</i>	1900, 21
<i>monstrosus</i>	1898, 514	<i>Polyhymno fuscostri-</i>	
<i>Polybia phthisica</i>	1896, 777	<i>gella</i>	1897, 77
<i>Polyboroides radiatus</i> ..	1895, 504	<i>godmani</i>	1891, 525
<i>typicus</i>	1894, 457		1891, 546
	1895, 504		1897, 79
	1897, 189	<i>laterestriata</i>	1897, 78
	1899, 714	<i>luteostrigella</i>	1897, 77
<i>Polycanna forskaelea</i>	1897, 828	<i>sciurella</i>	1897, 78
	1897, 832	<i>tenuis</i>	1891, 525
<i>fungina</i>	1897, 831	<i>Polymecus grenadensis</i> .	1895, 802
<i>vitrina</i>	1897, 831	<i>macrurus</i>	1895, 801
<i>Polycaon exesus</i>	1898, 328	<i>Polymorphina angusta</i> .	1895, 34
<i>Polychorista</i>	1899, 191		1895, 52
<i>Polychrus gutturosus</i> ..	1894, 723	<i>communis</i>	1895, 34
	1898, 114		1895, 52
<i>marmoratus</i>	1894, 500	<i>fusiformis</i>	1895, 6
<i>Polycorys seminigralis</i> .	1898, 713		1895, 34
<i>Polydesma otiosa</i>	1900, 19		1895, 52
<i>quenavada</i>	1896, 263	<i>ovata</i>	1895, 34
<i>umbricola</i>	1893, 679		1895, 52
	1896, 529	<i>sororia</i>	1895, 34
	1898, 421		1895, 52
<i>vetusta</i>	1896, 263	<i>Polynemus quadrifilis</i> ..	1900, 515
<i>Polydesmus compla-</i>		<i>tetradactylus</i>	1899, 450
<i>natus</i>	1892, 28		1899, 471
<i>Polygonus amyntas</i>	1893, 25		1899, 485
<i>Polygrammodes</i>	1898, 601		1899, 497
	1899, 196	<i>Polyocha depressella</i> ..	1896, 270
<i>effusalis</i>	1899, 198	<i>strigicostella</i>	1896, 270
<i>farinalis</i>	1899, 199	<i>Polyodon folium</i>	1897, 723
<i>fuscitalis</i>	1899, 197	<i>(Spatularia) folium</i> ,	1897, 722
<i>grossalis</i>	1899, 198	<i>Polyodontophis bistri-</i>	
<i>hercules</i>	1899, 198	<i>gatus</i>	1899, 162
<i>hirtalis</i>	1899, 199	<i>collaris</i>	1899, 162
<i>hyalosticta</i>	1899, 197	<i>geminatus</i>	1896, 879
<i>hypsalis</i>	1899, 197		1899, 604
<i>limitalis</i>	1899, 197		1899, 659
<i>lucusalis</i>	1899, 199	<i>sagittarius</i>	1896, 879
<i>mineusalis</i>	1899, 198		1899, 604
<i>mœrualis</i>	1899, 196		1899, 659
<i>nonagrialis</i>	1899, 198	<i>subpunctatus</i>	1899, 162
<i>ostrealis</i>	1899, 199	<i>Polyommatus albo-</i>	
<i>pectinicornalis</i>	1899, 197	<i>ceruleus</i>	1892, 622
<i>phyllophila</i>	1899, 198	<i>amarah</i>	1891, 83
<i>ponderalis</i>	1899, 198		1894, 568
<i>purpuralis</i>	1899, 197		1896, 250
<i>rufinalis</i>	1899, 198		1898, 405
<i>runicalis</i>	1899, 199		1899, 811
<i>sabelialis</i>	1899, 197	<i>asteris</i>	1896, 828
<i>sanguinalis</i>	1899, 199	<i>bæticus</i>	1892, 435
<i>senahuensis</i>	1899, 199		1892, 445

	Page		Page
<i>Polyommatus bœticus</i> ..	1894, 557	<i>Polyphasia albiangulata</i> .	1893, 373
	1894, 568	albiseriata	1893, 373
	1895, 558	russata	1893, 374
	1895, 587	tenuirostris	1900, 484
	1895, 630	truncata.....	1893, 373
	1895, 732	<i>Polyphyllia</i>	1898, 529
	1896, 118	<i>Polypoetes cletor</i>	1893, 296
	1896, 244	colana	1893, 296
	1896, 256	deldon	1893, 296
	1896, 828	erymas	1893, 296
	1896, 852	rufipuncta	1894, 236
	1897, 692	<i>Polypterus</i>	1899, 1
	1897, 842		1899, 596
	1898, 54	bichir.....	1896, 218
	1898, 192		1900, 969
	1898, 403	congicus	1899, 554
	1899, 421	lapradii	1898, 493
	1900, 13		1898, 934
	1900, 508		1899, 936
	1900, 930		1900, 267
chandala	1900, 106		1900, 433
cissus.....	1891, 82		1900, 511
	1894, 48		1900, 835
cleotas	1891, 358	palmas	1898, 493
	1895, 576	senegalus	1899, 934
cyanus	1893, 549		1899, 985
dilectus	1892, 622		1900, 432
dion	1892, 439		1900, 511
elpis	1892, 626		1900, 969
	1895, 580	<i>Polyptychus grayi</i>	1898, 432
emolus	1892, 623	<i>Polyrachis aculeata</i>	1896, 406
	1895, 575	argentea	1896, 406
epicles	1892, 635	busiris	1896, 407
erylus.....	1892, 639	ceylonensis	1896, 407
	1895, 603	clypeata.....	1896, 406
jesous.....	1891, 83	convexa.....	1896, 406
	1898, 404	dives	1896, 408
karsandra	1900, 109	euryalus	1896, 407
labradus	1892, 435	exercita	1896, 408
	1900, 110	frauenfeldi	1896, 406
lacturnus	1895, 577	hippomanes	1896, 407
nyseus	1892, 624	illaudatus	1896, 408
puspa.....	1892, 622	jerdonii	1896, 406
	1895, 572	mayri.....	1896, 407
roxus	1892, 628	niger	1896, 408
	1895, 587	oedipus	1896, 407
sangra	1900, 111	punctillata.....	1896, 406
transpectus	1892, 622	rastellata	1896, 407
webbianus	1896, 830	relucens	1896, 407
<i>Polyonymus caroli</i>	1892, 397	ruficapra	1896, 407
	1892, 402	scissa	1896, 405
<i>Polypedates hascheanus</i> .	1896, 902	simplex	1896, 408
	1899, 894	spiniger	1896, 408
	1900, 885	thrinax	1896, 406
leprosus.....	1896, 907	yerburi	1896, 407
leucomystax	1896, 905	ypsilon	1896, 407
maculatus	1896, 905	<i>Polystomella crispa</i>	1895, 45
quadrilineatus	1896, 906		1895, 54

	Page
<i>Polystomella macella</i> ..	1900, 141
<i>Polytelis</i>	1899, 34
	1899, 36
	1899, 37
	1899, 38
	1899, 42
<i>alexandræ</i>	1895, 687
	1900, 304
<i>barrabandi</i>	1899, 35
<i>Polythlipta</i>	1898, 598
	1898, 752
<i>albicaudalis</i>	1899, 196
<i>annulifera</i>	1898, 753
<i>caradrinalis</i>	1898, 684
<i>cerealis</i>	1898, 752
<i>columalis</i>	1898, 753
<i>distorta</i>	1898, 753
<i>divaricata</i>	1898, 752
<i>euroalis</i>	1898, 753
<i>globulipedalis</i>	1898, 753
<i>inconspicua</i>	1898, 753
<i>liquidalis</i>	1898, 752
<i>macralis</i>	1898, 753
<i>nodiferalis</i>	1898, 753
<i>ossealis</i>	1898, 752
<i>peragrata</i>	1898, 753
<i>splendidalis</i>	1898, 641
<i>vagalalis</i>	1898, 752
<i>Polythrix</i>	1893, 16
	1893, 19
<i>metallescens</i>	1893, 16
	1893, 19
<i>Polytoreutus cæruleus</i> ..	1891, 173
<i>Polytrema miniaceum</i> ..	1895, 44
	1895, 54
	1900, 141
<i>Pomacanthus paru</i>	1899, 496
<i>Pomasia denticlathrata</i> ..	1893, 367
<i>moniliata</i>	1893, 367
	1893, 434
<i>Pomatias nyasanus</i>	1899, 591
	1899, 592
<i>(Cyclostoma) in-</i>	
<i>sularis</i>	1899, 592
<i>Pomatomus saltator</i>	1899, 472
<i>Pomatorhinus musicus</i> ..	1900, 476
<i>nigrostellatus</i>	1900, 476
<i>Pompilus analis</i>	1896, 431
<i>arrogans</i>	1896, 432
<i>atropus</i>	1896, 432
<i>auratus</i>	1896, 443
<i>blandus</i>	1896, 433
<i>canifrons</i>	1896, 431
	1896, 432
<i>cyaneus</i>	1896, 433
<i>dimidiatipennis</i> ..	1896, 433
<i>fulvipennis</i>	1896, 435
<i>greenii</i>	1896, 433

	Page
<i>Pompilus hæmorrhoid-</i>	
<i>alis</i>	1893, 443
<i>ignicolor</i>	1896, 432
	1896, 459
<i>ignobilis</i>	1896, 432
<i>lucidulus</i>	1896, 432
<i>madraspatanus</i>	1896, 436
<i>mirandus</i>	1896, 433
<i>perplexus</i>	1896, 431
<i>rothneyi</i>	1896, 433
<i>Pomponia imperatoria</i> ..	1900, 861
<i>Ponera amblyops</i>	1896, 413
<i>araneoides</i>	1896, 414
<i>coxalis</i>	1896, 414
<i>diminuta</i>	1896, 414
<i>exundans</i>	1896, 413
<i>falcigera</i>	1896, 413
<i>geometrica</i>	1896, 413
<i>gleadowi</i>	1896, 414
<i>luteipes</i>	1896, 414
<i>melanaria</i>	1896, 414
<i>meritans</i>	1896, 413
<i>punctatissima</i>	1896, 414
<i>rufipes</i>	1896, 412
<i>rugosa</i>	1896, 414
<i>simillima</i>	1896, 414
<i>tesserinoda</i>	1896, 413
<i>typhla</i>	1896, 413
<i>vagens</i>	1896, 413
<i>(Gyscia) typhla</i> ..	1896, 413
<i>(Leptogenys) falcigera</i>	1896, 413
<i>(Myiopias) amblyops</i>	1896, 413
<i>Ponifera ocellifera</i>	1896, 415
<i>Pontana rubrana</i>	1899, 290
<i>Pontaster hebitus</i>	1892, 433
<i>limbatus</i>	1892, 432
	1892, 433
<i>platynotos</i>	1892, 430
<i>tenuispinis</i>	1892, 430
	1892, 431
	1892, 432
	1892, 433
— <i>platynota</i>	1892, 433
<i>Pontia acaste</i>	1896, 253
	1897, 15
	1897, 16
<i>alcesta</i>	1894, 62
	1894, 344
<i>arne</i>	1896, 252
	1897, 10
<i>chrysonome</i>	1896, 252
	1897, 14
<i>daira</i>	1896, 254
	1897, 34
<i>dynamene</i>	1897, 9
	1899, 811

	Page		Page
<i>Pontia ephyia</i>	1897, 25	<i>Porites columnaris</i>	1898, 270
<i>eris</i>	1891, 97	<i>conglomerata</i>	1898, 274
	1894, 65	— <i>lutea</i>	1898, 273
	1897, 7	<i>cribripora</i>	1898, 276
	1898, 408	<i>echinulata</i>	1898, 276
<i>eulimene</i>	1897, 24	<i>exilis</i>	1898, 275
<i>eupompe</i>	1896, 253		1898, 276
	1897, 22	<i>favosa</i>	1898, 276
<i>evagore</i>	1896, 253	<i>gaimardi</i>	1898, 276
	1897, 34	<i>indica</i>	1900, 123
<i>evarne</i>	1897, 26	<i>lichen</i>	1898, 276
	1898, 409	<i>lutea</i>	1898, 273
<i>halimede</i>	1896, 253	<i>parvistellata</i>	1898, 272
	1897, 15		1898, 274
	1897, 16		1898, 276
<i>liagore</i>	1897, 25	<i>purpurea</i>	1898, 269
<i>pleione</i>	1897, 14		1898, 271
<i>protomedia</i>	1894, 572		1898, 276
	1897, 12	<i>superfusa</i>	1898, 274
	1897, 412		1898, 276
<i>tritogenia</i>	1891, 96	<i>tenuis</i>	1898, 276
<i>Pontistes rectifrons</i>	1892, 563	<i>trimurata</i>	1898, 270
	1892, 564		1898, 271
<i>Pontocypris faba</i>	1895, 6		1898, 272
<i>subreniformis</i>	1895, 5		1898, 276
<i>Pontonia meleagrinae</i> ..	1898, 1007	<i>umbellifera</i>	1898, 271
<i>Pontoscolex corethrurus</i> ..	1893, 737		1898, 276
	1896, 197	<i>viridis</i>	1898, 268
	1900, 891		1898, 271
<i>hawaiensis</i>	1896, 195		1898, 276
	1896, 196	— <i>apalata</i>	1898, 268
<i>Poospiza bonapartei</i>	1892, 377		1898, 276
	1892, 403	<i>Poritia hewitsoni</i>	1895, 566
	1892, 408	<i>pellonia</i>	1895, 557
<i>hispaniolensis</i>	1892, 377		1895, 566
<i>personata</i>	1900, 305		1895, 567
<i>Popa undulata</i>	1900, 37	<i>phalena</i>	1895, 557
<i>Popillia castanoptera</i> ..	1893, 740		1895, 568
<i>distinguenda</i>	1893, 740	<i>phalia</i>	1895, 557
<i>serena</i>	1893, 740		1895, 569
<i>Porcus guineensis</i>	1897, 361	<i>phaluke</i>	1895, 557
<i>Poriskina phakos</i>	1895, 557		1895, 567
	1895, 570		1895, 626
	1895, 627	<i>phama</i>	1895, 654
<i>Porites</i>	1899, 157		1895, 557
	1899, 159		1895, 568
<i>alveolata</i>	1898, 268		1895, 626
	1898, 276	<i>phare</i>	1895, 557
<i>arenacea</i>	1898, 272		1895, 567
<i>arenosa</i>	1898, 267		1895, 627
	1898, 272	<i>pharyge</i>	1895, 569
	1898, 274	<i>pheretia</i>	1895, 557
	1898, 276		1895, 569
— <i>lutea</i>	1898, 273	<i>philota</i>	1895, 557
	1898, 274		1895, 567
	1898, 276		1896, 654
— <i>parvicellata</i>	1898, 274	<i>philura</i>	1895, 557
	1898, 276		1895, 569

	Page		Page
Poritia philura	1895, 626	Potamanax	1893, 55
phormedon	1896, 654	flavofasciata	1893, 43
	1895, 557		1893, 55
	1895, 566	latrea	1893, 55
	1895, 568	thestia	1893, 55
	1895, 626	thoria	1893, 55
phraatica	1892, 621	unifasciata	1893, 55
	1895, 567	Potamochoerus afri-	
plateni	1895, 557	canus	1893, 729
	1895, 567		1894, 92
pleurata	1892, 620		1896, 976
	1895, 567		1897, 361
solyma	1895, 557		1897, 363
	1895, 568		1897, 366
sumatræ	1895, 557		1897, 368
	1895, 566	chloropotamus	1897, 363
	1896, 654		1897, 364
Poromera fordii	1900, 449		1897, 366
	1900, 456		1897, 367
haugi	1900, 449		1897, 368
Porphyrio alleni	1900, 3		1897, 369
cæruleus	1891, 47	— dæmonis	1897, 367
	1891, 48		1897, 369
chloronotus	1891, 48		1897, 370
hyacinthinus	1891, 47	— nyasæ	1897, 369
madagascariensis ..	1891, 48		1897, 370
poliocephalus	1891, 47		1897, 938
pulverulentus	1891, 47	edwardsi	1894, 92
smaragdodontus	1891, 47		1897, 361
	1891, 48	hassama	1897, 359
veterum	1891, 47		1897, 368
Porphyrogenes	1893, 18		1897, 369
	1893, 35	johnstoni	1897, 367
omphale	1893, 18		1897, 369
	1893, 35		1897, 370
	1893, 36	larvatus	1893, 504
pausias	1893, 36		1896, 795
Portax tragocamelus ..	1896, 982		1897, 363
Portunus	1900, 578		1897, 365
crenatus	1900, 748		1897, 368
hastatoides	1900, 745		1897, 369
sanguinolentus	1900, 745		1897, 370
tranquebaricus	1900, 748	penicillatus	1894, 92
(Amphitrite) hasta-			1896, 976
toides	1900, 745		1897, 361
(Neptunus) pela-			1897, 362
gicus	1900, 745		1897, 363
(Scylla) serratus ..	1900, 748		1897, 368
Porzana erythrops	1892, 395	porcus	1897, 361
	1892, 403		1897, 363
jamaicensis	1892, 394		1897, 364
	1892, 406		1897, 366
	1892, 408		1897, 367
maruetta	1896, 311		1897, 369
melanophæa	1896, 324	Potamon sp.	1900, 973
porzana	1896, 311	bicristatum	1900, 95
Posena melanoptera	1891, 255	consobrinum	1900, 93
Potamanax	1893, 43	convexum	1900, 93

	Page		Page
Potamon convexum	1900, 94	Precis amestris	1891, 75
dehaani	1900, 94		1896, 524
	1900, 95	archesia	1894, 34
kadamaianum	1900, 93	artaxia	1891, 75
	1900, 95		1891, 76
maculata	1900, 94		1894, 18
obtusipes	1900, 94		1894, 35
	1900, 95	aurorina	1899, 977
tridentatum	1900, 721	boopis	1899, 977
(Geothelphusa)		calescens	1896, 524
kadamaianum	1900, 94	cebrene	1899, 977
(Parathelphusa)			1900, 917
convexum	1900, 93	ceryne	1894, 32
(—) tridentatum		chapunga	1894, 34
incertum	1900, 749	clelia	1900, 917
	1900, 770	cloantha	1894, 32
(Potamon) conso-			1894, 340
brinum	1900, 94		1896, 531
(Thelphusa) conso-			1899, 963
brinum	1900, 97		1900, 917
Potamophilus barbatus	1894, 297	cuama	1891, 74
Potamophora manlia	1892, 127		1891, 75
Potamotragus sylvi-			1894, 33
cultor	1892, 414		1894, 340
Potanthus omaha	1893, 130	elgiva	1894, 34
Prænesta fabialis	1898, 648		1899, 964
scyllalis	1896, 641		1900, 917
Praogena gagatina	1900, 31	gregorii	1899, 977
nigra	1900, 30	guruana	1898, 397
Praopus hirsutus	1894, 655	limnoria	1894, 340
Pratapa anysis	1895, 596	micromera	1896, 531
	1895, 597	milonia	1900, 917
calculus	1895, 558	nachtigalii	1891, 76
	1895, 598		1893, 65
	1895, 627		1895, 258
	1896, 672	natalensis	1900, 913
cippus	1896, 673	natalica	1893, 651
	1896, 674		1894, 34
cotys	1895, 597		1894, 339
cremera	1895, 597		1894, 562
deva	1895, 598		1895, 259
devana	1895, 558		1895, 725
	1895, 597		1896, 824
	1895, 627		1898, 398
lucidus	1895, 558		1899, 964
	1895, 596	octavia	1891, 75
	1896, 673		1893, 652
	1896, 674		1894, 32
saunio	1895, 558		1894, 34
	1895, 596		1895, 725
	1895, 627		1896, 531
Pratincola albifasciata	1895, 487	— natalensis	1894, 563
indica	1900, 474		1895, 725
maura	1900, 474	orthosia	1896, 532
semitorquata	1895, 487	pelasgis	1891, 75
Praxis quadrata	1893, 130		1894, 34
Precis actia	1893, 652	petersii	1891, 75
	1895, 258	pyriformis	1900, 917

	Page		Page
Precis sesamus.....	1891, 75	Prion vittatus	1899, 411
	1893, 652	Prionastræa	1899, 159
	1894, 32		1899, 757
	1894, 34	abelita	1899, 757
	1894, 340		1899, 758
	1894, 563		1899, 759
	1895, 258		1899, 764
	1896, 110	australensis	1900, 126
	1896, 524	echinata	1899, 757
	1896, 531		1899, 760
	1898, 370		1899, 764
	1900, 913	fusco-viridis	1899, 758
	1900, 916		1899, 759
	1900, 946		1899, 764
sinia	1894, 15	gibbosa	1899, 760
	1894, 18	hirsuta	1899, 760
	1894, 33	pentagona	1899, 760
	1894, 82	profundicella.....	1899, 758
	1894, 562		1899, 759
	1894, 563	purpurea	1899, 757
	1896, 110		1899, 758
	1896, 824		1899, 760
sinuata	1893, 555	tenella	1899, 761
	1894, 340	virens.....	1899, 759
staudingerii	1894, 34	Prioneris clemanthe ..	1900, 508
	1895, 259	thestylis	1900, 508
taveta	1896, 525	watsoni	1900, 508
	1896, 531	Prionia obliquilineata ..	1893, 409
	1898, 370	Prionidus carinatus ...	1894, 209
	1898, 397	cristatus.....	1894, 209
terea	1894, 339	Prionispa pulchra.....	1892, 84
tugela	1895, 628		1892, 90
	1896, 824	Prionodon gracilis	1900, 328
	1900, 917	maculosus	1900, 328
tukuoa	1894, 33	menisorrah	1899, 459
Prenes eugeon	1896, 520	pardicolor	1900, 328
panoquin	1893, 130	Prionodonta	1893, 401
Prenolepis graciliscens..	1896, 409	amethystina	1893, 402
gracilipes	1896, 410		1893, 434
indica	1896, 409	Prionops cristatus	1895, 480
longicornis	1896, 409	poliocephalus	1895, 480
yerburyi	1896, 409	talacoma	1900, 2
Preptos oropus	1892, 319	Prionopteryx achatina..	1895, 964
Preussia siphonochæta ..	1891, 173	africanus	1895, 964
Priacanthus ocellatus ..	1899, 471	bergii	1895, 964
Priene magellanicus ..	1891, 436	elongata	1895, 964
Prinia extensicauda	1900, 471	eugraphis	1895, 963
inornata	1900, 471	griseosparsa	1895, 964
mystacea	1894, 606	nebulifera	1895, 963
sonitans	1900, 471		1895, 964
Priocnemis canifrons ..	1896, 431	olivella	1895, 963
	1896, 432	texturella	1895, 964
consanguineus	1896, 437	Prionotus punctatus ..	1899, 491
convexus	1896, 435	Prionurus australis	1892, 25
crinitus	1896, 436	citrinus	1899, 834
humbertianus	1896, 437	Priotoma brevis	1898, 327
pedestris	1896, 432	Pristina breviseta	1892, 351
perplexus	1896, 431	equiseta	1892, 351

	Page		Page
Pristina longiseta.....	1892, 350	Procavia arborea	1892, 54
	1892, 351		1892, 56
Pristipoma crocro	1891, 356		1892, 57
Pristis perottetii	1899, 934		1892, 58
tuberosus	1898, 955		1892, 59
Pristoceraea inclusa	1896, 844		1892, 60
Pristurus collaris	1898, 913		1892, 73
crucifer	1895, 531		1892, 74
	1895, 635		1892, 74
	1895, 636		1899, 553
	1896, 213	bocagei	1892, 52
flavipunctatus	1895, 531		1892, 55
	1895, 636		1892, 56
	1895, 638		1892, 57
	1895, 643		1892, 58
percristatus	1898, 913		1892, 59
phillipsii	1898, 913		1892, 60
Proadinothorium	1899, 563		1892, 69
Proales decipiens	1897, 798		1892, 72
Proarna albida	1895, 56		1892, 73
chariclo	1895, 57		1894, 144
hilaris	1895, 55	brucei.....	1892, 52
squamigera	1895, 56		1892, 54
Problepsis conjunctiva..	1893, 358		1892, 55
deliaria	1893, 359		1892, 56
vestalis	1894, 593		1892, 57
	1898, 435		1892, 58
Procampa rara	1893, 44		1892, 59
	1893, 59		1892, 60
	1896, 19		1892, 68
Procavia abyssinica	1892, 51		1892, 69
	1892, 52		1892, 70
	1892, 53		1892, 71
	1892, 55		1892, 72
	1892, 56		1892, 73
	1892, 57		1892, 75
	1892, 58		1894, 144
	1892, 59		1894, 145
	1892, 60		1896, 795
	1892, 64		1897, 938
	1892, 67	— somalica	1892, 58
	1892, 68		1892, 59
	1892, 70		1892, 60
	1892, 71		1892, 67
	1892, 72		1892, 71
	1892, 75		1892, 72
	1894, 143		1898, 766
	1894, 144	— typica	1892, 71
	1900, 176	capensis.....	1892, 52
	1900, 177		1892, 53
— typica	1892, 66		1892, 54
	1892, 67		1892, 56
— minor	1892, 58		1892, 57
	1892, 59		1892, 58
	1892, 60		1892, 59
	1892, 66		1892, 60
	1892, 68		1892, 61
arborea	1892, 52		1892, 62
			1892, 68

	Page		Page
<i>Procavia capensis</i>	1892, 553	<i>Procavia ruficeps</i>	1892, 64
	1894, 143		1892, 67
	1894, 144	<i>scheelei</i>	1900, 178
	1894, 145	<i>shoana</i>	1892, 52
	1896, 795		1892, 54
<i>dorsalis</i>	1892, 51		1892, 57
	1892, 52		1892, 58
	1892, 54		1892, 59
	1892, 55		1892, 60
	1892, 56		1892, 61
	1892, 57		1892, 64
	1892, 58		1892, 65
	1892, 59		1892, 67
	1892, 60		1892, 72
	1892, 73		1892, 73
	1892, 74		1892, 75
	1892, 75		1894, 143
	1892, 76		1894, 144
<i>emini</i>	1892, 52		1900, 83
	1892, 58		1900, 177
	1892, 59	<i>stuhlmanni</i>	1900, 178
	1892, 73	<i>syriaca</i>	1892, 50
<i>grayi</i>	1892, 50		1892, 52
	1892, 59		1892, 57
	1892, 60		1892, 58
	1892, 72		1892, 59
	1892, 73		1892, 60
<i>jacksoni</i>	1900, 176		1892, 62
	1900, 177		1892, 63
<i>johnstoni</i>	1894, 142		1892, 64
	1894, 144		1892, 68
	1894, 145	— <i>jayakari</i>	1892, 58
	1896, 795		1892, 59
<i>latastei</i>	1892, 50		1892, 60
	1892, 52		1892, 63
	1892, 55		1894, 455
	1892, 57		1900, 95
	1892, 58		1900, 104
	1892, 59	— <i>typica</i>	1892, 63
	1892, 60	<i>valida</i>	1892, 57
	1892, 69		1892, 58
	1892, 70		1892, 59
<i>mackinderi</i>	1900, 176		1892, 60
<i>pallida</i>	1892, 52		1892, 74
	1892, 57		1900, 178
	1892, 58	<i>welwitschii</i>	1892, 50
	1892, 59		1892, 52
	1892, 60		1892, 57
	1892, 64		1892, 58
	1892, 66		1892, 59
	1892, 67		1892, 60
<i>ruficeps</i>	1892, 52		1892, 68
	1892, 57	(<i>Dendrohyrax</i>)	
	1892, 58	<i>crawshayi</i>	1900, 178
	1892, 59	(<i>Hyrax</i>) <i>capensis</i> ..	1892, 38
	1892, 60	<i>Procellana armata</i>	1898, 464
	1892, 62	<i>asiatica</i>	1898, 464
	1892, 63	<i>bellis</i>	1898, 464

	Page		Page
<i>Procellana dentata</i>	1898, 464	<i>Procyon cancrivorus</i> ..	1898, 163
	1898, 465		1898, 165
<i>gundlachi</i>	1898, 464		1898, 166
<i>leporina</i>	1898, 464		1898, 167
<i>rufescens</i>	1898, 465		1898, 185
<i>speciosa</i>	1898, 464	<i>lotor</i>	1894, 358
(<i>Petrolisthes</i>) <i>den-</i>			1897, 373
<i>tata</i>	1898, 464		1897, 376
(—) <i>rufescens</i> ..	1898, 465		1897, 377
<i>Procellaria</i>	1899, 1026		1897, 379
<i>fuliginosa</i>	1893, 755		1897, 380
<i>glacialis</i>	1897, 468		1897, 383
<i>inexpectata</i>	1893, 753		1897, 384
<i>neglecta</i>	1893, 752		1897, 385
<i>pelagica</i>	1899, 411		1897, 389
<i>phillipii</i>	1893, 755		1897, 391
<i>urinatrix</i>	1892, 396		1897, 392
<i>Prochilus calobapta</i>	1892, 453		1897, 397
<i>cuyoensis</i>	1892, 453		1897, 398
<i>dryas</i>	1892, 453		1897, 399
<i>fictilis</i>	1892, 453		1897, 400
<i>larvata</i>	1892, 453		1897, 401
<i>porracea</i>	1892, 453		1897, 402
<i>sylvanoides</i>	1892, 453		1897, 403
<i>virgata</i>	1892, 453		1897, 404
<i>Prochoristis</i>	1898, 601		1897, 405
	1899, 230		1897, 407
<i>capparidis</i>	1899, 230		1897, 408
<i>rupicapralis</i>	1899, 230		1898, 154
<i>Procnias occidentalis</i> ..	1896, 338		1898, 157
<i>tersa occidentalis</i> ..	1896, 338		1898, 158
<i>Procnopis atrocerulea</i> ..	1896, 341		1898, 159
<i>Proconia circumducta</i> ..	1895, 75		1898, 160
<i>Proconica</i>	1898, 598		1898, 162
	1898, 686		1898, 163
<i>flaviguttalis</i>	1898, 687		1898, 164
<i>nigrocyanalis</i>	1898, 687		1898, 165
<i>Proctoporus unicolor</i> ..	1898, 114		1898, 167
<i>Procyon</i>	1899, 558		1898, 169
<i>cancrivorus</i>	1892, 314		1898, 171
	1894, 302		1898, 185
	1894, 358	<i>Prodasycnemis</i>	1899, 239
	1897, 373	<i>Prodenia latifascia</i>	1896, 637
	1897, 384	<i>littoralis</i>	1892, 125
	1897, 386		1896, 260
	1897, 391	<i>minima</i>	1896, 260
	1897, 392	<i>variolosa</i>	1896, 637
	1897, 393	<i>Proechidna bruijini</i>	1892, 545
	1897, 397		1892, 546
	1897, 399	<i>leucocephala</i>	1892, 546
	1897, 400	<i>nigro-aculeata</i>	1892, 541
	1897, 402		1892, 545
	1897, 403		1892, 546
	1897, 405	<i>novæ-guinææ</i>	1892, 546
	1897, 407	<i>villosissima</i>	1892, 546
	1897, 408	<i>Prognathogryllus</i>	1895, 896
	1898, 154	<i>alatus</i>	1895, 896
	1898, 160	<i>forficularis</i>	1895, 896

	Page		Page
<i>Prognathogryllus forficularis</i>	1895, 897	<i>Prosotropis</i>	1895, 70
<i>Progne furcata</i>	1892, 374	<i>decorata</i>	1895, 70
<i>purpurea</i>	1892, 372	<i>Prospoietus albinuchus</i> ..	1893, 168
	1892, 374	<i>Prosqualodon australis</i>	1899, 919
	1892, 408		1899, 920
<i>Prohegetotherium</i>	1899, 571		1899, 921
<i>Prolepis fuscus</i>	1897, 443	<i>Prostheclina pygmæa</i> ..	1893, 702
<i>Pronesodon</i>	1899, 563		1893, 704
<i>Procedema</i>	1898, 602	<i>Prosthemadera novæzealandiæ</i>	1896, 230
	1899, 207	<i>Prostherapis femoralis</i> ..	1896, 773
<i>inscissalis</i>	1899, 207		1898, 118
<i>nigrolinealis</i>	1899, 207	<i>Prosthesima latreillii</i> ..	1898, 488
<i>Propelargus cayluxensis</i>	1891, 477	<i>nigrita</i>	1898, 488
	1891, 479	<i>Prosymna ambigua</i>	1891, 306
<i>edwardsi</i>	1891, 478	<i>Protacanthus</i>	1893, 707
	1891, 479	<i>decorus</i>	1893, 705
<i>Propexus magnificus</i> ..	1895, 941		1893, 708
<i>Prophaethon</i>	1899, 776	<i>Protaster biforis</i>	1896, 1032
	1899, 778		1896, 1033
	1899, 781	<i>brisingoides</i>	1896, 1043
	1899, 783	<i>daoulasensis</i>	1896, 1038
	1899, 784	<i>decheni</i>	1896, 1037
<i>shrubsolei</i>	1899, 776	<i>forbesi</i>	1896, 1033
	1899, 777	<i>gregarius</i>	1896, 1039
	1899, 782	<i>sedgewicki</i>	1896, 1031
	1899, 785		1896, 1032
<i>Prophantis</i>	1899, 178		1896, 1033
<i>Prorasia indentalis</i>	1899, 277	<i>Proteides angasi</i>	1896, 519
<i>lepidalis</i>	1899, 272	<i>balenge</i>	1896, 91
<i>Prorastoma veronense</i> ..	1892, 79	<i>benga</i>	1896, 89
	1892, 83	<i>binovatus</i>	1896, 88
<i>Prorastomus sirenoides</i> ..	1892, 82	<i>boseæ</i>	1896, 93
	1892, 83	<i>capronnieri</i>	1896, 95
	1897, 599	<i>ditissimus</i>	1896, 84
<i>Prorhinia</i>	1893, 430		1896, 85
<i>pingasoides</i>	1893, 430	<i>erinnys</i>	1895, 720
<i>Prorodes</i>	1898, 597	<i>euryspila</i>	1896, 69
	1898, 711	<i>fiara</i>	1896, 94
<i>mimica</i>	1898, 711	<i>galua</i>	1896, 84
<i>Proserpina swifti</i>	1892, 298	<i>helops</i>	1896, 93
<i>Prosimia rufipes</i>	1893, 178	<i>idas</i>	1893, 17
	1899, 553		1893, 24
	1899, 554		1898, 366
<i>Prosopalpus</i>	1896, 53	<i>iricolor</i>	1896, 82
<i>debilis</i>	1896, 54	<i>laterculus</i>	1896, 82
<i>duplex</i>	1896, 53	<i>leucopogon</i>	1896, 90
	1896, 54	<i>margaritata</i>	1896, 93
	1896, 104	<i>massiva</i>	1896, 90
<i>Prosopeas tchehelense</i> ..	1891, 337	<i>ruralis</i>	1896, 89
<i>Prosopis monilicornis</i> ..	1896, 450	<i>shellei</i>	1896, 93
<i>Prosotas</i>	1891, 366	<i>xanthargyra</i>	1896, 88
<i>caliginosa</i>	1891, 366	<i>xantho</i>	1896, 87
	1891, 372	<i>yxychus</i>	1895, 266
	1895, 580		1896, 87
<i>Prosotherium</i>	1899, 564	<i>Proteles cristatus</i>	1891, 207
	1899, 571		1894, 357

	Page		Page
Proteles cristatus.....	1897, 372	Protopterus annectens..	1895, 889
	1897, 388		1899, 934
	1898, 153		1900, 511
	1898, 183		1900, 775
lalandii	1897, 408		1900, 835
	1898, 185	dolloi.....	1900, 775
Proteodidelphys præ-		Protoptychus hatcheri..	1896, 979
cursor	1899, 557	Protosquilla cerebialis..	1898, 33
	1899, 558		1898, 38
	1899, 567	trispinosa	1898, 33
Proternia	1899, 207		1898, 34
Proteroea	1899, 207		1898, 38
Proteus anguinus	1895, 707	Protoxerus stangeri	1897, 933
Prothoë angelica	1891, 284	Protrichia	1897, 637
caledonia	1891, 256		1897, 661
	1891, 284	vinacea	1897, 662
frankii	1891, 284	Protrigonia	1898, 599
uniformis	1891, 284		1899, 219
Prothylacinus pata-		zizaniæ	1899, 219
gonicus	1899, 928		1899, 220
Protocolletis.....	1898, 599	Protypotherium	1899, 568
	1899, 226	Proviverra.....	1899, 558
constricta	1899, 226	Proxys victor	1893, 705
litorea	1899, 226		1894, 173
Protodichobune owenii .	1893, 209	Prymnacantha longs-	
Protogoniomorpha agla-		dorffi	1899, 515
tonice	1893, 653	Prymnomiodon	1899, 601
	1894, 564	chalceus.....	1899, 601
	1898, 52		1899, 604
	1898, 398		1899, 659
— aglatonice	1898, 52	Psalidoprocne sp.....	1899, 715
— nebulosa	1898, 52	antinorii	1899, 715
anacardii	1893, 653	nitens	1894, 600
	1894, 564		1894, 601
	1895, 720		1894, 606
	1896, 825	Psaliodes paleata	1896, 642
	1896, 852	Psalis americana	1893, 600
	1898, 52		1893, 601
	1900, 918	securis	1894, 585
definita	1893, 653	Psallus politus	1894, 195
	1894, 564	Psalmopæus cambridgii.	1898, 891
	1898, 398		1898, 892
nebulosa	1893, 653		1898, 896
	1898, 398		1898, 899
Protonoceras fusc-			1898, 900
lunalis	1899, 181	Psammobia elongata ..	1891, 435
Protoparce carolina	1891, 180	malaccana	1891, 425
celeus	1891, 180	maxima	1891, 435
convolvuli.....	1896, 268	pallida	1891, 425
	1898, 432	suffusa	1891, 425
orientalis	1896, 268	(Heteroglypta) cor-	
Protopterus	1897, 602	rugata	1891, 425
	1898, 41	Psammocora contigua ..	1898, 536
	1899, 2	gonagra	1898, 536
	1899, 596	haimiana	1898, 533
annectens	1891, 147		1898, 534
	1894, 89		1898, 535
	1894, 353		1898, 536

	Page		Page
<i>Psammocora haimiana</i> ..	1898, 537	<i>Psammophis pulcher</i> ..	1895, 540
monile	1898, 539	punctatus	1895, 655
obtusangula	1898, 539	punctulatus	1895, 537
	1898, 534		1895, 538
	1898, 535		1896, 216
	1898, 536	sibilans	1892, 19
plicata	1898, 536		1893, 618
profundacella	1898, 534		1894, 88
	1898, 535		1895, 537
	1898, 537		1895, 538
	1898, 539		1895, 819
savigniensis	1898, 534		1895, 825
	1898, 535		1897, 801
	1898, 538		1900, 454
	1898, 539		1900, 968
superficialis	1898, 534	— hierosolimitana .	1895, 655
	1898, 535	— intermedia	1893, 618
	1898, 537	— quadrilineata ..	1895, 655
	1898, 539	— subæniata	1891, 307
<i>Psammodes</i> sp.....	1900, 28	subæniatus	1895, 538
dimidiatus	1893, 748		1897, 801
<i>Psammodromus algeris</i> .	1892, 14	trigrammus	1895, 538
<i>Psammodynastes pictus</i> .	1892, 507	<i>Psammophylax rhom-</i>	
pulverulentus	1895, 812	beatus	1892, 557
	1895, 818	variabilis	1892, 555
	1895, 825		1892, 557
	1896, 890		1893, 619
	1897, 196	<i>Psammosphæra fusca</i> ..	1895, 13
	1897, 201		1895, 49
	1897, 226	<i>Psammotea oblonga</i> ..	1891, 425
	1899, 606	<i>Psammotella oblonga</i> ..	1891, 425
	1899, 681	<i>Psara pallicaudalis</i>	1899, 286
<i>Psammophis angolensis</i> .	1891, 307	selenialis	1899, 286
	1895, 537	<i>Psaropholus ardens nigel-</i>	
	1895, 539	licauda	1900, 465
	1897, 801	nigellicauda	1900, 465
biseriatus	1894, 88	<i>Psecadia abraxasella</i> ..	1891, 528
	1895, 537		1891, 546
	1895, 539		1897, 90
	1896, 216	adustella	1891, 528
bocagii	1895, 538		1891, 546
brevirostris	1895, 539		1897, 55
condanarus	1895, 538		1897, 114
	1896, 783	aureoapicella	1891, 528
crucifer	1895, 539		1897, 90
	1895, 705	confusella	1891, 527
elegans	1895, 539		1891, 546
furcatus	1895, 538		1897, 89
lachrymans	1895, 538	exornata	1891, 528
	1895, 637		1891, 546
	1895, 655		1897, 90
leithii	1895, 538	gelidella	1891, 528
longifrons	1895, 538		1897, 91
nigrofasciatus	1896, 882	ingricella	1891, 527
notostictus	1895, 538		1891, 546
pulcher	1895, 537		1897, 55
	1895, 539		1897, 89
		kirbyi	1891, 528

	Page		Page
<i>Psecadia kirbyi</i>	1891, 546	<i>Pseudargynnis duo-</i>	
	1897, 91	<i>decimpunctata</i> ..	1895, 720
<i>nivosella</i>	1891, 528		1895, 728
	1891, 546	<i>hegemone</i>	1896, 112
	1897, 114		1896, 826
<i>notatella</i>	1891, 528		1896, 852
	1891, 546	<i>Pseudaxis manchuricus</i> ..	1897, 40
	1897, 90	<i>sika</i>	1897, 39
<i>paucella</i>	1891, 527		1897, 40
	1891, 546	<i>taivanus</i>	1897, 46
	1897, 90	<i>Psedebulea</i>	1899, 239
<i>xanthorrhoea</i>	1891, 528	<i>Pseudedusia</i>	1898, 229
	1897, 90	<i>fulvipes</i>	1898, 229
(Cryptolechia) <i>stri-</i>		<i>Pseuderemias lineolata</i> ..	1896, 921
<i>gosa</i>	1891, 527	<i>Pseudidiops hartii</i>	1898, 892
	1897, 89	<i>Pseudis paradoxa</i>	1897, 583
<i>Psectrodes abrasalis</i>	1897, 641	<i>Pseudivongius</i>	1897, 546
<i>herminialis</i>	1897, 641	<i>aeneus</i>	1898, 228
<i>illapsalis</i>	1897, 641	<i>natalensis</i>	1897, 546
<i>Psephis</i>	1898, 594		1898, 228
	1898, 605	<i>Pseudoboletia macu-</i>	
<i>myrmidonalis</i>	1898, 605	<i>lata</i>	1894, 397
	1898, 606	<i>Pseudobuthus dentatus</i> ..	1898, 498
<i>Psephophorus rupeli-</i>			1898, 499
<i>ensis</i>	1891, 8		1898, 500
<i>scaldii</i>	1891, 8	<i>Pseudocalanus elongatus</i> ..	1898, 542
<i>Psephotus</i>	1899, 37		1898, 547
<i>chrysopterygius</i> ..	1898, 356	<i>Pseudocalpe vagabunda</i> ..	1896, 265
<i>dissimilis</i>	1898, 356	<i>Pseudochina serricornis</i> ..	1898, 326
<i>Psettodes erumei</i>	1899, 493	<i>Pseudochirus archeri</i> ..	1897, 329
<i>Pseudacræa boisduvalii</i> ..	1891, 79		1900, 779
<i>lucretia</i>	1891, 79		1900, 786
<i>poggei</i>	1891, 61		1900, 788
	1891, 79	<i>cooki</i>	1900, 779
<i>trimenii</i>	1891, 79	<i>dahli</i>	1897, 317
<i>Pseudagenia ægina</i>	1896, 433		1897, 329
	1896, 434	<i>herbertensis</i>	1900, 779
<i>alaris</i>	1896, 434		1900, 786
<i>bipennis</i>	1896, 434	<i>peregrinus</i>	1897, 330
<i>blanda</i>	1896, 433		1897, 331
<i>concolor</i>	1896, 434	<i>Pseudochlamys patella</i> ..	1897, 788
<i>insularis</i>	1896, 434	<i>Pseudochloris aurei-</i>	
<i>micromegas</i>	1896, 434	<i>ventris</i>	1891, 133
<i>nana</i>	1896, 434	<i>lutea</i>	1892, 398
<i>obsoleta</i>	1896, 434		1892, 402
<i>plebeja</i>	1896, 434		1892, 407
<i>Pseudaglossa fumosa</i> ..	1896, 266		1892, 409
	1896, 283		1896, 351
<i>Pseudanaphora arca-</i>		<i>sharpei</i>	1896, 323
<i>nella</i>	1891, 516		1896, 351
<i>noctivaga</i>	1897, 174	<i>Pseudochoreutis choreu-</i>	
<i>Pseudangerona sepa-</i>		<i>talis</i>	1898, 614
<i>rata</i>	1893, 421	<i>Pseudoclavella ovalis</i> ..	1899, 475
<i>Pseudaphelia apollinaris</i> ..	1893, 678	<i>Pseudoclinteria infu-</i>	
	1896, 849	<i>cata</i>	1893, 741
<i>Pseudapistosia ordinaria</i> ..	1894, 230	<i>Pseudocolaptes boisson-</i>	
<i>Pseudargynnis duo-</i>		<i>neui</i>	1896, 374
<i>decimpunctata</i> ..	1895, 261	— <i>flavescens</i>	1896, 374

	Page		Page
<i>Pseudocolaspis apici-</i>		<i>Pseudomyrma nigra</i> ..	1896, 424
<i>cornis</i>	1897, 531	<i>rufonigra</i>	1896, 423
<i>costata</i>	1898, 230	<i>Pseudonenia kapayan-</i>	
	1898, 242	<i>ensis</i>	1891, 339
<i>cupreofemorata</i> ..	1900, 225	<i>Pseudonympha bera</i> ..	1891, 62
	1900, 266	<i>cassius</i>	1897, 838
<i>cupreo-marginata</i> ..	1898, 230		1898, 188
<i>discoidalis</i>	1898, 231	<i>duplex</i>	1891, 62
<i>femorata</i>	1897, 532	<i>goudotii</i>	1894, 559
<i>lateralis</i>	1898, 230	<i>natalii</i>	1891, 62
	1898, 231	<i>neita</i>	1891, 62
<i>laticollis</i>	1898, 231	<i>pœtula</i>	1897, 838
<i>parvula</i>	1900, 226		1897, 857
<i>puberula</i>	1900, 265	<i>sabacus</i>	1897, 839
<i>severini</i>	1900, 225		1898, 188
<i>Pseudocucumis acicula</i> ..	1898, 843	<i>trimeni</i>	1898, 903
	1898, 844	<i>vigilans</i>	1894, 18
<i>africana</i>	1898, 835		1894, 21
	1898, 843		1897, 838
	1898, 844		1898, 188
	1898, 845	<i>Pseudophæa splendens</i> ..	1891, 204
	1898, 848	<i>Pseudophia benenotata</i> ..	1896, 264
<i>intercedens</i>	1898, 843	<i>devia</i>	1896, 264
	1898, 844	<i>indecisa</i>	1896, 264
<i>japonica</i>	1898, 844	<i>lineata</i>	1900, 19
	1898, 845		1900, 63
<i>mixta</i>	1898, 843	<i>ochribasalis</i>	1896, 264
<i>thæli</i>	1898, 843		1896, 283
	1898, 845	<i>oppia</i>	1900, 18
<i>Pseudocyclophis walteri</i>	1891, 632		1900, 63
<i>Pseudocycnus appendi-</i>		<i>Pseudophilyra melita</i> ..	1900, 765
<i>culatus</i>	1899, 475	<i>Pseudophyllodromia albi-</i>	
<i>Pseudocythere caudata</i> ..	1895, 6	<i>nervis</i>	1893, 600
<i>Pseudodipas bengalensis</i>	1895, 575		1893, 602
<i>sumatræ</i>	1895, 566	<i>semivitrea</i>	1892, 199
<i>Pseudogyps africanus</i> ..	1900, 959		1892, 203
<i>Pseudohaje nigra</i>	1900, 455		1892, 220
<i>Pseudomalegia</i>	1897, 546	<i>Pseudopimelodus para-</i>	
<i>fulvipes</i>	1898, 227	<i>hibæ</i>	1891, 233
<i>lefevrei</i>	1897, 547	<i>Pseudopus pallasii</i>	1895, 691
	1898, 227	<i>Pseudorca crassidens</i> ..	1899, 919
<i>Pseudomela nigripennis</i> ..	1900, 241	<i>Pseudorhabdium longi-</i>	
<i>Pseudomicromia cœlata</i> ..	1892, 133	<i>ceps</i>	1896, 886
<i>Pseudomya consolata</i> ..	1896, 635		1899, 605
<i>desperata</i>	1896, 635		1899, 674
<i>musca</i>	1892, 275	<i>Pseudoscoops grammicus</i> ..	1892, 299
<i>pellucida</i>	1892, 274	<i>Pseudosparianthus ravi-</i>	
<i>picta</i>	1894, 226	<i>dus</i>	1897, 877
<i>tijuca</i>	1892, 275	<i>Pseudosphex cognata</i> ..	1896, 635
<i>tipulina</i>	1896, 635	<i>consobrina</i>	1896, 635
<i>Pseudomyrina hypo-</i>		<i>fasciolata</i>	1896, 635
<i>leuca</i>	1895, 606	<i>vespa</i>	1896, 635
<i>mamerta</i>	1895, 606	<i>Pseudospingus verticalis</i>	1896, 346
<i>martina</i>	1895, 558	<i>xanthophthalmus</i> ..	1896, 346
	1895, 606	<i>Pseudospiris paidiformis</i>	1895, 267
<i>Pseudomyrma alla-</i>			1895, 270
<i>borans</i>	1896, 424	<i>Pseudosquilla ciliata</i> ..	1898, 33
<i>atrata</i>	1896, 424		1898, 36

	Page		Page
<i>Pseudosquilla oculata</i> ..	1898, 37	<i>Psittacus erithacus</i>	1895, 162
<i>ornata</i>	1898, 37		1895, 163
<i>oxyrhyncha</i>	1898, 33		1895, 164
	1898, 37		1895, 165
	1898, 38		1895, 166
<i>stylifera</i>	1898, 36		1895, 167
<i>Pseudosuberites an-</i>			1895, 169
<i>drewsi</i>	1900, 128		1895, 172
	1900, 135		1895, 174
	1900, 141		1895, 312
<i>hyalina</i>	1900, 135		1895, 313
<i>sulphureus</i>	1900, 135		1895, 314
<i>Pseudosyagrus africanus</i>	1900, 228		1895, 315
<i>Pseudotantalus</i>	1898, 85		1895, 316
<i>ibis</i>	1895, 271		1895, 318
	1896, 144		1895, 319
	1900, 963		1895, 321
<i>leucocephalus</i>	1900, 493		1895, 322
<i>Pseudozius caystrus</i>	1900, 568		1895, 323
	1900, 569		1895, 324
	1900, 580		1895, 325
<i>inornatus</i>	1900, 568		1895, 326
	1900, 580		1895, 327
<i>Psilalcis</i>	1893, 430		1895, 328
<i>atrifasciata</i>	1893, 431		1895, 329
<i>dentilinea</i>	1893, 431		1895, 330
<i>inceptaria</i>	1893, 430		1895, 331
<i>Psilochorus lemniscatus</i> .	1894, 520		1895, 333
<i>nigrifrons</i>	1894, 519		1895, 334
	1894, 520		1895, 335
<i>Psilonaxa</i>	1893, 343		1895, 336
<i>obliterata</i>	1893, 343		1895, 363
	1893, 434		1895, 364
<i>taicoumaria</i>	1893, 343		1895, 365
<i>Psiloptera</i> sp.	1893, 741		1895, 366
<i>amicta</i>	1893, 741		1895, 367
<i>proxima</i>	1893, 741		1895, 368
<i>somalica</i>	1900, 25		1895, 369
	1900, 63		1895, 370
<i>Psittacula</i>	1899, 44		1895, 371
<i>Psittacus</i>	1899, 9		1895, 372
	1899, 10		1895, 373
	1899, 17		1895, 374
	1899, 18		1895, 375
	1899, 21		1895, 376
	1899, 23		1895, 377
	1899, 26		1895, 378
	1899, 31		1895, 379
	1899, 32		1895, 380
	1899, 33		1895, 381
	1899, 34		1895, 382
	1899, 39		1895, 383
	1899, 44		1895, 384
	1899, 45		1895, 385
<i>aurifrons</i>	1892, 396		1895, 386
<i>cristatus</i>	1895, 162		1895, 387
<i>erithacus</i>	1894, 597		1895, 388
	1894, 598		1895, 389

	Page		Page
<i>Tsittacus erithacus</i>	1895, 390	<i>Pterocles quadricinctus</i> .	1899, 933
	1895, 391		1900, 966
	1895, 392	<i>Pteroclorus exustus</i>	1895, 519
	1895, 393	<i>Pterocyclos latilabrum</i> .	1895, 116
	1895, 396		1895, 127
	1895, 397	<i>tenuilabiatus</i>	1895, 116
	1895, 399	<i>Pterocyclus albersi</i>	1891, 340
	1896, 236	<i>regelspergeri</i>	1891, 340
	1899, 10	<i>Pterocypha celerata</i>	1896, 646
	1899, 13	<i>divulsata</i>	1896, 646
	1899, 16	<i>floccosaria</i>	1896, 646
	1899, 19	<i>umbrinata</i>	1896, 645
	1899, 23	<i>Pterodon dasyuroides</i> ..	1899, 928
	1899, 32	<i>Pterodroma atlantica</i> ..	1893, 755
<i>leucocephalus</i>	1895, 162	<i>macroptera</i>	1893, 755
<i>menstruus</i>	1895, 162	<i>Pteroglossus inscriptus</i> .	1895, 688
<i>ochrocephalus</i>	1895, 162		1896, 780
<i>rufirostris</i>	1895, 162	<i>Pterolestes angur</i>	1895, 507
<i>sinensis</i>	1895, 162	<i>Pteromys leucogenys</i> ..	1893, 215
<i>temneh</i>	1893, 514	<i>magnificus</i>	1899, 434
<i>Psittospiza elegans</i>	1896, 348	<i>melanotis</i>	1900, 352
<i>Psoloptera basifurca</i>	1894, 225	<i>nitidus</i>	1893, 495
<i>thoracica</i>	1894, 225		1900, 351
<i>Psolos pulligo</i>	1893, 87		1900, 352
<i>Psophia leucoptera</i>	1894, 495	<i>oral</i>	1894, 252
<i>Psophocichla simensis</i> ..	1895, 484		1894, 293
<i>Psychagrapha floccosa</i> ..	1896, 634		1900, 351
<i>Psyllobora lineola</i>	1898, 339		1900, 352
<i>nana</i>	1898, 339	<i>petaurista</i>	1900, 351
<i>punctella</i>	1898, 339		1900, 352
<i>Psythyros trochilus</i>	1895, 738	<i>phæomelas</i>	1893, 180
<i>Ptchopteryx bohemani</i> .	1897, 6		1893, 191
<i>ducissa</i>	1897, 21		1893, 193
<i>Ptenidiophyes mirabilis</i> .	1894, 168		1893, 495
	1894, 198	<i>punctatus</i>	1900, 353
<i>Pteraster militaris</i>	1900, 298	<i>tephromelas</i>	1893, 180
<i>Pterhemia ancinalis</i>	1896, 641		1893, 191
<i>otusalis</i>	1896, 641		1893, 193
<i>Pterinochilus</i>	1897, 745		1900, 353
	1897, 752	<i>volucella</i>	1899, 434
<i>murinus</i>	1897, 753	<i>Pterophorus</i> sp.	1891, 496
	1897, 774		1891, 542
	1898, 501	<i>acanthodactylus</i> ..	1897, 57
<i>nigrofulvus</i>	1898, 503	<i>agraphodactylus</i> ..	1891, 496
<i>spinifer</i>	1898, 502		1891, 542
	1898, 503		1897, 55
	1898, 524		1897, 61
<i>vorax</i>	1897, 752	<i>aspilodactylus</i>	1891, 496
	1897, 753		1891, 542
	1897, 774		1897, 55
	1898, 502		1897, 61
	1898, 503	<i>basalis</i>	1897, 60
<i>Pternistes infuscatus</i> ..	1900, 597	<i>bipunctatus</i>	1891, 496
<i>nudicollis</i>	1897, 189		1897, 61
<i>Pterocera byronia</i>	1891, 419	<i>caffer</i>	1897, 56
<i>Pterocles bicinctus</i>	1896, 153	<i>diffusalis</i>	1897, 56
<i>decoratus</i>	1895, 519		1897, 57
<i>exustus</i>	1895, 519	<i>inquinatus</i>	1897, 59

	Page		Page
<i>Pterophorus montis-</i>		<i>Pterygistus appialis</i>	1898, 701
<i>christi</i>	1897, 59	<i>calligraphalis</i>	1898, 704
<i>ossipellis</i>	1897, 60	<i>Pterygopterus superba</i> ..	1896, 636
<i>oxydactylus</i>	1891, 494	<i>Pterygospidea bhagava</i> .	1891, 106
	1896, 277		1891, 107
	1897, 56	<i>boadicea</i>	1896, 14
<i>paleaceus</i>	1891, 495	<i>bouvieri</i>	1896, 7
	1897, 60		1896, 8
<i>participatus</i>	1891, 496	<i>djælælæ</i>	1894, 79
	1897, 61		1894, 353
<i>parvus</i>	1897, 60		1894, 582
<i>præustus</i>	1891, 496		1895, 737
	1897, 60		1896, 4
<i>thomæ</i>	1897, 60		1898, 415
<i>Pteropus edulis</i>	1892, 315		1900, 942
	1892, 316	<i>flesus</i>	1893, 53
	1893, 494		1893, 558
	1898, 65		1894, 80
	1898, 67		1896, 17
	1898, 68	<i>galenus</i>	1894, 17
	1898, 70		1894, 80
	1898, 73		1896, 12
	1900, 339	<i>jamesoni</i>	1891, 106
	1900, 875		1891, 107
<i>edwardsi</i>	1898, 76		1893, 669
<i>elseyi</i>	1897, 318		1896, 18
<i>funereus</i>	1896, 608	<i>kobela</i>	1896, 11
<i>gouldi</i>	1897, 319	<i>lælius</i>	1896, 11
<i>hypomelanus</i>	1893, 494	<i>meditrina</i>	1896, 12
<i>medius</i>	1894, 358	<i>menaka</i>	1892, 655
	1898, 58	<i>mokeezi</i>	1896, 15
	1898, 60	<i>morosa</i>	1896, 5
	1898, 61	<i>motozi</i>	1891, 105
	1898, 63		1891, 106
	1898, 64		1893, 668
	1898, 66		1894, 79
	1898, 69		1896, 7
	1900, 339		1896, 840
<i>minimus</i>	1900, 875	<i>nottoana</i>	1896, 18
<i>morsus</i>	1892, 1	<i>phyllophila</i>	1896, 18
<i>nitobaricus</i>	1900, 875	<i>pygela</i>	1892, 656
<i>poliocephalus</i>	1898, 59	<i>syricthus</i>	1892, 656
<i>pselaphon</i>	1896, 782	<i>tergemira</i>	1896, 12
<i>rodericensis</i>	1898, 58	<i>trichoneura</i>	1892, 655
<i>scapulatus</i>	1893, 185	(<i>Tagiades</i>) <i>lugens</i> ..	1896, 5
	1897, 318	<i>Pthia picta</i>	1894, 179
<i>vampyrus</i>	1900, 339	<i>Ptilocercus lowi</i>	1893, 495
	1900, 875	<i>Ptilonaster princeps</i>	1896, 1036
<i>Pteroteinon</i>	1893, 94	<i>Ptilonorhynchus smithi</i> .	1900, 305
	1893, 124	<i>violaceus</i>	1896, 228
<i>laufella</i>	1893, 94	<i>Ptiloptila</i>	1899, 201
	1893, 124	<i>Ptilopus cinctus</i>	1898, 354
	1896, 83	(<i>Leucotreron</i>) <i>alli-</i>	
<i>Pteroxys</i>	1893, 18	<i>gator</i>	1898, 354
	1893, 29	<i>Ptilotis auricomus</i>	1900, 305
<i>lidderdali</i>	1893, 29	<i>Ptinus serricornis</i>	1898, 326
<i>phanæus</i>	1893, 18	<i>tessellatus</i>	1898, 324
	1893, 29		1898, 333

	Page		Page
Ptistes	1899, 42	Puffinus chlororhynchus ..	1893, 750
Ptochiomera sp.	1893, 705		1894, 653
oblonga	1893, 705	cinereus	1891, 475
	1894, 187		1891, 476
Ptochiomerus dohrnii ..	1893, 705		1892, 396
Ptochoptera isolæma ..	1899, 510		1892, 401
Ptochostola incanella ..	1895, 924	dichrous	1891, 300
microphæella	1895, 924	fuliginosus	1891, 475
pygmæus	1895, 924		1891, 476
Ptyas hexagonotus	1896, 882	gavia	1891, 627
Ptychamobia	1891, 497		1893, 750
catenana	1891, 498	griseus	1892, 401
	1891, 543		1893, 760
	1897, 133	kuhli	1899, 383
exustana	1891, 497		1899, 410
	1891, 548	nativitatis	1891, 295
	1897, 133		1891, 300
Ptychoceromis	1899, 195	obscurus	1891, 475
grandidieri	1899, 139	sphenurus	1893, 749
madagascariensis ..	1899, 138	tenuirostris	1891, 476
oligacanthus	1899, 138		1893, 749
Ptychostyla cepoides ..	1892, 453		1893, 750
Ptychotricos zeus	1894, 228	yelkouan	1891, 475
Ptychozoon homalo-		Pullenia obliqui-	
cephalum	1892, 505	loculata	1895, 38
	1896, 767		1895, 53
	1896, 868	quingueloba	1895, 38
	1899, 603		1895, 53
	1899, 615	sphæroides	1895, 38
	1899, 635		1895, 53
	1899, 636	Pulvinulina auricula ..	1895, 43
	1899, 684		1895, 54
horsfieldii	1892, 505	canariensis	1895, 42
	1896, 767		1895, 54
	1896, 868	elegans	1895, 42
	1899, 603		1895, 54
	1899, 635	exigua	1895, 43
Pudua humilis	1896, 508		1895, 54
	1896, 509	karsteni	1895, 43
	1896, 510		1895, 54
	1900, 686	menardii	1895, 42
mephistophiles	1896, 508		1895, 54
	1896, 510	— fimbriata	1895, 42
Puffinus	1899, 1021		1895, 54
	1899, 1026	micheliniana	1895, 42
alba	1893, 752		1895, 54
anglorum	1891, 476	oblonga	1895, 43
assimilis	1891, 300		1895, 54
	1893, 750	partschiana	1895, 42
	1893, 751		1895, 54
	1899, 387	pauperata	1895, 42
	1899, 400		1895, 54
carneipes	1893, 749	punctulata	1895, 43
	1894, 653		1895, 54
chlororhynchus	1891, 300	repanda	1900, 141
	1891, 475	— concamerata	1895, 41
	1891, 476		1895, 54
	1893, 749	tumida	1895, 42

	Page		Page
<i>Pulvinulina tumida</i>	1895, 54	<i>Purpura elata</i>	1891, 409
<i>Puntius</i> (<i>Barbodes</i>)		<i>hippocastanum</i>	1891, 408
<i>trispilus</i>	1899, 730	<i>mancinella</i>	1891, 409
<i>Pupa helenensis</i>	1892, 259	<i>rudolphi</i>	1891, 408
<i>humanensis</i>	1891, 338	<i>tissoti</i>	1891, 409
	1894, 151	<i>wahlbergi</i>	1891, 436
<i>obliquicostulata</i>	1892, 268	<i>Putorius africanus</i>	1895, 128
	1892, 270		1895, 129
<i>palmira</i>	1891, 337		1895, 130
	1891, 338		1895, 131
<i>pediculus</i>	1892, 467		1897, 601
<i>plicidens</i>	1891, 338	<i>alpinus temon</i>	1893, 449
<i>salwiniana</i>	1891, 338	<i>boccamela</i>	1895, 128
<i>solitaria</i>	1892, 268		1895, 129
<i>strophostoma</i>	1891, 338		1895, 130
<i>turtoni</i>	1892, 268		1897, 601
	1892, 270	<i>canigula</i>	1893, 449
<i>umbilicata</i>	1892, 259	<i>communis</i>	1897, 408
(<i>Boysidia</i>) <i>pal-</i>			1898, 185
<i>mira</i>	1891, 337	<i>erminia</i>	1893, 449
(<i>Pupisoma</i>) <i>con-</i>		<i>hibernicus</i>	1895, 337
<i>strictus</i>	1895, 443		1899, 84
	1895, 450	<i>larvatus</i>	1893, 449
	1895, 451	<i>nivalis</i>	1900, 397
(<i>Scopelophila</i>)		<i>nudipes</i>	1893, 495
<i>palmira</i>	1891, 337		1900, 334
<i>Pupina artata</i>	1891, 345	<i>numidicus</i>	1895, 128
	1891, 346	<i>subpalmaratus</i>	1895, 129
	1894, 155		1895, 130
<i>arula</i>	1891, 345	<i>Pycnarmon caberalis</i>	1898, 619
	1894, 155	<i>cribrata</i>	1898, 442
<i>aureola</i>	1891, 345	<i>Pycnoderes quadrimacu-</i>	
<i>branchleyi</i>	1891, 490	<i>latus</i>	1893, 705
	1891, 491	<i>Pycnonotus</i> sp.	1894, 598
<i>evertata</i>	1895, 444	<i>arsinoë</i>	1900, 956
<i>hosei</i>	1895, 99	<i>dodsoni</i>	1895, 488
	1895, 124	<i>hainanus</i>	1900, 477
<i>lowi</i>	1891, 345	<i>layardi</i>	1894, 603
<i>nicobarica</i>	1895, 445		1894, 605
	1895, 554		1895, 489
— <i>albina</i>	1895, 445		1900, 608
<i>ottonis</i>	1892, 460	<i>melanocephalus</i>	1900, 305
	1892, 461	<i>minor</i>	1894, 489
<i>pallens</i>	1894, 155	<i>Pycnosoma</i>	1897, 605
	1894, 156		1897, 610
<i>rana</i>	1895, 445	<i>angulata</i>	1897, 610
<i>tahatensis</i>	1891, 345	<i>Pydna notata</i>	1895, 951
<i>tchehelensis</i>	1891, 346	<i>Pygæus pallidus</i>	1894, 187
(<i>Registoma</i>) <i>com-</i>		<i>Pygasia brunnea</i>	1899, 341
<i>planata</i>	1891, 490	<i>gestroi</i>	1899, 340
<i>Pupisoma lignicola</i>	1895, 451	<i>lactea</i>	1899, 340
<i>orcella</i>	1894, 150	<i>magna</i>	1899, 342
<i>Purpura giganteus</i>	1892, 640	<i>marginata</i>	1899, 340
	1895, 558	<i>marginicollis</i>	1899, 340
	1895, 602	<i>melanocephala</i>	1899, 341
	1896, 674	<i>pallida</i>	1899, 340
<i>Purpura ægrota</i>	1891, 409	<i>sulphuripennis</i>	1899, 339
<i>echinata</i>	1891, 409		

	Page		Page
<i>Pygmæodrilus quiliman-</i>		<i>Pyralis diversalis</i>	1899, 224
<i>ensis</i>	1891, 173	<i>edalialis</i>	1897, 618
<i>Pygmornis pygmæus</i> ..	1899, 515	<i>elutalis</i>	1899, 186
<i>Pygomeles braconneri</i> ..	1898, 918	<i>erucalis</i>	1899, 186
<i>trivittatus</i>	1898, 918	<i>externalis</i>	1896, 649
<i>Pygopus (Bipes) lepidop-</i>		<i>fascialis</i>	1899, 269
<i>podus</i>	1895, 706	<i>furvalis</i>	1899, 186
<i>Pogoscelis</i>	1899, 1033	<i>fuscalis</i>	1899, 211
<i>adelia</i>	1898, 960	<i>gelidalis</i>	1899, 279
	1898, 961	<i>givalis</i>	1899, 209
	1898, 964	<i>glabralis</i>	1899, 259
	1898, 983	<i>glaucinalis</i>	1899, 277
	1898, 986	<i>gryllusalis</i>	1898, 723
<i>antarctica</i>	1898, 965	<i>guttulalis</i>	1899, 270
	1898, 983	<i>holesericealis</i>	1899, 236
<i>papua</i>	1898, 960	<i>hybridalis</i>	1899, 201
	1898, 961	<i>imbutalis</i>	1897, 617
	1898, 964	<i>impicalis</i>	1899, 186
	1898, 967	— <i>asiaticalis</i>	1899, 186
	1898, 970	<i>incertalis</i>	1898, 699
	1898, 977	<i>intermedialis</i>	1896, 649
	1898, 979	<i>interpunctalis</i>	1899, 210
	1898, 983	<i>julialis</i>	1899, 254
	1898, 986	<i>leucophæalis</i>	1899, 243
	1898, 988	<i>limbalis</i>	1899, 208
	1898, 989	<i>lucernalis</i>	1898, 738
<i>tænita</i>	1898, 961	<i>lupulina</i>	1899, 211
	1898, 984	<i>margaritalis</i>	1899, 186
	1900, 771	<i>marginalis</i>	1898, 738
<i>Pygospila</i>	1898, 598	<i>moestalis</i>	1899, 267
	1898, 749	<i>nebulalis</i>	1899, 243
<i>bivitrals</i>	1898, 750	<i>nevadalis</i>	1899, 236
<i>costiflexalis</i>	1898, 749	<i>ninniusalis</i>	1896, 642
	1898, 750	<i>nivealis</i>	1899, 249
<i>cuprealis</i>	1898, 750	<i>nudalis</i>	1897, 777
<i>evanidalis</i>	1898, 750	<i>obfuscata</i>	1899, 281
<i>octomaculalis</i>	1898, 750	<i>obliqualis</i>	1897, 632
<i>tyres</i>	1898, 750	<i>obsoletalis</i>	1896, 273
<i>Pyralis</i> sp.	1894, 591	<i>ocellalis</i>	1894, 591
<i>albana</i>	1897, 100	<i>ochrealis</i>	1899, 245
	1897, 101		1899, 246
<i>albidalis</i>	1899, 243	<i>olivalis</i>	1899, 209
<i>anguinalis</i>	1899, 269	<i>opacalis</i>	1899, 261
<i>angustalis</i>	1899, 242	<i>orientalis</i>	1899, 224
<i>antenoralis</i>	1896, 642	<i>ornatalis</i>	1898, 630
<i>antialis</i>	1896, 642	<i>ostrinalis</i>	1899, 267
<i>aonialis</i>	1898, 637	<i>pallidalis</i>	1899, 257
<i>arcualis</i>	1899, 245	<i>perfusalis</i>	1898, 612
<i>aurana</i>	1897, 129	<i>polita</i>	1898, 734
<i>byzesalis</i>	1896, 642	<i>politalis</i>	1899, 186
<i>chermesinalis</i>	1899, 267	<i>polygonalis</i>	1899, 224
<i>cineralis</i>	1899, 254	<i>polyphoralis</i>	1897, 632
<i>coccinalis</i>	1899, 267	<i>porphyralis</i>	1899, 267
<i>comitalis</i>	1899, 235	<i>punicealis</i>	1899, 267
<i>crassipes</i>	1896, 649	<i>puralis</i>	1897, 624
<i>curtalis</i>	1897, 653	<i>repandalis</i>	1899, 186
<i>deciusalis</i>	1898, 637	<i>ruâmitralis</i>	1899, 186
<i>dispannalis</i>	1897, 98	<i>rupicolalis</i>	1899, 236

	Page		Page
<i>Pyralis rusticalis</i>	1899, 224	<i>Pyrranga testacea tschudii</i> 1892,	396
<i>scutalis</i>	1899, 270	1892,	408
<i>selenalis</i>	1899, 208	1896,	345
<i>semitelesellalis</i>	1897, 618	<i>Pyrausta</i>	1898, 602
<i>sericealis</i>	1899, 236	1899,	252
<i>silacealis</i>	1899, 259	<i>absistalis</i>	1898, 699
<i>smaragdina</i>	1899, 179	<i>accolalis</i>	1899, 255
<i>sordidalis</i>	1899, 265	<i>achæusalis</i>	1899, 263
<i>squalidalis</i>	1899, 249	<i>acontialis</i>	1899, 269
<i>subtrigonalis</i>	1898, 760	— <i>senicalis</i>	1899, 269
<i>stygalis</i>	1899, 279	<i>acosmialis</i>	1899, 272
<i>tenebrosalis</i>	1899, 277	<i>acrionalis</i>	1899, 264
<i>terminalis</i>	1899, 242	<i>acutella</i>	1899, 254
<i>tetragonalis</i>	1899, 211	<i>acutidentalis</i>	1899, 254
<i>thiastoralis</i>	1896, 642	<i>adipaloides</i>	1899, 258
<i>thyralis</i>	1897, 618	<i>æglealis</i>	1899, 257
<i>triquetalis</i>	1899, 186	<i>aerealis</i>	1899, 261
<i>umbralis</i>	1899, 249	<i>agathalis</i>	1899, 266
<i>undulalis</i>	1899, 281	<i>albicerialis</i>	1899, 256
<i>varipes</i>	1896, 649	<i>albifascialis</i>	1899, 269
<i>verbascalis</i>	1899, 242	<i>albiguttalis</i>	1899, 258
<i>verticalis</i>	1898, 721	<i>allectalis</i>	1899, 256
<i>Pyrameis abyssinica</i>	1894, 564	<i>alpinalis</i>	1899, 262
1895,	727	<i>angustalis</i>	1899, 266
1898,	822	<i>arabica</i>	1896, 275
1900,	918	1899,	269
<i>atalanta</i>	1894, 564	<i>asinalis</i>	1899, 260
1900,	917	<i>assimilis</i>	1899, 270
<i>cardui</i>	1891, 74	<i>astrifera</i>	1899, 270
1893,	653	<i>atropurpurealis</i>	1899, 266
1894,	32	<i>atrosanguinalis</i>	1899, 269
1894,	564	<i>aurantifascialis</i>	1899, 269
1895,	259	<i>aurata</i>	1899, 267
1895,	628	<i>aurea</i>	1899, 258
1895,	630	<i>austriacalis</i>	1899, 262
1895,	720	<i>bambucivora</i>	1899, 253
1895,	728	<i>bambusalis</i>	1899, 254
1896,	112	<i>benenotata</i>	1899, 261
1896,	248	<i>bieti</i>	1899, 271
1896,	256	<i>bisignata</i>	1899, 254
1896,	524	<i>biternalis</i>	1899, 258
1896,	531	<i>borealis</i>	1899, 265
1897,	692	<i>canotinctalis</i>	1899, 261
1897,	775	<i>cardinalis</i>	1899, 264
1897,	839	1899,	266
1898,	52	<i>ceadesalis</i>	1899, 255
1898,	379	<i>celatalis</i>	1899, 263
1898,	398	<i>cespitalis</i>	1899, 265
1898,	824	<i>chilialis</i>	1899, 265
1900,	918	<i>chionealis</i>	1899, 267
<i>dejeanii</i>	1894, 564	<i>chrysitis</i>	1899, 269
<i>Pyrranga ardens</i>	1896, 345	<i>cillialis</i>	1899, 254
<i>azaræ</i>	1892, 375	<i>cingulata</i>	1899, 269
1896,	345	<i>ciniferalis</i>	1899, 256
<i>testacea</i>	1892, 406	<i>citrinalis</i>	1899, 253
— <i>putea</i>	1892, 375	<i>claudiusalis</i>	1899, 259
— <i>tschudii</i>	1892, 372	<i>coccinea</i>	1899, 267
1892,	375	<i>coclesalis</i>	1899, 252

	Page		Page
<i>Pyrausta coclesalis</i>	1899, 254	<i>Pyrausta inglorialis</i>	1896, 275
<i>commixtalis</i>	1899, 265	<i>insignitalis</i>	1899, 264
<i>commortalis</i>	1899, 269	<i>langdonalis</i>	1899, 257
<i>coorumba</i>	1899, 261	<i>laticlavata</i>	1899, 266
<i>cruralis</i>	1899, 263	<i>latinigralis</i>	1899, 268
<i>cuprealis</i>	1899, 269	<i>lethalis</i>	1899, 267
<i>cuprimalis</i>	1899, 271	<i>leucula</i>	1899, 253
<i>curvalis</i>	1899, 260	<i>limbata</i>	1899, 269
<i>cynoalis</i>	1899, 254	<i>limbopunctalis</i>	1899, 261
<i>danoalis</i>	1899, 259	<i>liparalis</i>	1899, 258
<i>deductalis</i>	1899, 256	<i>lithosialis</i>	1899, 263
<i>devialis</i>	1899, 262	<i>luctualis</i>	1899, 255
<i>diffusalis</i>	1899, 261	<i>lutulentalis</i>	1899, 258
<i>diniasalis</i>	1899, 254	<i>machæralis</i>	1899, 263
<i>dorsipunctalis</i>	1899, 270	<i>maculata</i>	1899, 268
<i>egcarsialis</i>	1899, 259	<i>maledictalis</i>	1899, 261
<i>elealis</i>	1899, 258	<i>manualis</i>	1899, 265
<i>eriopsalis</i>	1899, 260	— <i>furvalis</i>	1899, 265
<i>erosnealis</i>	1899, 266	<i>marginalis</i>	1899, 269
<i>extinctalis</i>	1899, 263	<i>mellinalis</i>	1899, 255
<i>extricalis</i>	1899, 259	<i>memnialis</i>	1899, 263
<i>falcatalis</i>	1899, 267	<i>minutalis</i>	1899, 272
<i>fascialis</i>	1899, 269	<i>moderatalis</i>	1899, 257
<i>ferrifusalis</i>	1899, 263	<i>monotretalis</i>	1899, 272
<i>fissalis</i>	1899, 257	<i>mopsalis</i>	1899, 258
<i>flavalis</i>	1899, 257	<i>murinalis</i>	1899, 262
— <i>tripunctalis</i>	1899, 258	<i>mustelalis</i>	1899, 264
<i>flavicoloralis</i>	1899, 258	<i>mustelinalis</i>	1899, 259
<i>flavidalis</i>	1899, 257	<i>nerialis</i>	1899, 271
<i>flavidensalis</i>	1899, 255	<i>nicalis</i>	1899, 267
<i>flavofascialis</i>	1899, 266	<i>niepoldalis</i>	1899, 268
<i>foadinalis</i>	1899, 262	<i>nigralis</i>	1899, 269
<i>foviferalis</i>	1899, 256	<i>nigrata</i>	1899, 269
<i>fraudentalis</i>	1899, 254	<i>nigrescens</i>	1899, 261
<i>fucatalis</i>	1899, 269	<i>nigritalis</i>	1899, 261
<i>fumalis</i>	1899, 254	<i>nissoralis</i>	1899, 254
<i>fumoferalis</i>	1899, 260	<i>niveicilialis</i>	1899, 269
<i>furnacalis</i>	1899, 259	<i>nubilalis</i>	1899, 259
<i>fuscalis</i>	1899, 254	<i>nyctemeralis</i>	1899, 270
.	1899, 261	<i>obfuscata</i>	1899, 269
<i>fuscimaculalis</i>	1899, 253	<i>obliquata</i>	1899, 254
<i>futilalis</i>	1899, 260	<i>obumbratalis</i>	1899, 259
<i>generosa</i>	1899, 265	<i>occultilinea</i>	1899, 259
<i>glaucescens</i>	1899, 260	<i>ochracealis</i>	1899, 253
<i>glomeralis</i>	1899, 270	<i>octomaculata</i>	1899, 270
<i>gracilis</i>	1899, 258	<i>offumalis</i>	1899, 265
<i>griseifusa</i>	1899, 259	<i>oriolalis</i>	1899, 258
<i>helvalis</i>	1899, 252	<i>orphisalis</i>	1899, 267
<i>hyalodiscalis</i>	1899, 263	<i>oxydalis</i>	1899, 257
<i>idessa</i>	1899, 266	<i>palustralis</i>	1899, 263
<i>ilithucialis</i>	1899, 265	<i>paupellalis</i>	1899, 254
<i>illibalis</i>	1899, 260	<i>pellicalis</i>	1899, 266
<i>illutalis</i>	1899, 258	<i>peregrinalis</i>	1899, 269
<i>impunctata</i>	1899, 254	<i>perelegans</i>	1899, 256
<i>incoloralis</i>	1896, 275	<i>perfulvalis</i>	1899, 262
.	1899, 257	<i>perlucidalis</i>	1899, 257
<i>inconcinnaalis</i>	1899, 260	<i>perrubralis</i>	1899, 262
<i>indistans</i>	1899, 259	<i>pertextalis</i>	1899, 257

	Page		Page
<i>Pyrausta phaeophœnica</i> .	1899, 268	<i>Pyrausta tertialis</i>	1899, 255
<i>pharialis</i>	1899, 261	<i>tetraplagalis</i>	1899, 268
<i>phœnicealis</i>	1896, 275	<i>thalesalis</i>	1899, 258
	1898, 368	<i>theseusalis</i>	1899, 257
	1899, 264	<i>thestealis</i>	1899, 257
	1899, 267	<i>thibetalis</i>	1899, 271
<i>phyllisalis</i>	1899, 258	<i>tinctalis</i>	1899, 261
<i>platycapna</i>	1898, 653		1899, 264
<i>poediusalis</i>	1896, 275	<i>tithonialis</i>	1899, 266
<i>porphyralis</i>	1899, 267	<i>togalis</i>	1899, 266
<i>postrubalis</i>	1899, 262	<i>torridalis</i>	1899, 253
<i>præpetalis</i>	1899, 258	<i>torvalis</i>	1899, 262
<i>prochytalis</i>	1899, 265	<i>trimaculalis</i>	1899, 258
<i>procillusalis</i>	1899, 257		1899, 268
<i>profusalis</i>	1899, 260	<i>trinalis</i>	1899, 258
<i>punctimarginalis</i> . .	1899, 257	<i>triplagalis</i>	1899, 261
<i>purpuralis</i>	1899, 267	<i>triumphalis</i>	1899, 255
<i>purpuraria</i>	1899, 265	<i>trizonalis</i>	1899, 267
<i>purpurascens</i>	1899, 261	<i>tyralis</i>	1899, 266
<i>pygmæalis</i>	1899, 262	<i>uliginosalis</i>	1899, 262
<i>pyrocausta</i>	1899, 264	<i>unimacula</i>	1899, 270
<i>ranalis</i>	1899, 267	<i>unipunctata</i>	1899, 269
<i>repandalis</i>	1899, 257	<i>ustalis</i>	1899, 260
<i>rhealis</i>	1899, 267	<i>vacumalis</i>	1899, 256
<i>riphæusalis</i>	1899, 256	<i>varialis</i>	1899, 255
<i>rhododendralis</i> . . .	1899, 262	<i>versicolor</i>	1899, 269
<i>robusta</i>	1899, 259	<i>violacea</i>	1899, 271
<i>rosa</i>	1899, 266	<i>vitellinalis</i>	1899, 260
<i>rubellalis</i>	1899, 254	<i>volupialis</i>	1899, 266
<i>rubidalis</i>	1899, 259	<i>xanthothysana</i> . . .	1899, 253
<i>rubricalis</i>	1899, 265	<i>Pyraustodes flavi-</i>	
<i>rubritinctalis</i>	1899, 263	<i>costalis</i>	1897, 666
<i>rubrivena</i>	1899, 266	<i>Pyrgoma milleporæ</i> . . .	1898, 251
<i>salentalis</i>	1899, 259		1898, 831
<i>salvia</i>	1899, 266	<i>Pyrgomorpha grylloides</i> .	1900, 40
<i>sambucalis</i>	1899, 255	<i>Pyrgus adenensis</i>	1896, 248
<i>sanguinalis</i>	1899, 266		1896, 255
<i>sanguinealis</i>	1899, 259		1896, 256
<i>semirubralis</i>	1899, 262	<i>agylla</i>	1896, 24
<i>signatalis</i>	1899, 258	<i>asterodia</i>	1896, 24
	1899, 266		1897, 856
<i>sikkima</i>	1899, 268		1898, 415
<i>silhetalis</i>	1899, 269	<i>asychis</i>	1898, 415
<i>simplex</i>	1899, 254	<i>bettoni</i>	1898, 415
<i>singularis</i>	1899, 259		1898, 444
<i>straminea</i>	1899, 271	<i>chaca</i>	1896, 55
<i>subflavalis</i>	1899, 256	<i>colotes</i>	1896, 25
<i>subinguinalis</i>	1899, 256		1899, 974
<i>submarginalis</i>	1899, 265	<i>diomus</i>	1891, 101
<i>submedialis</i>	1899, 258		1894, 353
<i>subnicalis</i>	1899, 266		1896, 23
<i>subolivalis</i>	1899, 261		1896, 24
<i>subsequalis</i>	1899, 260		1898, 911
	1899, 265	<i>dromus</i>	1891, 101
<i>suffusalis</i>	1899, 255		1893, 669
	1899, 261		1894, 73
<i>sumptuosalis</i>	1899, 264		1894, 353
<i>terrealis</i>	1899, 255		1895, 737

	Page		Page
<i>Pyrgus dromus</i>	1896, 23	<i>Pyrinia erythrocephalata</i>	1896, 644
	1896, 24	<i>madiaria</i>	1896, 644
	1896, 129	<i>mephasaria</i>	1896, 644
	1898, 415	<i>radiolata</i>	1896, 646
	1898, 911	<i>reflectaria</i>	1896, 646
<i>elma</i>	1894, 73	<i>saturata</i>	1896, 646
	1896, 26	<i>subaurata</i>	1896, 646
	1896, 255	<i>xantharia</i>	1896, 649
	1900, 943	<i>Pyrocephalus obscurus</i>	1892, 381
<i>evanidus</i>	1896, 256		1892, 396
— <i>adenensis</i>	1896, 255		1892, 404
<i>ferox</i>	1897, 856		1892, 409
	1899, 426	<i>rubineus</i>	1896, 366
<i>inconspicuus</i>	1894, 353	— <i>coronatus</i>	1892, 381
<i>machacoana</i>	1899, 418	— <i>heterurus</i>	1892, 372
	1899, 426		1892, 381
	1899, 427		1892, 405
<i>mafa</i>	1891, 101		1892, 406
	1896, 24	— <i>obscurus</i>	1892, 381
	1897, 855	<i>Pyrocoelia collaris</i>	1892, 89
	1898, 199		1892, 90
<i>mohozutza</i>	1896, 55	<i>fumigata</i>	1892, 89
<i>nanus</i>	1891, 102	<i>opaca</i>	1892, 89
	1896, 24	<i>terminata</i>	1892, 89
<i>nora</i>	1896, 25	<i>Pyromelana flammiceps</i>	1900, 2
<i>ploetzi</i>	1896, 23	<i>franciscana</i>	1895, 464
<i>sandaster</i>	1896, 24	<i>xanthomelæna</i>	1895, 464
<i>sataspes</i>	1891, 102		1900, 2
	1894, 353	<i>Pyrophacus horologium</i>	1898, 1029
	1897, 856	<i>Pyrops</i> sp.	1900, 971
	1898, 911	<i>nobilis</i>	1900, 868
<i>secessus</i>	1891, 61	<i>Pyropyga minuta</i>	1898, 319
	1891, 102	<i>Pyrotherium</i>	1899, 562
	1891, 107	<i>Pyrhocrorax graculus</i>	1896, 311
	1896, 25	<i>pyrrhocrorax</i>	1896, 311
<i>spio</i>	1896, 23	<i>Pyrrhopyge æsculapius</i>	1893, 12
	1897, 855	<i>amra</i>	1893, 12
	1898, 199	<i>amyclas</i>	1893, 12
	1898, 911	<i>aræthyrea</i>	1893, 11
	1900, 943	<i>araxes</i>	1893, 12
<i>syrichtus</i>	1893, 64	<i>aziza</i>	1893, 11
	1896, 520	<i>chalybea</i>	1893, 12
<i>transvaaliæ</i>	1896, 24	<i>charybdis</i>	1893, 11
<i>tucusa</i>	1896, 55		1893, 131
<i>vindex</i>	1891, 101	<i>creona</i>	1893, 12
	1894, 72	<i>cydonia</i>	1893, 12
	1896, 22	<i>fluminis</i>	1893, 12
	1896, 23	<i>galgala</i>	1893, 12
	1896, 528	<i>gazera</i>	1893, 11
	1897, 855	<i>gorata</i>	1893, 11
	1898, 371	<i>gortyna</i>	1893, 12
<i>zaira</i>	1896, 25	<i>hadassa</i>	1893, 12
<i>zebra</i>	1897, 856	<i>hygieia</i>	1893, 12
	1898, 415	<i>hyperici</i>	1893, 10
<i>Pyria oculata</i>	1896, 459		1893, 11
<i>Pyriglena maura picea</i>	1896, 383	<i>jonas</i>	1893, 12
<i>picea</i>	1896, 383	<i>josepha</i>	1893, 12
<i>Pyrinia alcañdraria</i>	1896, 644	<i>kelita</i>	1893, 12
<i>concisata</i>	1896, 646	<i>latifascia</i>	1893, 12

	Page		Page
<i>Pyrrhopyge maculosa</i> ..	1893, 12	<i>Python reticulatus</i>	1899, 604
<i>mænas</i>	1893, 12	1899, 654
<i>martena</i>	1893, 12	<i>sebæ</i>	1897, 800
<i>menecrates</i>	1893, 11	1900, 451
<i>papius</i>	1893, 11	1900, 968
<i>passova</i>	1893, 12	<i>Pythonides cerialis</i>	1893, 43
<i>phidias</i>	1893, 12	1893, 51
<i>phylleia</i>	1893, 12	<i>cronion</i>	1893, 51
<i>scylla</i>	1893, 11	<i>fabricii</i>	1893, 51
<i>sergius</i>	1893, 11	<i>festivus</i>	1893, 51
<i>telassa</i>	1893, 12	<i>geometrina</i>	1893, 51
<i>variegaticeps</i>	1893, 12	<i>gladius</i>	1893, 51
<i>zeleucus</i>	1893, 12	<i>hadina</i>	1893, 51
<i>zereda</i>	1893, 12	<i>herennius</i>	1893, 51
<i>Pyrrhosidia mystic</i>	1893, 100	<i>jovianus</i>	1893, 51
<i>Pyrrhula europæa</i>	1891, 472	<i>lagia</i>	1893, 51
<i>major</i>	1895, 691	<i>lancea</i>	1893, 51
<i>telasco</i>	1892, 396	<i>lerina</i>	1893, 51
<i>Pyrrhulauda melanau-</i>		<i>loxus</i>	1893, 51
<i>chen</i>	1895, 472	<i>lucullea</i>	1893, 51
<i>smithi</i>	1900, 2	<i>orcus</i>	1893, 51
<i>Pyrrhulopsis</i>	1899, 34	<i>pluvius</i>	1893, 51
.....	1899, 36	<i>pseudojovianus</i>	1893, 51
.....	1899, 37	<i>pyralina</i>	1893, 51
.....	1899, 38	<i>satyrina</i>	1893, 51
.....	1899, 42	<i>satyrus</i>	1893, 51
<i>personata</i>	1899, 36	<i>scintillans</i>	1893, 51
.....	1899, 43	<i>Pyxicephalus delalandii</i>	1894, 88
.....	1900, 304		
<i>Pyrrhura</i>	1899, 45	<i>Quadrasia hidalgoi</i>	1892, 462
<i>hæmatotis</i>	1899, 29	<i>Quelea æthiopica</i>	1895, 465
<i>leucotis</i>	1899, 515	<i>intermedia</i>	1895, 465
<i>vittata</i>	1899, 513	1895, 466
<i>Pytelia schlegeli</i>	1894, 599	<i>Querquedula circia</i>	1900, 492
.....	1894, 600	<i>crecca</i>	1895, 3
.....	1894, 601	1895, 401
<i>Pythia borneensis</i>	1891, 339	<i>cyanoptera</i>	1891, 136
<i>Python bivittatus</i>	1892, 480	1892, 399
.....	1892, 486	1892, 408
<i>curtus</i>	1896, 877	<i>erythrorhyncha</i> ..	1895, 511
.....	1899, 604	<i>oxyptera</i>	1891, 136
.....	1899, 656	<i>puna</i>	1891, 132
<i>molurus</i>	1892, 481	1891, 136
.....	1893, 499	<i>Quineloculina aspe-</i>	
.....	1895, 704	<i>rula</i>	1895, 11
.....	1896, 877		
.....	1897, 196	<i>Rabdosoma badium</i>	
.....	1897, 199	<i>multicinctum</i> ..	1898, 116
.....	1897, 217	<i>Racheospila margini-</i>	
.....	1899, 604	<i>plaga</i>	1896, 645
.....	1899, 655	<i>ocellata</i>	1896, 645
<i>reticulatus</i>	1895, 704	<i>saliata</i>	1894, 593
.....	1895, 712	<i>satisfacta</i>	1896, 645
.....	1896, 877	<i>Ragadia crisia</i>	1891, 253
.....	1897, 196	1891, 266
.....	1897, 199	<i>crita</i>	1891, 266
.....	1897, 217	<i>Rahinda hordonia</i>	1900, 507
.....	1898, 587	<i>peraka</i>	1892, 120

	Page		Page
Rahinda sandaka.....	1892, 120	Rana assamensis	1892, 343
Raia batis	1895, 889		1892, 348
	1899, 449	boulengeri.....	1899, 166
	1899, 498	boylii.....	1894, 640
fullonica	1898, 310	cachinnans	1891, 375
nasuta	1899, 502	camerani	1896, 548
Rallus cæsius	1892, 394		1896, 550
rytirhynchus.....	1891, 136		1896, 555
	1892, 394	catesbiana	1893, 270
	1892, 408		1893, 271
	1895, 688		1893, 272
virginianus	1892, 399		1893, 273
	1892, 408	caucasica	1891, 375
Ramila acciusalis.....	1895, 908	cavitympanum....	1893, 525
angustifimbrialis ..	1895, 908		1893, 526
arcusalis	1895, 908		1893, 527
marginella	1895, 908		1893, 528
ruficostalis	1895, 908		1894, 641
Ramphia evinga	1896, 638		1900, 886
Ramulina globulifera ..	1895, 36	celebensis	1897, 197
	1895, 53		1897, 202
Rana	1898, 7		1897, 232
	1898, 11	chalconota.....	1897, 232
æquiplicata	1900, 437	chrysoprasina	1894, 640
afghana.....	1893, 526	corrugata	1892, 342
	1899, 169		1893, 348
agilis	1891, 597	crassipes	1900, 437
	1891, 598	cyanophlyctis	1895, 635
	1891, 600		1895, 637
	1891, 602		1895, 660
	1891, 603		1895, 661
	1891, 604		1895, 662
	1891, 606		1895, 663
	1891, 608		1896, 897
	1891, 609		1896, 902
	1891, 610		1899, 887
	1891, 619	delalandii	1895, 539
	1891, 625	dentex	1891, 376
	1891, 626	diplosticta.....	1892, 348
	1896, 548	dobsonii	1892, 348
	1896, 549	doriæ.....	1892, 344
albolabris	1900, 438		1899, 890
alticola	1898, 555	ehrenbergi	1895, 635
aluta	1894, 641		1895, 660
andersonii	1892, 343	erythræa	1892, 345
	1892, 348		1892, 346
	1899, 168		1896, 902
	1899, 958		1896, 914
angolensis.....	1897, 801		1897, 197
arvalis	1891, 600		1897, 202
	1891, 601		1897, 231
	1891, 603		1899, 895
	1891, 604		1899, 958
	1891, 605		1900, 885
	1891, 606	esculenta	1891, 374
	1891, 625		1891, 375
	1891, 626		1891, 376
	1896, 550		1891, 381

	Page		Page
<i>Rana esculenta</i>	1891, 600	<i>Rana fusca</i>	1898, 101
	1891, 601	<i>fuscigula</i>	1897, 801
	1891, 603	<i>galamensis</i>	1894, 88
	1891, 604	<i>glandulosa</i>	1896, 905
	1891, 605		1899, 897
	1891, 606		1900, 887
	1891, 609	<i>gracilis</i>	1892, 345
	1891, 619		1896, 901
	1891, 625		1899, 893
	1891, 626		1900, 885
	1892, 23	— <i>pulla</i>	1892, 344
	1893, 268	<i>græca</i>	1891, 600
	1893, 269		1891, 602
	1893, 270		1891, 603
	1893, 271		1891, 604
	1893, 272		1891, 607
	1893, 273		1891, 625
	1893, 498		1891, 626
	1894, 107		1894, 640
	1894, 480	<i>graminea</i>	1899, 958
	1895, 833		1899, 962
	1895, 835	<i>granulosa</i>	1892, 346
	1895, 836		1892, 348
	1895, 837		1894, 641
	1895, 845	<i>guentheri</i>	1899, 168
	1895, 848	<i>guppyi</i>	1893, 271
	1896, 903		1896, 833
	1897, 578		1896, 834
	1899, 889		1895, 835
	1899, 897		1895, 836
— <i>lessonæ</i>	1891, 376		1895, 837
	1891, 382		1895, 840
— <i>marmorata</i>	1891, 376		1895, 845
— <i>nigromaculata</i> ..	1891, 376		1895, 846
	1891, 383	<i>guttata</i>	1892, 507
— <i>ridibunda</i>	1891, 376	<i>hascheana</i>	1892, 344
	1891, 380		1892, 345
	1892, 23		1892, 348
	1896, 548		1896, 902
— <i>silvatica</i>	1891, 376		1898, 474
— <i>typica</i>	1891, 376		1899, 894
	1891, 380		1900, 885
<i>everetti</i>	1897, 197	<i>hexadactyla</i>	1895, 661
	1897, 202	<i>hispanica</i>	1891, 376
	1897, 232	— <i>bedriagæ</i>	1891, 376
<i>fasciata</i>	1892, 555	— <i>latastii</i>	1891, 376
<i>feæ</i>	1892, 343	<i>holsti</i>	1894, 640
<i>flammea</i>	1896, 902	<i>honnorati</i>	1891, 607
<i>florensis</i>	1898, 474	<i>hosii</i>	1892, 505
<i>formosa</i>	1892, 348		1892, 507
<i>fortis</i>	1891, 375		1894, 641
	1891, 376	<i>humeralis</i>	1892, 348
— <i>perezi</i>	1891, 376	<i>iberica</i>	1891, 600
<i>fusca</i>	1896, 898		1891, 602
	1896, 899		1891, 603
	1897, 583		1891, 604
	1897, 589		1891, 603
	1897, 590		1891, 625

	Page
<i>Rana iberica</i>	1891, 626
<i>japonica</i>	1891, 610
1899, 167	
<i>jerboa</i>	1892, 506
1893, 526	
1893, 527	
1899, 916	
1899, 958	
1900, 886	
<i>johnstoni</i>	1893, 618
1893, 620	
1894, 641	
<i>khasiana</i>	1892, 348
<i>kuhlii</i>	1897, 197
1897, 202	
1897, 228	
1899, 166	
1899, 167	
1899, 885	
1899, 887	
<i>labialis</i>	1896, 903
1896, 914	
1899, 896	
1900, 886	
<i>larutensis</i>	1899, 898
1900, 886	
<i>latastii</i>	1891, 597
1891, 600	
1891, 602	
1891, 603	
1891, 604	
1891, 608	
1891, 609	
1891, 625	
1891, 626	
<i>lateralis</i>	1892, 348
1894, 641	
1900, 883	
1900, 886	
1900, 890	
<i>laticeps</i>	1896, 897
1899, 888	
1899, 890	
<i>latopalmata</i>	1893, 526
1893, 527	
1893, 528	
1899, 169	
1900, 886	
<i>latouchii</i>	1899, 167
1899, 172	
<i>leitensis</i>	1898, 474
<i>leithii</i>	1892, 348
<i>leptodactyla</i>	1892, 345
<i>leschenaultii</i>	1896, 897
1899, 887	
<i>leytensis</i>	1897, 197
1897, 202	
1897, 229	

	Page
<i>Rana liebighii</i>	1892, 342
1892, 343	
1899, 167	
<i>limborgi</i>	1892, 344
1892, 348	
1891, 640	
<i>limnocharis</i>	1896, 901
1899, 662	
1899, 677	
1899, 893	
1900, 883	
1900, 885	
<i>luetuosa</i>	1896, 857
1896, 904	
1896, 914	
1899, 896	
<i>luzonensis</i>	1898, 474
<i>macrocnemis</i>	1896, 548
1896, 550	
<i>macrodactyla</i>	1899, 669
1899, 670	
1899, 885	
1899, 895	
1900, 885	
<i>macrodon</i>	1892, 507
1893, 270	
1893, 271	
1893, 272	
1893, 273	
1896, 857	
1896, 898	
1896, 914	
1897, 229	
1899, 885	
1899, 888	
1899, 916	
1900, 885	
<i>macrops</i>	1897, 197
1897, 202	
1897, 233	
1897, 237	
1898, 474	
<i>malabarica</i>	1892, 345
<i>margariana</i>	1892, 348
<i>maritima</i>	1891, 376
<i>marmorata</i>	1891, 376
<i>mascareniensis</i>	1894, 88
1895, 539	
1896, 217	
1897, 801	
1900, 438	
— <i>æquiplicata</i>	1900, 437
— <i>bibronii</i>	1900, 438
<i>mascarensis</i>	1900, 968
<i>masonii</i>	1893, 526
<i>microdisca</i>	1897, 197
1897, 202	
1897, 230	

	Page		Page
<i>Rana microdisca</i>	1898, 474	<i>Rana subsigillata</i>	1900, 437
<i>modesta</i>	1897, 197	<i>superciliaris</i>	1900, 438
	1897, 202	<i>temporaria</i>	1891, 374
	1897, 228		1891, 376
	1897, 231		1891, 600
<i>monticola</i>	1892, 348		1891, 601
	1894, 641		1891, 602
<i>mugiens</i>	1894, 477		1891, 603
	1894, 479		1891, 604
	1894, 480		1891, 605
	1894, 481		1891, 606
<i>natatrix</i>	1892, 507		1891, 607
	1893, 526		1891, 608
	1893, 527		1891, 609
	1897, 233		1891, 610
<i>newtoni</i>	1898, 474		1891, 625
<i>nicobariensis</i>	1892, 348		1891, 626
<i>nigrovittata</i>	1892, 345		1893, 498
	1892, 346		1894, 107
	1892, 348		1895, 837
	1894, 641		1896, 548
	1899, 885		1896, 549
	1899, 896		1896, 903
<i>nutti</i>	1893, 474		1897, 594
<i>nyassa</i>	1892, 555		1898, 101
	1892, 558		1898, 894
	1894, 641	<i>tenasserimensis</i>	1892, 345
<i>oatesii</i>	1894, 641		1892, 348
<i>ornata</i>	1896, 217		1894, 641
	1898, 474	<i>tigrina</i>	1891, 376
<i>oxyrhynchus</i>	1897, 801		1892, 344
<i>palavanensis</i>	1894, 640		1895, 661
	1897, 197		1895, 662
	1897, 202		1896, 901
	1897, 229		1896, 902
	1897, 230		1897, 197
<i>palustris</i>	1898, 9		1897, 202
<i>phrynoderma</i>	1892, 348		1897, 231
<i>pipa</i>	1895, 828		1899, 885
<i>plicatella</i>	1892, 348		1899, 891
	1896, 901		1899, 892
	1899, 890		1899, 916
	1900, 885		1900, 885
<i>pulchra</i>	1898, 474	— <i>pantherina</i>	1896, 901
<i>quecketti</i>	1894, 641	<i>tytleri</i>	1892, 345
	1894, 643		1892, 346
	1894, 646	<i>varians</i>	1894, 641
<i>ricketti</i>	1899, 168		1897, 197
	1899, 172		1897, 202
<i>ridibunda</i>	1891, 375		1897, 231
— <i>lessonæ</i>	1891, 375		1897, 232
<i>rufescens</i>	1892, 344	<i>vicina</i>	1892, 342
<i>schmackeri</i>	1899, 168		1892, 348
<i>scotica</i>	1891, 376	<i>viridis aquatica</i> ..	1891, 376
<i>signata</i>	1900, 883	<i>whiteheadi</i>	1893, 525
	1900, 886		1893, 527
<i>sternosignata</i>	1892, 348		1893, 528
<i>strachani</i>	1892, 348		1894, 641

	Page		Page
<i>Rana whiteheadi</i>	1899, 958	<i>Rapala sphinx</i>	1895, 623
<i>Ranella crumena</i>	1891, 435	<i>subguttata</i>	1892, 644
<i>granifera</i>	1891, 413		1892, 664
<i>spinosa</i>	1891, 413	<i>suffusa</i>	1892, 643
	1891, 435		1895, 623
<i>Rangifer</i>	1900, 144-167		1896, 651
<i>tarandus</i>	1898, 456		1896, 681
	1900, 686		1896, 682
<i>terræ-novæ</i>	1898, 456	<i>utimutis</i>	1892, 644
<i>Ranzania petersiana</i> ...	1893, 740	<i>varuna</i>	1895, 559
<i>Rapala abnormis</i>	1892, 642		1895, 622
	1892, 664		1895, 623
	1896, 651	<i>xenophon</i>	1892, 643
	1896, 682		1895, 559
<i>barthema</i>	1895, 559		1895, 623
	1895, 623		1895, 624
	1895, 627	<i>zela</i>	1896, 832
	1896, 681	<i>Rapana bulbosa</i>	1891, 408
	1896, 682	<i>Raparna digramma</i>	1896, 265
<i>chozeba</i>	1895, 559	<i>imparata</i>	1896, 265
	1895, 623	<i>lactea</i>	1896, 265
<i>deliachus</i>	1895, 559	<i>limbata</i>	1898, 426
	1895, 621	<i>Raphicera satricus</i>	1891, 266
<i>distorta</i>	1892, 642	<i>Raphicerus campestris</i> .	1896, 796
<i>domitia</i>	1895, 559		1897, 452
	1895, 624		1900, 686
<i>drasmos</i>	1895, 559	<i>melanotis</i>	1896, 796
	1895, 624		1900, 686
	1895, 627	<i>sharpei</i>	1896, 796
<i>hypargyria</i>	1892, 643		1898, 391
	1892, 664	<i>Raphigaster abdomin-</i>	
	1896, 681	<i>alis</i>	1900, 823
<i>jarbas</i>	1892, 643	<i>flavolineatus</i>	1900, 820
	1895, 624	<i>guldingi</i>	1894, 175
<i>kessuma</i>	1895, 621		1900, 820
<i>laima</i>	1895, 559	<i>longitudinalis</i>	1900, 821
	1895, 624	<i>lutens</i>	1900, 820
	1895, 627	<i>monsoni</i>	1900, 814
<i>manea</i>	1900, 508		1900, 821
<i>nissa</i>	1892, 643	<i>neglectus</i>	1900, 820
<i>olivia</i>	1895, 559	<i>punctulatus</i>	1900, 823
	1895, 622	<i>transversalis</i>	1900, 823
	1895, 627	<i>virescens</i>	1900, 821
<i>orseis</i>	1892, 642	<i>Raphiptera</i>	1895, 962
	1895, 559	<i>minimella</i>	1895, 962
	1895, 622	<i>Rapoona tristis</i>	1899, 286
	1895, 623	<i>Rappia argus</i>	1897, 801
<i>petosiris</i>	1892, 643	<i>cinctiventris</i>	1895, 619
<i>pheretima</i>	1895, 559	<i>citrina</i>	1893, 619
	1895, 623	<i>concolor</i>	1891, 308
<i>schistacea</i>	1892, 642		1894, 88
	1895, 559	<i>fimbriolata</i>	1900, 444
	1895, 622	<i>fulvovittata</i>	1897, 801
<i>scintilla</i>	1895, 559	<i>fuscigula</i>	1900, 444
	1895, 622	<i>marmorata</i>	1897, 801
<i>sequeira</i>	1892, 644		1900, 444
<i>sphinx</i>	1895, 559	<i>molleri</i>	1898, 475
	1895, 621	<i>nasuta</i>	1893, 619

	Page		Page
<i>Rappia nasuta</i>	1893, 620	<i>Remigia repanda</i>	1896, 265
<i>ocellata</i>	1900, 444		1898, 368
<i>phantastica</i>	1900, 444		1898, 424
<i>platyceps</i>	1900, 444		1900, 20
	1900, 456	<i>Remipes adactylus</i>	1898, 467
<i>pusilla</i>	1900, 445	<i>pacificus</i>	1898, 457
<i>quinquevittata</i>	1898, 475		1898, 458
<i>rutenbergii</i>	1898, 475		1898, 467
<i>thomensis</i>	1898, 475		1898, 468
<i>tristis</i>	1898, 475	<i>testudinarius</i>	1898, 467
<i>tuberculata</i>	1900, 444		1898, 468
<i>Rasahus hamatus</i>	1894, 209	<i>Remmius vulpinus</i>	1899, 875
<i>sulcicollis</i>	1894, 210	<i>vultuosus</i>	1899, 875
<i>Ratelus leuconotus</i>	1900, 301	<i>Renia borgesalis</i>	1896, 642
<i>Rathkea octopunctata</i> ..	1896, 477	<i>decelusalis</i>	1896, 642
<i>Ratiaria argentilinea</i> ..	1896, 645		1896, 649
<i>metaxantha</i>	1896, 645	<i>lytocalis</i>	1896, 642
<i>Ratufa bicolor</i>	1900, 354	<i>Reniera</i> sp.	1900, 139
	1900, 876	<i>crateriformis</i>	1900, 139
	1900, 877	<i>innominata</i>	1900, 128
<i>gigantea</i>	1900, 193		1900, 138
<i>indica</i>	1897, 933		1900, 141
<i>melanopepla</i>	1900, 876	<i>Renodes brevipalpis</i> ...	1896, 644
<i>Ravanoa</i>	1898, 594		1896, 650
	1898, 621	<i>nigriceps</i>	1893, 681
<i>strigulosa</i>	1898, 692		1898, 424
<i>xiphialis</i>	1898, 622	<i>Reophax arctica</i>	1895, 14
<i>Recluzia rollandiana</i> ..	1891, 414	<i>bacillaris</i>	1895, 15
<i>Recurvirostra andina</i> ..	1891, 132		1895, 49
	1891, 137	<i>dentaliniformis</i>	1895, 15
<i>avocetta</i>	1900, 965		1895, 49
<i>Redoa crocipes</i>	1898, 427	<i>diffflugiformis</i>	1895, 14
<i>Reduvius hamatus</i>	1894, 209		1895, 49
<i>stria</i>	1894, 209	<i>distans</i>	1895, 15
<i>Regalecus argenteus</i> ..	1898, 380		1895, 49
<i>Reguloides supercilio-</i>		<i>nodulosa</i>	1895, 14
<i>sus</i>	1900, 470		1895, 15
<i>Regulus cristatus</i>	1896, 311		1895, 49
<i>regulus</i>	1896, 311	<i>pilulifera</i>	1895, 15
<i>Rehimena</i>	1898, 594		1895, 49
	1898, 622	<i>scorpiurus</i>	1895, 14
<i>dichromalis</i>	1898, 622		1895, 49
<i>divisa</i>	1898, 623	<i>spiculifera</i>	1895, 14
<i>pallidalis</i>	1898, 693		1895, 49
<i>phrynealis</i>	1898, 622	<i>Retaster cribrosus</i>	1900, 289
<i>striolalis</i>	1898, 622		1900, 298
	1898, 623	<i>insignis</i>	1900, 298
<i>Rejectaria cocytalis</i> ...	1896, 640	<i>Rhabdammina discreta</i> .	1895, 14
<i>Remigia archesia</i>	1893, 682		1895, 49
	1898, 424	<i>Rhabdocidaris annuli-</i>	
<i>consistens</i>	1896, 650	<i>fera</i>	1900, 272
<i>conveniens</i>	1896, 265		1900, 273
<i>frugalis</i>	1896, 265		1900, 274
<i>mutuaria</i>	1893, 682		1900, 276
	1894, 590		1900, 298
<i>repanda</i>	1893, 682	<i>baculosa</i>	1900, 272
	1894, 590	<i>bispinosa</i>	1900, 273
	1895, 741	<i>nobilis</i>	1900, 277

	Page		Page
Rhabdodryas trite	1898, 365	Rhacophorus leuco-	
Rhabdogonium tricari-		mystax	1896, 914
natum	1895, 33		1897, 197
	1895, 52		1897, 202
Rhabdoides cellus	1893, 19		1897, 233
	1893, 34		1899, 169
Rhabdomantis	1896, 44		1899, 896
galatia	1896, 44		1899, 898
	1896, 45		1899, 916
	1896, 103		1899, 959
	1896, 104		1900, 887
rhabdophora	1896, 44	— quadrilineatus ..	1893, 527
sosia	1896, 44	liber	1894, 641
	1896, 45	macroscelus	1898, 475
Rhabdophidium forsteni.	1897, 196	macrotis	1894, 641
	1897, 200	maculatus	1892, 348
	1897, 222		1896, 905
Rhabdosia sp.	1894, 134		1899, 898
	1894, 135		1900, 887
Rhabdosoma brachy-		madagascariensis ..	1894, 641
teles	1892, 665	majori	1898, 475
pirata	1892, 665	microtympnum ..	1899, 169
Rhabdotis sobrina	1900, 25	mocquardi	1898, 475
Rhabdotus aulica	1893, 741	monticola	1897, 197
Rhachianectes glaucus .	1897, 267		1897, 202
	1897, 355		1897, 234
Rhacophorus acutiro-			1897, 237
tris	1894, 641		1898, 475
appendiculatus	1892, 507	nasutus	1892, 348
brachychir	1898, 475	nigropalmatus	1898, 475
cavirostris	1892, 346		1899, 899
colletti	1894, 641	otilophus	1893, 527
cruciger	1892, 348		1893, 528
davidi	1899, 169		1894, 641
dennysii	1894, 641	oxycephalus	1899, 959
	1896, 907		1899, 962
	1899, 169	pardalis	1897, 235
dubius	1892, 348	peraccae	1898, 475
dulitensis	1892, 507	reinwardti	1893, 526
	1894, 641	reticulatus	1892, 348
edentulus	1894, 641	schlegelii	1899, 169
	1897, 197		1900, 887
	1897, 202	shelfordi	1900, 185
	1897, 234		1900, 187
	1897, 235	tuberculatus	1892, 348
	1897, 237	verrucosus	1894, 641
everetti	1894, 641	Rhagerrhis oxyrhyn-	
fasciatus	1898, 475	chus	1894, 88
fæ	1894, 641	producta	1895, 656
fergusoni	1892, 348	tritæniata	1894, 87
hecticus	1899, 898	Rhagoba bimaculata ..	1898, 750
hosii	1898, 475	Rhagodes ornatus	1898, 520
jerdoni	1892, 348	Rhagonis bicolor	1896, 650
lateralis	1892, 346	Rhagovelia angustipes .	1894, 215
leprosus	1896, 907		1894, 216
	1899, 900	collaris	1894, 217
leucomystax	1893, 527	elegans	1893, 706
	1896, 905		1894, 216

	Page		Page
<i>Rhagovelia obesa</i>	1893, 703	<i>Rhectocraspeda</i>	1899, 201
<i>plumbea</i>	1894, 215	<i>Rhectosomia</i>	1898, 602
<i>Rhamdia parahibæ</i>	1894, 217	<i>argentipunctalis</i> ..	1899, 205
<i>Rhamnophis æthiops</i> ..	1891, 233	<i>multifarialis</i>	1899, 206
<i>Rhamphastos dicolorus</i> ..	1900, 453	<i>Rhectothyris</i>	1899, 187
<i>erythrorhynchus</i> ..	1899, 513	<i>Rhegmatopoda leptocera</i>	1900, 44
<i>Rhamphiophis oxyrhynchus</i>	1896, 557	<i>peeli</i>	1900, 44
.....	1895, 539	1900, 63
.....	1896, 216	<i>Rheithrosciurus macrotis</i>	1892, 227
<i>Rhamphocænus melanurus</i>	1899, 515	1897, 933
<i>Rhamphocelus atrosericeus</i>	1896, 344	<i>Rhembastus affinis</i>	1900, 235
.....	1896, 345	<i>antennatus</i>	1892, 570
<i>brasilius</i>	1899, 515	<i>apicicornis</i>	1897, 540
<i>jacapa</i>	1896, 344	<i>collaris</i>	1900, 237
.....	1899, 511	<i>cyanipennis</i>	1900, 236
— <i>connectens</i>	1896, 344	<i>cylindriformis</i>	1897, 537
<i>Rhampholeon boettgeri</i> ..	1893, 619	1900, 235
<i>brachyurus</i>	1892, 555	<i>dimidiaticornis</i>	1892, 569
.....	1892, 557	<i>flavidus</i>	1900, 236
.....	1893, 619	1900, 237
.....	1894, 725	<i>geminatus</i>	1900, 234
<i>kerstenii</i>	1892, 557	<i>gerstaeckeri</i>	1897, 540
.....	1894, 87	<i>imitans</i>	1897, 539
<i>platyceps</i>	1892, 555	<i>interstitialis</i>	1900, 236
.....	1892, 556	<i>irregularis</i>	1900, 237
.....	1893, 619	<i>kraatzi</i>	1898, 237
.....	1894, 725	<i>maculicollis</i>	1897, 538
<i>spectrum</i>	1900, 451	1897, 577
<i>Rhamphorrhina petersiana</i>	1894, 43	<i>micans</i>	1900, 235
<i>Rhanidophora phedonia</i> ..	1893, 677	<i>natalensis</i>	1900, 235
.....	1894, 584	<i>nigripes</i>	1900, 235
<i>Rhaphiceropsis pringlei</i> ..	1894, 336	<i>nigritarsis</i>	1900, 237
.....	1894, 353	<i>obscurellus</i>	1900, 235
.....	1896, 109	<i>punctato-sulcatus</i> ..	1897, 540
<i>Rhaphiderus scabrosus</i> ..	1898, 943	1898, 238
.....	1898, 954	<i>puncticollis</i>	1900, 235
<i>Rhaphidophilus filifer</i> ..	1900, 136	<i>pusillus</i>	1897, 540
<i>spiculosus</i>	1900, 136	<i>4-notata</i>	1897, 539
<i>Rhaphidophorus cubensis</i>	1892, 216	<i>recticollis</i>	1898, 237
.....	1899, 813	1900, 236
<i>Rhaphigaster capicola</i> ..	1900, 813	<i>uniformis</i>	1900, 236
<i>subsericeus</i>	1900, 813	<i>variabilis</i>	1897, 539
<i>Rhaptus collinus</i>	1894, 189	<i>viridis</i>	1898, 238
<i>Rhathymus melanarius</i> ..	1893, 748	<i>Rhescynthis meander</i> ..	1896, 635
<i>Rhax ornatus</i>	1898, 520	<i>Rhimphalea</i>	1898, 596
<i>Rhea</i>	1899, 12	1898, 640
<i>americana</i>	1892, 472	<i>astrigalis</i>	1898, 640
.....	1896, 141	1898, 761
.....	1899, 773	<i>circotoma</i>	1898, 641
<i>darwini</i>	1891, 132	<i>fastidialis</i>	1898, 641
.....	1891, 137	<i>heranialis</i>	1898, 641
.....	1892, 472	<i>lindusalis</i>	1898, 641
.....	1893, 532	<i>ochalis</i>	1898, 640
<i>macrorhyncha</i>	1899, 773	<i>cenone</i>	1898, 641
		<i>papualis</i>	1898, 641

	Page		Page
Rhimphalea scelatalis..	1898, 641	Rhinochetus jubatus ..	1891, 10
trogusalis	1898, 640	Rhinogale melleri	1894, 139
Rhimphaleodes	1898, 595		1894, 140
	1898, 618	Rhinolophus æthiops ..	1894, 138
macrostigma.....	1898, 618	affinis.....	1893, 494
Rhina squatina	1898, 296		1900, 342
Rhinacloa forticornis ..	1894, 196	antinatorii.....	1898, 761
Rhinatrema bicolor	1895, 407	armiger	1900, 875
	1895, 414	capensis	1894, 138
bivittatum.....	1895, 407		1896, 791
unicolor	1895, 410		1897, 927
Rhincalanus cornutus ..	1898, 542	coelophyllus	1900, 341
	1898, 549	collongensis	1898, 75
gigas	1898, 542	diadema	1900, 875
Rhingia cærulescens ..	1893, 162	euryale	1892, 6
lævigata	1893, 163	ferrum-equinum ..	1894, 138
nasica	1893, 163		1898, 77
nigra	1893, 163	hildebrandti	1894, 138
semi-cærulea	1893, 132		1896, 790
	1893, 162	hipposideros	1898, 62
	1893, 164		1898, 78
Rhinoceros	1900, 156	landeri	1894, 138
bicornis	1891, 246		1896, 791
	1891, 327	lobatus	1894, 138
	1893, 516	luctus	1892, 223
	1894, 145		1892, 227
	1894, 321		1893, 494
	1894, 329		1898, 770
	1894, 331		1898, 771
	1894, 332		1900, 341
	1895, 340		1900, 875
	1896, 795	lugdunensis	1898, 75
	1899, 771	minor.....	1893, 494
— holmwoodi	1893, 517		1900, 342
blanfordi	1896, 299	pearsoni.....	1898, 770
keitloa	1891, 246	rouxi	1899, 573
lasiotis	1891, 655	schlosseri	1898, 76
	1900, 366	tridens	1897, 288
simus.....	1893, 516	trifoliatius	1893, 494
	1893, 614		1900, 341
	1894, 329	Rhinopalpa fulva.....	1891, 249
	1894, 330		1891, 284
	1894, 331	polynice.....	1891, 284
	1894, 332		1891, 285
	1900, 949	sabina	1891, 285
sondaicus	1893, 493	vasuki	1891, 285
	1900, 366	Rhinophis blythii.....	1892, 481
	1900, 367		1895, 704
sumatrensis	1891, 654	Rhinopithecus roxellanae	1899, 572
	1891, 655		1899, 578
	1893, 496	Rhinopoma hardwickii .	1900, 350
	1896, 784	microphyllum	1894, 449
	1900, 366		1895, 542
	1900, 367		1895, 547
	1900, 368		1900, 350
unicornis	1900, 366	Rhinopomastus cabanisi.	1895, 501
	1900, 367	cyanomelas	1895, 500
Rhinochetus jubatus ..	1891, 9		1900, 2

	Page		Page
Rhinopomastus minor..	1895, 500	Rhizomys sineusis	1897, 700
Rhinoptera sp.	1892, 112		1897, 709
javanica.....	1892, 112		1897, 720
jussieui	1892, 113		1898, 775
polyodon	1892, 113	sivalensis	1897, 710
Rhinoptilus bisignatus .	1895, 513		1897, 711
cinctus	1895, 513		1897, 720
gracilis	1895, 513	splendens	1891, 186
hartingi	1895, 513		1891, 187
Rhinosciurus laticau-			1896, 608
datus	1897, 933	sumatrensis	1897, 700
	1900, 359		1897, 709
Rhiostoma asiphon	1894, 152		1897, 711
	1894, 156		1897, 720
housei	1894, 152		1900, 363
jousseaumi	1891, 340		1900, 364
Rhipicephalus armatus .	1900, 50		1900, 881
	1900, 51	(Tachyoryctes) ma-	
	1900, 63	crocephalus	1897, 700
marmoreus	1900, 50	Rhizopertha bifoveata..	1898, 329
	1900, 51		1898, 333
	1900, 63	Rhizotrochus levidensis .	1898, 995
sanguineus	1900, 49	Rhodaria acuphisalis ..	1899, 264
	1900, 51	auroralis	1899, 266
Rhipidaster vannipes ..	1894, 396	catenalis	1899, 264
	1894, 405	cinnamomealis	1899, 272
Rhipidura albicollis....	1900, 481	concatenalis	1899, 264
tricolor	1900, 305	directalis	1896, 649
Rhithrodon pictus	1893, 337	flegialis	1899, 264
Rhithrosciurus macrotis.	1893, 189	formosalis	1899, 290
	1893, 214	hæmatalis	1899, 266
	1893, 495	juncturalis	1899, 264
Rhitymna mordax	1899, 522	mævialis	1899, 193
	1899, 532	nescalis	1899, 265
Rhizammina indivisa ..	1895, 14	noraxalis	1899, 264
	1895, 49	ocellusalis	1899, 264
Rhizochalina pellucida .	1900, 128	olivacealis	1898, 630
	1900, 138	panopealis	1899, 264
sessilis	1900, 128	probalis	1896, 642
	1900, 138		1899, 264
	1900, 141	virginalis	1899, 266
Rhizomys	1897, 698	Rhodia fugax	1896, 240
	1897, 708		1896, 241
annectens	1891, 186		1896, 242
	1891, 187		1899, 293
badius	1896, 160		1899, 294
	1897, 708		1900, 181
	1897, 709	Rhodina perakensis	1891, 337
	1897, 720	Rhodoneura acaciusalis .	1897, 616
	1900, 195		1897, 623
	1900, 363	acutalis	1897, 622
	1900, 364	albiferalis	1897, 623
macrocephalus	1891, 186	albipunctata	1897, 620
minor.....	1900, 195	alternata	1897, 619
	1900, 363	amethystea	1897, 618
pruinosis	1897, 700	anastomosalis	1897, 623
	1897, 709	anticalis	1897, 624
	1897, 720	apicalis	1897, 621

	Page
<i>Rhodoneura argentalis</i>	1897, 624
— <i>tuberosalis</i>	1897, 624
<i>astrodora</i>	1897, 620
<i>atomosalis</i>	1897, 621
<i>atriclathrata</i>	1897, 619
<i>atripunctalis</i>	1897, 621
<i>atristrigulalis</i>	1897, 621
<i>aurata</i>	1897, 621
<i>aurea</i>	1897, 621
<i>bastialis</i>	1897, 624
<i>bipuncta</i>	1897, 621
<i>bracteata</i>	1897, 617
<i>bullifera</i>	1897, 617
<i>carneola</i>	1897, 621
<i>catenula</i>	1897, 619
<i>cervinalis</i>	1897, 616
<i>citrina</i>	1897, 625
<i>complicatalis</i>	1897, 624
<i>corticina</i>	1897, 617
<i>cryptisria</i>	1897, 621
<i>cumulalis</i>	1897, 623
<i>cuprea</i>	1897, 620
<i>cuprealis</i>	1897, 623
<i>curvilinea</i>	1897, 620
<i>decoratalis</i>	1897, 622
<i>denticulosa</i>	1897, 624
<i>disparalis</i>	1897, 621
<i>dissimulans</i>	1897, 619
<i>dorilusalis</i>	1897, 617
<i>elongatalis</i>	1897, 623
<i>emblicalis</i>	1897, 621
<i>erythralis</i>	1897, 621
<i>exusta</i>	1897, 620
<i>fallax</i>	1897, 620
<i>fenestrata</i>	1897, 620
<i>ferrofusa</i>	1897, 620
<i>ferruginea</i>	1897, 620
<i>flavula</i>	1897, 621
<i>fulviceps</i>	1897, 620
<i>fumatalis</i>	1897, 617
<i>glaphyralis</i>	1897, 621
<i>globulifera</i>	1897, 622
<i>gracilis</i>	1897, 620
<i>guttata</i>	1897, 616
<i>hebra</i>	1897, 621
<i>hedilalis</i>	1897, 619
<i>hypargyra</i>	1897, 624
<i>hypoxantha</i>	1897, 616
<i>impletalis</i>	1897, 618
<i>intimalis</i>	1897, 617
<i>irias</i>	1897, 623
<i>jubralis</i>	1897, 619
<i>latizonalis</i>	1897, 622
<i>leuconotula</i>	1897, 617
<i>locusalis</i>	1897, 618
<i>lunula</i>	1897, 620
<i>margaritalis</i>	1897, 624
<i>marmorealis</i>	1897, 624

	Page
<i>Rhodoneura melano-</i>	
<i>stigmalis</i>	1897, 620
<i>micacealis</i>	1897, 620
<i>micragraphalis</i>	1897, 619
<i>minicula</i>	1897, 623
<i>mollis</i>	1897, 617
<i>multipunctata</i>	1897, 624
<i>munda</i>	1897, 616
<i>mysusalis</i>	1897, 618
<i>myrtea</i>	1897, 618
<i>naevina</i>	1897, 624
<i>nebulosa</i>	1897, 619
<i>nigropunctata</i>	1897, 617
<i>nitens</i>	1897, 622
<i>nitida</i>	1897, 619
<i>notula</i>	1897, 629
<i>obliqualis</i>	1897, 624
<i>oligosticta</i>	1897, 612
<i>pallida</i>	1897, 622
<i>perlula</i>	1897, 623
<i>plana</i>	1897, 616
<i>polychloris</i>	1897, 623
<i>polygraphalis</i>	1897, 624
<i>polystictalis</i>	1897, 618
<i>pralanis</i>	1897, 619
<i>pudicula</i>	1897, 623
<i>pulchelloides</i>	1897, 623
<i>puncta</i>	1897, 620
<i>quadripunctata</i>	1897, 619
<i>reticularis</i>	1897, 624
<i>reticulata</i>	1897, 619
<i>rhodosticta</i>	1897, 620
<i>rhomboidea</i>	1897, 622
<i>rufareta</i>	1897, 617
<i>semiperforata</i>	1897, 620
<i>semitessellata</i>	1897, 618
<i>seriata</i>	1897, 617
<i>setifer</i>	1897, 616
<i>splendida</i>	1897, 622
<i>squamigera</i>	1897, 622
<i>stenosoma</i>	1897, 617
<i>sterna</i>	1897, 624
<i>striativena</i>	1897, 622
<i>striola</i>	1897, 622
<i>subcostalis</i>	1897, 619
<i>taphiusalis</i>	1897, 622
<i>terminalis</i>	1897, 617
<i>tessellatula</i>	1897, 625
<i>tetragonata</i>	1897, 619
<i>tetraonalis</i>	1897, 624
<i>thiastoralis</i>	1897, 620
<i>tigridula</i>	1897, 617
<i>trigoniphora</i>	1897, 620
<i>tristis</i>	1897, 616
<i>tritropha</i>	1897, 617
<i>uniformis</i>	1897, 621
<i>violalis</i>	1897, 623
<i>wirneburgalis</i>	1897, 619

	Page		Page
<i>Rhodoneura xanthina</i> ..	1897, 622	<i>Rhopalocampta hanno</i> ..	1893, 129
<i>Rhodope</i>	1900, 612		1896, 100
<i>Rhodophonens cruentus</i> ..	1895, 477		1896, 101
<i>Rhodopis vesper</i>	1892, 384	<i>iphis</i>	1893, 129
	1892, 404		1896, 101
	1892, 409		1896, 102
<i>Rhodostrophia sub-</i>		<i>japonica</i>	1893, 129
<i>flavida</i>	1893, 360	<i>jucunda</i>	1893, 129
<i>Rhogas bifasciatus</i>	1895, 784		1896, 90
<i>Rhombosolea monopus</i> ..	1900, 986		1898, 382
<i>Rhombus lævis</i>	1894, 246	<i>juno</i>	1893, 129
	1894, 249		1896, 101
	1894, 423	<i>jupiter</i>	1893, 129
	1895, 890	<i>keithloa</i>	1893, 129
	1899, 456		1893, 557
<i>maximus</i>	1894, 434		1893, 558
	1899, 447		1894, 582
	1899, 455		1896, 99
	1899, 456		1896, 100
<i>norvegicus</i>	1894, 437		1897, 857
<i>punctatus</i>	1894, 437		1898, 382
<i>vulgaris</i>	1899, 457		1898, 827
<i>Rhomphæa (Ariamnes)</i>		<i>libeon</i>	1893, 129
<i>paradoxa</i>	1897, 860		1896, 97
<i>Rhoosus posticus</i>	1896, 636		1896, 98
<i>Rhopalocampta æschy-</i>		<i>margarita</i>	1893, 129
<i>lus</i>	1896, 98	<i>necho</i>	1896, 100
<i>anchises</i>	1893, 129		1896, 101
	1896, 93	<i>pansa</i>	1893, 129
	1897, 925		1896, 98
	1898, 371	<i>pisistratus</i>	1893, 129
	1898, 382		1894, 582
	1899, 975		1896, 99
	1900, 17		1898, 57
<i>andonginis</i>	1896, 98		1898, 912
<i>arbagastes</i>	1893, 129		1899, 427
	1896, 99		1900, 946
<i>benjamini</i>	1894, 129	<i>ramanatek</i>	1893, 129
<i>bixæ</i>	1893, 129		1896, 97
	1896, 101	<i>ratek</i>	1893, 129
<i>bocagii</i>	1893, 557		1896, 100
	1896, 100	<i>sejuncta</i>	1896, 100
<i>brussauxi</i>	1896, 97		1896, 101
<i>chalybe</i>	1893, 129	<i>stella</i>	1893, 129
	1896, 98		1893, 557
	1896, 101	<i>subcaudata</i>	1893, 129
<i>fervida</i>	1893, 129	<i>tancred</i>	1896, 101
	1896, 99	<i>taranis</i>	1893, 129
<i>forestan</i>	1893, 124		1898, 382
	1893, 129	<i>unicolor</i>	1895, 738
	1893, 131		1896, 97
	1893, 557		1896, 98
	1896, 98	<i>valmaran</i>	1893, 129
	1896, 99		1896, 99
	1896, 133	<i>Rhopodytes tristis</i>	1900, 485
	1898, 416	<i>Rhoptromeris atriclavata</i>	1895, 754
	1899, 427	<i>Rhoptrurus dentatus</i> ..	1898, 499
	1900, 946	<i>kirki</i>	1899, 835

	Page		Page
<i>Rhuda endymion</i>	1892, 340	<i>Rhysota semiglobosa</i> ..	1891, 28
<i>Rhyacophilus glareola</i> ..	1900, 497		1892, 460
<i>Rhymbus apicalis</i>	1898, 338	<i>Rhytidoceros plicatus</i> ..	1896, 157
<i>globosus</i>	1898, 337		1896, 627
<i>minutus</i>	1898, 338	<i>Rhytidonota delicatula</i> .	1900, 28
<i>unicolor</i>	1898, 338	<i>gracilis</i>	1893, 748
<i>Rhynchæa bengalensis</i> .	1900, 499	<i>robusta</i>	1900, 28
<i>capensis</i>	1900, 3		1900, 63
	1900, 499	<i>Rhytina stelleri</i>	1897, 351
<i>Rhynchina antiqualis</i> ..	1898, 426		1897, 355
<i>phisioides</i>	1898, 426	<i>Richiardia</i>	1899, 478
<i>taruensis</i>	1898, 426	<i>baraldi</i>	1899, 479
<i>Rhynchium</i> sp.	1900, 47	<i>denticis</i>	1899, 479
<i>carnaticum</i>	1896, 4		1899, 507
	1896, 48	<i>edwardsi</i>	1899, 478
<i>metallicum</i>	1896, 4	<i>lichiae</i>	1899, 478
	1896, 48	<i>pagelli</i>	1899, 478
<i>Rhynchobatus ancylo-</i>		<i>pagri</i>	1899, 478
<i>stomus</i>	1892, 136	<i>scienæ</i>	1899, 479
<i>Rhynchocoris</i>	1900, 818	<i>steenstrupi</i>	1899, 478
<i>inquinata</i>	1900, 815	<i>Ricinula chrysostoma</i> ..	1891, 409
	1900, 820	<i>elata</i>	1891, 409
<i>roei</i>	1900, 815	<i>spectrum</i>	1891, 409
	1900, 820	<i>Rifargia cloelia</i>	1892, 338
<i>thoracica</i>	1900, 820	<i>gelduba</i>	1892, 339
<i>unimaculata</i>	1900, 820	<i>masta</i>	1894, 241
<i>virescens</i>	1900, 815	<i>xylinoides</i>	1896, 647
<i>Rhynchocyclus viridi-</i>		<i>Riopa albopunctata</i>	1896, 875
<i>ceps</i>	1896, 365	<i>Risama avicula</i>	1897, 630
<i>Rhynchocyen cirnei</i> . . .	1894, 146	<i>eurymenana</i>	1897, 630
	1896, 792	<i>falcata</i>	1897, 630
	1897, 928	<i>picta</i>	1897, 629
	1898, 392	<i>reticula</i>	1897, 630
<i>reichardi</i>	1897, 430	<i>transversa</i>	1897, 629
	1897, 928	<i>Risoba obstructa</i>	1898, 425
	1899, 552	<i>Rissa tridactyla</i>	1896, 300
<i>Rhynchogale melleri</i> ..	1894, 139	<i>Ritra aurea</i>	1895, 558
	1896, 793		1895, 610
<i>Rhynchops flavirostris</i> .	1900, 966	<i>Rivula vicarialis</i>	1899, 247
<i>melanura</i>	1892, 400	<i>Rohita vittata</i>	1895, 286
<i>Rhyothemis marcia</i> . . .	1891, 203	<i>Rolepa delineata</i>	1896, 647
<i>semihyalina</i>	1898, 386	<i>Romaleosoma neophron</i> .	1894, 37
<i>Rhyparida madagascari-</i>			1896, 825
<i>ensis</i>	1897, 534	<i>Rosema deolis</i>	1896, 634
<i>striaticollis</i>	1892, 571	<i>excavata</i>	1892, 337
	1892, 579	<i>incita</i>	1892, 338
<i>Rhypticus saponaceus</i> ..	1899, 496	<i>languida</i>	1892, 338
<i>Rhysida paucidens</i> . . .	1900, 48	<i>lappa</i>	1892, 337
<i>Rhysota</i> sp.	1891, 334		1892, 338
<i>brookei</i>	1891, 28	<i>luna</i>	1892, 338
	1891, 29	<i>unda</i>	1892, 338
<i>bulla</i>	1891, 28	<i>walkeri</i>	1896, 634
<i>dvitija</i>	1891, 28	<i>Rostellaria curta</i>	1891, 435
<i>ovum</i>	1891, 28	<i>curvirostris</i>	1891, 419
	1891, 29	<i>Rostratula capensis</i> . . .	1900, 499
<i>pluto</i>	1891, 334	<i>Rotalia calcar</i>	1895, 43
<i>porphyria</i>	1891, 28		1895, 54
		<i>orbicularis</i>	1895, 43

	Page		Page
<i>Rotalia orbicularis</i>	1895, 54	<i>Saccammina socialis</i> ..	1895, 49
<i>rotalia</i>	1895, 44	<i>sphaerica</i>	1895, 13
<i>soldanii</i>	1895, 43		1895, 49
	1895, 54	<i>Saccobranthus fossilis</i> ..	1899, 940
<i>Rotifer tardus</i>	1897, 795	<i>singis</i>	1899, 956
<i>Rotula battemalvensis</i> ..	1895, 441	<i>Saccogaster maculata</i> ..	1899, 954
<i>bijuga</i>	1891, 332		1891, 226
<i>frauenfeldi</i>	1895, 441		1891, 227
<i>massoni</i>	1895, 441	<i>Saccopleura catocalis</i> ..	1897, 644
	1895, 447	<i>Saccopteryx bilineata</i> ..	1893, 334
— <i>minor</i>	1895, 441	<i>leptura</i>	1893, 334
<i>reinhardti</i>	1895, 441	<i>Saccostomus campestris</i> ..	1893, 503
<i>roepstorffi</i>	1895, 441		1896, 794
	1895, 447		1896, 805
<i>Rotularia bijuga</i>	1891, 332		1897, 431
<i>Rousettus ægyptiacus</i> ..	1900, 98	<i>elegans</i>	1897, 431
<i>amplexicaudatus</i> ..	1900, 98		1897, 926
<i>stramineus</i>	1900, 98		1897, 937
<i>Rucuma recurvana</i>	1897, 648	<i>mashonæ</i>	1896, 804
<i>Rukaia macrura</i>	1897, 933		1897, 431
<i>Rumia defixata</i>	1896, 646	<i>Sactogaster rufipes</i>	1895, 802
<i>Rupela degenerella</i>	1895, 973	<i>Sænura lineata</i>	1894, 584
<i>nivea</i>	1895, 914	<i>Safera metaphæella</i>	1895, 972
<i>Rupicapra</i>	1900, 699	<i>Sagalassa perspicua</i>	1897, 607
	1900, 704	<i>Sagariphora helio-</i>	
	1900, 705	<i>chæna</i>	1898, 628
	1900, 706	<i>Sagdinella didrichseni</i> ..	1895, 456
	1900, 707	<i>Sagartia parasitica</i>	1897, 808
	1900, 708	<i>Sagitta bipunctata</i>	1896, 992
	1900, 712		1896, 993
	1900, 716	<i>hexaptera</i>	1896, 992
	1900, 717		1896, 993
<i>Rupicolor peruviana</i> ..	1896, 369	<i>lyra</i>	1896, 992
<i>Ruppellia annulipes</i>	1900, 589	<i>whartoni</i>	1896, 992
<i>Rusa equina</i>	1900, 372		1896, 996
<i>japonica</i>	1897, 39		1898, 578
<i>javanica</i>	1897, 39	<i>Sagra bicolor</i>	1893, 745
<i>Ruticilla aurorea</i>	1900, 473	<i>festiva</i>	1893, 745
<i>leucocephala</i>	1897, 813	<i>johnstoni</i>	1893, 745
	1900, 305	<i>Sagrina columellaris</i> ..	1895, 36
<i>phœnicurus</i>	1892, 471		1895, 53
<i>rufiventris</i>	1900, 473	<i>Saica annulipes</i>	1894, 210
<i>titys</i>	1892, 471	<i>recurvata</i>	1893, 706
<i>Rygiichium carnaticum</i> .	1896, 448		1894, 210
<i>metallicum</i>	1896, 448	<i>Saiga</i>	1900, 164
<i>Ryssota brookei</i>	1891, 27		1900, 701
	1891, 28		1900, 704
	1891, 29		1900, 705
	1891, 47	<i>tatarica</i>	1900, 707
<i>janus</i>	1891, 31		1897, 813
<i>nasuta</i>	1891, 32		1900, 680
<i>regalis</i>	1891, 31		1900, 686
<i>Ryzæna capensis</i>	1896, 989	<i>Salacia picturata</i>	1894, 188
		<i>Salagena transversa</i>	1898, 439
<i>Sabalia picarina</i>	1898, 432	<i>Salamandra atra</i>	1896, 554
<i>Sacalia barbarus</i>	1899, 535	<i>caucasica</i>	1894, 643
<i>Saccammina socialis</i> ..	1895, 13		1896, 548
			1896, 553

	Page		Page
<i>Salamandra caucasica</i> ..	1896, 555	<i>Salmacis globator</i>	1900, 282
<i>maculata</i>	1894, 716		1900, 283
<i>maculosa</i>	1893, 276		1900, 299
	1893, 277	<i>rarisipina</i>	1900, 274
	1895, 707		1900, 282
	1896, 554		1900, 283
<i>Salamis aglatonice</i>	1894, 341	<i>rufa</i>	1894, 397
<i>anacardii</i>	1894, 35		1894, 411
	1894, 341		1894, 413
	1896, 533	<i>sulcata</i>	1894, 395
<i>ceryne</i>	1893, 651		1900, 272
	1894, 32		1900, 274
	1896, 111		1900, 281
<i>definita</i>	1893, 653		1900, 282
	1894, 564		1900, 283
<i>ethyra</i>	1894, 562		1900, 299
<i>nebulosa</i>	1894, 35	<i>Salmo hucho</i>	1899, 497
	1894, 564	<i>lewesiensis</i>	1894, 656
	1898, 398	<i>salar</i>	1895, 274
<i>tukuoa</i>	1894, 33		1895, 290
<i>Salassina formosa</i>	1898, 513		1899, 940
	1899, 855		1899, 948
<i>Salatura genutia</i>	1900, 505		1899, 955
<i>Salbia abnormalis</i>	1898, 643	<i>trutta</i>	1899, 940
<i>dilutalis</i>	1898, 644		1899, 948
<i>lenalis</i>	1899, 290	<i>Salobrena cyrinalis</i>	1897, 649
<i>pellucidalis</i>	1898, 644	<i>excisana</i>	1897, 649
<i>præformatalis</i>	1898, 646	<i>genualis</i>	1897, 649
<i>squamosalis</i>	1898, 644	<i>gibbosa</i>	1897, 649
<i>varialis</i>	1896, 650	<i>propylea</i>	1897, 649
<i>Salbiomorpha</i>	1898, 595	<i>sincera</i>	1897, 650
	1898, 654	<i>tacomæ</i>	1897, 649
<i>torsalis</i>	1898, 654	<i>vacuana</i>	1897, 650
	1898, 655	<i>Salopola argentea</i>	1894, 241
<i>Salda humilis</i>	1893, 706	<i>vestalis</i>	1894, 241
	1894, 212	<i>Salpa asymmetrica</i>	1896, 994
<i>Salius canifrons</i>	1896, 431		1896, 996
<i>ceylonicus</i>	1896, 435	<i>dolichosoma-vir-</i>	
<i>consanguineus</i>	1896, 437	<i>gula</i>	1896, 995
<i>convexus</i>	1896, 435	<i>magalhanica</i>	1896, 995
<i>crinitus</i>	1896, 436	<i>musculosa-punctata</i> ..	1896, 995
<i>fulvipennis</i>	1896, 435	<i>Salpingogaster minor</i> ..	1893, 133
<i>humbertianus</i>	1896, 437		1893, 161
<i>intermedius</i>	1896, 435		1893, 164
<i>madraspatanus</i>	1896, 436	<i>nigra</i>	1893, 161
<i>megaera</i>	1900, 47	<i>pygophora</i>	1893, 161
<i>perplexus</i>	1896, 431	<i>virgata</i>	1893, 133
<i>properus</i>	1896, 436		1893, 159
	1896, 459		1893, 161
<i>rothneyi</i>	1896, 436		1893, 164
<i>rubidus</i>	1896, 435	<i>Salpinx kadu</i>	1892, 120
	1896, 459	<i>Saltator albicollis</i>	1892, 375
<i>Salmacis alexandri</i>	1900, 282	<i>albociliaris</i>	1896, 348
<i>dussumieri</i>	1900, 273	<i>azaræ</i>	1896, 348
<i>globator</i>	1894, 395	<i>cærulescens</i>	1896, 348
	1900, 272	<i>immaculatus</i>	1892, 372
	1900, 274		1892, 375
	1900, 281		1892, 396

	Page		Page
<i>Saltator immaculatus</i> ..	1892, 403	<i>Samea purpurescens</i> ..	1899, 247
	1892, 408	<i>quinquigera</i>	1898, 723
	1896, 323	<i>sidealis</i>	1899, 175
<i>laticlavus</i>	1896, 348	<i>usitata</i>	1898, 653
<i>magnus</i>	1896, 348	<i>vespertinalis</i>	1899, 175
<i>similis</i>	1892, 375	<i>yerburyi</i>	1898, 729
<i>superciliaris</i>	1892, 375	<i>zinghalis</i>	1899, 194
	1896, 348	<i>Samia ceanothi</i>	1891, 179
<i>Salvadora persica</i>	1895, 553		1897, 296
<i>Samana falcata</i>	1895, 972		1898, 80
<i>Samanta eliasis</i>	1897, 837		1899, 293
<i>perspicua</i>	1893, 646	<i>cecropia</i>	1891, 179
	1894, 336		1892, 194
	1895, 251		1893, 279
	1896, 109		1894, 134
	1896, 822		1895, 137
	1896, 852		1896, 241
	1897, 837		1897, 296
	1898, 50		1898, 80
	1898, 396		1899, 293
	1899, 419		1900, 181
— <i>simonsi</i>	1898, 187	<i>Sameodes</i>	1898, 603
<i>rudis</i>	1891, 260		1899, 174
<i>simonsi</i>	1896, 822	<i>bistigmalis</i>	1899, 175
	1897, 837	<i>botydalis</i>	1899, 175
	1898, 50	<i>cambogialis</i>	1899, 177
<i>Samcova damia</i>	1897, 652	<i>cancellalis</i>	1898, 369
<i>incensana</i>	1897, 651		1899, 174
	1897, 652	<i>citrinalis</i>	1899, 177
<i>Samea</i>	1898, 597	<i>distictalis</i>	1899, 177
	1898, 647	<i>enderythralis</i>	1899, 176
<i>acestealis</i>	1898, 703	<i>flavidissimalis</i>	1899, 177
<i>calonalis</i>	1896, 642	<i>hilarodes</i>	1899, 176
<i>castellalis</i>	1898, 647	<i>iolealis</i>	1899, 175
<i>chlorophasma</i>	1898, 636	<i>mittochristalis</i>	1899, 175
<i>conjunctalis</i>	1898, 647	<i>monostictalis</i>	1899, 176
<i>continentalis</i>	1899, 271	<i>nicæusalis</i>	1896, 649
<i>cuprinalis</i>	1898, 652	<i>notodontalis</i>	1899, 175
<i>dignotalis</i>	1898, 653	<i>olesialis</i>	1899, 175
<i>discessalis</i>	1898, 647	<i>peritalis</i>	1899, 175
<i>disertalis</i>	1898, 647	<i>pictalis</i>	1899, 176
<i>dives</i>	1899, 189	<i>polythliptalis</i>	1899, 177
<i>ecclesialis</i>	1896, 643	<i>sanguimarginalis</i> ..	1899, 175
	1898, 647	<i>suffusalis</i>	1899, 176
<i>figuralis</i>	1898, 647	<i>trithyralis</i>	1899, 175
<i>fumidalis</i>	1898, 647	<i>Samotherium boissieri</i> ..	1891, 317
<i>geographicalis</i>	1899, 271		1891, 318
<i>irruptalis</i>	1898, 694		1891, 319
<i>isaralis</i>	1898, 647	<i>Saneus celunda</i>	1893, 87
<i>jarbusalis</i>	1898, 636	<i>fuscula</i>	1893, 87
<i>luccusalis</i>	1896, 643		1893, 88
	1898, 647	<i>pulligo</i>	1893, 87
<i>medealis</i>	1898, 703		1893, 88
<i>melicertalis</i>	1898, 646		1893, 131
<i>multiplicalis</i>	1898, 647	<i>subfasciatus</i>	1892, 663
<i>nicæusalis</i>	1898, 647		1893, 72
<i>obliteralis</i>	1896, 649		1893, 87
<i>paolinalis</i>	1896, 643	<i>ulunda</i>	1893, 87

	Page
Sangala beata	1896, 636
Sanguesa cosmiana	1897, 654
dilatata	1897, 654
Santaremia longipes....	1896, 723
	1896, 746
	1896, 749
	1898, 891
	1898, 896
	1898, 898
pococki	1896, 723
	1896, 729
	1896, 739
	1896, 746
	1896, 747
	1896, 766
Sapæa paradisea	1895, 265
	1897, 925
	1898, 199
	1898, 201
trimeni	1895, 264
	1895, 265
	1895, 270
	1896, 129
	1896, 841
	1898, 199
Sapæna bicolor.....	1893, 63
	1896, 21
trimeni	1896, 20
Sape lucidella	1893, 48
	1896, 7
maculata	1896, 10
motozi	1893, 48
ophthalmica	1896, 11
pertusa	1896, 8
	1896, 840
semialba	1896, 8
Saphenia dinema	1896, 475
mirabilis	1896, 460
	1896, 493
	1896, 497
	1896, 499
	1896, 500
titania	1896, 475
Sappho sparganura	1896, 294
Saprinus chalcites	1900, 22
semipunctatus	1900, 22
Sarangesa albicilia	1893, 48
astrigera	1893, 669
	1896, 6
	1896, 103
	1896, 840
aurimargo	1896, 10
	1896, 104
houvieri	1896, 8
dasahara	1892, 652
	1893, 48
djælælæ.....	1894, 558
	1894, 582

	Page
Sarangesa djælælæ	1895, 737
	1896, 4
	1896, 5
	1897, 855
	1898, 415
eliminata	1896, 5
	1896, 9
	1896, 104
	1897, 855
	1898, 414
	1898, 415
	1898, 911
	1899, 425
	1899, 973
	1900, 17
	1900, 941
exprompta.....	1896, 6
grisea.....	1893, 48
	1896, 6
hollandi.....	1896, 840
	1896, 850
kobela	1893, 48
	1896, 11
lælius.....	1896, 11
lucidella	1896, 7
	1896, 103
lugens	1896, 5
	1896, 103
maculata	1896, 10
majorella	1896, 7
melania	1896, 5
micacea	1893, 48
	1893, 668
motozi	1896, 5
	1896, 7
	1896, 840
	1897, 855
	1898, 414
	1898, 415
	1898, 911
	1900, 941
motozioides	1893, 668
	1894, 581
	1896, 7
	1896, 8
	1897, 855
	1898, 414
	1898, 911
	1900, 913
	1900, 941
nerva	1896, 5
ophthalmica	1896, 11
perpaupera	1896, 5
	1896, 6
pertusa	1896, 8
	1896, 528
	1896, 840
	1897, 777

	Page		Page
Sarangesa pertusa	1897, 855	Saron marmoratus	1898, 1009
	1898, 371		1898, 1012
	1898, 414	Sarotherodon	1899, 105
	1898, 415	melanotheron	1899, 115
	1898, 911	zillii	1899, 120
	1899, 425	Sarsia sp.	1898, 1023
—, var.	1898, 415		1898, 1030
philotomus	1896, 11	gemmipara	1898, 1030
phyllophyla	1893, 48	prolifera	1896, 473
plistonieus	1896, 11	Sarsina purpurascens ..	1896, 634
purendra	1893, 43	Sastragala variolosa....	1900, 818
	1893, 48		1900, 825
sati	1893, 48	Satadra singla	1892, 630
subalbida	1896, 16	teesta	1892, 630
synestalmenus	1896, 7	Satarupa affinis	1893, 46
	1898, 414		1893, 47
	1898, 911	bhagava	1892, 654
	1899, 973	dohertyi	1893, 46
	1900, 940	gopala	1893, 42
thecla	1896, 4		1893, 46
	1896, 104	marada	1892, 654
theclides	1896, 8	phisara	1892, 654
	1896, 104	sambara	1893, 46
tricerata	1896, 1		1893, 47
Sarbia	1893, 16	Sathria stercoralis	1898, 723
	1893, 13	Satsuma perakensis	1891, 334
antias	1893, 13	Saturnia sp.	1894, 586
oneka	1893, 13	apollinaris	1893, 678
spixi	1893, 13		1896, 849
xanthippe	1893, 11	belina	1896, 242
	1893, 13	carpini	1891, 180
Sarcidiornis africana ..	1896, 982		1892, 194
carunculata	1897, 467		1893, 279
mauritanus	1892, 544		1894, 134
melanonota	1896, 506		1895, 138
	1900, 3		1896, 241
Sarcistes	1897, 638		1897, 296
	1897, 669	kuntzei	1898, 431
medialis	1897, 670	maia	1893, 678
Sarcodaces odoë	1900, 512		1894, 587
	1900, 836	oubie	1894, 586
Sarcophaga sp.	1898, 387		1896, 266
carnaria	1898, 957	pyri	1891, 180
Sarcophilus ursinus	1900, 779		1892, 194
	1900, 786		1893, 279
	1900, 788		1894, 134
Sarcophyton	1900, 116		1895, 138
Sarcorhamphus gryphus.	1892, 389		1896, 241
	1892, 408		1897, 296
Sardaga oculata	1891, 260	terpsichore	1897, 296
Sardoides nigricornis ..	1900, 263		1897, 297
viridicollis	1900, 264	wallengreni	1894, 586
Sargus annularis	1899, 504		1898, 429
	1899, 507	zaddachii	1895, 270
Saron gibberosus	1898, 1009	Satyryrus armandii	1891, 265
	1898, 1010	ibitina	1894, 559
marmoratus	1898, 1000	loha	1891, 266
	1898, 1001	padma	1891, 266

	Page		Page
<i>Satyros rakoto</i>	1894, 559	<i>Sceliodes</i>	1898, 602
<i>tamatavæ</i>	1894, 559		1899, 275
<i>vinsonii</i>	1894, 559	<i>cordalis</i>	1899, 275
<i>Sauracris</i>	1900, 40	<i>laisalis</i>	1899, 275
<i>lacerta</i>	1900, 41	<i>mucidalis</i>	1899, 275
	1900, 63	<i>Scelodonta inæqualis</i> ..	1898, 228
<i>Saurodelphis argentinus</i> ..	1892, 563	<i>maculosa</i>	1897, 533
<i>Sauropatis albicilla</i>	1896, 605	<i>pectoralis</i>	1898, 228
<i>chloris</i>	1896, 604	<i>raffrayi</i>	1898, 228
<i>sordidus</i>	1896, 604	<i>sexplagiata</i>	1900, 226
	1896, 605		1900, 266
<i>vagans</i>	1896, 604	<i>vicina</i>	1897, 533
<i>Saurothera</i>	1898, 48	<i>Sceloporus acanthinus</i> ..	1897, 476
<i>Saurus lacerta</i>	1899, 470		1897, 494
<i>Savaglia lamarcki</i>	1899, 814		1897, 496
	1899, 824	<i>æneus</i>	1897, 477
<i>Saxicola isabellina</i>	1895, 485		1897, 514
<i>melanura</i>	1895, 486	<i>asper</i>	1897, 476
<i>morio</i>	1895, 486		1897, 497
<i>œnanthe</i>	1895, 486		1897, 522
	1900, 956		1898, 915
<i>phillipsi</i>	1895, 486	<i>biseriatus</i>	1897, 504
<i>somalica</i>	1895, 486		1897, 506
<i>Sayornis angustirostris</i> ..	1896, 357	<i>boulengeri</i>	1897, 490
<i>cineracea</i>	1896, 357		1897, 494
<i>latirostris</i>	1896, 357	<i>bulleri</i>	1894, 723
<i>Scædisa designans</i>	1896, 638		1894, 729
<i>Scæva hyalinata</i>	1893, 136		1897, 475
<i>Scalaria distincta</i>	1891, 441		1897, 481
	1891, 445	<i>chrysostictus</i>	1897, 477
<i>Scalops argentatus</i>	1894, 356		1897, 513
<i>Scapharca natalensis</i> ..	1891, 435		1897, 519
<i>Scaphiella</i>	1891, 561	<i>clarkii</i>	1897, 490
<i>cymballaria</i>	1891, 561		1897, 492
<i>Scaphiocrinus swallowi</i> ..	1895, 988		1897, 493
<i>Scaphiopus albus</i>	1899, 792		1897, 494
<i>solitarius</i>	1899, 790-793		1897, 495
<i>Scaphoideus scalaris</i>	1895, 77		1897, 496
<i>stigmus</i>	1895, 77	— <i>zosteromus</i>	1897, 498
<i>Scapteriscus didactylus</i> ..	1892, 200	<i>consobrinus</i>	1897, 475
	1892, 216		1897, 486
<i>Scapteromys</i> (<i>Hesperomys</i>) <i>tunidus</i> ..	1894, 308	<i>conchii</i>	1897, 477
<i>Scaptira aporosceles</i> ..	1898, 916		1897, 522
<i>Scaptius juno</i>	1892, 279	<i>cupreus</i>	1897, 477
<i>Scarabæus bettoni</i>	1900, 23		1897, 518
<i>isidis</i>	1900, 23		1898, 915
<i>Scardofella inca</i>	1891, 194	<i>delicatissimus</i>	1897, 516
<i>Scarites superciliosus</i> ..	1893, 747	<i>dispar</i>	1897, 509
<i>Scarposa</i>	1895, 72	<i>dugesii</i>	1894, 730
<i>tumida</i>	1895, 73		1897, 475
<i>Scea infans</i>	1896, 636		1897, 486
<i>puella</i>	1896, 636		1898, 915
<i>solaris</i>	1892, 285	<i>elongatus</i>	1897, 476
<i>Scelidotherium</i>	1900, 67		1897, 506
	1900, 69	<i>ferrariiperezii</i>	1897, 478
	1900, 73		1897, 481
<i>Scelio insularis</i>	1895, 800	<i>floridanus</i>	1897, 490
			1897, 492

	Page
Sceloporus floridanus ..	1897, 494
	1897, 495
formosus	1897, 476
	1897, 501
	1897, 502
frontalis	1897, 504
fulvus	1897, 477
	1897, 520
	1897, 521
garmani.....	1897, 487
gracilis	1897, 507
grammicus	1897, 476
	1897, 508
—, var.	1897, 509
gratiosus	1897, 476
	1897, 506
	1897, 507
	1897, 508
heterolepis	1894, 724
	1894, 731
	1897, 476
	1897, 511
horridus	1897, 490
	1897, 493
	1897, 494
	1897, 495
humeralis	1897, 519
intermedius	1897, 486
irazuensis	1897, 501
	1897, 502
	1897, 503
jalapæ	1897, 507
	1897, 508
jarrovii	1897, 483
licki	1897, 476
	1897, 500
	1898, 915
longipes.....	1897, 504
lunæi.....	1897, 501
	1897, 502
magister	1897, 490
	1897, 492
	1897, 493
	1897, 494
	1897, 495
	1897, 496
malachiticus.....	1897, 501
marmoratus	1897, 516
melanogaster	1897, 478
	1897, 481
melanorhinus	1894, 723
	1894, 730
	1897, 475
	1897, 482
microlepidotus . .	1897, 476
	1897, 509
	1897, 511
occidentalis	1897, 504

	Page
Sceloporus occidentalis .	1897, 505
	1897, 506
oligoporus.....	1897, 490
omitemanus.....	1897, 478
	1897, 481
orcutti	1894, 724
	1897, 476
	1897, 488
ornatus	1897, 475
	1897, 485
pleurolepis	1897, 483
	1897, 484
pleurostictus.....	1897, 508
poinsettii	1897, 477
	1897, 480
	1897, 481
pyrrhocephalus....	1897, 477
	1897, 512
rubriventris	1897, 509
	1897, 510
rufidorsum	1897, 499
salvini	1897, 501
	1897, 503
scalaris	1897, 477
	1897, 515
serrifer	1897, 475
	1897, 488
siniferus	1897, 477
	1897, 519
	1897, 521
smaragdinus	1897, 501
	1897, 502
	1897, 504
spinosus.....	1897, 476
	1897, 480
	1897, 488
	1897, 489
	1897, 490
	1897, 492
	1897, 493
	1897, 494
	1897, 495
	1897, 496
	1897, 497
— floridanus.....	1897, 495
squamosus.....	1897, 477
	1897, 521
tæniocnemus	1897, 501
	1897, 502
tapensis.....	1897, 518
	1897, 519
thayerii.....	1897, 490
	1897, 503
	1897, 505
torquatus	1897, 475
	1897, 477
	1897, 478
	1897, 480

	Page		Page
<i>Sceloporus torquatus</i> ...	1897, 481	<i>Schizonychia crenata</i> ..	1900, 24
— <i>cyanogenys</i>	1897, 497	<i>nigrofusca</i>	1900, 24
— <i>formosus</i>	1897, 478	<i>squamosa</i>	1900, 24
— <i>mucronatus</i>	1897, 481	<i>Schizophrys aspera</i>	1900, 725
— <i>poinsettii</i>	1897, 501	<i>serratus</i>	1900, 725
<i>tristichus</i>	1897, 478	<i>Schizoptera capitata</i> ..	1894, 156
<i>undulatus</i>	1897, 481	<i>flavipes</i>	1894, 158
<i>zosteromus</i>	1897, 490	<i>flavipes</i>	1894, 158
— <i>bocourti</i>	1897, 487	<i>rutteri</i>	1894, 197
<i>utiformis</i>	1897, 476	<i>scutellata</i>	1894, 157
<i>vandenberghianus</i> ..	1897, 495	<i>scutellata</i>	1894, 157
<i>variabilis</i>	1897, 503	<i>Schizorhis concolor</i>	1900, 2
<i>viviparus</i>	1897, 504	<i>leucogaster</i>	1895, 495
<i>yarrovii</i>	1897, 506	<i>Schleinitzia crenularis</i> ..	1900, 274
<i>zosteromus</i>	1897, 477	<i>leucogaster</i>	1900, 275
<i>zosteromus</i>	1897, 521	<i>Schœnobius acutellus</i> ..	1895, 917
<i>zosteromus</i>	1898, 915	<i>adjurellus</i>	1895, 916
<i>zosteromus</i>	1897, 507	<i>alpherakii</i>	1895, 916
<i>zosteromus</i>	1897, 477	<i>auristrigellus</i>	1895, 916
<i>zosteromus</i>	1897, 516	<i>bipunctiferus</i>	1895, 915
<i>zosteromus</i>	1897, 519	<i>brunnescens</i>	1895, 916
<i>zosteromus</i>	1897, 496	<i>caminarius</i>	1895, 917
<i>zosteromus</i>	1897, 497	<i>celidias</i>	1895, 916
<i>zosteromus</i>	1897, 501	<i>celidias</i>	1895, 917
<i>zosteromus</i>	1897, 475	<i>chionotus</i>	1895, 917
<i>zosteromus</i>	1897, 483	<i>chrysostomus</i>	1895, 917
<i>zosteromus</i>	1897, 476	<i>chrysostomus</i>	1898, 441
<i>zosteromus</i>	1897, 498	<i>costalis</i>	1895, 917
<i>zosteromus</i>	1898, 915	<i>dispersellus</i>	1895, 916
<i>zosteromus</i>	1895, 505	<i>dodattellus</i>	1895, 915
<i>Scelopspizias spheurus</i> ..	1895, 505	<i>forficellus</i>	1895, 916
<i>Scelotes astrolabi</i>	1894, 725	<i>gigantellus</i>	1895, 916
<i>bipes</i>	1895, 695	<i>immanis</i>	1895, 916
<i>gronovii</i>	1895, 706	<i>immaritalis</i>	1895, 915
<i>occidentalis</i>	1898, 918	<i>incertulas</i>	1895, 916
<i>Scelothrix carthami</i>	1893, 64	<i>lanceolellus</i>	1895, 916
<i>Scenoploca petraula</i> ..	1895, 971	<i>lineatus</i>	1895, 917
<i>Scepsis trifasciata</i>	1896, 636	<i>longirostrellus</i>	1895, 916
<i>Schilbe senegalensis</i> ..	1900, 514	<i>macrinellus</i>	1895, 914
<i>Schismatorhynchus</i>		<i>majoralis</i>	1895, 917
<i>heterorhynchus</i> ..	1895, 286	<i>maximellus</i>	1895, 917
<i>heterorhynchus</i> ..	1895, 287	<i>minutellus</i>	1895, 916
<i>Schistocerca columbina</i> ..	1892, 199	<i>montivagellus</i>	1895, 916
<i>pallescens</i>	1892, 210	<i>niloticus</i>	1895, 916
<i>pallescens</i>	1893, 606	<i>ochraceellus</i>	1895, 917
<i>pallescens</i>	1892, 199	<i>opalescalis</i>	1895, 917
<i>pallescens</i>	1892, 210	<i>porrectellus</i>	1895, 916
<i>pallescens</i>	1892, 198	<i>punctellus</i>	1895, 915
<i>pallescens</i>	1900, 40	<i>sordidellus</i>	1895, 916
<i>Schistochlamys atra</i> ..	1896, 348	<i>terreus</i>	1895, 917
<i>Schistoneura flavi-</i>		<i>tripunctellus</i>	1895, 917
<i>tinctalis</i>	1897, 662	<i>unipunctellus</i>	1895, 916
<i>hellicalis</i>	1897, 662	<i>vittatus</i>	1895, 917
<i>Schisturus uncinatus</i> ..	1899, 505	<i>Sciaccaris telsonis</i>	1896, 947
<i>Schizodelphis sulcatus</i> ..	1892, 563	<i>telsonis</i>	1896, 967
<i>Schizœca palpebralis</i> ..	1896, 371	<i>Sciæna aquila</i>	1899, 453

	Page		Page
<i>Sciæna aquila</i>	1899, 472	<i>Scirpophaga xanthoperas</i>	1895, 913
	1899, 479	<i>zelleri</i>	1895, 914
	1899, 485	<i>Sciuropterus albanensis</i>	1893, 191
	1899, 502		1893, 521
<i>diacanthus</i>	1899, 453	<i>alboniger</i>	1900, 353
<i>sina</i>	1892, 135	<i>davisoni</i>	1892, 227
<i>surinamensis</i>	1895, 523		1900, 354
<i>umbra</i>	1899, 479	<i>finbriatus</i>	1893, 193
<i>Sciænoophilus benedeni</i> ..	1899, 453		1893, 195
<i>tenuis</i>	1899, 453	<i>genibarbis</i>	1893, 495
<i>Scina acanthodes</i>	1892, 665		1900, 354
<i>concors</i>	1892, 665	<i>horsfieldi</i>	1892, 227
<i>œdicarpus</i>	1892, 665		1893, 193
<i>rattrayi</i>	1892, 665		1893, 194
<i>similis</i>	1892, 665		1893, 196
<i>stenopus</i>	1892, 665		1893, 214
<i>uncipes</i>	1892, 665		1893, 215
<i>Scincopus fasciatus</i>	1894, 725		1893, 495
<i>Scincus hemprichii</i>	1895, 635		1900, 353
	1895, 636	<i>hudsonius</i>	1893, 194
	1895, 650		1893, 195
	1898, 918	<i>lepidus</i>	1892, 227
<i>officinalis</i>	1892, 16		1900, 354
<i>Scintilla pustulella</i>	1891, 532	<i>nigripes</i>	1893, 495
	1897, 113	<i>pearsoni</i>	1893, 192
<i>Sciocoris capensis</i>	1900, 822		1893, 193
<i>Sciorista</i>	1899, 252		1893, 194
<i>Scirpophaga albinella</i> ..	1895, 914		1893, 196
<i>auriflua</i>	1895, 913		1893, 214
<i>bisignata</i>	1895, 914		1893, 215
<i>bivitta</i>	1895, 914		1897, 706
<i>butyrota</i>	1895, 914	<i>phayrei</i>	1900, 193
<i>chrysorrhœa</i>	1895, 913		1900, 876
<i>cinerea</i>	1895, 915	<i>pulverulentus</i>	1892, 227
<i>cramboides</i>	1895, 914		1893, 495
<i>excerptalis</i>	1895, 913	<i>sagitta</i>	1892, 227
<i>fasciella</i>	1895, 914		1900, 353
<i>flavicostella</i>	1895, 914		1900, 876
<i>fusciflua</i>	1895, 913	<i>setosus</i>	1893, 495
<i>gilviberbis</i>	1895, 913	<i>tephromelas</i>	1893, 192
<i>imparella</i>	1895, 914		1893, 215
<i>intacta</i>	1895, 913	<i>volans</i>	1893, 192
<i>intactella</i>	1895, 914		1893, 193
<i>leucatea</i>	1895, 914	<i>volvucella</i>	1892, 314
<i>longicornis</i>	1895, 915		1893, 194
<i>mnesidora</i>	1895, 915		1893, 195
<i>monostigma</i>	1895, 913	<i>xanthipes</i>	1897, 706
<i>occidentella</i>	1895, 913	<i>Sciurus aberti</i>	1893, 189
<i>ochroleuca</i>	1895, 914	<i>æstuans</i>	1893, 189
<i>patulella</i>	1895, 913	<i>albiceps</i>	1893, 189
<i>perstialis</i>	1895, 914	<i>alpinus</i>	1899, 5
<i>præolata</i>	1895, 913		1900, 398
<i>repugnatalis</i>	1895, 914	<i>annulatus</i>	1891, 184
<i>sericea</i>	1895, 914		1893, 181
<i>subcervinella</i>	1895, 914		1893, 188
<i>terrella</i>	1895, 914		1893, 189
<i>tinctella</i>	1895, 914	<i>arizonensis</i>	1894, 356
<i>vestaliella</i>	1895, 914		1894, 362

	Page
<i>Sciurus arizonensis</i>	1894, 370
	1894, 376
<i>atrodorsalis</i>	1893, 189
	1893, 191
	1900, 194
	1900, 357
	1900, 870
<i>aubinnii</i>	1893, 181
	1893, 186
	1893, 188
<i>badging</i>	1900, 358
<i>berdmorei</i>	1893, 180
	1893, 181
	1893, 185
	1900, 359
<i>bicolor</i>	1893, 181
	1893, 189
	1893, 496
	1895, 860
	1900, 354
— <i>ephippium</i>	1892, 225
<i>bohmi</i>	1893, 181
	1893, 185
<i>brookiei</i>	1892, 225
	1892, 226
	1893, 189
	1893, 191
	1893, 496
<i>caniceps</i>	1893, 189
	1893, 191
	1900, 194
	1900, 356
	1900, 870
	1900, 877
<i>concolor</i>	1900, 356
<i>carolinensis</i>	1893, 189
<i>castaneiventris</i>	1899, 577
	1899, 578
<i>cepapi</i>	1891, 184
	1893, 180
	1893, 181
	1893, 185
	1899, 553
<i>chinensis</i>	1892, 226
	1899, 578
<i>chrysurus</i>	1893, 337
<i>concinus</i>	1892, 181
	1893, 187
<i>congicus</i>	1893, 180
	1893, 181
	1893, 184
	1893, 185
<i> davidianus</i>	1899, 577
— <i>consobrinus</i>	1899, 577
<i>deppei</i>	1893, 189
<i>dorsalis</i>	1896, 989
<i>ebii</i>	1893, 181
	1893, 186

	Page
<i>Sciurus ebii</i>	1893, 187
	1893, 188
<i>ephippium</i>	1893, 496
<i>erythraeus</i>	1893, 189
	1900, 356
	1900, 870
	1900, 877
<i>everetti</i>	1892, 226
	1893, 183
	1893, 189
	1893, 214
	1893, 215
	1893, 496
<i>exilis</i>	1893, 181
	1893, 187
	1893, 496
<i>ferrugineus</i>	1893, 189
	1898, 245
	1900, 355
<i>finlaysoni</i>	1898, 243
	1898, 246
	1900, 191
	1900, 193
	1900, 355
	1900, 356
<i>flavipectus</i>	1899, 577
<i>griseimanus</i>	1900, 357
<i>griseiventer</i>	1900, 358
<i>griseo-caudatus</i> ..	1896, 988
<i>griseoflavus</i>	1893, 189
<i>griseogenys</i>	1893, 189
<i>griseopectus</i>	1899, 578
<i>hippurus</i>	1893, 496
	1900, 356
<i>hosei</i>	1893, 185
	1893, 186
	1893, 496
<i>hypopyrrhus</i>	1896, 988
	1896, 989
<i>indicus</i>	1893, 181
	1893, 189
<i>insignis</i>	1893, 185
	1893, 186
	1893, 496
	1900, 360
	1900, 878
<i>isabella</i>	1893, 181
	1893, 185
<i>italicus</i>	1899, 5
<i>jentinki</i>	1892, 226
	1893, 189
	1893, 496
<i>laticaudatus</i>	1893, 496
	1900, 359
<i>lemniscatus</i>	1893, 181
	1893, 185
	1896, 988
<i>leucostigma</i>	1893, 184

	Page		Page
<i>Sciurus leucourus</i>	1899, 84	<i>Sciurus palmarum</i>	1893, 188
<i>leucurus</i>	1899, 3		1900, 307
	1899, 5	<i>pernyi</i>	1899, 577
	1899, 6	<i>petaurista</i>	1896, 1015
<i>locria</i>	1900, 360	<i>philippinensis</i>	1892, 226
<i>lokriah</i>	1892, 225	<i>plantani</i>	1900, 358
	1892, 226	<i>prevosti</i>	1892, 225
<i>lokrioides</i>	1892, 226		1892, 227
	1893, 181		1893, 181
	1893, 182		1893, 182
	1893, 189		1893, 189
	1893, 214		1893, 194
	1893, 215		1893, 195
<i>lowii</i>	1892, 226		1893, 214
	1892, 227		1893, 496
	1893, 496		1894, 252
<i>macclellandi</i>	1900, 357		1900, 356
— <i>barbei</i>	1900, 194		1900, 358
	1900, 357	<i>pryeri</i>	1893, 496
— <i>swinhoei</i>	1898, 771	<i>punctatus</i>	1893, 181
	1899, 578		1893, 188
<i>macrurus</i>	1893, 181		1893, 189
	1893, 189	<i>pyrrhomerus</i>	1899, 577
<i>madagascariensis</i> ..	1891, 458	<i>pyrrhopus</i>	1893, 180
<i>melanotis</i>	1892, 226		1893, 181
	1893, 181		1893, 184
	1893, 187		1893, 185
<i>minutus</i>	1893, 181		1896, 782
	1893, 187	<i>rafflesii</i>	1900, 358
<i>modestus</i>	1892, 226	<i>rodolphi</i>	1899, 578
<i>multicolor</i>	1900, 803	<i>rosenbergi</i>	1893, 189
<i>mutabilis</i>	1892, 97		1893, 191
	1892, 548	<i>rufigenis</i>	1892, 226
	1892, 549		1900, 104
	1893, 502	<i>rufobrachiatus</i>	1891, 183
	1894, 140		1893, 181
	1894, 141		1893, 188
	1896, 793		1893, 189
	1897, 932		1895, 341
	1898, 392		1900, 174
<i>niger</i>	1894, 356	<i>rufus</i>	1899, 6
	1894, 370	<i>sansaniensis</i>	1893, 192
	1899, 5	<i>shirensis</i>	1892, 548
<i>nigrovittatus</i>	1900, 358		1892, 549
<i>notatus</i>	1892, 225		1893, 181
	1893, 189		1893, 188
	1893, 496		1893, 189
	1900, 358	<i>soricinus</i>	1893, 496
	1900, 359	<i>spectabilis</i>	1893, 181
	1900, 878		1893, 202
<i>palliatus</i>	1892, 549	<i>spermophilinus</i>	1893, 190
	1893, 180		1893, 191
	1893, 181		1893, 215
	1893, 185	<i>stangeri</i>	1893, 181
	1894, 140		1893, 186
	1896, 793		1893, 187
<i>palmarum</i>	1893, 182	<i>steerei</i>	1893, 189
	1893, 185		1893, 496

	Page		Page
<i>Sciurus styani</i>	1899, 578	<i>Scodra aussereri</i>	1897, 755
<i>subflaviventris</i>	1900, 360		1897, 756
<i>swinhoei</i>	1899, 578		1899, 838
<i>syriacus</i>	1893, 181	<i>brachypoda</i>	1897, 757
	1893, 189		1897, 758
<i>tenuis</i>	1892, 225		1897, 774
	1892, 226		1899, 838
	1892, 227		1899, 839
	1893, 189	<i>calceata</i>	1897, 755
	1893, 496		1897, 756
	1900, 357		1897, 758
	1900, 870		1898, 81
	1900, 878		1899, 838
<i>tristriatus</i>	1893, 185		1899, 839
	1893, 188		1899, 840
<i>variabilis</i>	1893, 337	<i>fumigata</i>	1899, 839
<i>varius</i>	1899, 6	<i>griseipes</i>	1897, 756
	1900, 301		1897, 757
<i>vittatus</i>	1900, 358		1897, 758
<i>vulgaris</i>	1891, 244		1897, 774
	1893, 180		1899, 838
	1893, 181		1899, 839
	1893, 182	<i>Scolecormorphus kirkii</i> ..	1892, 555
	1893, 183		1895, 413
	1893, 184		1895, 414
	1893, 185	<i>Scolia aureicollis</i>	1896, 430
	1893, 186	<i>aureipennis</i>	1896, 428
	1893, 188	<i>binotata</i>	1896, 429
	1893, 189	<i>bipunctata</i>	1896, 429
	1893, 190	<i>cyanipennis</i>	1896, 428
	1893, 191	<i>eliformis</i>	1896, 429
	1893, 589	<i>fasciato-punctata</i> ..	1896, 429
	1893, 592	<i>fervida</i>	1896, 429
	1894, 356	<i>histrionica</i>	1896, 429
	1897, 933	<i>ignita</i>	1896, 429
	1899, 3	<i>indica</i>	1896, 429
	1899, 5	<i>instabilis</i>	1896, 428
	1899, 577	<i>iris</i>	1896, 430
	1900, 393	<i>jurinei</i>	1896, 428
— <i>argenteus</i>	1899, 6	<i>picteti</i>	1896, 429
— <i>calotus</i>	1899, 6	<i>pulchra</i>	1896, 429
	1899, 577	<i>4-fasciata</i>	1896, 430
— <i>leucourus</i>	1900, 397	<i>quadripustulata</i> ..	1896, 428
— <i>rufus</i>	1899, 5	<i>radula</i>	1896, 430
	1900, 397	<i>rubiginosa</i>	1896, 428
— <i>typicus</i>	1899, 6	<i>ruficornis</i>	1896, 428
	1900, 397	<i>Scolitantides barberi</i> ..	1897, 845
— <i>varius</i>	1899, 6	<i>bowkeri</i>	1898, 194
<i>whiteheadi</i>	1892, 226	<i>crawshayi</i>	1899, 418
	1893, 181		1899, 422
	1893, 187		1899, 427
	1893, 496	<i>excellens</i>	1892, 437
(<i>Eosciurus</i>) <i>indicus</i> ..	1893, 189	<i>methymna</i>	1899, 422
	1893, 214	<i>metopis</i>	1897, 845
<i>Sclerocona</i>	1899, 227	<i>stellata</i>	1895, 631
<i>Scleropleura</i>	1899, 155		1896, 830
<i>bruneti</i>	1899, 152		1899, 422
<i>Scobura</i> sp.	1900, 510		1900, 930

	Page		Page
<i>Scolitantides thespis</i> ..	1898, 194	<i>Scops lempiji</i>	1900, 488
<i>Scolopax caudatus</i>	1892, 390	<i>pennatus</i>	1900, 305
<i>rusticula</i>	1892, 392	<i>scops</i>	1896, 311
	1896, 151	<i>umbratilis</i>	1900, 488
	1900, 499	<i>Scoptelus aterrimus</i> ...	1899, 935
<i>Scolopendra algerina</i> ..	1892, 25	<i>Scoptonomma</i>	1899, 283
<i>dalmatica</i>	1892, 25	<i>tipuloides</i>	1891, 493
	1892, 26		1891, 542
<i>gigas</i>	1898, 587		1897, 55
	1899, 294	<i>Scopula ablutalis</i>	1899, 261
<i>morsitans</i>	1892, 23	<i>arcticalis</i>	1899, 249
	1900, 973	<i>arcuatalis</i>	1899, 290
<i>oraniensis</i>	1892, 25	<i>argillacealis</i>	1899, 229
	1892, 26	<i>argyroscelis</i>	1899, 250
<i>scopoliana</i>	1892, 25	<i>bogotalis</i>	1899, 248
<i>Scomber esox</i>	1899, 442	<i>borealis</i>	1899, 255
<i>scomber</i>	1896, 310	<i>clathralis</i>	1899, 209
	1896, 311	<i>comptalis</i>	1899, 290
	1899, 450	<i>concisalis</i>	1899, 247
	1899, 454	<i>concoloralis</i>	1899, 250
	1899, 504	<i>criasusalis</i>	1898, 760
	1899, 506	<i>crinialis</i>	1899, 210
<i>scombrus</i>	1896, 310	<i>damastesalis</i>	1899, 263
	1899, 940	<i>dilaceratalis</i>	1899, 212
	1899, 955	<i>diotimealis</i>	1899, 210
<i>Scoparia alconalis</i>	1898, 760	<i>desistalis</i>	1896, 650
<i>fascialis</i>	1896, 650	<i>dipsasalis</i>	1899, 231
	1896, 260	<i>dispunctalis</i>	1899, 250
<i>gelida</i>	1899, 262	<i>donzelalis</i>	1899, 262
<i>quietalis</i>	1898, 713	<i>effrenata</i>	1899, 290
<i>stupidalis</i>	1896, 649	<i>etialis</i>	1899, 245
	1899, 289	<i>eucrena</i>	1899, 250
	1899, 290	<i>exigua</i>	1899, 248
<i>Scopelodes aurogrisea</i> ..	1892, 123	<i>eximialis</i>	1899, 247
<i>sericea</i>	1893, 299	<i>ferriscriptalis</i>	1899, 212
<i>venosa</i>	1892, 123	<i>figuralis</i>	1899, 290
<i>whitelyi</i>	1893, 299	<i>flagellalis</i>	1899, 209
<i>Scopelophila palmira</i> ..	1891, 337	<i>flexifera</i>	1899, 290
<i>Scopelus boops</i>	1899, 940	<i>foetalis</i>	1899, 290
<i>glacialis</i>	1898, 279	<i>fotalis</i>	1899, 277
	1898, 550	<i>hastiferalis</i>	1899, 290
	1898, 552	<i>hypatialis</i>	1899, 243
	1898, 553	<i>illutalis</i>	1899, 250
	1898, 554	<i>includens</i>	1899, 290
	1898, 557	<i>indistincta</i>	1899, 249
	1898, 558	<i>inscita</i>	1899, 290
	1898, 559	<i>itylusalis</i>	1899, 248
	1898, 560	<i>jucundalis</i>	1899, 211
	1898, 566	<i>limasalis</i>	1899, 290
<i>mülleri</i>	1898, 553	<i>martialis</i>	1894, 591
<i>scoticus</i>	1898, 553		1899, 243
	1898, 558	<i>melanosticta</i>	1899, 249
	1898, 560	<i>mundalis</i>	1899, 187
<i>Scopimera myctiroides</i> .	1900, 760	<i>nestusalis</i>	1899, 210
	1900, 770	<i>nexalis</i>	1899, 290
<i>Scopolia</i>	1899, 185	<i>nigrifascialis</i>	1895, 965
<i>helenalis</i>	1899, 187	<i>optatusalis</i>	1898, 760
<i>Scops giu</i>	1896, 311	<i>oratusalis</i>	1899, 254

	Page		Page
<i>Scopula ordinatalis</i>	1899, 264	<i>Scotophilus nigrita</i>	1900, 80
<i>parallelalis</i>	1897, 678		1900, 953
<i>paronalis</i>	1899, 227	<i>ornatus</i>	1898, 771
<i>pascualis</i>	1899, 245	<i>pallidus</i>	1898, 78
<i>permixtalis</i>	1896, 649	<i>schlieffeni</i>	1895, 542
	1899, 248		1895, 546
<i>pinetalis</i>	1899, 249		1900, 99
<i>pulverosalis</i>	1899, 290	<i>temminckii</i>	1900, 346
<i>serpentina</i>	1899, 290	<i>Scotopteryx albistellaria</i> ..	1893, 432
<i>simplicella</i>	1899, 249	<i>permuscosa</i>	1893, 432
<i>stipatalis</i>	1898, 607	<i>Scotosia natalata</i>	1894, 593
<i>subjectalis</i>	1899, 221	<i>nitidulata</i>	1896, 646
<i>submarginalis</i>	1899, 290	<i>spilotata</i>	1896, 647
<i>testacea</i>	1899, 243	<i>Scrobicularia seychel-</i>	
<i>thoonalis</i>	1899, 210	<i>larum</i>	1891, 427
<i>turbidalis</i>	1899, 211	<i>Scrophicephalus</i>	
<i>ustalis</i>	1899, 211	<i>kanume</i>	1898, 818
<i>variabilis</i>	1899, 290	<i>Scutella decagonalis</i> ..	1894, 411
<i>vinetalis</i>	1899, 290	<i>Scutellera fasciata</i>	1900, 822
<i>Scopus umbretta</i>	1891, 18	<i>rubro-lineata</i>	1900, 819
	1895, 511	<i>Scutigera coleoptrata</i> ..	1892, 25
	1897, 469	<i>Scutovertex bilineatus</i> ..	1897, 792
<i>Scorpæna dactyloptera</i> .	1898, 550	<i>Scybalista</i>	1898, 594
	1898, 551		1898, 608
<i>frondosa</i>	1891, 482	<i>acutalis</i>	1898, 609
<i>porcus</i>	1899, 490	<i>bifascialis</i>	1898, 608
<i>Scorpio australis</i>	1899, 835		1898, 909
<i>bellicosus</i>	1898, 498	<i>canalis</i>	1898, 609
	1900, 61	<i>leucolepia</i>	1898, 608
<i>colei</i>	1900, 59	<i>prusalis</i>	1898, 609
<i>dictator</i>	1899, 836	<i>restionalis</i>	1898, 609
<i>europæus</i>	1899, 835	<i>semiferrealis</i>	1898, 609
<i>gregorii</i>	1898, 498	<i>subductalis</i>	1898, 609
<i>hottentotta</i>	1899, 834	<i>trifunalis</i>	1898, 606
<i>maculatus</i>	1899, 835	<i>Scylla serrata</i>	1900, 748
<i>margaritatus</i>	1899, 836	<i>Scyllium africanum</i>	1899, 499
<i>maurus</i>	1899, 835	<i>catulus</i>	1899, 466
<i>occitanus</i>	1899, 834	<i>Scymnus gracilis</i>	1899, 463
<i>pallidus</i>	1898, 499	<i>grenadensis</i>	1898, 342
	1900, 58	<i>högei</i>	1898, 342
<i>phillipsii</i>	1900, 58	<i>microcephalus</i>	1899, 463
<i>smithii</i>	1900, 58		1899, 496
<i>Scotinochroa</i>	1895, 845	<i>ochroderus</i>	1898, 341
<i>inconsequens</i>	1896, 845	<i>phlæus</i> ¹	1898, 343
	1898, 436	<i>roseicollis</i>	1898, 342
<i>Scotobleps</i>	1900, 438	<i>thoracicus</i>	1898, 341
<i>gabonicus</i>	1900, 439		1898, 342
	1900, 456	<i>Scyphacella arenicola</i> ..	1900, 565
<i>Scotopelia peli</i>	1894, 693	<i>Scytale coronatum</i>	1894, 509
	1899, 428		1894, 512
<i>Scotophilus castaneus</i> ..	1900, 192		1894, 513
	1900, 346		1894, 518
<i>greyi</i>	1897, 319	<i>Scytalopus acutirostris</i> .	1896, 338
<i>kuhli</i>	1893, 495	<i>analis</i>	1896, 387
	1900, 191	<i>femorialis</i>	1896, 387
	1900, 346	<i>griseicollis</i>	1896, 388
	1900, 876	<i>macropus</i>	1896, 387
<i>nigrita</i>	1896, 791	<i>magellanicus</i>	1896, 388

	Page		Page
<i>Scytalopus micropterus</i> .	1896, 387	<i>Selenogyrus aureus</i>	1897, 769
<i>obscurus</i>	1896, 388		1897, 773
<i>senilis</i>	1896, 387		1899, 841
<i>sylvestris</i>	1896, 387	<i>cæruleus</i>	1897, 768
<i>Scytaster novæ-</i>			1897, 769
<i>caledoniæ</i>	1894, 395		1899, 840
<i>Seythris ochrea</i>	1896, 279	<i>Selenops aissa</i>	1897, 876
<i>Seythrops novæ-</i>		<i>annulatus</i>	1899, 875
<i>hollandiæ</i>	1898, 41-49	<i>brownii</i>	1899, 874
<i>Scytodes bajula</i>	1891, 569	<i>büchneri</i>	1899, 874
	1891, 575	<i>diversus</i>	1898, 390
<i>fusca</i>	1891, 571		1898, 391
<i>globula</i>	1891, 568	<i>dufourii</i>	1898, 390
<i>guyanensis</i>	1891, 571		1898, 391
<i>hebraica</i>	1891, 568	<i>madagascariensis</i> ..	1898, 391
	1891, 575	<i>sector</i>	1899, 874
<i>lineatipes</i>	1891, 570	<i>Semalea</i>	1896, 64
	1891, 575	<i>nox</i>	1896, 65
<i>longipes</i>	1891, 567		1896, 66
	1891, 575		1896, 104
<i>macula</i>	1891, 578	<i>pulvina</i>	1896, 64
<i>marmorata</i>	1891, 567		1896, 65
<i>taczanowskii</i>	1891, 567		1896, 80
<i>Sebastes marinus</i>	1898, 550		1896, 103
<i>norvegicus</i>	1898, 550	<i>Semanga helena</i>	1895, 613
	1898, 551	<i>superba</i>	1895, 558
	1899, 482		1895, 612
	1899, 488	<i>Semasia argutana</i>	1897, 124
	1899, 500	<i>Semele chinensis</i>	1891, 427
<i>Sebastomyia</i>	1893, 71	(<i>Iacra</i>) <i>seychel-</i>	
	1893, 81	<i>larum</i>	1891, 427
<i>dolopia</i>	1893, 71	<i>Semiothisa contorta</i> ..	1896, 646
	1893, 81	<i>gambaria</i>	1896, 645
<i>Sebuntia</i>	1899, 252	<i>largificaria</i>	1893, 683
<i>guttulosa</i>	1899, 260	<i>nervata</i>	1896, 645
<i>Secusio hymenæa</i>	1894, 585	<i>pernicata</i>	1896, 645
<i>parvipuncta</i>	1894, 584	<i>triplicaria</i>	1896, 645
	1894, 585	<i>Semnia ægialis</i>	1897, 689
	1898, 371	<i>auritalis</i>	1897, 687
<i>strigata</i>	1894, 584		1897, 688
	1896, 258	<i>aurivitta</i>	1897, 688
	1898, 419	<i>josialis</i>	1897, 688
	1900, 17	<i>Semniomima</i>	1899, 278
<i>Sedenia cervicalis</i>	1895, 974	<i>albiapicalis</i>	1896, 636
<i>itonusalis</i>	1895, 974	<i>Semnopythecus</i> sp.	1900, 872
<i>pictoalis</i>	1895, 974	<i>albocinereus</i>	1900, 317
<i>rupalis</i>	1895, 974		1900, 319
<i>Selambina trajiciens</i> ..	1896, 639		1900, 872
<i>Selenidera maculirostris</i> .	1896, 557	<i>albogularis</i>	1893, 250
<i>Selenis amans</i>	1896, 638	<i>chrysomelas</i>	1892, 227
<i>humeralis</i>	1896, 648		1892, 583
<i>stipata</i>	1896, 648		1893, 3
<i>Selenocosmia nigro-</i>			1893, 494
<i>ventris</i>	1897, 762	<i>cristatus</i>	1892, 227
<i>Selenogyrus</i>	1897, 746		1892, 583
	1897, 767		1893, 615
	1897, 773		1900, 317
<i>aureus</i>	1897, 768		1900, 318

	Page		Page
<i>Semnopithecus cristatus</i>	1890, 319	<i>Sepsina tetradactyla</i> ..	1892, 555
<i>cruciger</i>	1893, 3		1894, 725
<i>entellus</i>	1893, 494	<i>Septifer bilocularis</i>	1900, 118
<i>everetti</i>	1900, 303	<i>excisus</i>	1891, 430
	1892, 582	<i>Sergestes ancylops</i>	1896, 942
	1892, 583		1896, 949
<i>femoralis</i>	1893, 494		1896, 952
	1892, 614	<i>arachnipodus</i>	1896, 946
	1893, 494		1896, 951
	1900, 317	<i>arcticus</i>	1896, 939
	1900, 318		1896, 942
	1900, 319		1896, 946
<i>frontatus</i>	1893, 494		1896, 947
<i>germaini</i>	1899, 785		1896, 949
	1900, 317		1896, 954
	1900, 319		1896, 955
<i>hosei</i>	1892, 227		1896, 956
	1892, 582		1896, 957
	1892, 583		1896, 968
	1892, 614		1896, 969
	1893, 3	<i>armatus</i>	1896, 950
	1893, 494		1896, 960
<i>maurus</i>	1893, 494		1896, 966
	1893, 592		1896, 969
	1900, 319	<i>atlanticus</i>	1896, 941
<i>mitratus</i>	1894, 359		1896, 942
	1900, 319		1896, 945
	1900, 872		1896, 947
<i>neglectus</i>	1900, 319		1896, 949
<i>nemæus</i>	1892, 665		1896, 951
<i>obscurus</i>	1892, 614		1896, 952
	1900, 317		1896, 968
	1900, 318		1896, 969
	1900, 872		1896, 970
<i>phayrei</i>	1893, 615	<i>bisulcatus</i>	1896, 949
<i>pruinosis</i>	1892, 471		1896, 954
<i>roxellanae</i>	1899, 572		1896, 969
<i>rubicundus</i>	1892, 227	<i>brachyorrhos</i>	1896, 951
	1893, 494		1896, 963
<i>schistaceus</i>	1893, 592		1896, 964
	1900, 303		1896, 966
<i>siamensis</i>	1900, 317	<i>caudatus</i>	1896, 938
	1900, 319		1896, 946
	1900, 872		1896, 951
<i>thomasi</i>	1892, 613	<i>corniculum</i>	1896, 946
<i>Semyra bella</i>	1894, 237		1896, 950
<i>cardia</i>	1894, 236		1896, 957
<i>straminea</i>	1892, 324		1896, 958
<i>Senex penicillatus</i>	1898, 1014		1896, 970
<i>Sepacontias modestus</i> ..	1894, 87	<i>cornutus</i>	1896, 946
<i>Sephisa chandra</i>	1891, 273		1896, 949
<i>Sepidiostenus erinaceus</i> .	1900, 29		1896, 952
<i>Sepidium bilobatum</i> ..	1900, 30		1896, 953
	1900, 63		1896, 954
<i>crassicaudatum</i>	1900, 30		1896, 970
<i>magnum</i>	1900, 29	<i>diapontius</i>	1896, 951
	1900, 63		1896, 966
<i>Sepsina ornaticeps</i>	1898, 918		1896, 970

	Page		Page
<i>Sergestes dissimilis</i>	1896, 949	<i>Sergestes laterodentatus</i> .	1896, 949
<i>dorsospinalis</i>	1896, 949		1896, 956
	1896, 957	<i>longicaudatus</i>	1896, 946
<i>edwardsi</i>	1896, 944		1896, 950
	1896, 946	<i>longicollis</i>	1896, 947
	1896, 947		1896, 949
	1896, 948		1896, 957
	1896, 950	<i>longirostris</i>	1896, 950
	1896, 953		1896, 958
	1896, 954	<i>longispinus</i>	1896, 940
	1896, 960		1896, 949
	1896, 961		1896, 952
	1896, 962		1896, 954
	1896, 963	<i>macrophthalmus</i> ..	1896, 951
	1896, 969		1896, 964
	1896, 970		1896, 966
<i>fermerinkii</i>	1896, 951	<i>magnificus</i>	1896, 947
<i>frisii</i>	1896, 946		1896, 949
	1896, 951	<i>mediterraneus</i>	1896, 949
<i>halia</i>	1896, 940		1896, 954
	1896, 947		1896, 955
	1896, 948		1896, 956
	1896, 950		1896, 969
	1896, 960		1896, 970
	1896, 962	<i>meyeri</i>	1896, 946
<i>hamifer</i>	1896, 951	<i>mollis</i>	1896, 947
	1896, 963		1896, 951
	1896, 966		1896, 969
	1896, 969	<i>nasidentatus</i>	1896, 949
<i>henseni</i>	1896, 950	<i>obesus</i>	1896, 946
	1896, 959		1896, 951
	1896, 968		1896, 967
<i>incertus</i>	1896, 950		1896, 968
	1896, 962	<i>oculatus</i>	1896, 950
	1896, 963		1896, 963
	1896, 965		1896, 964
	1896, 966	<i>ovatoculus</i>	1896, 949
	1896, 970		1896, 952
<i>inous</i>	1896, 949	<i>pacificus</i>	1896, 946
	1896, 954		1896, 949
	1896, 969	<i>parvidens</i>	1896, 950
	1896, 970		1896, 964
<i>intermedius</i>	1896, 951	<i>penerinki</i>	1896, 948
<i>japonicus</i>	1896, 947		1896, 950
	1896, 949		1896, 961
	1896, 951		1896, 962
	1896, 969		1896, 965
<i>juncus</i>	1896, 949		1896, 966
	1896, 951		1899, 970
<i>kröyeri</i>	1896, 947	<i>præcollus</i>	1896, 950
	1896, 949		1896, 958
	1896, 955	<i>prehensilis</i>	1896, 947
	1896, 969		1896, 949
<i>laciniatus</i>	1896, 938		1896, 955
	1896, 946		1896, 969
	1896, 950	<i>profundus</i>	1896, 947
<i>læviventralis</i>	1896, 949		1896, 951
	1896, 957		1896, 970

	Page		Page
<i>Sergestes remipes</i>	1896, 946	<i>Serinus hortulanus</i>	1891, 472
	1896, 950		1896, 311
<i>rinkii</i>	1896, 949	<i>imberbis</i>	1895, 470
	1896, 955	<i>maculicollis</i>	1895, 470
	1896, 957	<i>serinus</i>	1896, 311
<i>robustus</i>	1896, 939	<i>sulphuratus</i>	1895, 470
	1896, 949	<i>Seriocrampus stylatus</i> ..	1895, 972
	1896, 954	<i>Sermyla chaperi</i>	1891, 348
	1896, 969	<i>episcopalis</i>	1891, 347
<i>rubroguttatus</i>	1896, 947	<i>morta</i>	1892, 282
	1896, 949	<i>perakensis</i>	1891, 348
	1896, 955	<i>Sermyloides basalis</i> ..	1900, 257
	1896, 969	<i>maculata</i>	1900, 257
<i>sanguineus</i>	1896, 946	<i>unifasciata</i>	1900, 257
	1896, 947	<i>Serolis paradoxa</i>	1900, 518
	1896, 851	<i>Serphophaga cinerea</i> ..	1892, 379
	1896, 967		1892, 407
<i>sargassi</i>	1896, 950		1892, 408
	1896, 959		1896, 361
	1896, 963	<i>nigricans</i>	1899, 512
<i>semiarmis</i>	1896, 950	<i>ruficeps</i>	1896, 360
<i>serrulatus</i>	1896, 938	<i>subcristata</i>	1899, 513
	1896, 946	<i>Serranus cabrilla</i>	1899, 478
	1896, 951		1899, 486
<i>spiniventralis</i>	1896, 951	<i>goliath</i>	1899, 472
<i>tenuiremis</i>	1896, 947	<i>hoevenii</i>	1892, 134
	1896, 949	<i>scriba</i>	1899, 471
	1896, 951		1899, 486
	1896, 957	<i>sexfasciata</i>	1899, 496
	1896, 970	<i>Serraphula</i>	1897, 556
<i>utrinquedens</i>	1896, 950	<i>ænea</i>	1897, 557
	1896, 958		1897, 577
<i>ventridentatus</i>	1896, 951		1900, 248
<i>vigilax</i>	1896, 950	<i>elongata</i>	1900, 247
	1896, 951	<i>Serrasalmo serru-</i>	
	1896, 962	<i>latus</i>	1898, 492
	1896, 964	<i>Serrodus campana</i>	1892, 128
	1896, 965	<i>Sertularia argentea</i>	1894, 664
	1896, 970	<i>Seryda cincta</i>	1896, 635
(<i>Sciacaris</i>) <i>telsonis</i> ..	1896, 950	<i>Sesarma aspera</i>	1900, 756
<i>Sergia remipes</i>	1896, 946	<i>aubryi</i>	1900, 570
<i>Sergiolus</i>	1891, 573		1900, 593
<i>elegans</i>	1891, 574	<i>calypso</i>	1900, 757
<i>variegatus</i>	1891, 574	<i>edwardsi</i>	1900, 757
<i>Seriatopora</i>	1899, 157	— <i>crassimana</i>	1900, 757
	1899, 159	<i>lævimana</i>	1900, 757
<i>conferta</i>	1897, 952	<i>fasciata</i>	1900, 758
<i>lineata</i>	1897, 952		1900, 770
<i>pacifica</i>	1897, 952	<i>gardineri</i>	1900, 569
<i>spinosa</i>	1897, 953		1900, 570
<i>Sericinus telamon</i>	1892, 194		1900, 593
<i>Sericoplaga</i>	1899, 239		1900, 596
<i>Sericossypha albocris-</i>		<i>mederi</i>	1900, 756
<i>tata</i>	1896, 345	<i>onychophora</i>	1900, 757
<i>Serinus canarius</i>	1895, 470	<i>quadrata</i>	1900, 756
<i>capistratus</i>	1895, 470	<i>tæniolata</i>	1900, 756
<i>donaldsoni</i>	1895, 470	(<i>Holometopus</i>)	
<i>flaviventris</i>	1895, 470	<i>aubryi</i>	1900, 593

	Page		Page
<i>Sesarma</i> (<i>Parasesarma</i>)		<i>Siculodes roseola</i>	1897, 611
<i>calypso</i>	1900, 757	<i>rotundula</i>	1897, 619
(—) <i>onycho-</i>		<i>serpula</i>	1897, 630
<i>phora</i>	1900, 757	<i>sordidula</i>	1897, 623
<i>Sesia æquatius</i>	1896, 637	<i>straminula</i>	1897, 630
<i>bembiciformis</i>	1894, 134	<i>strigatula</i>	1897, 623
.....	1894, 135	<i>striola</i>	1897, 632
<i>cubana</i>	1897, 62	<i>terreola</i>	1897, 625
.....	1897, 63	<i>theorina</i>	1897, 625
<i>culiciformis</i>	1894, 134	<i>triangularis</i>	1897, 625
.....	1894, 135	<i>tristriata</i>	1897, 625
<i>Sestia deosalis</i>	1898, 747	<i>unitula</i>	1897, 625
<i>Setiger inauris</i>	1892, 503	<i>variabilis</i>	1897, 625
<i>Setina irrorella</i>	1891, 180	<i>virginula</i>	1897, 624
<i>quadrinotata</i>	1898, 419	<i>vittula</i>	1897, 625
<i>Setomorpha grenadella</i>	1897, 168	<i>Sicydium cyanocephala</i>	
<i>rupicella</i>	1891, 511	<i>lum</i>	1897, 428
.....	1891, 544	<i>plumieri</i>	1891, 356
.....	1897, 168	<i>Siderastræa clavus</i> ...	1898, 525
<i>Setophaga melano-</i>		1898, 539
<i>cephala</i>	1896, 332	<i>Siderina</i>	1898, 525
<i>verticalis</i>	1896, 332	<i>Sidonops picteti</i>	1900, 128
<i>Sialia wilsoni</i>	1896, 228	1900, 130
<i>Siccia caffra</i>	1894, 584	1900, 134
<i>Siculodes acutipennis</i> ..	1897, 625	<i>Sigara socialis</i>	1894, 224
<i>ænea</i>	1897, 625	<i>Sigaretus planulatus</i> ..	1891, 414
<i>amethystina</i>	1897, 619	<i>Siglophora</i>	1892, 123
<i>ancylosema</i>	1897, 622	<i>bella</i>	1892, 124
<i>annuligera</i>	1896, 647	1892, 133
<i>arcuata</i>	1897, 625	<i>Sigmodon hispidus</i>	1897, 711
<i>aurorula</i>	1897, 629	<i>Sigmoilina celata</i>	1895, 11
<i>bivittata</i>	1897, 632	1895, 49
<i>chalcosidera</i>	1897, 623	<i>sigmoidea</i>	1895, 11
<i>cinereola</i>	1897, 618	1895, 49
<i>cuprea</i>	1897, 625	<i>Silda truncatalis</i>	1899, 290
<i>eupithecula</i>	1897, 625	<i>Siliqua japonica</i>	1891, 429
<i>furcatula</i>	1897, 624	<i>polita</i>	1891, 435
<i>hydreutis</i>	1897, 621	<i>pulchra</i>	1891, 429
<i>ignotalis</i>	1897, 618	<i>Silis pauxilla</i>	1898, 322
<i>lævigata</i>	1897, 622	<i>tenella</i>	1898, 321
<i>lucidulina</i>	1897, 625	<i>Silurus glanis</i>	1899, 443
<i>maculata</i>	1897, 630	1899, 444
<i>matricula</i>	1897, 629	1899, 501
<i>mediula</i>	1897, 630	1899, 940
<i>mellea</i>	1897, 625	1899, 956
<i>minutula</i>	1897, 625	<i>Sima allaborans</i>	1896, 424
<i>mochlias</i>	1897, 624	<i>atrata</i>	1896, 424
<i>nullula</i>	1897, 625	<i>compressa</i>	1896, 424
<i>ochracea</i>	1897, 625	<i>nigra</i>	1896, 423
<i>opalinula</i>	1897, 625	1896, 424
<i>papuensis</i>	1897, 625	<i>rufonigra</i>	1896, 423
<i>paullula</i>	1897, 625	<i>Simæthis aurofasciana</i>	1891, 529
<i>plagula</i>	1897, 619	1897, 121
<i>platyntis</i>	1897, 613	<i>contubernalis</i>	1897, 120
<i>politula</i>	1897, 625	<i>rimulalis</i>	1891, 529
<i>rhythmica</i>	1897, 624	1897, 120
<i>ritteri</i>	1897, 625	(Chordates) <i>auro-</i>	
<i>rosacea</i>	1897, 623	<i>fasciana</i>	1891, 529

	Page		Page
<i>Simæthis</i> (Chordates)		<i>Simotes fasciolatus</i>	1899, 671
<i>aurofasciana</i>	1897, 121	<i>octolineatus</i>	1892, 506
<i>Simæthistis</i>	1898, 604		1896, 884
	1899, 282		1899, 605
<i>tricolor</i>	1899, 282		1899, 672
	1899, 283	<i>purpurascens</i>	1896, 884
<i>Simena luctifera</i>	1896, 637		1899, 605
<i>Simenia simensis</i>	1899, 535		1899, 671
<i>Simia cephus</i>	1893, 246	<i>signatus</i>	1896, 885
<i>cynosuros</i>	1893, 247		1899, 605
<i>diana</i>	1893, 254		1899, 672
<i>leucampyx</i>	1893, 253	<i>tæniatus</i>	1899, 605
<i>mona</i>	1893, 250		1899, 672
<i>morio</i>	1891, 301	<i>violaceus</i>	1899, 672
	1893, 494	<i>Simplicia inflexalis</i>	1898, 427
<i>nictitans</i>	1893, 246	<i>tibialis</i>	1896, 640
<i>patas</i>	1893, 249	<i>Sinoxylon sex-tubercu-</i>	
<i>petaurista</i>	1893, 244	<i>latum</i>	1898, 329
<i>pygerythra</i>	1893, 249	<i>Sinthusia amata</i>	1895, 559
<i>rubra</i>	1893, 249		1895, 625
	1893, 250	<i>amba</i>	1892, 644
<i>sabæa</i>	1893, 247		1895, 559
<i>satyrus</i>	1891, 301		1895, 625
	1892, 120	<i>amboides</i>	1892, 645
	1893, 435	<i>chandrana</i>	1892, 645
	1893, 494	<i>nasaka</i>	1892, 644
	1894, 532		1895, 559
	1897, 810		1895, 625
<i>Simiskina phalena</i>	1896, 654	<i>virgo</i>	1892, 645
<i>pharyge</i>	1895, 557	<i>Siparocera nobilis</i>	1897, 653
	1895, 569	<i>Siphia hainana</i>	1900, 480
	1895, 570		1900, 481
	1896, 654	<i>pallidipes</i>	1900, 480
<i>solyma</i>	1895, 568		1900, 481
	1896, 651	<i>Siphneus</i>	1897, 698
	1896, 654		1897, 703
<i>Simoccephalus capen-</i>		<i>armandi</i>	1897, 704
<i>sis</i>	1900, 452	<i>fontanieri</i>	1893, 449
<i>guirali</i>	1900, 452	<i>Siphonogaster ægyptia-</i>	
<i>nyassæ</i>	1891, 306	<i>cus</i>	1891, 48
<i>Simochromis</i>	1898, 496		1891, 50
	1899, 99		1891, 174
	1899, 105	<i>millsoni</i>	1891, 48
<i>diagramma</i>	1898, 496		1891, 49
	1899, 105		1891, 50
<i>Simotes annulifer</i>	1893, 524		1891, 51
<i>bicatenatus</i>	1896, 884		1891, 174
	1899, 671	<i>Siphonops annulatus</i> . . .	1895, 412
<i>catenifer</i>	1896, 884	<i>brasiliensis</i>	1895, 412
	1899, 671		1898, 479
<i>cochinchinensis</i> . . .	1899, 671	<i>brevirostris</i>	1895, 405
<i>cruentatus</i>	1896, 885	<i>hardyi</i>	1895, 412
	1899, 605		1900, 414
	1899, 673	<i>indistinctus</i>	1895, 411
<i>cyclurus</i>	1896, 884	<i>interrupta</i>	1895, 412
	1899, 605	<i>kaupii</i>	1895, 411
	1899, 671	<i>mexicanus</i>	1895, 404
<i>dennysi</i>	1896, 884	<i>oligozonus</i>	1895, 410
	1899, 671	<i>paulensis</i>	1894, 643

	Page		Page
<i>Siphonops paulensis</i>	1895, 412	<i>Sistrum fiscellum</i>	1891, 409
<i>proximus</i>	1895, 410	<i>morus</i>	1900, 117
<i>simus</i>	1895, 410	<i>ricinus</i>	1900, 117
<i>syntremus</i>	1895, 405	<i>tuberculatum</i>	1891, 409
<i>thomensis</i>	1895, 405	<i>undatum</i>	1891, 409
<i>Siphonorhynchus insig-</i>		<i>Sisynophorus birman-</i>	
<i>nis</i>	1896, 492	<i>icus</i>	1893, 580
<i>Siphonosphæra tizardi</i> ..	1898, 1022	<i>bowringii</i>	1893, 580
	1898, 1025	<i>chrysomelinus</i>	1893, 581
	1898, 1032	<i>fryi</i>	1893, 581
<i>Siptornis albicapilla</i> ..	1896, 374	<i>maculatus</i>	1893, 580
<i>graminicola</i>	1896, 374	<i>Sitala accepta</i>	1895, 98
<i>humilis</i>	1896, 373		1895, 111
<i>marayniocensis</i>	1896, 323		1895, 127
	1896, 373	<i>amussitata</i>	1895, 112
<i>modesta</i>	1891, 135		1895, 127
<i>ruticilla</i>	1899, 514	<i>angulata</i>	1891, 39
<i>taczanowskii</i>	1896, 323		1892, 468
	1896, 373		1895, 110
<i>wyatti</i>	1896, 374		1895, 111
<i>Sipunculus cumanensis</i> ..	1893, 326	<i>attegia</i>	1891, 39
	1893, 329		1895, 442
	1893, 333	<i>bandongensis</i>	1892, 468
	1898, 469	<i>baritensis</i>	1895, 98
	1899, 57		1895, 112
<i>edulis</i>	1898, 469	<i>busauensis</i>	1895, 111
	1899, 57		1895, 127
<i>funafuti</i>	1898, 470	<i>cara</i>	1895, 111
	1898, 473		1895, 127
<i>indicus</i>	1893, 326	<i>carinifera</i>	1891, 40
	1893, 327		1891, 333
	1893, 328	<i>demissa</i>	1895, 110
	1893, 329		1895, 127
	1893, 332	<i>dulcis</i>	1895, 111
<i>nudus</i>	1893, 327		1895, 127
	1893, 330	<i>everetti</i>	1891, 59
	1893, 332		1891, 46
	1893, 333		1892, 468
<i>rotumanus</i>	1898, 469	<i>gromatica</i>	1891, 40
	1898, 473	<i>haroldi</i>	1895, 442
<i>tessellatus</i>	1893, 327		1895, 448
	1893, 328	<i>homfrayi</i>	1895, 442
	1893, 330		1895, 448
	1893, 332	<i>inæquisculpta</i>	1895, 112
	1893, 333		1895, 127
<i>vastus</i>	1898, 469	<i>infantilis</i>	1895, 91
	1898, 473		1895, 112
<i>Siredon pisciformis</i>	1893, 270		1895, 127
	1893, 273	<i>infula</i>	1891, 39
<i>Siren læcirtina</i>	1895, 707	<i>kjellerupi</i>	1895, 442
<i>Sirinopteryx rufilineata</i> ..	1893, 385	<i>kusana</i>	1891, 23
<i>undulifera</i>	1893, 385		1891, 40
<i>Siriocauta</i>	1899, 194		1891, 46
<i>similialis</i>	1899, 194		1892, 468
<i>Sirthenea stria</i>	1894, 209	<i>lineolata</i>	1892, 468
<i>Sirystes sibilator</i>	1899, 513	<i>orchis</i>	1891, 40
<i>Sistrum chrysostoma</i> ..	1891, 409		1891, 46
<i>elatum</i>	1891, 409		1892, 468

	Page		Page
<i>Sitala orchis</i>	1895, 111	<i>Smeringopus elongatus</i> ..	1894, 519
<i>philippinarum</i>	1892, 468	<i>Smerinthus excacatus</i> ..	1896, 241
<i>recondita</i>	1891, 40		1897, 296
<i>rumbangensis</i>	1895, 127		1898, 80
<i>singularis</i>	1891, 39		1899, 293
	1892, 468	<i>grayi</i>	1898, 432
<i>subbilitata</i>	1891, 23	<i>modestus</i>	1900, 182
	1891, 40	<i>myops</i>	1898, 80
	1895, 442		1898, 81
	1895, 448		1899, 223
<i>tricarinata</i>	1891, 23	<i>ocellatus</i>	1891, 180
	1891, 40		1892, 194
	1895, 448		1893, 279
<i>uvida</i>	1891, 40		1894, 134
<i>Sitalia insularis</i>	1894, 149		1898, 80
	1894, 156		1899, 293
<i>Sithon affinis</i>	1895, 611		1900, 182
<i>antalus</i>	1898, 407	<i>populi</i>	1891, 180
	1899, 811		1892, 194
<i>aurea</i>	1895, 610		1893, 279
<i>chromis</i>	1891, 372		1895, 138
<i>cineas</i>	1895, 615		1896, 241
<i>estella</i>	1895, 614	<i>quercus</i>	1894, 134
<i>freja</i>	1895, 610	<i>tiliae</i>	1891, 180
<i>jalindra</i>	1895, 599		1892, 194
<i>kiana</i>	1895, 595		1894, 134
<i>laphthis</i>	1895, 619		1895, 138
<i>liris</i>	1895, 603		1899, 293
<i>maneia</i>	1895, 615		1900, 182
	1895, 619	<i>Smilorhis sowerbyi</i>	1900, 2
<i>martina</i>	1895, 606		1900, 3
<i>micea</i>	1895, 559	<i>Smithopsis leucopus</i> ..	1897, 334
	1895, 620		1897, 335
<i>moorei</i>	1892, 641	<i>nitela</i>	1897, 317
<i>nedymond</i>	1895, 559		1897, 334
	1895, 620	<i>Smithornis rufo-</i>	
<i>pallida</i>	1895, 610	<i>lateralis</i>	1894, 604
<i>paluana</i>	1895, 606	<i>Solarium atkinsoni</i>	1891, 441
<i>phocides</i>	1891, 372		1891, 445
	1895, 625	<i>discus</i>	1891, 442
<i>ravindrina</i>	1895, 618	<i>laevigatum</i>	1891, 415
<i>scopula</i>	1895, 607	<i>perspectivum</i>	1891, 415
<i>sugriva</i>	1895, 625	<i>(Philippia) hy-</i>	
<i>surindra</i>	1895, 618	<i>bridum</i>	1891, 415
<i>teunga</i>	1895, 608	<i>Solea inscripta</i>	1891, 357
<i>tharis</i>	1895, 618	<i>vulgaris</i>	1894, 423
<i>travana</i>	1895, 602		1894, 432
<i>valida</i>	1895, 620	<i>Solen ceylanicus</i>	1891, 435
<i>Sitotroga cerealella</i>	1896, 278	<i>truncatus</i>	1891, 428
<i>Sittasomus amazonus</i> ..	1896, 375	<i>Solenastrea</i>	1899, 761
<i>erithacus</i>	1899, 513	<i>Solenopsis cephalotes</i> ..	1896, 419
<i>Sivatherium giganteum</i> ..	1891, 321	<i>geminata</i>	1896, 419
	1891, 325	<i>laboriosa</i>	1896, 420
<i>Sivella castra</i>	1895, 442	<i>mandibularis</i>	1896, 419
	1895, 449	<i>Solenothele decem-</i>	
<i>Slabberia halterata</i>	1896, 473	<i>notata</i>	1897, 747
	1897, 816	<i>Solmaris sp.</i>	1896, 460
<i>Smaragdinella viridis</i> ..	1900, 118		1896, 496

	Page		Page
Solmaris sp.	1898, 1023	Spalgis epius	1895, 570
coronantha	1896, 496	nubilus	1895, 557
Solmundella sp.	1898, 1023		1895, 571
.....	1898, 1030	Spanioptila	1897, 148
Solpuga brunripes	1898, 520	spinosum	1897, 148
merope	1898, 520	Spanista pretiosalis ...	1898, 637
semifusca	1898, 520	Sparagnia	1898, 600
sericea	1898, 520	1899, 216
.....	1898, 521	gigantalis	1899, 217
zebrina	1898, 520	obtusalis	1895, 904
.....	1898, 521	Sparassus sp.	1895, 973
Somatania pellucidalis ..	1899, 286	batesi	1899, 877
Somatina lapidata	1893, 359	1899, 878
.....	1893, 434	1899, 879
Sommeria culta	1898, 429	benitensis	1899, 885
Sonagara strigipennis ..	1897, 613	1899, 875
strigosa	1897, 613	1899, 877
superior	1897, 613	1899, 884
vialis	1897, 613	1899, 885
Sophista aristoteles	1893, 42	bicorniger	1898, 519
.....	1893, 45	1898, 524
calendris	1893, 46	rufilatus	1899, 878
Sorex cooperi	1891, 349	1899, 879
minutus	1891, 349	1899, 884
.....	1891, 350	sancti-vincentii ...	1897, 877
murinus	1900, 337	trifurcatus	1899, 878
.....	1900, 874	1899, 885
personatus	1891, 349	(Olios) alluaudi ..	1899, 878
pygmaeus	1891, 349	Sparsus desfontainii ..	1899, 135
similis	1891, 468	galilaeus	1899, 114
vulgaris	1891, 349	Spartocera diffusa	1893, 705
.....	1891, 350	fusca	1893, 705
.....	1892, 315	1894, 178
.....	1896, 568	Sparus chromis	1898, 132
Soriculus caudatus	1891, 350	niloticus	1898, 132
hypsibius	1899, 574	Spatangus brissus late-	
minor	1899, 574	carinatus	1900, 287
nigrescens	1900, 874	1900, 287
Sorygaza didymata	1896, 649	Spatha alata	1891, 310
Sospita neophron	1891, 286	nyassaensis	1891, 310
Sosxetra grata	1896, 647	rubens	1893, 641
Sotalia fluviatilis	1896, 771	Spathilepia clonius	1893, 17
tucuxi	1896, 771	1893, 23
Sozoa costalis	1896, 640	Spathius flavotestaceus ..	1895, 783
Spadella (Krohuia)		Spathomeles elegans ..	1897, 458
hamata	1896, 993	Spathura anne	1896, 323
.....	1896, 996	Spatula clypeata	1900, 961
.....	1898, 544	Spelerpes altamazoni-	
Spalacomimus talpa ..	1900, 45	cus	1898, 479
Spalacomymex feae	1896, 415	bocourti	1898, 478
Spalax	1897, 698	subpalmatus	1898, 478
.....	1897, 701	Speotyto cunicularia ..	1891, 135
typhlus	1892, 472	1892, 387
.....	1894, 356	1892, 408
Spalgis dilama	1895, 570	— nanodes	1892, 388
epius	1895, 557	hypogaea	1892, 387
		Spermestes cucullatus ..	1894, 599
		1894, 601

	Page		Page
<i>Spermestes poensis</i>	1894, 598	<i>Sphæroma lanceolatum</i> .	1900, 558
	1894, 599	<i>obtusa</i>	1900, 550
	1894, 604		1900, 553
	1894, 605	<i>prideauxianum</i>	1900, 553
	1894, 606	<i>quoyana</i>	1900, 550
<i>Spermophila castaneiventris</i>	1896, 349	<i>rugicanda</i>	1900, 553
<i>luctuosa</i>	1896, 349		1900, 557
<i>melanogaster</i>	1899, 510	<i>serratum</i>	1900, 552
<i>simplex</i>	1892, 376		1900, 553
	1892, 397		1900, 556
<i>telasco</i>	1892, 376		1900, 557
	1892, 396	<i>Sphærosoma corvinæ</i> ..	1899, 479
<i>Spermophilus mexicanus</i>	1894, 252	<i>Sphagnodela</i>	1893, 351
<i>Sphadasmus camelus</i> ..	1893, 742	<i>lucida</i>	1893, 351
<i>Sphæripher cornutus</i>	1899, 479		1893, 434
<i>corvinæ</i>	1899, 479	<i>usneata</i>	1893, 351
<i>leydigi</i>	1899, 479	<i>Sphecosoma arcata</i>	1894, 225
	1899, 507	<i>simile</i>	1894, 225
<i>Sphærobis</i>	1893, 710	<i>Sphenarches caffer</i>	1897, 56
<i>gracilis</i>	1893, 705		1897, 57
	1893, 711	<i>synophrys</i>	1897, 57
<i>Sphærocoris annularis</i> ..	1900, 822	<i>Spheniscus demersus</i> ..	1891, 326
<i>annulus</i>	1900, 822		1895, 688
<i>lateritia</i>	1900, 819		1897, 297
<i>multipunctatus</i>	1900, 822		1898, 960
<i>polysticta</i>	1900, 822		1898, 961
<i>punctaria</i>	1900, 822		1898, 985
<i>quadrinotata</i>	1900, 822		1898, 986
<i>testudo-grisea</i>	1900, 822	<i>humboldti</i>	1898, 900
<i>Sphærodactylus copii</i> ..	1891, 352		1898, 981
<i>homolepis</i>	1898, 914	<i>magellanicus</i>	1898, 959
<i>microlepis</i>	1891, 351		1898, 960
	1891, 353		1898, 961
	1891, 354		1898, 977
	1894, 723		1898, 983
<i>Sphæroderma femoratum</i>	1897, 557		1898, 985
<i>hovæ</i>	1897, 558		1898, 986
<i>mashonana</i>	1900, 252		1898, 988
<i>Sphæroidina bulloides</i> ..	1895, 38		1899, 513
	1895, 53	<i>mendiculus</i>	1899, 514
<i>dehiscens</i>	1895, 38		1898, 981
	1895, 53	<i>Sphenodon punctatus</i> ..	1898, 589
<i>murrhyna</i>	1895, 25	(Hatteria) punctatus	1900, 516
<i>Sphæroma calcaria</i>	1900, 553	<i>Sphenolepus cuvieri</i>	1896, 501
<i>curtum</i>	1900, 553		1896, 503
	1900, 557	<i>squamosseus</i>	1896, 501
<i>gigas</i>	1900, 549	<i>Sphenophryne anthonyi</i> .	1898, 476
	1900, 553	<i>ateles</i>	1898, 476
	1900, 554	<i>biroi</i>	1898, 476
	1900, 555	<i>celebensis</i>	1894, 642
	1900, 556		1897, 197
	1900, 558		1897, 202
<i>lanceolatum</i>	1900, 549		1897, 235
	1900, 553		1897, 236
	1900, 554		1897, 237
	1900, 555	<i>cornuta</i>	1898, 476
		<i>loriæ</i>	1898, 476
		<i>monticola</i>	1898, 476

	Page		Page
<i>Sphenophryne variabilis</i>	1897, 197	<i>Sphingomorpha chlorea</i>	1900, 5
	1897, 202		1900, 20
	1897, 235	— <i>monteironis</i>	1900, 971
	1897, 236	<i>monteironis</i>	1896, 264
	1897, 237		1897, 925
	1898, 476		1898, 422
<i>verrucosa</i>	1898, 476	<i>Sphingurus prehensilis</i>	1891, 236
<i>Sphex albicollis</i>	1896, 429		1891, 244
<i>albifrons</i>	1896, 439		1892, 596
<i> analis</i>	1896, 431		1892, 601
<i>argentata</i>	1896, 439		1894, 251
	1896, 440		1894, 257
<i>argentifrons</i>	1896, 439	<i>villosus</i>	1892, 596
<i>aurata</i>	1896, 443		1892, 601
<i>aurifex</i>	1896, 439	<i>Sphinx auratus</i>	1893, 676
<i>aurulenta</i>	1896, 439	<i>carolina</i>	1894, 134
	1896, 450		1895, 138
<i>cærulea</i>	1896, 438		1898, 80
<i>carbonaria</i>	1896, 439		1899, 223
<i>chrysis</i>	1896, 438	<i>celerio</i>	1894, 583
<i>compressa</i>	1896, 441	<i>celeus</i>	1896, 241
<i>diabolica</i>	1896, 440	<i>convolvuli</i>	1894, 134
<i>ephippium</i>	1896, 439		1898, 432
<i>erythropoda</i>	1896, 440	<i>demolini</i>	1898, 432
<i>fabricii</i>	1896, 439	<i>eremita</i>	1893, 279
<i>ferox</i>	1886, 439	<i>funebri</i>	1893, 674
<i>ferruginea</i>	1896, 439	<i>hylas</i>	1893, 674
	1896, 450		1896, 843
<i>fervens</i>	1896, 440	<i>indricus</i>	1896, 268
<i>flavifrons fulvo-</i>			1896, 843
<i>villosa</i>	1896, 430	<i>ligustri</i>	1891, 180
<i>fulvipennis</i>	1896, 435		1892, 194
<i>fulvo-hirta</i>	1896, 439		1893, 279
<i>fumicata</i>	1896, 439		1894, 134
<i>godeffroyi</i>	1896, 439		1895, 138
<i>lepeleteri</i>	1896, 439		1896, 241
<i>lineola</i>	1896, 439		1897, 296
<i>lobata</i>	1896, 438		1898, 80
<i>luteipennis</i>	1896, 440		1899, 293
<i>nigripes</i>	1896, 440		1900, 182
	1896, 459	<i>lucitosa</i>	1898, 80
<i>opulenta</i>	1896, 439		1898, 81
<i>pubescens</i>	1896, 440		1900, 182
<i>rufipennis</i>	1896, 441	<i>oreodaphne</i>	1891, 180
<i>sericea</i>	1896, 439	<i>pinastri</i>	1894, 134
<i>siamensis</i>	1896, 440		1895, 138
<i>smaragdinus</i>	1896, 438		1896, 241
<i>tropica</i>	1896, 450		1897, 296
<i>tuberculata</i>	1896, 440		1899, 293
<i>tyrannica</i>	1896, 440	<i>pyralidiformis</i>	1897, 607
	1896, 459	<i>Sphyræna baracuda</i>	1899, 450
<i>umbrosus</i>	1896, 439	<i>guachancho</i>	1900, 515
	1896, 440	<i>jello</i>	1899, 443
<i>viduatus</i>	1896, 440	<i>vulgaris</i>	1899, 940
<i>violaceus</i>	1896, 438	<i>Sphyrion lævigatum</i>	1899, 489
<i>Sphindus americanus</i>	1898, 328	<i>lumpi</i>	1899, 441
<i>dubius</i>	1898, 328		1899, 489
<i>Sphingomorpha chlorea</i>	1896, 264	<i>Sphyrocoris obliquus</i>	1893, 705
	1896, 529		1894, 170

	Page		Page
<i>Sphyrrotinus bimucro-</i>		<i>Spindasis natalensis</i>	1893, 662
<i>natus</i>	1894, 524	1898, 196	
<i>luculentus</i>	1894, 524	<i>nyassæ</i>	1893, 662
	1897, 862	1894, 569	
<i>Spilodes</i>	1899, 207	1894, 593	
<i>algalis</i>	1899, 208	1896, 123	
<i>granatalis</i>	1899, 209	1896, 852	
<i>nisæcalis</i>	1899, 259	<i>phanes</i>	1897, 849
<i>nitetisalis</i>	1896, 275	<i>somalina</i>	1896, 526
	1899, 257	1898, 370	
<i>tesselalis</i>	1899, 209	1900, 14	
<i>Spilogale pygmæa</i>	1897, 898	<i>waggæ</i>	1898, 370
<i>Spilomela</i>	1898, 597	1898, 372	
<i>fimbriauralis</i>	1898, 669	<i>Spintharus flavidus</i>	1894, 521
<i>ommatalis</i>	1898, 640	<i>Spinus atratus</i>	1896, 353
<i>perspicata</i>	1898, 669	<i>capitalis</i>	1896, 352
<i>podalirialis</i>	1895, 741	<i>ictericus</i>	1899, 352
<i>retinalis</i>	1898, 636	— <i>peruanus</i>	1896, 352
<i>strabonalis</i>	1898, 640	1896, 353	
<i>Spilomicrus vulgaris</i> ..	1895, 802	<i>olivaceus</i>	1896, 323
<i>Spilopera</i>	1893, 402	1896, 353	
<i>debilis</i>	1893, 402	<i>sclateri</i>	1896, 324
<i>umbrata</i>	1893, 403	1896, 353	
<i>Spilornis cheela</i>	1900, 491	<i>Spionades artemides</i> ..	1893, 44
<i>melanotis</i>	1900, 491	1893, 58	
<i>rutherfordi</i>	1900, 491	1893, 59	
<i>Spilosoma arabicum</i> ..	1896, 258	<i>Spiraculum regelsper-</i>	
<i>aureinctum</i>	1896, 847	<i>geri</i>	1891, 340
1896, 850		<i>Spirastrella carnosa</i>	1900, 128
<i>lineata</i>	1894, 584	1900, 134	
<i>purum</i>	1896, 847	<i>decumbens</i>	1900, 135
<i>submacula</i>	1894, 584	— <i>robusta</i>	1900, 128
<i>Spilotes megalolepis</i> ..	1898, 115	1900, 135	
<i>pœcilstoma</i>	1894, 499	1900, 134	
1894, 518		<i>semilunaris</i>	1900, 141
<i>variabilis</i>	1891, 448	<i>Spirillina limbata</i>	1900, 141
	1894, 509	<i>Spiris nigrilinea</i>	1896, 636
	1894, 518	<i>Spiroctenus personatus</i> .	1897, 732
<i>Spilothyrus alceæ</i>	1893, 67	<i>Spiroloculina antillarum</i> .	1895, 8
<i>Spindasis bellatrix</i>	1897, 924	1895, 48	
<i>caffer</i>	1896, 122	<i>arenaria</i>	1895, 9
	1896, 832	1895, 48	
	1898, 195	<i>asperula</i>	1895, 9
	1898, 196	1895, 48	
<i>ella</i>	1898, 195	<i>celata</i>	1895, 11
	1898, 196	<i>fragilissima</i>	1900, 141
	1898, 201	<i>grata</i>	1895, 8
<i>homeyeri</i>	1893, 662	1895, 9	
	1896, 832	1895, 48	
	1898, 195	<i>limbata</i>	1895, 8
	1898, 196	1895, 48	
<i>masilikazi</i>	1894, 54	<i>robusta</i>	1895, 8
	1894, 55	1895, 48	
	1897, 849	<i>Spiroptera turgida</i>	1894, 531
	1898, 195	<i>Spizaetus bellicosus</i>	1895, 687
	1898, 201	1897, 813	
<i>namaquus</i>	1898, 372	<i>coronatus</i>	1897, 813
		<i>nipalensis</i>	1900, 490
		<i>Spizixus cinereicapillus</i> .	1900, 477

	Page		Page
Spizocorys curvirostris .	1895, 471	Stasimopus natalensis ..	1897, 727
personata	1895, 471		1897, 728
Spodiopsar cinerascens .	1900, 463	oculatus	1897, 728
sericans	1900, 463		1897, 729
Spodiornis jardinei	1896, 350		1897, 774
jelskii	1896, 350	rufidens	1897, 727
Spodoptera mauritia ..	1896, 260		1897, 728
Spoladea animalis	1898, 623		1897, 729
avuncularis	1898, 624	Staurois hainanensis ..	1899, 958
exportalis	1898, 623		1899, 962
spilotalis	1898, 624		1900, 886
Spondylus sp.	1891, 434	natator	1899, 959
aculeatus	1891, 393	Stauropus dasychiroides.	1898, 433
	1891, 395		1898, 444
gæderopus	1891, 393	fagi	1900, 856
	1891, 395	Steatocranus	1899, 100
Spongelia sp.	1900, 128		1899, 141
Spongia sp.	1900, 128	gibbiceps	1899, 141
Spongophora sp.	1893, 600		1899, 143
Spongophorus albo-		Steatomys krebsi	1896, 805
fasciatus	1895, 58	pratensis	1893, 503
vexilliferus	1895, 58		1896, 794
Sporophila castanei-			1896, 805
ventris	1896, 349		1897, 936
luctuosa	1896, 349		1898, 393
simplex	1892, 376	Steenstrupia flaveola ..	1896, 464
	1892, 397		1896, 465
	1892, 404	galanthus	1896, 464
	1892, 408	globosa	1896, 466
telasco	1892, 376	owenii	1896, 466
	1892, 405	rubra	1896, 464
Sporothlastes fasciatus .	1895, 466		1896, 465
Spreo shelleyi	1895, 461	(Amphicodon) glo-	
superbus	1895, 461	bosa	1896, 467
Spudæus parvulus	1900, 809	Stegania quadrinotata ..	1896, 647
Squalus acanthus	1899, 499	Steganoptycha altheana.	1897, 127
	1899, 500	flavocellana	1897, 127
Squatrola helvetica ..	1892, 471	Steganura	1895, 464
	1900, 497	Stegodyphus africanus ..	1898, 517
Squatina angelus	1899, 476	bettoni	1898, 517
Squilla chiragra	1898, 34	lineifrons	1898, 516
ciliata	1898, 36		1898, 517
maculata	1898, 37		1898, 524
multituberculata ..	1898, 33	mimosarum	1898, 517
	1898, 38	Stelgidopteryx ruficollis.	1896, 334
polita	1898, 38	Stelis carbonaria	1896, 454
scyllarus	1898, 36	Stellaster belcheri	1900, 294
stylifera	1898, 36	gracilis	1900, 294
Stachyridopsis ruficeps .	1900, 476	incei	1894, 394
Stachyris præcognitus ..	1900, 476		1900, 289
Stantira	1899, 239		1900, 294
variegata	1899, 249	squamosus	1900, 294
Staphylinochrous	1893, 676	Stelletta bacca	1900, 132
whytei	1893, 676	bacillifera	1900, 131
	1893, 684	simplicifurca	1900, 128
Staphylinus procerus ..	1893, 739		1900, 131
Starnocenes cyanocephala.	1891, 194	Stemmatophora demo-	
	1891, 196	nica	1897, 665
Stasimopus caffrus	1897, 727	Stemmops bicolor	1897, 861

	Page		Page
<i>Stemmops concolor</i>	1897, 861	<i>Stenoptilia pumilio</i>	1897, 58
<i>Stemorrhages sericea</i> ..	1893, 684	<i>tenuis</i>	1897, 58
<i>Stenella imbricata</i>	1899, 61	<i>Stenoptycha</i>	1898, 604
<i>Stenia adelalis</i>	1899, 239	<i>cælodactyla</i>	1899, 283
<i>infidalis</i>	1899, 237	<i>erschoffiana</i>	1899, 283
<i>pileipalis</i>	1899, 178	<i>lindigi</i>	1899, 283
<i>præstrictalis</i>	1898, 605	<i>pterophoralis</i>	1899, 283
<i>viperalis</i>	1899, 239	<i>zelleri</i>	1899, 283
<i>Steniodes lutealis</i>	1896, 643	<i>Stenopus hispidus</i>	1898, 1001
<i>Steno plumbeus</i>	1900, 376	1898, 1002
<i>Stenobæa abnormalis</i> ..	1897, 657	1898, 1015
<i>Stenobasis occipitalis</i> ..	1891, 206	1900, 116
<i>Stenocercus roseiventris</i> .	1898, 915	<i>Stenurges floralis</i>	1898, 730
<i>Stenochilo</i>	1895, 950	<i>Stephania picta</i>	1894, 213
<i>canicostalis</i>	1895, 950	<i>Stephanibyx coronata</i> ..	1895, 514
<i>Stenochora</i>	1899, 187	<i>Stephanocidaris bispinosa</i>	1900, 275
<i>Stenodactylus guttatus</i> ..	1895, 643	<i>Stephanophorus cæruleus</i>	1899, 512
.....	1896, 213	<i>Stephanopoides brasili-ana</i>	1896, 1010
<i>mauritanicus</i>	1896, 213	1896, 1012
<i>petrii</i>	1898, 913	<i>Stephanops stylatus</i>	1897, 798
<i>Stenoderma achrado-philum</i>	1894, 133	1897, 799
<i>montserratense</i>	1894, 133	<i>tenellus</i>	1897, 798
<i>nicholli</i>	1894, 133	<i>Stephanostoma (Phascolosoma) hanseni</i> ..	1893, 327
<i>Stenodus leucichthys</i> ..	1895, 300	<i>Steraspis</i> sp.	1900, 25
<i>mackenzii</i>	1895, 300	<i>Stercorarius antarcticus</i> .	1897, 470
.....	1895, 301	<i>chilensis</i>	1892, 400
<i>Stenogyra ascendens</i> ..	1892, 269	<i>crepidatus</i>	1892, 400
<i>compressilabris</i>	1892, 259	1892, 408
<i>panayensis</i>	1892, 460	<i>parasiticus</i>	1891, 486
<i>swettenhami</i>	1891, 337	<i>pomarinus</i>	1892, 400
<i>tehehelensis</i>	1891, 337	1892, 408
(<i>Opeas</i>) <i>terebralis</i> ..	1891, 337	<i>Stereolepis gigas</i>	1897, 917
(<i>Prosopeas</i>) sp.	1895, 443	<i>Stereosoma celebensis</i> ..	1892, 595
(—) <i>achates</i>	1895, 443	<i>Stereosternum tumidum</i>	1897, 312
(—) <i>haughtoni</i> ..	1895, 443	<i>Stericta divitalis</i>	1892, 129
(—) <i>roepstorffi</i> ..	1895, 443	<i>Sterna bergii</i>	1891, 298
(<i>Subulina</i>) <i>tehehelensis</i>	1891, 337	1891, 300
<i>Stenolemus</i> sp.	1894, 211	<i>caspia</i>	1900, 500
<i>Stenoma griseanum</i>	1897, 98	<i>elegans</i>	1892, 400
.....	1897, 99	1892, 406
<i>Stenomeles agavealis</i> ..	1896, 649	1892, 408
<i>Stenoonops</i>	1891, 564	<i>exilis</i>	1892, 400
<i>scabriculus</i>	1891, 565	<i>fuliginosa</i>	1891, 296
<i>Stenophyes</i>	1899, 191	1891, 300
<i>Stenopoda cana</i>	1894, 210	<i>hirundinacea</i>	1892, 400
<i>culiciformis</i>	1893, 706	<i>inca</i>	1892, 396
.....	1894, 210	<i>lunata</i>	1891, 296
<i>Stenops javanicus</i>	1891, 457	1891, 300
<i>Stenopsis æquicaudata</i> ..	1892, 385	<i>maxima</i>	1899, 510
<i>bifasciata</i>	1892, 385	<i>melanauchen</i>	1891, 298
<i>candicans</i>	1899, 511	1891, 300
<i>decussata</i>	1892, 385	1900, 500
.....	1892, 407	<i>panaya</i>	1891, 300
.....	1892, 409	<i>sinensis</i>	1900, 500
<i>platura</i>	1899, 510		
<i>Stenoptilia pumilio</i>	1891, 495		
.....	1891, 542		

	Page		Page
<i>Sterna trudeaui</i>	1891, 373	<i>Stilopyga antillarum</i> ..	1892, 204
<i>Sternarchus tamandua</i> ..	1898, 44		1892, 220
<i>Sternocera funebris</i>	1893, 741	<i>Stilostomella rugosa</i> ..	1894, 649
<i>Sternotherus adansonii</i> ,	1897, 919		1894, 650
	1900, 967		1894, 652
<i>derbianus</i>	1897, 919	<i>Stilpnochlora marginella</i>	1892, 200
	1900, 447		1892, 211
<i>gabonensis</i>	1900, 447		1893, 607
<i>oxyrhinus</i>	1897, 919	<i>Stilpnotia crocipes</i>	1898, 371
<i>sinuatus</i>	1893, 618	<i>Stiphornis</i> sp.	1894, 604
	1894, 85	<i>Stiretrus anchorago</i>	1900, 824
<i>Sternula siuensis</i>	1900, 500	<i>decemguttatus</i>	1900, 822
<i>Steropes bernieri</i>	1896, 52	<i>rubro-maculatus</i> ..	1900, 822
<i>fervus</i>	1896, 49	<i>Stizus prismaticus</i>	1896, 444
<i>malgacha</i>	1896, 48	<i>Stomatorhinus</i>	1898, 780
<i>monochromus</i>	1896, 50		1898, 799
<i>rhadama</i>	1896, 51	<i>microps</i>	1898, 777
<i>tripunctatus</i>	1893, 89		1898, 800
<i>Sterrhantia sacraria</i> ..	1894, 592	<i>walkeri</i>	1898, 799
	1895, 742	<i>Stomias ferox</i>	1898, 564
	1896, 529	<i>Stomotosa dinema</i>	1896, 475
	1898, 371	<i>Stomyles textor</i>	1893, 80
<i>Stethotrix heterogyna</i> ..	1893, 130	<i>Stothis affinis</i>	1891, 552
	1896, 19	<i>cenobita</i>	1891, 552
<i>Stibæra hostilis</i>	1896, 639	<i>Strabax monstrosus</i>	1899, 490
<i>Stibochiona coresia</i>	1891, 273	<i>Strabena smithii</i>	1894, 559
<i>nicea</i>	1891, 273	<i>Strachia munda</i>	1900, 812
<i>Stiboges nymphidia</i>	1891, 288	<i>Strepsiceros imberbis</i> ..	1892, 102
<i>Stichæus punctatus</i>	1899, 505		1892, 118
<i>Stichopathes gracilis</i> ..	1899, 815		1892, 302
	1899, 816		1897, 454
	1899, 817		1898, 586
	1899, 823		1898, 768
<i>setacea</i>	1899, 816	<i>kudu</i>	1900, 83
	1899, 823		1891, 145
<i>Stichoplastus sanguini-</i>			1892, 102
<i>ceps</i>	1898, 892		1892, 118
	1898, 895		1892, 301
<i>Stictophthalma cama-</i>			1894, 145
<i>dera</i>	1891, 271		1896, 798
<i>howqua</i>	1891, 271		1897, 454
<i>louisa</i>	1891, 253		1900, 83
	1891, 271	<i>strepsiceros</i>	1900, 686
<i>Stictopicus nubicus</i>	1895, 492		1898, 768
<i>Stictoptera subaurata</i> ..	1896, 638	<i>Strepsicrates ejectana</i> ..	1891, 507
<i>Stigmatium basipenne</i> ..	1893, 568	<i>smithiana</i>	1891, 506
<i>cicindeloides</i>	1893, 568		1891, 544
<i>dimidiatum</i>	1893, 568		1897, 127
<i>humerale</i>	1893, 568	<i>Strepsilas interpres</i>	1891, 297
<i>mutillæcolor</i>	1893, 568		1891, 299
<i>rufiventre</i>	1893, 568		1891, 300
<i>tapetum</i>	1893, 569		1892, 395
<i>Stigmus congruens</i>	1896, 447		1892, 500
<i>niger</i>	1896, 447		1900, 494
<i>Stilbura caleno</i>	1896, 458	<i>Streptaxis andamanicus</i> .	1895, 443
<i>cyanurum</i>	1896, 458		1895, 450
<i>splendidum</i>	1896, 458	<i>beddomii</i>	1899, 765
<i>Stilochirus rovennensis</i> .	1891, 651		1899, 767
<i>Stilopyga antillarum</i> ...	1892, 199		1899, 770

	Page		Page
<i>Streptaxis blanfordi</i> ..	1895, 443	<i>Strigina glareola</i>	1897, 613
	1895, 450	<i>hyalospila</i>	1897, 613
<i>burmanicus</i>	1899, 765	<i>lineola</i>	1897, 613
<i>canaricus</i>	1899, 766	<i>myrtæa</i>	1892, 129
	1899, 767	<i>ochracea</i>	1897, 613
<i>cingalensis</i>	1899, 768	<i>pyrrhata</i>	1897, 613
<i>compressus</i>	1899, 767	<i>radiata</i>	1897, 618
<i>concinus</i>	1899, 767	<i>scallula</i>	1897, 618
<i>denticulatus</i>	1899, 581	— <i>immaculata</i>	1897, 618
<i>depressa</i>	1894, 146	<i>scitaria</i>	1897, 612
<i>elisa</i>	1894, 147		1897, 613
<i>exacutus</i>	1894, 147	<i>sordida</i>	1897, 613
<i>footei</i>	1899, 767	<i>xanthopera</i>	1897, 612
<i>hanleyanus</i>	1894, 147	<i>Stringops</i>	1899, 9
<i>johnstoni</i>	1899, 581		1899, 12
	1899, 592		1899, 14
<i>kirkii</i>	1891, 310		1899, 18
	1899, 582		1899, 19
	1899, 592		1899, 20
<i>lævis</i>	1899, 765		1899, 39
	1899, 770		1899, 40
<i>layardianus</i>	1899, 768		1899, 41
<i>lemyrei</i>	1891, 330		1899, 42
<i>mirificus</i>	1894, 147		1899, 43
	1894, 156	<i>habroptilus</i>	1893, 508
<i>perrotteti</i>	1899, 767		1893, 509
<i>personatus</i>	1899, 767		1893, 514
<i>pfeifferi</i>	1895, 443		1895, 162
<i>plussensis</i>	1891, 330		1895, 172
<i>pronus</i>	1899, 766		1895, 173
	1899, 767		1896, 236
<i>pusillus</i>	1899, 581		1899, 18
<i>ravanæ</i>	1899, 768		1899, 19
	1899, 770	<i>Strix flammea</i>	1893, 518
<i>roebeleni</i>	1894, 147		1897, 189
	1894, 156		1899, 510
<i>scalptus</i>	1899, 766	— <i>perlata</i>	1892, 399
	1899, 767		1892, 408
	1899, 770	<i>melitensis</i>	1893, 518
<i>siamensis</i>	1894, 146	<i>mexicana</i>	1892, 387
<i>sinuosus</i>	1899, 765	<i>sancti-albani</i>	1893, 518
<i>subacutus</i>	1899, 766		1893, 522
	1899, 767	<i>sauzieri</i>	1892, 544
	1899, 770	<i>Stromateus cinereus</i> ..	1899, 443
<i>watsoni</i>	1899, 765	<i>niger</i>	1899, 442
(<i>Oophana</i>) <i>bulbulus</i>	1894, 148	<i>paru</i>	1899, 446
(—) <i>strangulatus</i>	1894, 148		1899, 470
	1894, 156		1899, 497
<i>Streptopalia deera</i>	1897, 684	<i>Stromatopelma alicapil-</i>	
<i>ustalis</i>	1897, 684	<i>latum</i>	1897, 756
<i>Streptophorus atratus</i> ..	1894, 499		1897, 757
	1894, 518		1899, 838
<i>Streptostele costulata</i> ..	1899, 580	<i>Strombus cancellatus</i> ..	1891, 418
<i>Strigina australina</i>	1897, 613	<i>dentatus</i>	1891, 418
<i>bivittata</i>	1897, 613	<i>elegans</i>	1891, 418
<i>clathrula</i>	1897, 618	<i>floridus</i>	1891, 418
<i>decussata</i>	1897, 613	<i>fusiformis</i>	1891, 419
<i>duplicifimbriata</i> ..	1897, 613	<i>gibberulus</i>	1891, 418
		<i>lubuanus</i>	1891, 418

	Page		Page
<i>Strombus rüppellii</i>	1891, 418	<i>Stylophora palmata</i>	1898, 999
<i>tricornis</i>	1891, 418		1898, 1000
<i>yerburyi</i>	1891, 418	<i>pistillata</i>	1898, 998
	1891, 436	<i>rugosa</i>	1898, 998
<i>Strongylosoma guerinii</i> ..	1892, 28		1898, 1000
<i>pallipes</i>	1892, 28	<i>septata</i>	1898, 996
<i>Strumigenys godeffroyi</i> ..	1896, 420		1898, 1000
<i>lyroessa</i>	1896, 420	<i>Stylophorus hypo-</i>	
<i>Struthidea cinerea</i>	1896, 228	<i>cephalus</i>	1899, 498
<i>Struthio</i>	1899, 11	<i>Stylopora</i>	1899, 157
	1899, 12	<i>Stylopyga antillarum</i> ..	1893, 603
	1899, 40	<i>decorata</i>	1895, 893
	1899, 773	<i>orientalis</i>	1892, 204
<i>australis</i>	1900, 305		1897, 903
<i>camelus</i>	1892, 579		1897, 905
	1895, 401		1897, 906
	1896, 141		1897, 907
	1899, 596		1897, 909
<i>massaicus</i>	1900, 305		1897, 913
<i>molybdophanes</i> ..	1891, 465		1897, 915
	1892, 580		1897, 916
	1893, 613	<i>Stylotella sp.</i>	1900, 128
	1894, 457		1900, 137
	1894, 654	<i>conulosa</i>	1900, 135
	1895, 401	<i>irregularis</i>	1900, 128
	1900, 305		1900, 137
<i>Struthiolithus cherson-</i>			1900, 141
<i>ensis</i>	1893, 240	<i>polymastia</i>	1900, 136
<i>Stugeta bowkeri</i>	1894, 569	<i>Stypholepis</i>	1895, 912
	1897, 850	<i>squamosalis</i>	1895, 912
	1898, 54	<i>Suasa liris</i>	1895, 558
	1899, 418		1895, 603
	1899, 423		1896, 675
<i>marmorea</i>	1894, 569	<i>lisides</i>	1892, 638
<i>Stuhlmannia variabilis</i> ..	1891, 173		1895, 603
<i>Sturnella ludoviciana</i> ..	1896, 228	<i>suessa</i>	1896, 675
<i>Sturnia sinensis</i>	1900, 463	<i>Suastus aditus</i>	1892, 651
<i>Sturnus cineraceus</i>	1900, 463		1893, 76
<i>vulgaris</i>	1897, 297	<i>bipunctus</i>	1893, 76
	1900, 832	<i>divodasa</i>	1893, 67
<i>Sturtzura</i>	1896, 1034	<i>gremius</i>	1893, 71
<i>brisingoides</i>	1896, 1034		1893, 75
	1896, 1035		1893, 76
<i>leptosoma</i>	1896, 1035	<i>minuta</i>	1893, 76
<i>Styloceros muntjac</i>	1900, 371	<i>möllerii</i>	1893, 76
<i>Stylodon pusillus</i>	1896, 586	<i>sala</i>	1893, 76
<i>Stylonichia pustulata</i> ..	1897, 790	<i>subgrisea</i>	1893, 76
<i>Styloniscus</i>	1900, 565	<i>swerga</i>	1893, 76
<i>gracilis</i>	1900, 564	<i>Subernia sp.</i>	1899, 61
<i>longistylis</i>	1900, 564		1899, 63
<i>magellanicus</i>	1900, 564	<i>Suberogorgia verri-</i>	
	1900, 566	<i>culata</i>	1899, 46
<i>Stylophora compressa</i> ..	1898, 997		1899, 53
	1898, 1000	<i>Sublegatus brevirostris</i> ..	1896, 365
<i>digitata</i>	1898, 996	<i>griseocularis</i>	1896, 365
	1898, 997	<i>platyrhynchus</i>	1896, 365
<i>flabellata</i>	1898, 996	<i>Subrita abrostolella</i> ..	1899, 291
<i>lobata</i>	1898, 999	<i>basigerella</i>	1899, 291
	1898, 1000	<i>bilineatella</i>	1899, 291

	Page		Page
<i>Subrita circulella</i>	1899, 291	<i>Sunetta menstrualis</i>	1891, 423
<i>curviferella</i>	1899, 291	<i>subquadrata</i>	1891, 422
<i>latifasciella</i>	1899, 291	<i>vaginalis</i>	1891, 422
<i>metaspilella</i>	1899, 291	<i>Surattha albipennis</i>	1895, 965
<i>parvella</i>	1899, 291	<i>eremialis</i>	1895, 973
<i>Subulina chiradzuluensis</i>	1899, 588	<i>fuscilella</i>	1895, 966
<i>haughtoni</i>	1891, 337	<i>investalis</i>	1895, 965
<i>pinguis</i>	1899, 589	<i>neotropicalis</i>	1895, 965
<i>roepstorfi</i>	1891, 337	<i>penteucha</i>	1895, 966
<i>suberenata</i>	1899, 588	<i>scitulella</i>	1895, 965
<i>Succinea</i> sp.	1899, 589	<i>termia</i>	1895, 965
<i>bensoniana</i>	1892, 269	<i>Surendra palowna</i>	1895, 558
<i>ceylonica</i>	1895, 443		1895, 588
<i>picta</i>	1892, 269	<i>quercetorum</i>	1892, 628
<i>sanctæ-helenæ</i>	1892, 269	<i>Suricata tetradactyla</i> ..	1896, 989
<i>Sudis atlanticus</i>	1898, 563	<i>Sus africanus</i>	1897, 363
<i>Sufetula</i>	1898, 594	<i>ahænobarbus</i>	1893, 496
<i>diminutalis</i>	1898, 613	<i>barbatus</i>	1892, 227
<i>hemiphthalma</i> ..	1898, 614		1893, 496
<i>macropalpa</i>	1898, 613		1897, 359
<i>rectifascialis</i>	1898, 614		1897, 360
<i>sunidesalis</i>	1898, 613	<i>chaeroides</i>	1896, 976
	1898, 614	<i>cristatus</i>	1900, 375
<i>Sula</i>	1898, 83	<i>guineensis</i>	1897, 361
	1898, 85	<i>hysudricus</i>	1896, 976
	1898, 86	<i>indicus</i>	1900, 375
	1898, 89	<i>larvatus</i>	1897, 363
	1898, 90		1897, 367
	1898, 91	<i>longirostris</i>	1893, 496
	1898, 93	<i>palæochærus</i>	1896, 976
	1898, 94	<i>penicillatus</i>	1897, 361
	1898, 95	<i>philippinensis</i>	1900, 302
	1898, 96	<i>porcus</i>	1897, 361
	1898, 97	<i>scrofa</i>	1897, 359
	1898, 98		1897, 360
	1898, 99	<i>verrucosus</i>	1893, 496
	1899, 780		1897, 359
	1899, 781		1897, 360
	1899, 782	<i>vittatus</i>	1893, 496
	1899, 784		1897, 359
<i>cyanops</i>	1891, 293		1897, 360
	1891, 294	<i>Sutonocrea incertus</i>	1896, 636
	1891, 300	<i>Sutoria sutoria</i>	1900, 471
<i>fusca</i>	1900, 492	<i>Sutroa rostrata</i>	1892, 355
<i>leucogaster</i>	1891, 293	<i>Syagrus antennatus</i>	1900, 231
	1891, 294	<i>calcaratus</i>	1897, 543
	1891, 300		1898, 237
	1898, 101	<i>corrosicollis</i>	1898, 236
<i>piscatrix</i>	1891, 293	<i>marshalli</i>	1898, 236
	1891, 294	<i>mashonanus</i>	1897, 544
	1891, 300		1898, 236
<i>sula</i>	1900, 492	<i>nigrostriatus</i>	1897, 543
<i>variegata</i>	1892, 399	<i>opacus</i>	1900, 231
<i>Sunetta alicie</i>	1891, 422	<i>rugicollis</i>	1897, 544
<i>contempta</i>	1891, 422	<i>rugifrons</i>	1900, 231
<i>cumingii</i>	1891, 423	<i>stratipennis</i>	1897, 543
<i>excavata</i>	1891, 422	<i>Sybilis glaucopidella</i> ..	1891, 532
<i>menstrualis</i>	1891, 422		1897, 113
		<i>Sycalis arvensis</i>	1892, 377

	Page		Page
<i>Sycalis arvensis lutei-</i>		<i>Sylepta expansalis</i>	1898, 717
<i>ventris</i>	1892, 377	<i>fabiusalis</i>	1898, 717
<i>aureiventris</i>	1892, 407	<i>fraterna</i>	1898, 714
<i>chloris</i>	1891, 133	<i>fuscomarginalis</i> ..	1898, 722
<i>flaveola</i>	1892, 398	<i>gastralis</i>	1898, 720
<i>lutea</i>	1896, 351	<i>gordialis</i>	1898, 713
<i>luteiventris</i>	1899, 515	<i>gorgonalis</i>	1898, 717
<i>raimondi</i>	1896, 351	<i>hecalialis</i>	1898, 369
<i>uropygialis</i>	1892, 377	<i>hecitalis</i>	1898, 722
<i>Sychesia fimbria</i>	1892, 397	<i>homomorpha</i>	1898, 713
<i>hartmanni</i>	1896, 351	<i>hyalescens</i>	1898, 722
<i>janeira</i>	1896, 637	<i>idmonalis</i>	1898, 719
<i>Sycobrotus emini</i>	1892, 280	<i>inferior</i>	1898, 717
<i>Sylepta</i>	1896, 636	<i>insignis</i>	1898, 724
<i>abyssalis</i>	1892, 280	<i>internitalis</i>	1898, 719
<i>acetesalis</i>	1895, 468	<i>iopasalis</i>	1898, 369
<i>adductalis</i>	1898, 595	<i>iopasalis</i>	1898, 723
<i>æchmisalis</i>	1898, 712	<i>iopasalis</i>	1892, 129
<i>albipunctata</i>	1898, 718	<i>iopasalis</i>	1898, 722
<i>amando</i>	1898, 717	<i>iophanes</i>	1898, 722
<i>amissalis</i>	1898, 714	<i>lacticalis</i>	1898, 720
<i>angulifera</i>	1898, 722	<i>lactiguttalis</i>	1898, 715
<i>angustalis</i>	1898, 723	<i>leucodontia</i>	1898, 713
<i>arctalis</i>	1898, 721	<i>limata</i>	1898, 717
<i>aurantiacalis</i>	1898, 720	<i>luctuosalis</i>	1898, 715
<i>balteata</i>	1898, 714	<i>lunalis</i>	1898, 714
<i>belialis</i>	1898, 718	<i>machinalis</i>	1898, 724
<i>bipartalis</i>	1898, 718	<i>maculalis</i>	1898, 718
<i>bipunctalis</i>	1898, 717	<i>magna</i>	1898, 723
<i>carbatinalis</i>	1898, 721	<i>matutinalis</i>	1898, 723
<i>cephalis</i>	1898, 721	<i>megastigmalis</i>	1898, 723
<i>ceresalis</i>	1898, 716	<i>mesoleucalis</i>	1898, 724
<i>chalybifascia</i>	1898, 719	<i>mnemusalis</i>	1898, 720
<i>chromalis</i>	1898, 715	<i>multilinealis</i>	1898, 722
<i>citrinalis</i>	1898, 722	<i>mysissalis</i>	1898, 722
<i>clements</i>	1898, 716	<i>nasonalis</i>	1898, 724
<i>coelivitta</i>	1898, 761	<i>nigriflava</i>	1898, 722
<i>cohæsalis</i>	1898, 725	<i>nigriscriptalis</i>	1898, 725
<i>cometa</i>	1898, 713	<i>ningpoalis</i>	1898, 716
<i>concatenalis</i>	1898, 719	<i>obliquifascialis</i>	1898, 715
<i>contigualis</i>	1898, 716	<i>obscuralis</i>	1898, 722
<i>costalis</i>	1898, 714	<i>ochrifusalis</i>	1898, 721
<i>crotonalis</i>	1898, 720	<i>ochrotozona</i>	1898, 724
<i>curiusalis</i>	1898, 713	<i>ogalis</i>	1898, 723
<i>cyanea</i>	1898, 725	<i>onophasalis</i>	1898, 723
<i>deficiens</i>	1898, 724	<i>orbiferalis</i>	1898, 715
<i>denticulata</i>	1898, 713	<i>ovalis</i>	1898, 715
<i>derogata</i>	1898, 722	<i>pactolalis</i>	1896, 641
<i>diophtalis</i>	1898, 725	<i>patagialis</i>	1898, 723
<i>dissipatalis</i>	1898, 723	<i>paucistrialis</i>	1898, 716
<i>elathealis</i>	1898, 723	<i>pellucida</i>	1898, 717
<i>elevata</i>	1898, 369	<i>penumbralis</i>	1898, 721
<i>elevata</i>	1898, 722	<i>pernitescens</i>	1898, 719
		<i>phileatalis</i>	1898, 720
		<i>picalis</i>	1898, 719
		<i>plumifera</i>	1898, 761
			1898, 712

	Page		Page
<i>Sylepta plumifera</i>	1898, 761	<i>Symbrenthia niphanda</i>	1891, 282
<i>pogonodes</i>	1898, 718	<i>Symetha pandu</i>	1892, 617
<i>polydonta</i>	1898, 721	<i>Symitha nolalella</i>	1899, 291
<i>pronaxalis</i>	1898, 719	<i>Symmerista dentata</i>	1892, 335
<i>prumnides</i>	1898, 723	<i>myconos</i>	1892, 336
<i>purpuralis</i>	1898, 723	<i>procne</i>	1892, 336
<i>purpurascens</i>	1898, 714	<i>tethys</i>	1892, 336
<i>pyranthes</i>	1898, 715	<i>Symphyllia</i>	1899, 159
<i>quadrimaculalis</i>	1898, 724	<i>sinuosa</i>	1899, 738
<i>reginalis</i>	1898, 718	<i>sinuosa</i>	1899, 738
<i>rhyparialis</i>	1898, 722	<i>sinuosa</i>	1899, 764
<i>ridopalis</i>	1898, 714	<i>Symphylus deplanatus</i>	1893, 705
<i>ruralis</i>	1898, 721	<i>sinuosa</i>	1894, 170
<i>sabinusalis</i>	1898, 721	<i>Symphysa</i>	1898, 594
<i>sarronalis</i>	1898, 715	<i>sinuosa</i>	1898, 609
<i>scinialis</i>	1898, 720	<i>amcenalis</i>	1898, 610
<i>scopulalis</i>	1898, 713	<i>eripalis</i>	1898, 610
<i>scripturalis</i>	1898, 717	<i>suphuralis</i>	1898, 609
<i>secta</i>	1898, 717	<i>suphuralis</i>	1898, 610
<i>segnalis</i>	1898, 715	<i>Sympis subunita</i>	1892, 128
<i>sellalis</i>	1898, 712	<i>Synallaxis brunnei-</i>	
<i>sellalis</i>	1898, 720	<i>cauda</i>	1896, 372
<i>silicalis</i>	1898, 720	<i>cabanisi</i>	1896, 372
<i>sinmialis</i>	1898, 723	<i>elegantior</i>	1896, 372
<i>solilucis</i>	1898, 719	<i>flammulata</i>	1896, 373
<i>solilucis</i>	1898, 761	<i>frontalis</i>	1896, 372
<i>straminea</i>	1898, 722	<i>gularis</i>	1896, 372
<i>striginervialis</i>	1898, 721	<i>humilis</i>	1896, 373
<i>subalbidalis</i>	1898, 723	<i>modesta</i>	1892, 405
<i>textalis</i>	1898, 714	<i>palpebralis</i>	1896, 371
<i>tibialis</i>	1898, 717	<i>pudibunda</i>	1892, 402
<i>torsipex</i>	1898, 715	<i>rufiventris</i>	1896, 372
<i>torsipex</i>	1898, 761	<i>Synapta godeffroyi</i>	1898, 835
<i>tricolor</i>	1898, 715	<i>godeffroyi</i>	1898, 847
<i>ultimalis</i>	1898, 722	<i>kefersteini</i>	1898, 835
<i>venustalis</i>	1898, 722	<i>kefersteini</i>	1898, 847
<i>verecunda</i>	1898, 720	<i>kefersteini</i>	1898, 848
<i>Syllepis</i>	1898, 598	<i>ooplax</i>	1898, 835
<i>marialis</i>	1898, 754	<i>ooplax</i>	1898, 848
<i>marialis</i>	1898, 755	<i>Synchlœ anomala</i>	1898, 380
<i>Syllythria</i>	1899, 252	<i>glauconome</i>	1896, 248
<i>conradti</i>	1899, 274	<i>glauconome</i>	1896, 256
<i>metallica</i>	1899, 263	<i>glauconome</i>	1896, 523
<i>Sylvania canadensis</i>	1896, 332	<i>glauconome</i>	1896, 536
<i>Sylvia bidehensis</i>	1892, 542	<i>glauconome</i>	1897, 777
<i>cinerea</i>	1892, 471	<i>glauconome</i>	1898, 371
<i>cinerea</i>	1896, 311	<i>glauconome</i>	1899, 418
<i>curruca</i>	1891, 628	<i>glauconome</i>	1899, 425
<i>curruca</i>	1892, 471	<i>hellica</i>	1897, 854
<i>nisoria</i>	1892, 542	<i>iranica</i>	1899, 812
<i>nisoria</i>	1892, 543	<i>johnstonii</i>	1894, 579
<i>rubrigastra</i>	1896, 361	<i>johnstonii</i>	1895, 736
<i>sylvia</i>	1896, 311	<i>johnstonii</i>	1900, 937
<i>Sylvicapra grimmii</i>	1892, 414	<i>Synchromia</i>	1899, 252
<i>Sylviella micrura</i>	1895, 482	<i>coccinealis</i>	1899, 264
<i>Sylvietta micrura</i>	1895, 482	<i>Synclera fenestralis</i>	1898, 651
<i>Symbranchus marmoratus</i>	1898, 492	<i>nemoralis</i>	1898, 664
		<i>Syncopta tincta</i>	1894, 603

	Page		Page
<i>Syncrasis flavifrons</i> . . .	1895, 786	<i>Synodontis serratus</i> . . .	1896, 220
<i>Syndicastis heteromima</i> .	1899, 286	<i>smithii</i>	1896, 222
<i>Synemosyna smithii</i> . .	1893, 692	<i>zambesensis</i>	1893, 619
	1893, 704		1894, 90
<i>Synestius caliginis</i> . . .	1899, 446	<i>Synophis bicolor</i>	1898, 115
<i>Syntheres prehensilis</i> .	1894, 357	<i>miops</i>	1898, 115
(<i>Cercolabes</i>) <i>mexi-</i>			1898, 126
<i>canus</i>	1895, 703	<i>Synopias flavipes</i>	1895, 802
<i>Syngamia</i>	1898, 596	<i>Syntarucus</i>	1900, 929
	1898, 643	<i>telicanus</i>	1900, 929
<i>abjungalis</i>	1898, 645	<i>Synthliborhamphus</i>	
<i>abruptalis</i>	1898, 442	<i>antiquus</i>	1896, 544
	1898, 645	<i>Syntomactis cervinella</i> .	1897, 104
<i>ampliatalis</i>	1898, 646	<i>Syntomis ceres</i>	1893, 674
<i>ancidalis</i>	1898, 644		1896, 135
<i>aquaticalis</i>	1898, 646	<i>fantasia</i>	1895, 739
<i>camillusalis</i>	1898, 646	<i>kuhlweini</i>	1893, 674
<i>cassidalis</i>	1898, 644	<i>tomasina</i>	1897, 693
<i>cognatalis</i>	1898, 644	<i>Syntrichura ceres</i>	1893, 283
<i>deformalis</i>	1898, 644	<i>doeri</i>	1892, 276
<i>dentilinealis</i>	1898, 645	<i>Syoplia africanus</i>	1900, 265
	1898, 761	<i>javanensis</i>	1900, 265
<i>falsidicalis</i>	1898, 645	<i>Syrichthus abscondita</i> .	1896, 25
<i>fervidalis</i>	1898, 645	<i>ali</i>	1896, 25
<i>flabellalis</i>	1898, 643	<i>asterodia</i>	1896, 24
<i>florella</i>	1898, 644	<i>ferox</i>	1896, 23
<i>floridalis</i>	1898, 643	<i>luzæ</i>	1896, 25
	1898, 644	<i>onopordi</i>	1896, 26
<i>hæmorrhoidalis</i> . .	1898, 645	<i>spio</i>	1896, 23
<i>latifusalis</i>	1898, 646	<i>vindex</i>	1896, 22
<i>latimarginalis</i>	1898, 645	<i>Syrnium nuchale</i>	1894, 600
<i>marmorata</i>	1898, 646	<i>umbrinum</i>	1900, 599
<i>merionealis</i>	1898, 644	<i>uralense</i>	1900, 429
<i>octavialis</i>	1898, 644	<i>woodfordi</i>	1900, 599
<i>pepitalis</i>	1898, 644	<i>Syrphus amissas</i>	1893, 134
<i>rubrocinctalis</i>	1898, 644	<i>antiphates</i>	1893, 134
<i>secutalis</i>	1898, 644	<i>iridipennis</i>	1893, 134
<i>tiphalis</i>	1898, 644	<i>peas</i>	1893, 134
<i>tytiusalis</i>	1898, 646	<i>radaca</i>	1893, 134
<i>vibiusalis</i>	1898, 645	<i>ribesii</i>	1893, 136
<i>violata</i>	1898, 645	<i>stolo</i>	1893, 134
<i>violescentalis</i>	1898, 646	<i>subchalybeus</i>	1893, 159
<i>xanthalis</i>	1898, 644	<i>tarsalis</i>	1893, 134
<i>Syngnathus acus</i>	1899, 940	<i>Syrrhopus areolatus</i> . . .	1898, 122
	1899, 956		1898, 126
<i>Syngonorthus</i>	1892, 130		1898, 477
<i>subpunctatus</i>	1892, 130	<i>Syscia typhla</i>	1896, 413
	1892, 133	<i>Syssphinx basirei</i>	1892, 289
<i>Synodontis</i>	1899, 718	<i>Systole amygdalis</i>	1893, 130
<i>clarias</i>	1900, 514		1896, 94
<i>gambiensis</i>	1900, 514	<i>Tabanus</i> sp.	1900, 972
<i>geledensis</i>	1896, 220	<i>biguttatus</i>	1900, 972
<i>multipunctatus</i>	1898, 497	<i>dorsivitta</i>	1900, 971
<i>ocellifer</i>	1900, 514	<i>leucaspis</i>	1900, 8
<i>punctulatus</i>	1896, 223	<i>Tabidia</i>	1898, 594
<i>schal</i>	1896, 218		1898, 624
	1896, 221	<i>aculealis</i>	1898, 624
	1900, 969		

	Page		Page
<i>Tabidia candidalis</i>	1898, 624	<i>Tænioptera dominicana</i> .	1899, 514
<i>craterodes</i>	1898, 624	<i>Tæniopyga sylvina</i> . . .	1898, 58
<i>insanalis</i>	1898, 624	<i>Tæniura cylindricus</i> . . .	1896, 1035
<i>truncatalis</i>	1898, 624	<i>melanospila</i>	1892, 136
	1898, 761	<i>Tagiades alica</i>	1893, 54
<i>Tabraca aurimargo</i>	1896, 10	<i>atticus</i>	1892, 655
<i>Tachornis infumata</i>	1900, 486		1893, 54
<i>parva</i>	1895, 503		1900, 510
<i>Tachybaptus</i>	1899, 1022	<i>caligana</i>	1893, 54
<i>capensis</i>	1895, 515	<i>clericus</i>	1893, 54
<i>fluviatilis</i>	1896, 542	<i>dannatti</i>	1896, 17
	1900, 500	<i>dealbata</i>	1892, 655
<i>Tachycineta albiventris</i> .	1896, 333	<i>decoratus</i>	1892, 655
<i>Tachydromus fordii</i>	1900, 449	<i>distans</i>	1893, 54
<i>formosanus</i>	1894, 724	<i>elmina</i>	1896, 14
<i>holsti</i>	1894, 724	<i>flesus</i>	1893, 54
	1894, 733		1893, 131
<i>septentrionalis</i>	1899, 161		1893, 558
	1899, 162		1893, 668
<i>sexlineatus</i>	1899, 161		1895, 264
	1899, 644		1895, 720
<i>tachydromoides</i>	1899, 161		1896, 16
<i>Tachyeres cinerea</i>	1897, 467		1896, 17
<i>Tachymenis nototenia</i> . . .	1891, 307		1896, 129
<i>Tachyoryctes</i>	1897, 698		1896, 841
	1897, 708		1898, 56
<i>annectens</i>	1897, 720	<i>gana</i>	1893, 54
<i>splendens</i>	1897, 704	<i>hereus</i>	1896, 16
	1897, 720	<i>homeyeri</i>	1896, 16
	1898, 766	<i>insularis</i>	1893, 54
	1900, 83		1894, 80
	1900, 179		1896, 17
— <i>ibeanus</i>	1900, 179	<i>japetus</i>	1893, 43
	1900, 180		1893, 53
— <i>typicus</i>	1900, 179		1893, 54
<i>Tachyphonus coronatus</i> .	1899, 513	<i>khassiana</i>	1892, 654
	1899, 516		1893, 54
<i>cristatus</i>	1899, 516	<i>lacteus</i>	1896, 16
<i>melaleucus</i>	1899, 511	<i>lavata</i>	1893, 54
	1899, 516	<i>meetana</i>	1893, 54
<i>rufiventris</i>	1896, 345	<i>menaka</i>	1893, 54
<i>Tachyptila desectella</i> . .	1891, 523	<i>multipunctatus</i> . . .	1900, 510
	1891, 546	<i>obscurus</i>	1892, 655
	1897, 82		1893, 54
<i>Tachyris agathina</i>	1894, 346	<i>ophion</i>	1893, 54
<i>bernice</i>	1893, 557	<i>pinwilli</i>	1893, 54
<i>rhodope</i>	1894, 346	<i>pralaya</i>	1892, 655
<i>Tachytes illudens</i>	1896, 443		1893, 54
<i>opulenta</i>	1896, 443	<i>presbyter</i>	1893, 54
<i>Tachytriorchis abbrevi-</i>		<i>ravi</i>	1892, 654
<i>atus</i>	1892, 399		1893, 54
	1892, 408	<i>samborana</i>	1896, 17
	1892, 409	<i>smithii</i>	1896, 17
<i>Tadorna cana</i>	1896, 982	<i>tabrica</i>	1893, 54
<i>Tæda prasina</i>	1896, 845	<i>trichoneura</i>	1892, 655
	1896, 850		1893, 54
<i>Tæniaster spinosus</i>	1896, 1035	<i>tripura</i>	1892, 656
<i>Tæniocampa subsocia</i> . .	1896, 637	<i>woermanni</i>	1896, 12

	Page		Page
<i>Tagora corax</i>	1893, 298	<i>Talaus oblitus</i>	1899, 532
<i>Tajuria berensis</i>	1896, 651	<i>Talegalla lathamii</i>	1896, 982
	1896, 674	<i>Talicauda arruana</i>	1892, 436
	1896, 683	<i>cleotas</i>	1891, 358
<i>blanka</i>	1896, 651		1892, 436
	1896, 673		1892, 437
	1896, 674	<i>excellens</i>	1892, 434
<i>cato</i>	1895, 558		1892, 436
	1895, 601		1892, 437
	1895, 627	<i>mindora</i>	1892, 436
<i>celeoboides</i>	1895, 600		1895, 576
<i>cyrus</i>	1895, 558	<i>nyseus</i>	1892, 436
	1895, 600		1892, 624
	1895, 627	<i>Talides cerymica</i>	1893, 122
<i>dacia</i>	1896, 651	<i>chiomara</i>	1893, 122
	1896, 674	<i>eudega</i>	1893, 122
	1896, 683	<i>sergestus</i>	1893, 94
<i>diaeus</i>	1896, 674		1893, 122
	1896, 675	<i>sinon</i>	1893, 122
<i>dominus</i>	1895, 558	<i>Talima carmen</i>	1892, 321
	1895, 600	<i>Talis acanthophorus</i>	1895, 969
	1895, 627	<i>afra</i>	1895, 969
	1896, 673	<i>arenella</i>	1895, 969
<i>donatana</i>	1895, 558	<i>argentosus</i>	1895, 968
	1896, 602	<i>argyroelis</i>	1895, 968
	1896, 674	<i>asterias</i>	1895, 968
<i>indra</i>	1896, 673	<i>aurantiacus</i>	1895, 968
<i>isæus</i>	1895, 558	<i>bifracellus</i>	1895, 968
	1895, 598	<i>bivitellus</i>	1895, 967
	1895, 601	<i>dilatatalis</i>	1895, 969
	1896, 673	<i>floricolens</i>	1895, 968
<i>jalindra</i>	1895, 558	<i>grammellus</i>	1895, 968
	1895, 599	<i>hoplitellus</i>	1895, 969
	1896, 672	<i>hydrophila</i>	1895, 968
<i>jangala</i>	1892, 638	<i>impletellus</i>	1895, 968
	1895, 602	<i>invalidellus</i>	1895, 969
<i>longinus</i>	1895, 558	<i>leucophthalma</i>	1895, 968
	1895, 599	<i>longipalpellus</i>	1895, 969
<i>maculatus</i>	1895, 558	<i>milvellus</i>	1895, 967
	1895, 599	<i>opulentus</i>	1895, 969
<i>mantra</i>	1895, 558	<i>panselenellus</i>	1895, 969
	1895, 600	<i>pedionoma</i>	1895, 968
	1895, 601	<i>perlatalis</i>	1895, 968
	1896, 673	<i>pleniferellus</i>	1895, 968
<i>melastigma</i>	1895, 600	<i>pulcherrimus</i>	1895, 969
<i>relata</i>	1892, 637	<i>quercellus</i>	1895, 969
	1895, 601	<i>recurvellus</i>	1895, 968
	1896, 673	<i>relatalis</i>	1895, 969
<i>thyia</i>	1896, 674	<i>subfumalis</i>	1895, 968
<i>travana</i>	1895, 558	<i>Talorchestia scutigerula</i>	1900, 518
	1895, 602	<i>Talpa</i>	1899, 559
<i>tussis</i>	1895, 558	<i>europæa</i>	1892, 314
	1895, 601		1894, 356
	1895, 627		1895, 703
<i>valentia</i>	1896, 673		1899, 431
<i>Talanga delectalis</i>	1898, 743		1900, 393
<i>sexpunctalis</i>	1892, 129	<i>longirostris</i>	1899, 575
<i>Talaus oblitus</i>	1899, 526	<i>tyrrhenaica</i>	1891, 468

	Page		Page
<i>Talpa wogura</i>	1894, 356	<i>Tanoropsis flavinata</i>	1895, 269
	1898, 771	<i>Tansima verma</i>	1900, 505
<i>Tamandua</i>	1899, 154	<i>Tantalus albicollis</i>	1892, 392
	1899, 991	<i>griseus</i>	1892, 392
	1899, 1017	<i>ibis</i>	1897, 189
<i>tetradactyla</i>	1893, 589	<i>leucocephalus</i>	1897, 469
	1893, 591		1900, 493
	1899, 315	<i>loculator</i>	1900, 304
	1899, 991	<i>melanopis</i>	1892, 390
(Myrmecophaga)			1892, 391
<i>tetradactyla</i>	1894, 355	<i>melanops</i>	1892, 391
<i>Tamarrha gelidella</i>	1891, 528	<i>Tanygnathus</i>	1899, 34
	1891, 546		1899, 35
	1897, 55		1899, 36
	1897, 91		1899, 45
	1897, 114	<i>megalorhynchus</i> ..	1899, 34
<i>nivosella</i>	1891, 528		1899, 35
	1897, 114	<i>Tanypleurus alaicornis</i> ..	1899, 496
<i>Tamias asiaticus</i>	1892, 315	<i>Tanyptera laufella</i>	1896, 83
	1897, 418	<i>Tapas araneosus</i>	1891, 425
<i>striatus</i>	1892, 315		1891, 435
<i>Tamiasciurus hud-</i>		<i>deshayesii</i>	1891, 424
<i>sonicus</i>	1897, 933	<i>gratus</i>	1891, 425
<i>Tamphana marmorea</i> ..	1892, 325	<i>inflata</i>	1891, 424
<i>Tamusida vittalis</i>	1899, 291	<i>lentiginosus</i>	1891, 424
<i>Tamyra cuprina</i>	1897, 647	<i>malabaricus</i>	1891, 424
<i>ignitalis</i>	1897, 646	<i>obscuratus</i>	1891, 424
	1897, 647		1891, 425
<i>penicillana</i>	1897, 647	<i>quadriradiatus</i>	1891, 425
<i>physophora</i>	1897, 648	<i>sulcarius</i>	1891, 424
<i>splendens</i>	1897, 641	<i>virgineus</i>	1891, 424
<i>Tamyris zealeucus</i>	1893, 11	<i>Tapena agni</i>	1892, 659
<i>Tamyrodes papulalis</i> ..	1897, 647		1893, 44
<i>Tanagra albirostris</i>	1896, 353		1893, 60
<i>coelestis</i>	1896, 343	<i>laxmi</i>	1892, 659
— <i>major</i>	1896, 343	<i>thwaitesi</i>	1892, 659
<i>cycanocephala</i>	1892, 398		1893, 44
	1892, 407		1893, 60
	1892, 409	<i>Taphius</i>	1897, 531
	1896, 344	<i>flavus</i>	1897, 531
<i>darwini</i>	1892, 375	<i>Taphozous</i>	1898, 58
	1892, 407		1898, 77
	1896, 344	<i>affinis</i>	1893, 495
<i>ornata</i>	1899, 513		1900, 350
<i>palmarum</i>	1899, 513	<i>australis</i>	1897, 320
	1899, 515	<i>longimanus</i>	1893, 495
	1899, 516		1900, 349
— <i>melanoptera</i> ..	1896, 343	— <i>albipinnis</i>	1900, 349
<i>rubra</i>	1892, 396	<i>mauritanus</i>	1898, 77
<i>striata</i>	1896, 228	<i>melanopogon</i>	1893, 495
<i>Tanaotrichia</i>	1893, 360		1900, 347
<i>trilineata</i>	1893, 361		1900, 348
	1893, 434		1900, 349
<i>Tanaphysa</i>	1899, 191	<i>nudiventris</i>	1894, 449
<i>Tanaura sublutalis</i>	1896, 641	<i>perforatus</i>	1895, 547
<i>Tangia angustata</i>	1895, 59		1900, 99
<i>Tangidia</i>	1895, 59	<i>saccolæmus</i>	1900, 350
<i>alternata</i>	1895, 60	<i>Tapinauchenius latipes</i> ..	1896, 745

	Page		Page
Tapinauchenius plumipes	1896, 744	Taraka hamada	1892, 621
	1898, 891		1895, 557
	1898, 898		1895, 571
reduncus	1896, 745		1900, 507
sancti-vincenti	1891, 553	mahanetra	1892, 621
	1896, 745	Tarantula santarensis	1896, 779
	1896, 746	Tarasides pictus	1892, 96
	1896, 766	Tarbophis guentheri	1895, 637
	1898, 898		1895, 656
Tapinoma albipes	1896, 411		1895, 657
albitarse	1896, 411		1895, 659
gracilescens	1896, 409		1895, 663
melanocephalum	1896, 411	obtusa	1895, 656
	1896, 412		1895, 657
(Formica)obscurans	1896, 412		1895, 658
Tapinophis	1899, 164	rhinopoma	1895, 656
latouchii	1899, 164		1895, 657
	1899, 172	semiannulatus	1897, 801
Tapirus	1900, 156	Tarchon minois	1892, 325
americanus	1892, 174	trilunda	1896, 647
	1895, 1	Tarentola andrenivora	1898, 488
dowi	1895, 1	ephippiata	1896, 213
indicus	1892, 541	mauritanica	1892, 11
	1893, 496		1895, 638
	1900, 368	— deserti	1892, 11
	1900, 882	nemorialis	1898, 488
malayanus	1900, 368	pulverulenta	1898, 488
Tarache sp.	1898, 421	Tarsiger orientalis	1900, 608
admota	1898, 421	Tarsius spectrum	1893, 494
ardoris	1898, 420		1894, 359
caffraria	1900, 18		1899, 988
flavonigra	1896, 261	Tarsocera	1898, 903
insocia	1894, 588	cassina	1898, 903
notabilis	1896, 261	Tarsoctenus	1893, 17
porphyrea	1898, 420		1893, 21
secta	1894, 588	corytas	1893, 21
tropica	1894, 588		1893, 131
	1898, 420	gaudialis	1893, 21
upsilon	1894, 588	papias	1893, 21
	1898, 420		1893, 131
varia	1896, 261	plutia	1893, 17
Taractrocera ardonia	1893, 94		1893, 21
celæno	1893, 94	præcia	1893, 21
ceramas	1893, 94	pyramus	1893, 21
	1893, 95	Tarsolepis fulgurifera	1891, 258
coras	1893, 95		1898, 364
danna	1893, 94		1900, 199
flaccus	1893, 94	cybaris	1897, 844
flavovittata	1893, 94	louisæ	1898, 370
mævius	1893, 90		1898, 371
	1893, 94	monops	1898, 364
	1893, 131	plinius	1891, 357
nicevillei	1893, 94		1891, 369
	1893, 95		1892, 435
nigrolimbatus	1893, 94		1892, 445
papyria	1893, 94		1892, 628
sagara	1893, 94		1895, 558
Taragama acaciæ	1896, 276		1895, 586

	Page		Page
<i>Tarucus plinius</i>	1896, 119	<i>Tatusia peba</i>	1899, 991
	1896, 244	<i>pilosa</i>	1894, 655
	1896, 256	<i>septemcincta</i>	1894, 307
	1896, 828	<i>Tauba venosella</i>	1895, 973
	1896, 852	<i>Tauroscopis gorgopis</i> ..	1895, 972
	1897, 693	<i>Taurotragus oreas liv-</i>	
	1897, 844	<i>ingstonii</i>	1893, 507
	1898, 54	<i>Taxidea americana</i>	1894, 358
	1898, 404	<i>taxus berlandieri</i> ..	1897, 899
	1898, 826	— <i>neglecta</i>	1897, 899
	1899, 421	— <i>typica</i>	1897, 899
	1899, 967	<i>Taxila egeon</i>	1891, 289
	1900, 508	<i>fasciata</i>	1891, 287
<i>pseudocassius</i>	1892, 445	<i>fylla</i>	1891, 287
<i>pulcher</i>	1891, 369	<i>haquinus fasciata</i> ..	1891, 287
	1893, 556	<i>orphna</i>	1891, 287
	1894, 343	<i>tanita</i>	1891, 287
	1895, 733	<i>telesia</i>	1891, 287
	1896, 244	<i>thuisto</i>	1891, 287
	1896, 256	<i>Technitella melo</i>	1895, 12
<i>sybaris</i>	1898, 372		1895, 49
	1898, 907	<i>raphanus</i>	1895, 12
<i>telicanus</i>	1891, 369		1895, 49
	1900, 929	<i>Technomyrmex albipes</i> .	1896, 411
<i>theophrastus</i>	1895, 585	<i>bicolor</i>	1896, 411
	1896, 244	<i>Tecoma australis</i>	1897, 858
	1896, 256	<i>Tectocoris affinis</i>	1900, 822
	1896, 525	<i>binotata</i>	1900, 822
	1897, 693	<i>gambæ</i>	1900, 822
	1897, 844	<i>hardwickii</i>	1900, 819
	1897, 924	<i>interrupta</i>	1900, 819
	1898, 370	<i>javana</i>	1900, 822
	1898, 372	<i>lineola</i>	1900, 822
	1898, 380	<i>nepalensis</i>	1900, 822
	1898, 907	<i>oblonga</i>	1900, 819
	1899, 811	<i>obscura</i>	1900, 822
	1900, 929	<i>purpurascens</i>	1900, 819
<i>waterstradti</i>	1895, 558	<i>Tefflus delegorguei</i>	1893, 748
	1895, 585	<i>violaceus</i>	1893, 748
	1895, 626	<i>Tegostoma</i>	1898, 602
<i>Taseopteryx sericea</i>	1895, 974		1899, 277
<i>Tathorhynchus vinctale</i> .	1896, 260	<i>baphialis</i>	1899, 277
<i>Tatura buxtoni</i>	1896, 123	<i>bipartalis</i>	1896, 274
<i>cæculus</i>	1893, 661		1899, 278
	1896, 123	<i>comparalis</i>	1896, 274
	1898, 370		1899, 277
<i>mimosa</i>	1898, 370	<i>dinichealis</i>	1899, 278
<i>pachalica</i>	1894, 343	<i>disparalis</i>	1899, 277
<i>philippus</i>	1894, 569	<i>flavida</i>	1899, 278
	1896, 526	<i>florilegaria</i>	1899, 278
	1898, 370	<i>lepida</i>	1899, 278
<i>umbrosa</i>	1896, 526	<i>mcschleri</i>	1899, 277
<i>Tatusia</i>	1899, 991-1017	<i>monocerialis</i>	1899, 278
<i>sp.</i>	1899, 991	<i>pentodontalis</i>	1899, 278
<i>novemcincta</i>	1894, 307	<i>pudicalis</i>	1899, 278
	1894, 516	<i>subditalis</i>	1899, 277
<i>peba</i>	1892, 362	<i>Teinorhinus</i>	1893, 71
	1899, 315		1893, 78
	1899, 316		

	Page		Page
<i>Teinorhinus watsoni</i> ..	1893, 71	<i>Telenomus connectans</i> ..	1895, 792
	1893, 78	<i>consimilis</i>	1895, 791
	1896, 40		1895, 796
	1896, 103	<i>convergens</i>	1895, 791
<i>Telchinia nero</i>	1896, 116		1895, 795
<i>perrupta</i>	1894, 566	<i>flaviventris</i>	1895, 790
	1893, 656		1895, 795
	1898, 400	<i>fuscicornis</i>	1895, 790
<i>Telea angulifera</i>	1891, 179		1895, 794
	1893, 279	<i>grenadensis</i>	1895, 790
<i>polyphemus</i>	1891, 179		1895, 791
	1892, 194		1895, 792
	1893, 279	<i>latifrons</i>	1895, 790
	1894, 134		1895, 793
	1895, 137	<i>longiclavatus</i>	1895, 790
	1896, 241		1895, 792
	1897, 296	<i>luteipes</i>	1895, 790
	1898, 80		1895, 793
	1899, 293	<i>magniclavus</i>	1895, 791
	1900, 181		1895, 796
<i>promethea</i>	1891, 179	<i>megacephalus</i>	1895, 790
	1892, 194		1895, 793
	1893, 279	<i>nigriclavatus</i>	1895, 790
	1894, 134		1895, 794
	1895, 137	<i>scaber</i>	1895, 790
	1896, 241		1895, 793
	1897, 296	<i>Teleonemia sacchari</i> ..	1893, 706
	1898, 80		1894, 202
	1899, 293	<i>Telephonus blanfordi</i> .	1895, 479
	1900, 181	<i>erythropterus</i>	1895, 479
<i>Telegonus alardus</i>	1893, 26	<i>jamesi</i>	1895, 479
	1898, 366	<i>senegalus</i>	1900, 2
<i>anaphus</i>	1893, 17	<i>Telephorus præustus</i> ..	1898, 321
	1893, 25	<i>viridanus</i>	1892, 88
	1893, 26	<i>Telesto argenteo-</i>	
	1896, 519	<i>ornatus</i>	1893, 74
<i>anausis</i>	1896, 519	<i>atromacula</i>	1893, 74
<i>apastus</i>	1893, 26	<i>compacta</i>	1893, 74
<i>centrites</i>	1893, 26	<i>doclea</i>	1893, 73
<i>christyi</i>	1898, 366	<i>donnysa</i>	1893, 74
<i>creteus</i>	1893, 26	<i>doubledayii</i>	1893, 74
<i>elorus</i>	1893, 26	<i>ecclipsis</i>	1893, 74
<i>habana</i>	1893, 26	<i>flammeata</i>	1893, 74
	1898, 366	<i>ismene</i>	1893, 74
<i>meretrix</i>	1893, 26	<i>kochii</i>	1893, 73
<i>parmenides</i>	1893, 26	<i>perronii</i>	1893, 71
<i>zestos</i>	1900, 202		1893, 73
<i>Telemiades amphion</i> ..	1893, 27		1893, 131
<i>avitus</i>	1893, 18		1893, 132
	1893, 27	<i>wagi</i>	1896, 90
<i>azines</i>	1893, 27	<i>zaremba</i>	1896, 91
<i>penidas</i>	1893, 27	<i>Teleudrilus ragazzii</i> ...	1891, 173
<i>phasias</i>	1893, 27	<i>Telicota augiades</i>	1893, 103
<i>Telenomus albitarsis</i> ..	1895, 790	<i>augias</i>	1892, 651
	1895, 795		1893, 92
<i>confusus</i>	1895, 791		1893, 102
	1895, 796		1893, 103
<i>connectans</i>	1895, 790	<i>bambusæ</i>	1892, 651

	Page		Page
<i>Telicota bambusæ</i>	1893, 103	<i>Temnurus niger</i>	1900, 464
	1893, 671	<i>schmackeri</i>	1900, 464
	1900, 511	<i>truncatus</i>	1900, 464
<i>brahma</i>	1892, 651	<i>Temora longicornis</i>	1898, 543
<i>eurotas</i>	1893, 103		1898, 546
<i>moseleyi</i>	1893, 103		1898, 547
<i>phineus</i>	1893, 103		1898, 549
<i>siva</i>	1892, 651		1898, 578
<i>Tellinmya subacuminata</i> ..	1891, 442		1898, 580
	1891, 445	<i>Tenebrio molitor</i>	1894, 463
<i>Tellina adenensis</i>	1891, 426	<i>Tennentia philippina-</i>	
<i>angulata</i>	1891, 427	<i>ensis</i>	1891, 34
<i>armata</i>	1891, 426		1896, 244
<i>balaustina</i>	1891, 395	<i>thwaitesi</i>	1895, 244
	1891, 399	<i>Tephрина albipunctata</i> ..	1896, 647
<i>dubia</i>	1891, 427	<i>calalaunaria</i>	1896, 266
<i>fausta</i>	1891, 435	<i>disputaria</i>	1896, 266
<i>isseli</i>	1891, 395		1900, 20
	1891, 399	<i>johnstoni</i>	1893, 683
<i>radiata</i>	1891, 435	<i>observata</i>	1893, 684
<i>rhomboides</i>	1891, 427		1894, 592
<i>woodii</i>	1891, 425	<i>responsaria</i>	1896, 647
(<i>Angulus</i>) <i>aden-</i>		<i>sublimbata</i>	1896, 266
<i>ensis</i>	1891, 426	<i>Tephrocorys ruficeps</i> ..	1895, 471
	1891, 436	<i>Tephrodornis pelvica</i> ..	1900, 470
(—) <i>subpallida</i> ..	1891, 426	<i>Tephrosia dimidiaria</i> ..	1896, 645
	1891, 436	<i>hybernaria</i>	1896, 645
(<i>Macoma</i>) <i>dubia</i> ..	1891, 427	<i>incongruaria</i>	1896, 645
(<i>Metis</i>) <i>edentula</i> ..	1891, 427	<i>ineffectaria</i>	1896, 645
(<i>Phylloda</i>) <i>foliacea</i> ..	1891, 427	<i>responsaria</i>	1896, 645
(<i>Tellinella</i>) <i>inflata</i> ..	1891, 426	<i>Tepilia biluna</i>	1896, 635
(—) <i>madagas-</i>		<i>Teracolus abyssinicus</i> ..	1896, 835
<i>cariensis</i>	1891, 426		1897, 7
(—) <i>sulcata</i>	1891, 425		1898, 408
<i>Telmatherina</i>	1897, 428	<i>acaste</i>	1896, 246
<i>celebensis</i>	1897, 418		1896, 253
	1897, 429		1896, 256
<i>Telmatochromis</i>	1898, 495		1897, 23
	1899, 99	<i>achinc</i>	1891, 98
	1899, 101		1894, 67
<i>temporalis</i>	1898, 495		1896, 127
	1899, 101		1897, 5
	1899, 143		1897, 30
<i>vittatus</i>	1898, 495		1897, 31
	1899, 101		1897, 32
<i>Temenuchus sinensis</i> ..	1900, 463		1897, 33
<i>Temnopleurus bothry-</i>			1897, 853
<i>oides</i>	1894, 395		1898, 910
	1894, 397	— <i>gavisa</i>	1896, 837
	1894, 410	— <i>simplex</i>	1898, 198
<i>granulosus</i>	1894, 410	<i>acte</i>	1897, 852
<i>reynaudi</i>	1894, 397	<i>agoye</i>	1891, 97
	1894, 410		1894, 572
	1900, 274		1896, 535
	1900, 281		1897, 7
<i>toreumaticus</i>	1894, 397		1897, 8
	1900, 274	<i>alberta</i>	1897, 23
	1900, 280	<i>aldabrensis</i>	1898, 381

	Page		Page
<i>Teracolus amatus</i>	1897, 9	<i>Teracolus aurigineus</i> ..	1894, 348
	1897, 10		1894, 572
<i>amelia</i>	1896, 126		1895, 735
	1897, 12		1896, 535
<i>amytis</i>	1897, 29		1896, 834
<i>anax</i>	1893, 664		1896, 835
	1894, 66		1897, 13
	1894, 67		1897, 14
	1896, 126		1897, 693
	1896, 127		1898, 411
	1896, 836		1899, 424
	1896, 852		1900, 935
	1897, 21	— <i>venustus</i>	1896, 834
	1898, 55	<i>aurora</i>	1897, 26
<i>angolensis</i>	1896, 838	<i>auxo</i>	1897, 25
	1897, 27		1897, 26
	1897, 29		1897, 836
<i>annæ</i>	1896, 837		1897, 852
	1897, 17	<i>bacchus</i>	1897, 20
	1897, 22	<i>bettoni</i>	1898, 409
	1897, 24	<i>bifasciatus</i>	1895, 736
	1897, 853		1897, 35
	1898, 187		1897, 36
	1898, 198	<i>bimbura</i>	1897, 27
— <i>wallengreni</i>	1896, 837	<i>bipartitus</i>	1897, 12
<i>ansorgei</i>	1897, 13	<i>bowkeri</i>	1897, 8
	1897, 695	<i>buxtoni</i>	1894, 574
—, var.	1897, 693		1897, 20
<i>antevippe</i>	1891, 98		1897, 21
	1894, 577		1897, 22
	1896, 127		1897, 851
	1896, 247	<i>calais</i>	1894, 349
	1896, 254		1894, 571
	1896, 535		1896, 256
	1897, 31		1896, 257
	1897, 32		1896, 527
	1897, 853		1896, 535
	1898, 198		1897, 5
	1898, 410		1897, 9
	1899, 970		1897, 10
	1900, 934		1897, 924
— <i>subvenosus</i>	1898, 410		1898, 370
	1899, 424		1898, 408
	1899, 970		1899, 424
<i>antigone</i>	1891, 99		1899, 969
	1896, 838		1900, 933
	1897, 35	— <i>dynamene</i>	1896, 245
	1897, 36		1896, 252
	1897, 694		1896, 256
	1897, 852		1899, 811
	1898, 910	<i>callidia</i>	1897, 33
<i>arenicolens</i>	1897, 14		1898, 198
<i>arethusa</i>	1896, 128		1898, 825
	1896, 838		1898, 827
	1897, 29		1899, 970
<i>argillaceus</i>	1897, 12	<i>candidus</i>	1897, 36
<i>arne</i>	1896, 527		1898, 380
	1898, 370		1898, 381

	Page		Page
<i>Teracolus carnifer</i>	1897, 9	<i>Teracolus coniger</i>	1897, 36
<i>carteri</i>	1897, 31	<i>corda</i>	1897, 27
	1897, 32		1897, 28
<i>casimirus</i>	1897, 27	<i>cypræa</i>	1897, 10
<i>castalus</i>	1897, 11	<i>daira</i>	1891, 98
<i>castus</i>	1897, 33		1896, 247
	1897, 693		1896, 254
	1897, 694		1897, 33
<i>catochrysops</i>	1893, 663		1897, 34
	1894, 572		1897, 693
	1896, 535		1897, 694
	1897, 12		1897, 776
	1898, 411		1898, 910
	1898, 827		1899, 812
	1899, 424	<i>dalila</i>	1897, 34
	1899, 971	<i>damarensis</i>	1897, 31
<i>cebrene</i>	1897, 29	<i>danae</i>	1897, 22
<i>celimene</i>	1894, 18	<i>dedecora</i>	1896, 253
	1894, 67		1897, 23
	1897, 11		1897, 776
	1897, 12	<i>deidamioides</i>	1897, 33
	1897, 16	<i>delphine</i>	1897, 27
	1897, 693		1897, 29
	1899, 418	<i>demagore</i>	1897, 25
	1899, 424	<i>dirus</i>	1897, 23
<i>chromiferus</i>	1897, 16	<i>dissociatus</i>	1898, 826
	1897, 17	<i>doubledayi</i>	1893, 663
	1900, 913		1897, 14
	1900, 933	<i>dubius</i>	1897, 11
<i>chrysomela</i>	1897, 14	<i>ducissa</i>	1897, 21
<i>chrysonome</i>	1894, 347	<i>dulcis</i>	1897, 23
	1896, 252	<i>dynamene</i>	1896, 252
	1896, 527		1896, 256
	1896, 535		1896, 257
	1897, 5		1897, 9
	1897, 14		1897, 10
	1897, 776	<i>eborea</i>	1897, 29
	1898, 370	<i>eboreoides</i>	1897, 23
<i>cinctus</i>	1896, 838	<i>eione</i>	1896, 838
	1897, 33		1897, 852
<i>cinerascens</i>	1897, 22	<i>elgonensis</i>	1891, 191
<i>citreus</i>	1894, 575		1891, 194
	1896, 536		1897, 16
	1897, 26		1900, 913
	1898, 406		1900, 933
<i>cœlestis</i>	1896, 253	<i>eliza</i>	1894, 66
	1897, 16		1896, 126
	1898, 411		1897, 21
<i>coliagenes</i>	1897, 7	<i>emini</i>	1896, 851
<i>complexivus</i>	1897, 27		1896, 852
	1897, 28		1897, 35
<i>comptus</i>	1896, 246		1897, 36
	1896, 254	<i>ena</i>	1897, 26
	1897, 35	<i>ephyia</i>	1897, 25
	1897, 36		1897, 30
<i>confusa</i>	1897, 35	<i>epigone</i>	1894, 575
	1897, 36		1895, 263
<i>coniger</i>	1897, 35		1897, 28

	Page		Page
Teracolus eris	1891, 97	Teracolus evippe	1897, 26
	1894, 65		1897, 27
	1894, 348		1897, 28
	1894, 572		1897, 29
	1896, 835		1897, 30
	1897, 7		1897, 31
	1897, 693	evippe-omphale ..	1897, 29
	1897, 851		1897, 30
	1898, 408	exole	1894, 577
	1899, 969		1897, 852
etrida	1897, 26		1898, 198
	1897, 27		1898, 410
eucharis.....	1894, 575	— roxane	1898, 410
	1897, 26	farsinus	1897, 26
eulimene	1897, 24	faustus	1897, 4
	1897, 776		1897, 5
eunoma.....	1897, 16		1897, 7
	1897, 17		1897, 8
eupompe	1896, 246		1897, 9
	1896, 253	flaminia.....	1897, 35
	1896, 256	foliaceus	1894, 573
	1896, 837		1894, 593
	1897, 22		1897, 17
	1897, 23		1897, 18
	1897, 24	friga	1897, 35
	1898, 370		1897, 852
	1900, 14	fulvius	1897, 9
— dedecora	1899, 812	fumidus	1897, 31
evagore	1896, 246		1897, 32
	1896, 248	galathinus	1897, 35
	1896, 253	gaudens.....	1897, 14
	1896, 254	gavisa	1891, 98
	1896, 256		1894, 67
	1897, 4		1896, 127
	1897, 5		1896, 128
	1897, 33		1897, 32
	1897, 34		1898, 198
	1897, 36		1898, 410
	1897, 694		1899, 970
	1897, 852	gelasinus	1891, 98
	1898, 370		1897, 35
— phlegetonia	1898, 910		1897, 36
evanthe.....	1897, 4	glycera	1897, 35
	1897, 26		1897, 36
evarne	1897, 25	guenei	1897, 4
	1897, 26		1897, 24
	1897, 693	hætera	1896, 527
	1898, 370	haevernickii	1897, 31
	1898, 409	halimede	1896, 246
	1898, 827		1896, 253
	1899, 812		1896, 256
evenina.....	1891, 97		1896, 283
	1896, 527		1897, 15
	1896, 535		1898, 411
	1896, 838	— cœlestis	1896, 253
	1897, 33		1896, 256
	1897, 695	halyattes	1897, 30
	1898, 327	hanna	1897, 29

	Page		Page
<i>Teracolus hanningtoni</i> . . .	1894, 349	<i>Teracolus hyperides</i> . . .	1897, 32
	1894, 571		1897, 853
	1896, 126		1898, 910
	1897, 12	<i>ignifer</i>	1894, 349
<i>harmonides</i>	1897, 30		1896, 528
	1897, 31		1897, 30
	1897, 853		1897, 31
<i>heliocaustus</i>	1896, 252		1897, 853
	1896, 536		1898, 370
	1897, 15		1898, 910
	1897, 693	<i>immaculatus</i>	1897, 23
	1898, 370	<i>imperator</i>	1894, 348
	1900, 15		1894, 574
<i>helle</i>	1894, 576		1896, 836
	1894, 577		1897, 20
	1896, 127		1897, 21
	1897, 30		1897, 851
	1897, 32		1898, 408
<i>helvolus</i>	1894, 557		1898, 409
	1894, 558		1898, 825
	1894, 572		1898, 826
	1897, 14	<i>incretus</i>	1894, 349
	1898, 411		1894, 574
	1900, 15		1896, 839
—, var.	1898, 411		1897, 25
<i>hero</i>	1894, 577		1897, 26
	1896, 127		1898, 409
	1897, 31		1899, 424
	1897, 32		1899, 970
	1897, 853		1900, 934
	1898, 910	<i>infumatus</i>	1896, 128
<i>hetæra</i>	1894, 348		1896, 136
	1897, 6		1897, 30
	1897, 17		1898, 187
	1897, 18	<i>inornatus</i>	1897, 33
	1897, 694	<i>intermissus</i>	1897, 11
	1898, 395	<i>interruptus</i>	1891, 98
	1898, 408		1897, 35
	1897, 693		1897, 36
<i>heuglini</i>	1897, 694	<i>ione</i>	1894, 65
	1898, 409		1896, 836
— <i>thruppi</i>	1897, 693		1896, 837
<i>hildebrandti</i>	1894, 350		1897, 18
	1895, 735		1897, 19
	1896, 837		1897, 20
	1896, 851		1897, 21
	1896, 852		1897, 851
	1897, 23		1898, 55
	1897, 24	<i>isauri</i>	1897, 693
	1898, 198		1898, 198
<i>hippocrene</i>	1894, 575	<i>iterata</i>	1897, 695
	1897, 30	<i>ithonus</i>	1897, 30
	1897, 31		1897, 31
<i>hybridus</i>	1897, 27		1897, 853
	1897, 28		1898, 55
	1897, 852		1898, 910
<i>hyperides</i>	1896, 127	— <i>ignifer</i>	1898, 55
	1897, 30	<i>jacksoni</i>	1896, 535

	Page		Page
Teracolus jacksoni	1897, 34	Teracolus microcale....	1896, 838
	1897, 694		1897, 25
	1898, 409		1897, 29
jalone	1896, 127	miles	1894, 574
	1896, 837		1895, 735
	1897, 17		1896, 527
	1897, 18		1896, 535
	1897, 19		1897, 23
	1897, 20	minans	1894, 349
jamesii	1896, 246		1894, 577
	1896, 254		1896, 536
	1897, 35		1897, 5
	1897, 36		1897, 35
jobina.....	1896, 527		1897, 36
	1897, 19	miriani	1896, 245
	1897, 851		1896, 256
johnstoni	1894, 572	modestus	1897, 9
	1897, 7	mutans	1893, 663
	1897, 851		1896, 108
	1898, 909		1896, 126
keiskamma	1895, 735		1896, 834
	1897, 25		1897, 12
	1897, 836		1897, 13
	1897, 852		1897, 695
kennedii	1897, 9		1897, 853
lais.....	1897, 32		1898, 55
laura	1897, 31		1898, 412
	1897, 32		1899, 971
leo	1894, 350	natalensis	1897, 851
	1896, 246	niveus	1897, 4
	1896, 253		1897, 5
	1896, 528		1897, 36
	1896, 536		1898, 380
	1897, 15		1898, 381
	1897, 16	nothus	1897, 16
	1897, 777	nouna	1894, 558
	1898, 395		1894, 575
	1898, 411		1896, 246
liagore	1897, 25		1896, 247
	1897, 776		1896, 248
	1899, 812		1896, 528
limbatus	1897, 26		1897, 4
	1897, 27		1897, 36
loandicus	1897, 27		1897, 694
	1897, 29		1897, 852
lorti	1896, 527		1899, 812
	1897, 18	ocale	1896, 838
	1898, 371		1897, 29
lucullus.....	1895, 736	ocellatus	1896, 252
	1897, 35		1896, 535
	1897, 36		1897, 10
ludovicicæ	1897, 693	ochreipennis	1896, 252
	1897, 694		1897, 10
			1897, 11
lyæus.....	1897, 35	odysseus	1896, 838
lycoris	1897, 35		1897, 34
maimuna	1897, 851		1897, 35
mananhari.....	1897, 4		1897, 36
	1897, 16		

	Page		Page
Teracolus odysseus	1897, 694	Teracolus phisadia	1896, 252
omphale	1893, 664		1896, 256
	1894, 348		1896, 283
	1894, 576		1897, 10
	1894, 577		1897, 15
	1896, 535		1897, 694
	1896, 852		1897, 776
	1897, 27		1897, 924
	1897, 28		1899, 811
	1897, 29	— arne	1896, 252
	1897, 852	phlegetonia	1891, 99
	1898, 55		1896, 838
	1898, 370		1897, 5
	1898, 410		1897, 35
	1898, 825		1897, 36
	1898, 902		1897, 852
	1898, 910		1898, 903
	1898, 911		1898, 910
	1900, 15	phlegyas	1893, 664
	1900, 934		1894, 348
omphale-theogone .	1897, 29		1894, 574
omphaloides	1897, 27		1896, 127
	1897, 28		1896, 535
	1897, 852		1896, 836
opalescens	1894, 572		1897, 20
	1894, 573		1897, 21
	1896, 108		1897, 22
	1896, 125		1897, 851
	1896, 835		1898, 409
	1896, 851		1898, 909
	1896, 852	phoenius	1894, 349
	1897, 851		1894, 574
	1899, 970		1896, 535
opalinus	1897, 7		1897, 23
oriens	1897, 8	pholoë	1897, 11
pallene	1897, 33		1897, 12
	1897, 34	pleione	1896, 245
	1898, 187		1896, 248
	1898, 902		1896, 256
	1898, 910		1896, 283
	1898, 911		1897, 6
pallens	1897, 26		1897, 14
palliseri	1897, 9		1897, 15
pellus	1897, 11	præclarus	1897, 11
pernotatus	1897, 27	proene	1894, 576
phillipsii	1894, 348		1896, 838
	1894, 574		1897, 29
	1894, 575	protomedia	1894, 558
	1896, 246		1894, 572
	1896, 253		1896, 248
	1896, 528		1896, 256
	1896, 536		1896, 283
	1897, 26		1896, 527
	1897, 924		1896, 535
	1898, 370		1897, 12
	1898, 822		1897, 693
	1900, 15		1897, 776
phisadia	1896, 245		1898, 371

	Page		Page
Teracolus protomedia ..	1898, 412	Teracolus saxeus	1897, 36
	1898, 822		1897, 694
	1898, 827	siga	1897, 4
	1899, 971		1897, 24
	1900, 15	simplex	1891, 98
protractus	1897, 5		1897, 30
	1897, 10		1897, 31
pseudacaste	1897, 23		1897, 776
	1897, 693		1897, 853
	1898, 370	sipylus	1896, 127
	1898, 410		1896, 536
	1900, 934		1896, 838
pseudevanthe	1897, 26		1896, 852
pseudocale	1897, 27		1897, 31
	1897, 28		1897, 33
	1897, 29		1897, 695
puellaris	1897, 10		1898, 55
	1897, 11	solaris	1897, 8
	1897, 694	speciosus	1896, 837
puniceus	1894, 573		1897, 18
	1894, 593		1897, 19
	1896, 527		1897, 20
	1897, 17	subfasciatus	1891, 61
	1897, 18		1891, 96
	1897, 694		1896, 835
	1898, 395		1896, 851
	1898, 408		1896, 852
	1900, 934		1897, 6
purus	1897, 27	subfumosus	1896, 838
pyrrhopterus	1894, 575		1897, 35
	1894, 593	subroseus	1897, 23
	1897, 27	subvenosus	1892, 664
	1897, 29		1894, 576
ramaquebana	1897, 35		1894, 577
regina	1891, 97		1896, 127
	1894, 66		1896, 536
	1894, 67		1897, 31
	1894, 574		1897, 32
	1896, 126	suffusus	1897, 29
	1896, 127	surya	1897, 9
	1896, 836	swinhoei	1896, 254
	1897, 6		1897, 33
	1897, 18		1897, 694
	1897, 21	syrtinus	1894, 574
	1898, 55		1894, 575
rhodesinus	1893, 663		1897, 25
	1893, 684		1897, 26
	1896, 126		1898, 409
	1897, 12		1898, 827
rorus	1897, 10	taplini	1897, 22
	1897, 11	theogone	1891, 99
rosaceus	1897, 8		1893, 664
roxane	1897, 852		1894, 575
sanguinalis	1897, 22		1896, 527
saxeus	1896, 246		1896, 838
	1896, 254		1897, 24
	1896, 256		1897, 28
	1897, 35		1897, 29

	Page		Page
Teracolus theogone	1897, 852	Teracolus yerburii	1896, 246
theogone-omphale	1897, 28		1896, 247
theopompe	1897, 23		1896, 248
thruppi	1894, 558		1896, 254
	1894, 577		1896, 256
	1897, 34		1896, 283
	1897, 694		1897, 33
	1898, 370		1897, 34
	1898, 409		1897, 694
titea	1894, 575	zephyrus	1897, 8
	1897, 26	zera	1894, 576
topha	1897, 25		1894, 577
	1897, 836		1897, 31
	1897, 852	zoe	1897, 4
trimeni	1897, 30		1897, 16
	1897, 32	Teracotona roseata	1894, 584
	1898, 198	submacula rhodo-	
tripuncta	1897, 9	phaea	1894, 584
velleda	1896, 834	Teras sp.	1898, 383
	1897, 12	connexana	1891, 499
venata	1898, 395		1897, 134
venosus	1897, 15	jamaicana	1891, 497
	1898, 411		1897, 133
venustus	1896, 834	repandana	1897, 134
	1897, 14	restitutana	1891, 499
vesta	1893, 663		1897, 134
	1896, 126	rostrana	1891, 499
	1896, 834		1897, 134
	1897, 12	Terastia	1898, 601
	1897, 13		1899, 181
	1897, 14	egialealis	1899, 182
	1897, 693	margaritis	1899, 182
	1897, 695	meticulosalis	1899, 182
	1897, 853	procelalis	1899, 182
vestalis	1896, 252	subjectalis	1899, 182
	1897, 11	Terastiodes	1899, 215
	1897, 694	Teratodes depressus . . .	1891, 553
vi	1896, 245	Teratomorpha hamp-	
	1896, 252	soni	1897, 664
	1896, 256	Teratoscincus scin-	
	1896, 257	cus	1891, 629
	1897, 8	Terebra decorata	1891, 403
vulnerata	1897, 26	duplicata	1891, 403
walkeri	1897, 22	lamarekii	1891, 403
wallengrenii	1897, 22	ligata	1891, 403
	1897, 24	tessellata	1891, 403
	1898, 198	(Impages) cærules-	
xanthevarne	1894, 574	cens	1891, 403
	1897, 26	Terekia cinerea	1900, 497
xanthus	1896, 838	Torenura maculata . . .	1899, 515
	1897, 34	Terias abyssinicus . . .	1896, 125
	1897, 35	æsiopæ	1900, 508
	1897, 36	æthiopica	1894, 62
	1897, 693		1894, 63
	1898, 410		1898, 197
	1898, 827		1898, 909
	1900, 934	albula	1896, 518
— comptus	1899, 970	bisinuata	1896, 534
— metagone	1899, 970		1898, 909

	Page		Page
<i>Terias boisduvaliana</i> ..	1894, 571	<i>Terias marshalli</i>	1897, 857
	1900, 932		1898, 55
<i>brenda</i>	1894, 571		1898, 197
	1895, 735	<i>messalina</i>	1900, 933
<i>brigitte</i>	1891, 94	<i>orientalis</i>	1900, 200
	1894, 344		1896, 852
	1894, 570	<i>orientis</i>	1893, 663
	1896, 526		1894, 344
	1897, 850		1894, 571
	1897, 851		1898, 197
	1898, 197	<i>palmyra</i>	1896, 518
	1898, 909	<i>punctinotata</i>	1895, 633
— <i>zoe</i>	1898, 55		1895, 634
	1898, 407	<i>regularis</i>	1891, 95
	1900, 932		1893, 663
<i>butleri</i>	1891, 95		1894, 63
	1893, 663		1894, 571
	1894, 62		1895, 720
	1894, 63		1895, 734
	1898, 197		1896, 125
	1898, 909		1896, 534
<i>candace</i>	1897, 693		1896, 834
	1897, 851		1896, 852
<i>candida</i>	1900, 933		1897, 850
<i>ceres</i>	1894, 571		1900, 933
	1896, 526	<i>senegalensis</i>	1893, 557
	1898, 370		1895, 735
<i>chalconiæta</i>	1895, 263		1896, 125
	1896, 125		1898, 197
	1896, 245		1898, 408
	1896, 256		1898, 909
<i>desjardinsii</i>	1891, 95	— <i>bisinuata</i>	1898, 408
	1894, 571		1899, 424
	1895, 633		1899, 969
	1895, 734		1899, 978
	1896, 125	<i>suasa</i>	1898, 909
	1897, 851		1900, 508
<i>deva</i>	1896, 518	<i>zoë</i>	1891, 94
<i>dina</i>	1900, 200		1893, 663
<i>eris</i>	1896, 125		1894, 62
	1896, 126		1894, 344
<i>ethiopica</i>	1894, 571		1894, 557
<i>floricola</i>	1891, 95		1894, 570
	1894, 63		1895, 734
	1898, 909		1896, 526
<i>formosa</i>	1894, 571		1896, 534
<i>hapale</i>	1898, 909		1896, 852
	1900, 14		1897, 693
— <i>æthiopica</i>	1898, 55		1897, 850
	1898, 197		1898, 407
<i>harina</i>	1900, 508		1900, 932
<i>hecabe</i>	1894, 63		1900, 933
<i>leonis</i>	1896, 834	<i>Tericogonia terissa</i>	1898, 365
	1896, 852	<i>Terina fulva</i>	1898, 419
<i>limbia</i>	1896, 518	<i>tenuis</i>	1898, 419
<i>lydia</i>	1896, 517	<i>Terinos clarissa</i>	1891, 273
	1896, 518	<i>robertsia</i>	1891, 273
<i>marshalli</i>	1897, 850	<i>teuthras</i>	1891, 273

	Page		Page
Teriomima aslauga	1900, 913	Testudo pardalis	1894, 85
	1900, 924	platynota	1896, 782
	1900, 925	radiata	1899, 908
frefa	1898, 402	sauzieri	1892, 666
hildegarda	1894, 58	soumeirei	1892, 666
	1896, 120	triserrata	1891, 4
	1898, 402		1891, 5
	1900, 925		1892, 666
pallida	1899, 965	vicina	1898, 587
	1900, 925	Tethya affinis	1900, 128
puella	1894, 59		1900, 133
subpunctata	1898, 402		1900, 141
Terpna opalina	1893, 349	ingalli	1900, 128
	1893, 434		1900, 132
Terpnidia nelearia	1892, 131		1900, 133
Terpone sylvicultor	1892, 414	japonica	1900, 134
Terpsiphone cristata ..	1894, 602	merguiensis	1900, 132
	1895, 490	seychellensis	1900, 128
	1900, 609		1900, 133
emini	1895, 491	Tetilla bacca	1900, 128
melanogastra	1895, 490		1900, 132
nigriceps	1894, 602	dactyloidea	1900, 132
	1894, 606	ternatensis	1900, 128
perspicillata	1895, 491		1900, 132
princeps	1900, 481	Tetracerus quadricornis .	1896, 988
Tesseractoma cuprea	1900, 820		1900, 686
javanica	1900, 817	Tetracio inaequaria	1896, 646
papillosa	1900, 817	Tetraclita porosa viridis.	1900, 795
	1900, 823		1900, 796
proxima	1900, 817		1900, 799
	1900, 823	Tetragnatha antillana ..	1897, 868
taurus	1900, 820	argyra	1897, 870
Testudo chilensis	1896, 314	boydi	1898, 389
daudini	1896, 608		1898, 391
	1897, 810	clavigera	1899, 861
elephantina	1894, 595	elongata	1897, 869
elongata	1896, 782	piscatoria	1897, 869
	1899, 600	quinelineata	1897, 871
	1899, 602	taylori	1898, 389
	1899, 616	tenuipes	1897, 870
	1899, 617	tenuissima	1897, 872
emys	1896, 860	vicina	1897, 869
	1899, 602	Tetragonophthalma	
	1899, 616	phylla	1899, 862
ephippium	1898, 587	stuhlmanni	1898, 518
forstenii	1897, 195	Tetragonopterus alosa ..	1893, 338
	1897, 197	ternetzi	1895, 528
	1897, 203	ulreyi	1895, 529
galapagensis	1898, 245	Tetralanguria splendens.	1892, 84
gigantea	1892, 581	Tetralia cavimana	1900, 591
grandidieri	1892, 581	glaberrima	1900, 569
	1893, 532		1900, 570
ibera	1892, 11		1900, 591
indica	1892, 666		1900, 744
inepta	1892, 666	nigrifrons	1900, 591
marginata	1899, 908		1900, 744
microtympnum ..	1891, 4	Tetramerocera	1895, 778
	1891, 5	variabilis	1895, 778

	Page		Page
<i>Tetramorium caespitum</i>	1891, 641	<i>Textularia quadrilatera</i>	1895, 24
— <i>meridionale</i>	1891, 642	<i>rugosa</i>	1900, 141
<i>obesum</i>	1891, 641	<i>sagittula</i>	1895, 18
<i>pacificum</i>	1891, 650	— <i>fistulosa</i>	1895, 50
<i>tortuosum</i>	1896, 419	— <i>deyrollei</i>	1895, 19
<i>transversarium</i>	1896, 418	— <i>polyxena</i>	1895, 50
(<i>Xiphomyrmex</i>) <i>pi-</i>		<i>Thais cerisyi</i>	1891, 180
<i>losum</i>	1896, 418	—	1895, 138
(—) <i>tortuosum</i>	1896, 418	—	1896, 241
<i>Tetrao tetrao</i>	1896, 311	—	1897, 296
<i>tetrix</i>	1893, 616	—	1898, 80
—	1896, 311	—	1899, 293
<i>Tetraonyx affinis</i>	1896, 858	—	1900, 181
—	1896, 859	—	1892, 194
<i>Tetraphana alipes</i>	1895, 903	—	1891, 180
<i>daphne</i>	1895, 903	—	1892, 194
<i>Tetraponera atrata</i>	1896, 424	—	1893, 279
<i>Tetrapriocera longi-</i>		—	1894, 134
<i>cornis</i>	1898, 329	—	1898, 80
<i>swartzi</i>	1898, 329	—	1899, 293
<i>Tetraschistus</i>	1897, 639	—	1900, 181
—	1897, 679	<i>Thalamita admete</i>	1900, 569
<i>major</i>	1897, 679	— <i>edwardsi</i>	1900, 579
<i>tinctalis</i>	1897, 679	—	1900, 568
<i>Tetridia</i>	1898, 600	— <i>crenata</i>	1900, 579
—	1899, 195	—	1900, 720
<i>caletoralis</i>	1899, 195	—	1900, 748
—	1899, 196	—	1900, 749
<i>Tetroda histeroides</i>	1900, 822	— <i>danae</i>	1900, 720
<i>Tetrodon calamaria</i>	1899, 453	—	1900, 749
<i>oblongus</i>	1899, 442	— <i>integra</i>	1900, 568
—	1899, 446	—	1900, 579
<i>palembangensis</i>	1899, 940	— <i>picta</i>	1900, 579
—	1899, 956	— <i>prymna</i>	1900, 569
<i>Tettigonia herbida</i>	1895, 77	—	1900, 578
(<i>Diedrocephala</i>) <i>sa-</i>		— <i>crenata</i>	1900, 748
<i>gittifera</i>	1895, 76	— <i>picta</i>	1900, 569
(<i>Proconia</i>) <i>fasti-</i>		— <i>spinimana</i>	1900, 569
<i>giata</i>	1895, 75	—	1900, 579
(—) <i>rubricosa</i>	1895, 75	— <i>stimpsoni</i>	1900, 569
<i>Tettix femoratus</i>	1892, 209	—	1900, 579
<i>quadriundulatus</i>	1892, 199	— <i>spinimana</i>	1900, 579
—	1892, 208	—	1900, 720
—	1892, 221	—	1900, 749
—	1893, 606	— <i>stimpsoni</i>	1900, 579
<i>Textor alector</i>	1900, 305	—	1900, 749
<i>dinemelli</i>	1895, 469	<i>Thalassema baronii</i>	1899, 55
<i>Textularia agglutinans</i>	1895, 19	<i>caudex</i>	1898, 472
—	1895, 50	—	1898, 473
<i>conica</i>	1895, 19	— <i>exilii</i>	1899, 55
—	1895, 50	— <i>formosulum</i>	1899, 55
<i>gramen</i>	1895, 19	— <i>pellucidum</i>	1899, 55
—	1895, 50	— <i>vegrande</i>	1898, 472
<i>lythostrotum</i>	1895, 6	—	1898, 473
—	1895, 19	<i>Thalassicolla</i> <i>sp.</i>	1898, 1021
—	1895, 50	—	1898, 1022
		— <i>nucleata</i>	1898, 1021

	Page		Page
<i>Thalassidroma nereis</i> ..	1899, 410	<i>Thalassius unicolor</i>	1898, 32
<i>Thalassius</i>	1898, 27		1899, 865
	1898, 28	<i>Thalassochelys caretta</i> .	1896, 860
<i>auratus</i>	1899, 866		1899, 601
	1899, 869		1899, 602
	1899, 884		1899, 618
<i>batesii</i>	1899, 867	<i>Thalassodes glauculata</i> .	1896, 646
	1899, 869	<i>scissaria</i>	1896, 853
<i>cummingi</i>	1898, 13	<i>Thalassœca glacialis</i> ..	1892, 401
	1898, 29	<i>Thalera distracta</i>	1896, 645
	1898, 30	<i>Thalerothele fasciata</i> ..	1896, 754
	1898, 32		1896, 761
<i>fimbriatus</i>	1898, 30	<i>Thalurania eriphile</i>	1899, 511
<i>formosus</i>	1899, 865	<i>Thamala marci</i>	1892, 638
	1899, 869		1892, 639
	1899, 884		1895, 558
<i>guineensis</i>	1899, 864		1895, 603
	1899, 865	<i>miniata</i>	1892, 638
	1899, 869		1892, 639
	1899, 884	<i>Thamnistes æquatori-</i>	
<i>inornatus</i>	1899, 865	<i>alis</i>	1896, 381
	1899, 866	<i>rufescens</i>	1896, 381
	1899, 869	<i>Thamnobia simplex</i>	1895, 482
<i>insignis</i>	1899, 868	<i>Thamnobius poecilo-</i>	
	1899, 869	<i>stoma</i>	1894, 531
	1899, 884	<i>Thamnodynastes nat-</i>	
<i>jayakari</i>	1898, 13	<i>tereri</i>	1895, 815
	1898, 29		1895, 819
	1898, 30		1895, 825
	1898, 31	<i>Thamnophilus am-</i>	
	1898, 32	<i>biguus</i>	1899, 515
<i>leonensis</i>	1899, 867	<i>debilis</i>	1896, 379
	1899, 869	<i>doliatus</i>	1896, 380
	1899, 884		1899, 515
<i>leucostictus</i>	1899, 866	<i>leachi</i>	1899, 513
	1899, 869	<i>maculatus</i>	1899, 513
<i>margaritatus</i>	1898, 518	<i>melanochrous</i>	1896, 379
	1898, 524	<i>melanurus</i>	1896, 379
<i>marginellus</i>	1898, 29	<i>nigricristatus</i>	1896, 380
<i>phipsoni</i>	1898, 13	<i>palliat</i>	1896, 380
	1898, 29		1899, 515
	1898, 30	<i>puncticeps</i>	1896, 380
	1898, 31	<i>radiatus</i>	1896, 379
	1898, 32	<i>ruficapillus</i>	1899, 513
<i>pictus</i>	1899, 869	<i>severus</i>	1899, 513
<i>regalis</i>	1899, 866	<i>subandinus</i>	1896, 379
	1899, 868	— <i>major</i>	1896, 379
	1899, 869	<i>subradiatus</i>	1896, 380
	1899, 884	<i>tenuifasciatus</i>	1896, 380
<i>spenceri</i>	1898, 13	<i>torquatus</i>	1899, 515
	1898, 29	<i>variegaticeps</i>	1896, 323
	1898, 32		1896, 379
	1899, 867		1896, 380
<i>spinosissimus</i>	1899, 867	<i>Thanaos brizo</i>	1893, 69
	1899, 869	<i>funeralis</i>	1893, 69
<i>unicolor</i>	1898, 28	<i>icelus</i>	1893, 69
	1898, 29	<i>indistincta</i>	1893, 6
	1898, 30	<i>jhora</i>	1892, 652

	Page		Page
<i>Thanaos juvenalis</i>	1893, 69	<i>Thaumantias pilosella</i> ..	1896, 484
<i>kali</i>	1892, 652	<i>thompsoni</i>	1896, 487
<i>lucilius</i>	1893, 69		1896, 489
<i>martialis</i>	1893, 69	<i>Thaumantis diores</i>	1891, 271
<i>montana</i>	1893, 69	<i>louisa</i>	1891, 271
<i>nævius</i>	1893, 69	<i>lucipor</i>	1891, 271
<i>persius</i>	1893, 69	<i>noureddin</i>	1891, 271
<i>propertius</i>	1893, 69	<i>pseudaliris</i>	1891, 255
<i>rusticanus</i>	1893, 69		1891, 271
<i>stigmata</i>	1892, 652	<i>randeo</i>	1891, 271
	1893, 6	<i>Thaumastura cora</i>	1892, 384
<i>tages</i>	1893, 44		1892, 397
	1893, 69		1892, 405
— <i>cervantes</i>	1893, 69	<i>Theages vestalis</i>	1892, 278
<i>tristis</i>	1893, 69	<i>Thecadactylus rapi-</i>	
<i>Thanasimus carbonarius</i> ..	1893, 577	<i>cauda</i>	1891, 353
<i>formicarius</i>	1893, 578		1891, 354
<i>sellatus</i>	1893, 577		1894, 507
<i>Thapsia decepta</i>	1899, 584	<i>Thecla alcestis</i>	1891, 372
	1899, 592	<i>androcles</i>	1892, 635
<i>depressor</i>	1899, 583	<i>angelia</i>	1896, 516
<i>hanningtoni</i>	1899, 583		1900, 200
<i>insimulans</i>	1899, 583	<i>angerona</i>	1896, 516
	1899, 592	<i>chitra</i>	1895, 620
<i>masukuensis</i>	1899, 583	<i>cybele</i>	1896, 516
	1899, 584	<i>duma</i>	1896, 682
	1899, 592	<i>eurytulus</i>	1896, 517
<i>mixta</i>	1899, 582	<i>hirundo</i>	1898, 406
	1899, 592	<i>kessuma</i>	1895, 621
<i>nyikana</i>	1899, 583	<i>licinia</i>	1891, 84
	1899, 584	<i>marsyas</i>	1896, 516
	1899, 592	<i>nasaka</i>	1892, 644
<i>simulata</i>	1899, 583		1895, 625
	1899, 592	<i>natalii</i>	1896, 122
<i>Thaumnalea amherstiae</i> ..	1894, 495	<i>nissa</i>	1892, 643
<i>picta</i>	1893, 692	<i>onyx</i>	1892, 640
<i>Thaumantias buskiana</i> ..	1896, 488	<i>pion</i>	1896, 516
	1896, 489	<i>pipelea</i>	1896, 516
<i>corollata</i>	1896, 483	<i>rufo-fusca</i>	1896, 517
<i>cymbaloides</i>	1896, 488	<i>salona</i>	1900, 200
	1896, 491	<i>simæthis</i>	1896, 516
<i>dubia</i>	1896, 488	<i>telea</i>	1896, 516
<i>forbesii</i>	1896, 487	<i>varuna</i>	1895, 622
<i>hemisphaerica</i>	1896, 460	<i>Thelcteria</i>	1899, 275
	1896, 480	<i>costæmaculalis</i>	1899, 279
	1896, 481	<i>dichocrosialis</i>	1899, 276
	1896, 482	<i>octonalis</i>	1899, 276
	1896, 487	<i>pupula</i>	1899, 275
	1896, 489		1899, 276
<i>lucida</i>	1896, 481	<i>Thelechoris guyanensis</i> .	1891, 551
<i>lucifera</i>	1896, 481	<i>karschi</i>	1897, 738
<i>mediterranea</i>	1896, 483	<i>rutenbergi</i>	1891, 552
	1896, 484		1896, 762
	1897, 824		1896, 764
<i>melanops</i>	1896, 481	<i>striatipes</i>	1896, 762
<i>pilosella</i>	1896, 481		1896, 764
	1896, 482	<i>Thelotornis kirtlandi</i> ..	1891, 307
	1896, 483		1897, 801

	Page.		Page
<i>Thelotornis kirtlandi</i> ..	1900, 454	<i>Theristicus caudatus</i> ..	1892, 392
<i>Thelphusa</i>	1899, 700		1892, 393
	1899, 701	<i>leucocephalus</i>	1895, 513
	1899, 702	<i>melanopsis</i>	1892, 372
	1899, 703		1892, 399
<i>berardi</i>	1894, 166		1892, 391
<i>depressa</i>	1894, 166		1892, 405
<i>johnstoni</i>	1894, 166	<i>melanops</i>	1892, 389
<i>nilotica</i>	1894, 166		1892, 392
<i>Themma divisa</i>	1895, 972		1892, 393
<i>Theoclia</i>	1891, 567		1892, 409
<i>radiata</i>	1891, 567	<i>Thermesia absumens</i> ..	1896, 648
	1891, 575	<i>bigutta</i>	1896, 640
<i>Theonoe americana</i>	1897, 864	<i>brevistriga</i>	1896, 648
<i>filiola</i>	1897, 864	<i>caliginosa</i>	1896, 648
<i>Thera perarcuata</i>	1896, 646	<i>conficita</i>	1896, 648
<i>Therefra tersa</i>	1898, 367	<i>divulgata</i>	1896, 648
<i>Theridion antillanum</i> ..	1894, 422	<i>fenestrina</i>	1897, 618
	1897, 862	<i>gemmaialis</i>	1896, 648
<i>bajulans</i>	1897, 862		1898, 368
<i>blandum</i>	1897, 862	<i>imitatura</i>	1896, 640
<i>borbonicum</i>	1897, 861	<i>inficita</i>	1896, 648
<i>cancellatum</i>	1894, 521	<i>lenis</i>	1896, 638
<i>dilucidum</i>	1897, 862	<i>reticulata</i>	1896, 613
<i>flavoaurantiacum</i> ..	1897, 862	<i>rubricans</i>	1896, 265
<i>frondeum</i>	1894, 521	<i>signans</i>	1896, 638
	1897, 862	<i>subfixa</i>	1896, 648
<i>fuesslyi</i>	1894, 522	<i>tripunctifera</i>	1896, 638
	1894, 523	<i>Therodamus serrani</i>	1899, 482
	1897, 862	<i>Thersilochus oculatus</i> ..	1895, 779
<i>gonygaster</i>	1894, 526	<i>Thespis surinama</i>	1892, 206
<i>jucundum</i>	1897, 862	<i>Thestias annæ</i>	1897, 22
<i>longipes</i>	1897, 862	<i>Thestor basuta</i>	1897, 847
<i>luteipes</i>	1897, 861		1898, 195
<i>pallens</i>	1894, 524	<i>protumnus</i>	1898, 908
<i>rufipes</i>	1897, 861	<i>Thiacidas vilis</i>	1896, 266
	1897, 862	<i>Thinocorus orbignyanus</i> . 1891, 137	
<i>studiosum</i>	1894, 521	<i>rumicivorus</i>	1891, 137
	1897, 862		1892, 400
<i>stylifrons</i>	1894, 523		1892, 405
	1897, 862		1897, 470
<i>tepidariorum</i>	1897, 861	<i>Thiodia autochthones</i> ..	1897, 126
<i>vulgare</i>	1897, 861	<i>citrana</i>	1897, 125
<i>Theridiosoma argenteo-</i>		<i>rhododendronalis</i> ..	1897, 125
<i>lunulatum</i>	1897, 875	<i>sulphurana</i>	1897, 125
<i>Theridium bicornis</i>	1894, 525	<i>Thisanotia aenochrois</i> ..	1895, 969
<i>Theridomys blainvillei</i> ..	1897, 710	<i>pedalarcha</i>	1895, 969
<i>Theridula opulenta</i>	1899, 526	<i>Thlecteria</i>	1898, 602
	1897, 862	<i>Thliboscelus camelli-</i>	
<i>sphærule</i>	1894, 526	<i>folia</i>	1895, 139
<i>tricornis</i>	1897, 862	<i>Thliptoceras</i>	1898, 603
<i>Theriodesmus phylar-</i>			1899, 178
<i>chus</i>	1894, 374	<i>cascale</i>	1899, 178
<i>Theristicus albicollis</i> ..	1892, 390		1899, 179
	1892, 393	<i>coenostolalis</i>	1899, 179
<i>branickii</i>	1896, 323	<i>distictalis</i>	1899, 179
<i>caudatus</i>	1892, 389	<i>octoguttale</i>	1899, 179
	1892, 391	<i>polygrammodes</i> ..	1899, 180

	Page		Page
<i>Thliptoceras stygiale</i> ..	1899, 179	<i>Thyanta casta</i>	1894, 174
<i>variabilis</i>	1899, 179	<i>perditor</i>	1893, 705
<i>Thlypopsis amazonum</i> ..	1896, 345		1894, 173
<i>ornata</i>	1896, 345		1900, 824
— <i>macropteryx</i> ..	1896, 345	<i>taeniola</i>	1894, 173
<i>sordida</i>	1899, 515	<i>vitrea</i>	1900, 812
<i>Tholeria</i>	1899, 223	<i>Thyas honesta</i>	1892, 128
<i>illiberalis</i>	1899, 225	<i>petrophilus</i>	1895, 175
<i>Thomisus foka</i>	1899, 880		1895, 180
<i>rugosus</i>	1899, 880		1895, 182
<i>tripunctatus</i>	1899, 881		1895, 183
<i>Thorybes bathyllus</i>	1893, 6		1895, 184
	1893, 18		1895, 185
	1893, 33		1895, 189
<i>daunus</i>	1893, 33		1895, 192
<i>pylades</i>	1893, 6		1895, 194
	1893, 33		1895, 195
<i>Thous anthus</i>	1899, 535		1895, 200
<i>mesomelas</i>	1899, 539		1895, 201
<i>senegalensis</i>	1899, 535		1895, 204
<i>variegatus</i>	1899, 538	<i>Thyatira batis</i>	1897, 296
<i>Thracides bresia</i>	1893, 122	<i>Thyella zambesia</i>	1898, 429
<i>cilissa</i>	1893, 122	<i>Thylacinus</i>	1899, 558
<i>cincia</i>	1893, 122	<i>cynocephalus</i>	1891, 141
<i>cloanthus</i>	1893, 122		1899, 928
<i>nanca</i>	1893, 122	<i>Thylacoleo carnifex</i>	1900, 788
<i>phidon</i>	1893, 94	<i>Thylacophora hepaticalis</i>	1897, 655
<i>telmela</i>	1893, 122	<i>tortricoidalis</i>	1897, 655
<i>Thrasops flavigularis</i> ..	1900, 453	<i>Thymallus vulgaris</i>	1899, 497
<i>Threnodes moeschleri</i> ..	1899, 236	<i>Thymeles aulestes</i>	1893, 26
<i>Thrinacia salta</i>	1894, 226	<i>colossus</i>	1893, 26
<i>Thripas namaquus</i>	1895, 491	<i>egregius</i>	1893, 26
<i>schoensis</i>	1895, 491	<i>enotrus</i>	1893, 26
	1900, 599	<i>florestan</i>	1896, 99
<i>Thriponax feddeni</i>	1897, 471	<i>fulgurator</i>	1893, 26
<i>Thripophaga sclateri</i> ..	1897, 513	<i>halesius</i>	1893, 26
<i>Thrix gama</i>	1896, 651	<i>mercatus</i>	1893, 17
	1896, 678		1893, 26
	1896, 683	<i>naxos</i>	1893, 23
<i>Thrymnes nucleus</i>	1899, 348	<i>ophion</i>	1896, 17
	1899, 349	<i>proteus</i>	1900, 202
<i>Thryonomys gregori-</i>		<i>ramanetek</i>	1896, 97
<i>anus</i>	1897, 432	<i>sabadus</i>	1896, 17
	1897, 433	<i>Thymelicus actæon</i>	1896, 57
	1897, 938	<i>brettus</i>	1893, 100
<i>sclateri</i>	1897, 432	<i>brevicornis</i>	1896, 58
	1897, 433	<i>capenas</i>	1894, 18
	1897, 926		1894, 73
	1897, 937		1896, 55
<i>swinderenianus</i> ..	1897, 432	<i>lepenula</i>	1896, 54
	1900, 803	<i>lineola</i>	1896, 57
<i>Thryophilus longior</i>	1899, 515	<i>macomo</i>	1894, 73
<i>Thryothorus cantator</i> ..	1896, 328		1896, 55
<i>Thurammia papillata</i> ..	1895, 17	<i>meninx</i>	1896, 49
	1895, 50	<i>mystic</i>	1893, 100
<i>Thyanta antiguensis</i> ..	1900, 812	<i>niveostriga</i>	1896, 56
<i>casta</i>	1893, 705	<i>thauamas</i>	1896, 57

	Page		Page
<i>Thymelicus vibex</i>	1893, 91	<i>Thysonotis apollonius</i> ..	1893, 541
	1893, 100		1893, 542
<i>wallengrenii</i>	1894, 73		1893, 543
	1896, 56		1893, 544
<i>wingina</i>	1893, 100		1893, 545
<i>Thynnus alalonga</i>	1899, 449		1893, 553
<i>albacora</i>	1892, 135	— <i>supous</i>	1893, 538
<i>macropterus</i>	1892, 135		1893, 542
	1899, 475		1893, 553
<i>thynnus</i>	1899, 502	<i>arinia</i>	1893, 538
<i>Thyraylia</i>	1897, 138		1893, 550
<i>bunteana</i>	1897, 139		1893, 551
<i>lacteipalpis</i>	1897, 139		1893, 553
<i>lepidana</i>	1897, 139	<i>brownii</i>	1893, 538
<i>Thyreocoris pulicarius</i> .	1893, 705		1893, 547
	1894, 170		1893, 553
<i>Thyretes caffra</i>	1896, 846	<i>caledonica</i>	1891, 364
<i>phasma</i>	1896, 846		1892, 435
<i>Thyria aurifundens</i>	1896, 639		1892, 441
<i>Thyridophora fenestrata</i>	1895, 905		1893, 538
<i>furia</i>	1895, 905		1893, 544
	1896, 273		1893, 545
<i>Thyridospila amoena</i> ..	1896, 648		1893, 553
<i>cæca</i>	1896, 649	<i>cephais</i>	1891, 364
<i>compta</i>	1896, 648		1891, 373
<i>quadriocellata</i>	1896, 648		1892, 441
<i>vicaria</i>	1898, 425		1893, 538
<i>Thyris diaphana</i>	1897, 607		1893, 544
<i>fenestrella</i>	1897, 607		1893, 545
<i>lugubris</i>	1897, 607	<i>chronia</i>	1891, 365
<i>maculata</i>	1897, 607		1891, 373
<i>montana</i>	1897, 609		1893, 538
<i>sepulchralis</i>	1897, 607		1893, 551
<i>usitata</i>	1897, 607	<i>cœlius</i>	1893, 538
<i>vitrina</i>	1897, 607		1893, 548
<i>Thyroptera</i>	1898, 58	<i>cyanea</i>	1893, 537
	1898, 75		1893, 538
<i>Thysanodesma discalis</i> .	1898, 702		1893, 549
<i>Thysanoessa</i>	1900, 546		1893, 550
<i>gregaria</i>	1900, 547		1893, 553
<i>longicaudata</i>	1900, 547	<i>danis</i>	1893, 538
<i>macrura</i>	1900, 547		1893, 539
<i>neglecta</i>	1900, 547		1893, 540
<i>Thysanoprymna cepi-</i>			1893, 541
<i>ana</i>	1893, 287		1893, 542
<i>pyrrhopyga</i>	1893, 288		1893, 545
<i>Thysanopyga apicitrun-</i>			1893, 553
<i>caria</i>	1898, 368	— <i>karpaia</i>	1893, 538
<i>Thysanote appendiculata</i>	1899, 497		1893, 539
<i>fimbriata</i>	1899, 496		1893, 540
<i>impudica</i>	1899, 497		1893, 553
<i>lobiventris</i>	1899, 496	<i>epicoritus</i>	1893, 538
<i>pomacantha</i>	1899, 496		1893, 550
<i>Thysanoteuthis rhombus</i>	1900, 994		1893, 553
<i>Thysonotis albastola</i> ..	1893, 550	<i>eudocia</i>	1893, 538
<i>apollonius</i>	1893, 538		1893, 548
	1893, 539		1893, 553
	1893, 540	<i>hymetus</i>	1891, 364

	Page		Page
<i>Thysonotis hymetus</i>	1893, 538	<i>Thysonotis smaragdus</i> ..	1893, 553
	1893, 547	<i>sperchius</i>	1891, 365
<i>illustris</i>	1893, 538		1893, 538
	1893, 552		1893, 551
<i>korion</i>	1893, 538	<i>syrius</i>	1893, 538
	1893, 547		1893, 539
	1893, 553		1893, 541
<i>kruera</i>	1891, 364	<i>taygetus</i>	1893, 537
	1891, 372		1893, 538
	1893, 538		1893, 546
	1893, 546		1893, 547
	1893, 549		1893, 553
<i>macleayi</i>	1893, 538	<i>wallacei</i>	1893, 537
	1893, 546		1893, 538
<i>melinnos</i>	1893, 538		1893, 543
	1893, 544		1893, 544
	1893, 553	<i>Tiarechinus princeps</i> ..	1896, 1003
<i>miraculum</i>	1893, 538		1896, 1006
	1893, 552	<i>Tiaropsis multicirrata</i> ..	1896, 481
	1893, 553	<i>Tibracana xanthialis</i> ..	1896, 649
<i>perpheres</i>	1893, 538	<i>Ticherra acte</i>	1892, 640
	1893, 544	<i>Tichoseris obtusata</i>	1898, 529
	1893, 553	<i>Tiga borneonensis</i>	1897, 782
<i>philostratus</i>	1893, 538	<i>everetti</i>	1897, 782
	1893, 539	<i>javanensis</i>	1897, 782
	1893, 543	<i>Tigrisoma brasiliense</i> ..	1896, 235
	1893, 553	<i>Tijuca nigra</i>	1899, 513
<i>piepersii</i>	1891, 364	<i>Tilapia</i>	1899, 99
	1893, 538		1899, 105
	1893, 548	<i>acuticeps</i>	1899, 109
	1893, 553		1899, 134
<i>pindus</i>	1893, 538	<i>affinis</i>	1899, 108
	1893, 551		1899, 127
	1893, 552	<i>aurata</i>	1899, 109
	1893, 553		1899, 137
<i>regina</i>	1893, 538		1899, 143
	1893, 539	<i>betsileana</i>	1899, 110
	1893, 542		1899, 139
<i>ribbei</i>	1893, 538	<i>buettikoferi</i>	1899, 108
	1893, 539		1899, 128
	1893, 543	<i>burtoni</i>	1899, 108
<i>schaeffera</i>	1891, 364		1899, 127
	1892, 441	<i>cabrae</i>	1899, 107
	1893, 537		1899, 121
	1893, 538	<i>caeruleomaculata</i> ..	1899, 107
	1893, 544		1899, 123
	1893, 545	<i>calliptera</i>	1899, 109
	1893, 553		1899, 132
	1895, 558	<i>desfontainesi</i>	1899, 105
	1895, 585		1899, 109
	1896, 657		1899, 135
<i>sebæ</i>	1893, 541		1899, 143
	1893, 542	<i>dumerili</i>	1899, 107
<i>serapis</i>	1893, 538		1899, 116
	1893, 539	<i>fasciata</i>	1899, 109
	1893, 553		1899, 133
<i>smaragdus</i>	1893, 538	<i>flavii-josephi</i>	1899, 109
	1893, 550		1899, 135

	Page
<i>Tilapia galilæa</i>	1899, 105
	1899, 106
	1899, 114
	1899, 143
	1900, 516
<i>grandidieri</i>	1899, 110
	1899, 139
<i>guineensis</i>	1899, 108
	1899, 124
<i>heudeloti</i>	1899, 107
	1899, 118
<i>horii</i>	1899, 107
	1899, 122
<i>humilis</i>	1899, 108
	1899, 124
<i>hunteri</i>	1899, 106
	1899, 110
<i>jallæ</i>	1899, 108
	1899, 123
<i>johnstoni</i>	1899, 109
	1899, 130
<i>kirki</i>	1899, 108
	1899, 128
	1899, 129
<i>labiata</i>	1898, 496
	1899, 109
	1899, 136
<i>lata</i>	1899, 105
	1899, 108
	1899, 125
	1899, 143
	1900, 516
<i>lateralis</i>	1899, 118
<i>lepidura</i>	1899, 107
	1899, 116
<i>lethrinus</i>	1899, 109
	1899, 129
<i>livingstonii</i>	1899, 109
	1899, 134
	1899, 143
<i>macrocentra</i>	1899, 107
	1899, 117
<i>macrocephala</i>	1899, 106
	1899, 115
	1899, 116
<i>madagascariensis</i> ..	1899, 110
	1899, 138
	1899, 139
<i>magdalenæ</i>	1899, 107
	1899, 120
<i>mariae</i>	1899, 107
	1899, 122
	1899, 143
<i>melanopleura</i>	1899, 107
	1899, 123
<i>wenzalensis</i>	1899, 107
	1899, 119
<i>microcephala</i>	1899, 106

	Page
<i>Tilapia microcephala</i> ..	1899, 114
<i>monteiri</i>	1899, 109
	1899, 133
<i>mossambica</i>	1899, 106
	1899, 111
<i>natalensis</i>	1899, 106
	1899, 113
<i>nigra</i>	1899, 106
	1899, 110
<i>nigripinnis</i>	1899, 106
	1899, 115
<i>nilotica</i>	1899, 105
	1899, 106
	1899, 112
	1899, 143
	1900, 969
<i>nuchisquamulata</i> ..	1899, 109
	1899, 131
<i>obliquidens</i>	1899, 131
<i>oligacanthus</i>	1898, 147
	1899, 105
	1899, 110
	1899, 138
	1899, 143
<i>ovalis</i>	1899, 107
	1899, 119
<i>pectoralis</i>	1899, 109
	1899, 130
<i>philander</i>	1899, 109
	1899, 136
<i>pleuromelas</i>	1899, 107
	1899, 118
<i>polycentra</i>	1899, 108
	1899, 128
<i>rangii</i>	1899, 108
	1899, 126
<i>rendalli</i>	1899, 108
	1899, 126
<i>rostrata</i>	1899, 109
	1899, 131
	1899, 143
<i>sauvagii</i>	1899, 131
<i>shirana</i>	1899, 106
	1899, 111
<i>simonis</i>	1899, 108
	1899, 125
<i>sparrmani</i>	1899, 107
	1899, 118
<i>squamipinnis</i>	1899, 107
	1899, 117
<i>subocularis</i>	1899, 130
<i>tanganicæ</i>	1899, 106
	1899, 113
<i>tetrastigma</i>	1899, 130
<i>tholloni</i>	1899, 107
	1899, 121
<i>tristrami</i>	1899, 120
<i>vorax</i>	1899, 108

	Page		Page
<i>Tilapia vorax</i>	1899, 125	<i>Tinea schulzella</i>	1897, 109
<i>williamsi</i>	1899, 109	<i>scythropiella</i>	1897, 160
	1899, 132	<i>solenobiella</i>	1897, 161
<i>zebra</i>	1899, 109	<i>swinhoei</i>	1896, 280
	1899, 137	<i>tapetzella</i>	1896, 281
	1899, 143	<i>tetraonella</i>	1897, 162
<i>zillii</i>	1899, 107	<i>tischeriella</i>	1897, 161
	1899, 119	<i>umbraticostella</i>	1897, 160
<i>Tiliqua burtoni</i>	1895, 647	<i>vestianella</i>	1899, 265
<i>carinata</i>	1896, 874	<i>Tineodes</i>	1898, 604
<i>rufescens</i>	1895, 647		1899, 284
<i>Tillicera javanica</i>	1893, 567	<i>adactylalis</i>	1899, 285
<i>mutillæcolor</i>	1893, 568	<i>Tineola tæniæcornis</i> ..	1896, 281
<i>Tillus birmanicus</i>	1893, 567	<i>uterella</i>	1897, 112
<i>notatus</i>	1893, 567		1897, 165
<i>sanguinicollis</i>	1893, 567		1897, 166
<i>Timandra cancellata</i> ..	1897, 613	<i>Tinerus chalybæus</i>	1893, 581
<i>viridiplaga</i>	1896, 645	<i>dohertyanus</i>	1893, 581
<i>Timetes chiron</i>	1898, 364	<i>Tingis decens</i>	1894, 204
<i>Tinamotis pentlandi</i> ..	1891, 132	<i>Tingra amenaida</i>	1893, 659
	1891, 137		1896, 121
<i>Tinamus tataupa</i>	1895, 688		1898, 402
<i>Tinea</i> sp.	1891, 509	<i>bertha</i>	1898, 402
	1891, 544	<i>lasti</i>	1894, 58
<i>abruptella</i>	1896, 281	<i>nero</i>	1898, 402
<i>aurifluella</i>	1897, 88	<i>tropicalis</i>	1894, 57
<i>auromaculata</i>	1897, 164		1898, 195
<i>bipartitella</i>	1896, 281	<i>Tinnunculus alaudarius</i> .	1896, 311
<i>brevistrigata</i>	1897, 159		1900, 491
<i>cinerella</i>	1897, 82	<i>caribbæarum</i>	1892, 499
<i>cloacella</i>	1897, 161	<i>cenchroides</i>	1900, 305
<i>cretella</i>	1897, 160	<i>neglectus</i>	1895, 510
<i>cumulatella</i>	1897, 163	<i>sparverius cinna-</i>	
<i>diluticornis</i>	1897, 159	<i>momius</i>	1892, 388
<i>divisa</i>	1897, 164		1892, 408
<i>familiaris</i>	1897, 164	<i>tinnunculus</i>	1895, 510
<i>fœnella</i>	1897, 126		1896, 311
<i>fragilella</i>	1897, 161	<i>vespertinus</i>	1900, 305
<i>frontestrigata</i>	1897, 164	<i>Tipanæa innotata</i>	1895, 913
<i>lacteella</i>	1897, 100	<i>Tipasa nebulosella</i>	1899, 291
	1897, 101	<i>Tiphia consueta</i>	1896, 431
<i>minutella</i>	1897, 162	<i>decrescens</i>	1896, 431
<i>nigrovitta</i>	1897, 163	<i>nigra</i>	1896, 430
<i>ochraceella</i>	1891, 517	<i>rufo-femorata</i>	1896, 431
	1897, 166	<i>thoracica</i>	1896, 429
<i>pallidorsella</i>	1897, 164	<i>Tiquadra</i> sp.	1891, 518
<i>parvella</i>	1897, 102		1891, 545
<i>plumella</i>	1891, 508	<i>aspera</i>	1891, 518
	1891, 544		1891, 545
	1897, 162		1897, 167
<i>pomonella</i>	1897, 125	<i>inscitella</i>	1891, 517
<i>populella</i>	1897, 79	<i>lentiginosa</i>	1891, 518
<i>pulchella</i>	1893, 677		1891, 545
	1894, 583		1897, 167
	1896, 135	<i>Tirathaba mundella</i>	1899, 291
<i>pumiliella</i>	1897, 163	<i>Tirumala limniace</i>	1900, 505
<i>pustulella</i>	1897, 112	<i>petiverana</i>	1894, 558
<i>reduplicata</i>	1897, 159		1896, 530

	Page		Page
Tirumala petiverana ..	1896, 852	Tomistoma schlegeli ..	1896, 630
Tischeria heliopsiella ..	1897, 145		1896, 832
nolckenii	1897, 145		1896, 661
pulverea	1897, 145		1899, 602
unicolor	1897, 145		1899, 622
Titanio	1898, 602	Tomopelta	1893, 708
	1899, 235	munda	1893, 705
daphalis	1899, 236		1893, 708
echinæa	1899, 235	Tomopteris onisciformis ..	1897, 523
ephippialis	1899, 235		1897, 524
eponyma	1899, 236	quadricornis	1897, 524
magnificalis	1899, 235	scolopendra	1897, 523
normalis	1899, 235		1897, 524
originalis	1899, 235	vitrina	1897, 523
phrygialis	1899, 236		1897, 524
pollinalis	1899, 236	Tomopterna porosa	1891, 376
proximalis	1899, 236	— japonica	1891, 376
pyrenæalis	1899, 235	Tomostoma neritoides ..	1892, 529
sartalis	1899, 235		1892, 532
schrankiana	1899, 236		1892, 537
venustalis	1899, 235		1892, 539
zachlora	1899, 236		1892, 540
Titanodamon bassani-		Topaza pella	1896, 293
ensis	1899, 837		1896, 294
johnstoni	1899, 837	Torania occidentalis	1899, 874
tibialis	1899, 838		1899, 875
Titanus forguesi	1895, 211	variata	1899, 874
Titurius	1898, 28		1899, 875
fimbriatus	1898, 28		1899, 885
pallidus	1898, 28	Torda leucospilalis	1897, 684
spinosissimus	1898, 28	metamelana	1896, 649
Titya argentata	1892, 322		1897, 653
fumida	1892, 321	Torinia perspectiviun-	
Tityobuthus baroni	1898, 500	cula	1891, 415
Tityra semifasciata	1896, 369	Tornatellina manillensis.	1892, 467
— fortis	1896, 369	ringens	1892, 467
Tityus chinchoxensis ..	1899, 834	Torone hyblæoides	1899, 291
Tivela damaoides	1891, 435	Torpedo marmorata	1899, 502
Tmeticus fortunatus ..	1898, 488	Tortricodes phormisalis.	1896, 642
Tmetoceros habes-		Tortrix citrana	1897, 125
sinicus	1895, 499	colubrana	1891, 497
Tmetothylacus tenellus ..	1895, 474		1891, 498
Tmolus angelia	1900, 200	concuršana	1897, 134
salona	1900, 200	effoetana	1891, 497
Toccus erythrorhynchus.	1891, 327		1891, 543
	1897, 472		1897, 133
Tockus flavirostris	1895, 499	exustana	1891, 497
hemprichii	1895, 498	flavedana	1897, 134
Todirostrum cinereum ..	1896, 359	insignitana	1891, 497
Toiana venosella	1899, 291		1891, 543
Tolyte opalina	1896, 650		1897, 133
Tolyteutes tricinctus ..	1895, 273	lanceolana	1891, 501
Tomaspis pictipennis ..	1895, 58		1897, 121
Tomigerus perexilis	1892, 267	laterana	1897, 134
	1892, 270	norwichiana	1895, 948
Tomissa concisella	1895, 973	ophthalmicana	1897, 131
fervidella	1899, 291	piceana	1897, 133
Tomistoma schlegeli ..	1896, 628	rostrana	1897, 134

	Page		Page
<i>Tortrix scytale</i>	1895, 694	<i>Tracheliastes stellifer</i> ..	1899, 501
<i>solandriana</i>	1897, 126	<i>Tracheloptychus mada-</i>	
<i>sulphurana</i>	1899, 262	<i>gascariensis</i>	1898, 816
<i>walchiana</i>	1897, 99	<i>Tracheloteuthis behnii</i> ..	1897, 525
<i>woeberiana</i>	1897, 122		1897, 526
<i>zonana</i>	1899, 265	<i>guernei</i>	1897, 525
(<i>Enectra</i>) <i>exustana</i> ..	1891, 498	<i>riisei</i>	1897, 525
(<i>Platynota</i>) <i>flave-</i>			1897, 526
<i>dana</i>	1897, 134	<i>Trachia malbatensis</i>	1892, 463
<i>Tortyra auriferalis</i>	1891, 528	<i>penangensis</i>	1891, 335
	1891, 546	<i>Trachinus draco</i>	1894, 431
	1897, 121		1899, 940
<i>spectabilis</i>	1891, 529	<i>vipera</i>	1894, 431
<i>Torynesis</i>	1898, 903		1898, 296
<i>mintha</i>	1898, 903	<i>Trachyboa gularis</i>	1898, 115
<i>Tosale aucta</i>	1897, 652	<i>Trachydosaurus rugosus</i> ..	1891, 113
<i>decipiens</i>	1897, 653	<i>Trachynema</i> sp.	1898, 1023
<i>flattalis</i>	1897, 653		1898, 1030
<i>moritzi</i>	1897, 653		1898, 1031
<i>oviplagalis</i>	1897, 653	<i>eurygaster</i>	1898, 1032
<i>pyralidoides</i>	1896, 649	<i>funerarium</i>	1898, 1032
	1897, 652	<i>octonarium</i>	1898, 1032
	1897, 653	<i>Trachynotus ovatus</i>	1900, 515
<i>Totanus calidris</i>	1900, 496	<i>sordidus</i>	1893, 741
<i>flavipes</i>	1891, 137	<i>Trachyphonus arnaudi</i> ..	1895, 493
	1892, 400	<i>boehmi</i>	1895, 493
	1892, 408	<i>erythrocephalus</i> ..	1895, 493
	1892, 500	<i>purpuratus</i>	1894, 601
	1893, 521	<i>shelleyi</i>	1895, 493
<i>fuscus</i>	1900, 496	<i>uropygialis</i>	1895, 493
<i>glareola</i>	1900, 497	<i>Tragelaphus</i> sp.	1897, 455
<i>glottis</i>	1900, 497		1900, 955
<i>hypoleucus</i>	1894, 603	<i>angasi</i>	1891, 387
	1895, 515		1892, 98
	1900, 497		1893, 507
<i>incanus</i>	1891, 300		1893, 729
<i>lartetianus</i>	1893, 521		1895, 359
	1893, 522		1896, 798
<i>majori</i>	1893, 521		1897, 455
	1893, 522		1897, 939
<i>melanoleucus</i>	1892, 399	<i>bor</i>	1900, 806
	1892, 408	<i>decula</i>	1891, 388
<i>nebularius</i>	1897, 189		1894, 317
<i>solitarius</i>	1892, 400		1900, 83
	1892, 408		1900, 806
<i>stagnatilis</i>	1900, 497	<i>delamerei</i>	1900, 806
<i>terekius</i>	1900, 497	<i>euryceros</i>	1891, 387
<i>Toxidia thyrhus</i>	1893, 130	<i>gratus</i>	1891, 213
<i>Toxoneura atricornis</i> ..	1895, 785		1891, 327
<i>Trabala brunnalis</i>	1892, 323		1891, 387
<i>cebreus</i>	1892, 323		1891, 388
<i>cicur</i>	1892, 323		1892, 471
<i>drucei</i>	1892, 323		1894, 456
<i>rubens</i>	1894, 237		1894, 595
<i>truncata</i>	1894, 237		1895, 688
<i>Trachelas femoralis</i>	1897, 883		1896, 304
<i>Tracheliastes maculatus</i> ..	1899, 501		1897, 311
<i>polycolophus</i>	1899, 500		1899, 824

	Page		Page
<i>Tragelaphus gratus</i>	1899, 827	<i>Trapezia cymodoce</i> , , ,	1900, 569
	1899, 828		1900, 570
	1900, 303		1900, 590
<i>roualeyni</i>	1899, 771		1900, 591
	1900, 303	<i>dentata</i>	1900, 590
<i>scriptus</i>	1891, 388	<i>digitalis</i>	1900, 569
	1894, 145		1900, 590
	1896, 984	— <i>speciosa</i>	1900, 569
	1898, 350		1900, 570
	1899, 596		1900, 591
	1899, 828	<i>ferruginea</i>	1900, 569
	1899, 936		1900, 570
	1900, 806		1900, 589
— <i>decula</i>	1891, 388		1900, 590
— <i>fasciatus</i>	1900, 806	— <i>areolata</i>	1900, 569
	1900, 807		1900, 570
— <i>ornatus</i>	1900, 807		1900, 590
— <i>roualeyni</i>	1891, 389	— <i>dentata</i>	1900, 569
	1893, 504		1900, 570
	1893, 507		1900, 590
	1893, 728	— <i>guttata</i>	1900, 569
	1896, 798		1900, 570
— <i>scriptus</i>	1900, 807		1900, 590
— <i>sylvaticus</i>	1891, 389	— <i>maculata</i>	1900, 560
— <i>typicus</i>	1891, 388		1900, 590
	1893, 504	— <i>typica</i>	1900, 589
<i>spekei</i>	1891, 387	<i>guttata</i>	1900, 590
	1891, 388	<i>hirtipes</i>	1900, 591
	1893, 724	<i>maculata</i>	1900, 590
	1893, 729	<i>serratifrons</i>	1900, 744
	1894, 475	<i>speciosa</i>	1900, 591
	1896, 304	<i>Trapeziophora</i>	1891, 529
	1897, 311	<i>gemma</i>	1891, 529
	1899, 824		1891, 530
<i>sylvaticus</i>	1891, 388		1891, 547
	1891, 389		1891, 548
	1895, 359		1897, 118
	1897, 456	<i>Trapezites carmides</i>	1896, 27
	1900, 303	<i>catocalinus</i>	1896, 28
<i>Tragocephala variegata</i> .	1893, 744	<i>chirala</i>	1896, 28
<i>Tragops prasinus</i>	1895, 812	<i>eliena</i>	1893, 75
<i>Tragulus javanicus</i>	1891, 385	<i>empyreus</i>	1896, 27
	1893, 496	<i>fastuosus</i>	1896, 27
	1896, 986	<i>gillias</i>	1896, 28
	1900, 374	<i>hova</i>	1896, 22
	1900, 883	<i>iacchus</i>	1893, 75
<i>kanchil</i>	1891, 385	<i>kingdoni</i>	1896, 28
	1900, 374	<i>malchus</i>	1896, 28
<i>meminna</i>	1891, 385	<i>paroechus</i>	1896, 28
<i>napu</i>	1891, 385	<i>symmonus</i>	1893, 71
	1892, 227		1893, 75
	1893, 496	<i>Trapezus fasciatus</i>	1894, 188
	1900, 374	<i>Trebius caudatus</i>	1899, 461
<i>nigricans</i>	1893, 496	<i>spinifrons</i>	1899, 461
<i>stanleyanus</i>	1891, 385	<i>tenuifurcatus</i>	1899, 462
	1896, 986	<i>Trechona zebrata</i>	1896, 754
	1900, 375	<i>Tremataster difficilis</i> ..	1896, 1037
<i>Trapezia areolata</i>	1900, 590	<i>Trepobates pictus</i>	1894, 213

	Page		Page
<i>Trepichrois linnæi</i>	1900, 505	<i>Trichomycterus minutus</i> 1891,	235
<i>Treron calva</i>	1894, 528	<i>tenuis</i>	1895, 275
<i>crassirostris</i>	1894, 602	1895, 286
<i>nipalensis</i>	1897, 784	<i>Trichoniscus</i>	1900, 565
<i>nudirostris</i>	1900, 501	<i>albidus</i>	1900, 565
<i>waalia</i>	1897, 784	<i>asper</i>	1900, 565
<i>Triænopis persicus</i>	1895, 516	<i>australis</i>	1900, 565
.	1895, 544	<i>cavernicola</i>	1900, 565
.	1895, 545	<i>chavesi</i>	1900, 565
.	1895, 546	<i>insularis</i>	1900, 565
.	1898, 58	<i>leydigi</i>	1900, 565
.	1898, 762	<i>magellanicus</i>	1900, 566
.	1900, 98	<i>murrayi</i>	1900, 565
<i>Triæris</i>	1891, 561	<i>pusillus</i>	1900, 566
<i>stenaspis</i>	1891, 561	<i>pygmæus</i>	1900, 566
<i>Tribunta biguttalis</i>	1899, 291	<i>viduus</i>	1900, 565
<i>scabralis</i>	1899, 291	<i>Trichophaga abruptella</i> .	1896, 280
<i>Tricæna maxima</i>	1892, 194	1896, 281
<i>Trichaster palmiferus</i>	1894, 409	<i>bipartitella</i>	1896, 280
<i>Trichechus americanus</i>	1899, 796	1896, 281
<i>inunguis</i>	1897, 596	<i>coprobiella</i>	1896, 280
<i>obesus</i>	1897, 266	<i>swinhoei</i>	1896, 280
.	1897, 350	<i>tapetzella</i>	1896, 280
.	1897, 354	1896, 281
<i>rosmarus</i>	1894, 358	<i>Trichopria affinis</i>	1895, 808
.	1897, 350	<i>bifoveata</i>	1895, 808
.	1897, 354	<i>grenadensis</i>	1895, 807
<i>senegalensis</i>	1897, 596	<i>Trichoptilus centetes</i> . .	1891, 492
.	1899, 796	1891, 494
<i>Trichiurus haumela</i>	1899, 453	1896, 277
<i>Trichobatrachus</i>	1900, 443	1897, 56
<i>robustus</i>	1900, 443	<i>oxydactylus</i>	1896, 277
.	1900, 456	1897, 56
<i>Trichochaeta barbadensis</i>	1892, 666	(<i>Aciptilus</i>) <i>cali-</i>	
.	1892, 697	<i>fornicus</i>	1891, 494
.	1892, 701	<i>Trichoptychodes deli-</i>	
<i>hesperidum</i>	1892, 701	<i>cata</i>	1898, 670
.	1892, 702	<i>Trichosemeia brigida</i> . .	1896, 16
.	1899, 803	<i>hereus</i>	1896, 16
.	1899, 807	1896, 104
.	1899, 808	<i>pulvina</i>	1893, 53
<i>Trichodina tentaculata</i>	1897, 790	1896, 65
<i>Trichoglossus</i>	1899, 21	<i>quaterna</i>	1896, 16
.	1899, 43	<i>subalbida</i>	1896, 16
<i>forsteni</i>	1892, 471	<i>subolivescens</i>	1893, 43
.	1896, 1	1893, 53
<i>ornatus</i>	1895, 162	1896, 15
.	1895, 171	1896, 104
.	1895, 688	<i>tetrastigma</i>	1896, 15
.	1899, 20	<i>Trichostibas calligera</i> . .	1891, 533
<i>rubritorques</i>	1900, 772	1891, 547
<i>Tricholæma stigmato-</i>		1897, 115
<i>thorax</i>	1895, 493	<i>fumosa</i>	1897, 115
<i>Trichomanis hoevenii</i>	1895, 522	1897, 116
<i>Trichomelia celenna</i>	1892, 283	<i>iophlebia</i>	1891, 534
<i>Trichomycterus brasili-</i>		1891, 547
<i>ensis</i>	1891, 235	1897, 115
		<i>ovata</i>	1891, 533

	Page		Page
<i>Trichostibas ovata</i>	1891, 547	<i>Trigonocephalus grami-</i>	
	1897, 115	<i>neus</i>	1896, 896
<i>pallidicostella</i>	1897, 115	<i>lanceolatus</i>	1891, 352
<i>sordidata</i>	1891, 534	<i>puniceus</i>	1896, 896
	1891, 547	<i>sumatranus</i>	1896, 897
	1897, 115		1899, 696
<i>Trichostola fuscitarsis</i> .	1898, 232	<i>Trigonodes acutata</i>	1896, 265
<i>lefevrei</i>	1898, 232	<i>hyppasia</i>	1893, 681
<i>Trichosurus fuliginosus</i>	1900, 779		1894, 590
	1900, 786		1896, 265
	1900, 788		1896, 849
			1898, 423
<i>vulpecula</i>	1894, 355		1900, 19
	1894, 361	<i>Trigonosoma affine</i>	1900, 819
	1894, 368	<i>apicale</i>	1900, 822
	1894, 376	<i>gambiae</i>	1900, 819
	1897, 328	<i>rufum</i>	1900, 819
	1900, 779	<i>subfasciatum</i>	1900, 819
	1900, 790	<i>Trigonotylus pulcher</i> ..	1893, 705
	1900, 791	<i>Trilatitus horsfieldi</i>	1900, 347
<i>Trichotaphe tegulella</i> ..	1897, 83	<i>Trilocha varians albi-</i>	
<i>trigonella</i>	1891, 523	<i>collis</i>	1894, 586
	1891, 546	<i>Trimeresurus convictus</i> .	1896, 896
	1897, 83		1899, 694
<i>Trichthacerus molestus</i> .	1899, 491	<i>erythrurus</i>	1896, 896
<i>peristedii</i>	1899, 491	<i>gramineus</i>	1892, 507
<i>Trichura cyanea</i>	1892, 276	<i>subannulatus</i>	1892, 507
<i>Trichys guentheri</i>	1892, 227	<i>wagleri</i>	1895, 705
	1893, 495	<i>Trimerorhinus rhom-</i>	
	1900, 882	<i>beatus</i>	1895, 825
<i>lipura</i>	1900, 869	<i>tritæniatus</i>	1897, 801
	1900, 870	<i>Trinema enchelys</i>	1897, 789
	1900, 881	<i>Tringa acuminata</i>	1892, 581
	1900, 882	<i>albescens</i>	1900, 498
<i>Triclaria cyanogastra</i> ..	1899, 513	<i>alpina</i>	1900, 499
<i>Tridacna gigas</i>	1900, 117	<i>bairdi</i>	1891, 137
	1900, 118		1892, 400
<i>Tridactylus minutus</i> ..	1892, 200		1892, 408
	1892, 216	<i>canutus</i>	1896, 546
	1893, 609		1900, 498
<i>Trigla capensis</i>	1899, 489	<i>cinclus</i>	1900, 499
<i>cucullus</i>	1899, 940	<i>crassirostris</i>	1900, 498
	1899, 951	<i>fuscicollis</i>	1892, 400
	1899, 956		1892, 408
<i>gurnardus</i>	1898, 310	<i>maculata</i>	1891, 137
	1899, 448		1892, 400
	1899, 940		1892, 408
	1899, 951	<i>minutilla</i>	1892, 400
<i>hirundo</i>	1898, 296		1892, 406
	1898, 310		1892, 408
	1898, 314		1893, 178
	1899, 489	<i>pectoralis</i>	1892, 581
<i>pini</i>	1898, 310	<i>platyrhyncha</i>	1900, 499
<i>Triglyphothrix obesum</i> .	1896, 419	<i>ruficollis</i>	1900, 498
<i>walshi</i>	1896, 419	<i>subarcuatus</i>	1900, 498
<i>Trigona iridipennis</i>	1896, 458	<i>subarquata</i>	1897, 890
<i>præterita</i>	1896, 458		1897, 891
<i>Trigonidium pacificum</i> .	1895, 895		1897, 894

	Page		Page
<i>Tringa subarquata</i>	1900, 498	<i>Trithyrus ignefactalis</i> ..	1898, 649
<i>temminckii</i>	1900, 498	<i>iphicalis</i>	1898, 649
<i>Tringoides hypoleucus</i> .	1895, 515	<i>janualis</i>	1898, 649
<i>macularius</i>	1900, 497	<i>latifascialis</i>	1898, 649
.	1892, 372	<i>nysalis</i>	1898, 649
.	1899, 511	<i>perticalis</i>	1898, 649
<i>Trionyx barbaræ</i>	1891, 7	<i>prosopalis</i>	1898, 649
<i>cartilagineus</i>	1896, 861	<i>protenoralis</i>	1898, 649
.	1899, 602	<i>rubralis</i>	1898, 648
.	1899, 620	<i>scyllalis</i>	1898, 648
<i>gangeticus</i>	1896, 861	<i>sunialis</i>	1898, 648
.	1899, 620	<i>Triton alpestris</i>	1898, 836
<i>güntheri</i>	1896, 860	<i>bibroni</i>	1895, 154
.	1899, 619	<i>chlorostoma</i>	1891, 413
<i>henrici</i>	1891, 7	<i>cinereus</i>	1895, 154
<i>hurum</i>	1891, 6	<i>cingulatus</i>	1891, 413
.	1891, 7	<i>cristatus</i>	1895, 707
.	1896, 861	<i>gallinago</i>	1891, 413
.	1899, 602	<i>glacialis</i>	1895, 157
.	1899, 620	<i>labiosus</i>	1891, 413
<i>incrassatus</i>	1891, 7	<i>pilearis</i>	1891, 413
<i>ornatus</i>	1896, 861	<i>platycephalus</i>	1895, 150
.	1899, 620	<i>puncticulatus</i>	1895, 154
<i>phayrii</i>	1896, 861	<i>pyrenæus</i>	1895, 154
.	1899, 602	<i>ranzanii</i>	1891, 413
.	1899, 620	<i>repandus</i>	1895, 154
<i>planus</i>	1891, 6	<i>rugosus</i>	1895, 154
.	1891, 7	<i>tæniatus</i>	1898, 486
<i>subplanus</i>	1896, 860	<i>tigrinus</i>	1891, 413
.	1899, 602	<i>trilineatus</i>	1891, 413
.	1899, 619	<i>vespaceus</i>	1891, 413
.	1899, 697	<i>vulgaris meridionalis</i>	1898, 483
<i>triunguis</i>	1900, 447	<i>Tritonidea rufina</i>	1891, 435
<i>Triphleps perpunctatus</i> .	1894, 156	<i>undosa</i>	1891, 405
.	1894, 201	1900, 117
<i>Triplatoma attenuata</i> ..	1892, 85	<i>Trochalopteron cano-</i>	
<i>cæca</i>	1892, 96	<i>rum</i>	1900, 475
<i>gestroi</i>	1892, 85	<i>erythrocephalum</i> ..	1900, 305
<i>Tripneustes gratilla</i> . . .	1894, 397	<i>rufigulare</i>	1900, 305
.	1894, 411	<i>Trochalis</i> sp.	1893, 739
<i>variegatus</i>	1898, 849	<i>Trochammina trulissata</i> .	1895, 18
<i>Tripriodon caperatus</i> ..	1893, 212	1895, 50
<i>cælatus</i>	1893, 211	<i>Trochiodes ceresia</i>	1893, 308
.	1893, 212	<i>coniades</i>	1893, 309
<i>Triptogon modesta</i>	1893, 279	1893, 311
.	1894, 134	<i>coras</i>	1893, 310
<i>Trirhinopholis styani</i> ..	1899, 164	<i>cormasa</i>	1893, 309
.	1899, 172	1893, 310
<i>Trisris fauroti</i>	1891, 435	1893, 311
<i>Tritæa</i>	1899, 207	<i>creusa</i>	1893, 309
<i>Trithemis arteriosa</i> . . .	1896, 521	1893, 311
<i>cæsia</i>	1891, 204	<i>plagia</i>	1893, 308
<i>trivialis</i>	1891, 203	1893, 309
<i>yerburi</i>	1891, 203	1893, 311
<i>Trithyrus</i>	1898, 596	<i>platæa</i>	1893, 310
.	1898, 648	<i>polymela</i>	1893, 309
<i>aurantiacalis</i>	1898, 649	1893, 311
<i>fenestrinalis</i>	1898, 649		

	Page		Page
<i>Trogonophis wiegmanni</i> .	1892, 12	<i>Tropidonotus maculatus</i> .	1896, 880
	1895, 702		1899, 605
	1895, 706		1899, 663
	1895, 707	<i>natrix</i>	1892, 481
<i>Trogontherium cuvieri</i> .	1891, 247		1892, 482
	1891, 248		1892, 486
<i>Troides aeacus</i>	1900, 509		1892, 490
<i>Trombidium fuliginosum</i>	1895, 199		1893, 499
	1895, 200		1894, 508
	1895, 205		1895, 692
<i>tinctorium</i>	1900, 49		1895, 694
<i>Tropæa artemis</i>	1900, 181		1895, 696
<i>dictynna</i>	1896, 635		1895, 697
<i>luna</i>	1896, 635		1895, 705
<i>Tropheus</i>	1898, 496		1895, 712
	1899, 99		1896, 547
	1899, 105	<i>olivaceus</i>	1896, 216
<i>moorii</i>	1898, 496		1897, 800
	1899, 105		1900, 451
	1899, 143		1900, 968
<i>Tropicorypha deplanata</i> .	1900, 811	<i>percarinatus</i>	1899, 163
<i>rufescens</i>	1900, 811		1899, 172
<i>Tropidolepis æneus</i> . . .	1897, 514	<i>picturatus</i>	1897, 218
<i>formosa</i>	1897, 501	<i>piscator</i>	1896, 783
<i>grammicus</i>	1897, 508		1896, 879
<i>horridus</i>	1897, 490		1899, 163
<i>microlepidotus</i>	1897, 509		1899, 605
<i>scalaris</i>	1897, 515		1899, 660
<i>spinosus</i>	1897, 490	<i>quincunciatus</i>	1896, 879
<i>torquatus</i>	1897, 477		1897, 219
<i>undulatus</i>	1897, 503	<i>rhodomelas</i>	1892, 507
<i>variabilis</i>	1897, 516	<i>sarasinorum</i>	1897, 196
<i>Tropidonotus annularis</i> .	1899, 163		1897, 200
<i>callistus</i>	1897, 219		1897, 218
<i>celebicus</i>	1897, 196		1897, 237
	1897, 200	<i>saravacensis</i>	1892, 507
	1897, 218	<i>schistosus</i>	1896, 881
	1897, 237		1899, 664
<i>cerasogater</i>	1896, 879	<i>stolatus</i>	1896, 783
	1899, 659		1896, 880
<i>chrysargoides</i>	1897, 196		1899, 605
	1897, 200		1899, 662
	1897, 219	<i>subminiatus</i>	1896, 880
<i>chrysargus</i>	1892, 502		1897, 196
	1896, 880		1897, 200
	1899, 606		1897, 219
	1899, 663		1899, 600
	1899, 957		1899, 605
<i>conspicillatus</i>	1892, 506		1899, 662
<i>craspedogaster</i>	1899, 163	<i>tigrinus</i>	1899, 164
	1899, 172		1899, 605
<i>fuliginoides</i>	1900, 451		1899, 660
<i>junceus</i>	1896, 880	<i>trianguligerus</i>	1896, 879
	1899, 663		1897, 196
<i>khasiensis</i>	1899, 163		1897, 200
<i>leucomelas</i>	1899, 664		1897, 219
<i>maculatus</i>	1892, 507		1899, 604
			1899, 659

	Page		Page
<i>Tropidonotus umbratus</i> ..	1896, 879	<i>Truncatulina wueller-</i>	
<i>viperinus</i>	1892, 19	<i>storfi</i>	1895, 53
<i>vittatus</i>	1896, 880	<i>Trupialis bellicosa</i>	1892, 378
	1897, 196		1892, 407
	1897, 200	<i>Truxalis nasuta</i>	1900, 38
	1897, 219	<i>unguiculata</i>	1900, 39
	1899, 605	<i>Trybliographa xantho-</i>	
	1899, 662	<i>poda</i>	1895, 754
<i>Tropidophorus brookii</i> ..	1892, 506		1895, 755
<i>cochinchinensis</i> ..	1899, 652	<i>Trygodes divisaria</i>	1892, 132
<i>grayi</i>	1897, 196	<i>Trygon pastinacea</i>	1899, 476
	1897, 197		1899, 502
	1897, 199	<i>sephen</i>	1892, 136
	1897, 216	<i>Trypoxylon intrudens</i> ..	1896, 441
<i>microlepis</i>	1899, 652	<i>pileatum</i>	1896, 441
<i>mocquardii</i>	1894, 725	<i>Tryxalis nasuta</i>	1898, 384
	1894, 735	<i>Tubella reticulata</i>	1896, 779
<i>Tropiocolotes tripoli-</i>		<i>Tubipora</i>	1899, 159
<i>tanus</i>	1894, 722	<i>Tubularia implexa</i>	1896, 461
<i>Trotonotus</i>	1898, 431	<i>Tucca impressa</i>	1899, 469
<i>bettoni</i>	1898, 431	<i>Tugonia anatina</i>	1891, 429
	1898, 444	<i>compressa</i>	1891, 429
<i>Trox denticulatus</i>	1900, 23	<i>nobilis</i>	1891, 429
<i>expansus</i>	1900, 22	<i>semisulcata</i>	1891, 429
	1900, 23	<i>siphonata</i>	1891, 429
	1900, 63	<i>Tunza promptella</i>	1895, 972
<i>funestus</i>	1900, 23	<i>Tupaia belangeri</i>	1900, 192
<i>melancholicus</i>	1893, 739	<i>chrysur</i>	1893, 495
<i>squalidus</i>	1900, 22	<i>dorsalis</i>	1892, 227
<i>Truncatella semicostata</i> .	1894, 152		1893, 495
<i>valida</i>	1894, 152	<i>ferruginea</i>	1892, 223
	1895, 445		1892, 224
— <i>candida</i>	1895, 445		1892, 227
— <i>minor</i>	1895, 445		1893, 495
— <i>parcicostata</i>	1895, 445		1900, 192
<i>Truncatulina akneriana</i> .	1895, 41		1900, 336
	1895, 53		1900, 874
<i>culter</i>	1895, 41	<i>javanica</i>	1892, 224
	1895, 53		1893, 495
<i>dutemplei</i>	1895, 40		1900, 336
	1895, 53	<i>malaccana</i>	1900, 336
<i>haidingerii</i>	1895, 40	<i>melanura</i>	1892, 224
	1895, 53		1892, 225
<i>lobatula</i>	1895, 40		1892, 227
	1895, 53		1893, 495
<i>præcineta</i>	1895, 41	<i>minor</i>	1892, 224
	1895, 53		1892, 225
<i>pygmæa</i>	1895, 40		1893, 495
	1895, 53	<i>montana</i>	1892, 223
<i>robertsoniana</i>	1895, 40		1892, 224
	1895, 53		1893, 495
<i>rostrata</i>	1900, 141	<i>picta</i>	1892, 224
<i>tenera</i>	1895, 41		1892, 227
	1895, 53		1893, 495
<i>ungeriana</i>	1895, 40	<i>splendidula</i>	1893, 495
	1895, 53	<i>tana</i>	1892, 223
	1900, 141		1893, 495
<i>wuellerstorfi</i>	1895, 40		1894, 356

	Page		Page
<i>Tupaia tana</i>	1900,	<i>Turdus phaeopygus</i> spo-	
<i>Tupinambis nigropunc-</i>	336	diolaemus	1896, 326
tatus	1891, 114	piaggii	1900, 606
<i>Turacus buffoni</i>	1900, 305	pilaris	1898, 3
donaldsoni	1895, 495	serranus	1896, 327
.....	1895, 496	simensis	1895, 484
fischeri	1895, 496	swainsoni	1896, 327
hartlaubi	1900, 601	torquatus	1891, 473
leucotis	1895, 495	varius	1897, 892
livingstonii	1894, 594	1897, 894
macrorhynchus	1900, 305	viscivorus	1896, 313
meriani	1895, 495	1896, 315
porphyreolophus ..	1900, 305	1897, 892
schalowi	1899, 828	<i>Turnix dussumieri</i>	1900, 503
<i>Turania</i>	1899, 277	lepurana	1900, 3
<i>Turbinaria</i>	1899, 157	<i>Turris intermedia</i>	1891, 410
dane	1898, 262	<i>Turritella columnaris</i> ..	1891, 417
mesenterina	1898, 263	hookeri	1891, 437
orbicularis	1898, 263	imbricata	1891, 435
pulcherrima	1898, 263	incoler	1891, 437
schistica	1898, 263	1891, 444
.....	1898, 276	maculata	1891, 417
<i>Turbo elegans</i>	1891, 419	<i>Tursiops tursio</i>	1894, 455
granulatus	1891, 419	<i>Turtur ambiguus</i>	1900, 966
lajonkairii	1900, 118	capicola	1895, 518
radiatus	1891, 419	1899, 828
(<i>Marmorostoma</i>) co-		chinensis	1900, 502
ronatus	1891, 491	communis	1896, 311
<i>Türkheimia trifasciata</i> ..	1898, 419	damarensis	1895, 518
<i>Turdinus moloneyanus</i> ..	1892, 228	humilis	1900, 502
<i>Turdus abyssinicus</i> ..	1895, 485	lugens	1895, 517
cardis	1900, 472	orientalis	1900, 502
chiguanco	1891, 132	risorius	1892, 77
.....	1892, 373	rupicola	1900, 502
.....	1892, 407	senegalensis	1895, 517
.....	1896, 323	turtur	1896, 311
chrysolaus	1900, 472	<i>Turturona</i> sp.	1894, 603
flavipes	1900, 305	1894, 604
gigas gigantodes ..	1896, 327	<i>Turucus pulcher</i>	1893, 661
icterorhynchus	1894, 601	<i>Tycherus angolensis</i> ..	1897, 458
ignobilis	1896, 326	1897, 464
iliacus	1898, 3	josephus	1897, 458
libonians	1900, 2	raffrayi	1897, 458
mandarinus	1900, 472	senegalensis	1897, 458
merula	1891, 473	1897, 459
.....	1896, 228	<i>Tylocarcinus styx</i>	1900, 569
.....	1897, 370	1900, 574
musicus	1891, 472	1900, 575
.....	1891, 476	<i>Tylocerus atricornis</i>	1898, 321
.....	1896, 315	lineatus	1898, 320
.....	1900, 397	1898, 333
.....	1900, 472	<i>Tylognathus smerinth-</i>	
mustelinus	1900, 305	oides	1896, 637
nigriceps	1896, 325	<i>Tylopsis bilineolata</i> ..	1900, 43
olivaceus	1895, 485	perpulchra	1900, 43
phaeopygioides	1896, 326	<i>Tylotriton ander-</i>	
phaeopygus	1896, 326	sonii	1894, 643
— saturatus	1896, 326	verrucosus	1892, 348

	Page		Page
<i>Tympanisiria tympan-</i>		<i>Typhlops mucroso</i>	1897, 800
<i>istria</i>	1894, 598	<i>nigricauda</i>	1895, 867
	1894, 602	<i>nigroalbus</i>	1896, 876
<i>Tympanoceros newtoni</i> ..	1900, 439		1899, 604
<i>Typhæus orientalis</i>	1898, 445		1899, 615
<i>Typhedanus zephus</i>	1893, 18		1899, 653
	1893, 34	<i>obtus</i>	1891, 306
	1893, 35		1892, 555
<i>Typhlatta bengalensis</i> ..	1896, 416	<i>platycephalus</i>	1891, 352
<i>ceylonica</i>	1896, 416	<i>punctatus</i>	1894, 87
<i>Typhlina lineata</i>	1899, 652		1900, 451
<i>Typhlomolge rathbuni</i> ..	1898, 479	<i>reticulatus</i>	1894, 517
<i>Typhlomys cinereus</i>	1898, 769	<i>schneideri</i>	1899, 601
	1898, 772		1899, 604
<i>Typhlonectes com-</i>			1899, 653
<i>pressicauda</i>	1894, 643	<i>siamensis</i>	1899, 601
	1895, 410		1899, 604
	1895, 411		1899, 653
<i>dorsalis</i>	1895, 411	<i>somalicus</i>	1895, 536
<i>kaupii</i>	1895, 410		1895, 540
	1895, 411		1896, 216
<i>natans</i>	1895, 410	<i>unitæniatus</i>	1894, 87
	1895, 411	<i>Typonotus</i>	1893, 716
<i>syntremus</i>	1895, 405	<i>planaris</i>	1893, 706
<i>Typhlopone curtisii</i>	1896, 416		1893, 716
<i>Typhlops albiceps</i>	1899, 601		1894, 203
	1899, 604	<i>Tyranniscus frontalis</i> ..	1896, 323
	1899, 654		1896, 363
	1899, 697	<i>plumbeiceps</i>	1896, 363
<i>ater</i>	1897, 196	<i>Tyrannulus albocris-</i>	
	1897, 199	<i>tatus</i>	1892, 380
	1897, 217	<i>Tyrannus melancholicus</i> .	1892, 381
<i>blanfordi</i>	1896, 216		1892, 408
<i>bothriorhynchus</i> ..	1896, 876		1892, 409
	1899, 604		1896, 367
	1899, 653	<i>pipiri</i>	1892, 381
<i>braminus</i>	1896, 876	<i>rostratus</i>	1892, 499
	1897, 196	<i>tyrannus</i>	1892, 372
	1897, 199		1892, 381
	1897, 217		1892, 408
	1899, 604	<i>Tyspanodes</i>	1898, 598
	1899, 653		1898, 672
<i>cæcus</i>	1900, 451	<i>cardinalis</i>	1898, 674
<i>conradi</i>	1897, 217	<i>creaghi</i>	1898, 673
<i>crossi</i>	1895, 536		1898, 761
<i>floweri</i>	1899, 601	<i>exathesalis</i>	1898, 673
	1899, 604	<i>fascialis</i>	1898, 673
	1899, 654		1898, 674
	1899, 697	<i>flaviventer</i>	1898, 673
<i>fuscus</i>	1891, 352	<i>flavolimbis</i>	1898, 674
<i>lineatus</i>	1896, 876	<i>hypsalis</i>	1898, 673
	1899, 604	<i>linealis</i>	1898, 673
	1899, 652	<i>nigrolinealis</i>	1898, 673
<i>lumbricalis</i>	1892, 481	<i>striata</i>	1898, 673
	1892, 488	<i>venosa</i>	1898, 673
	1895, 697		
	1895, 704	<i>Ubida ramostriella</i>	1895, 954
	1895, 708	<i>receptalis</i>	1895, 954

	Page		Page
<i>Uca acuta</i>	1900, 753	<i>Ulopeza</i>	1898, 661
<i>annulipes</i>	1900, 754	<i>conigeralis</i>	1898, 661
<i>cultrimana</i>	1900, 569	<i>idyalis</i>	1898, 660
.....	1900, 570	1898, 661
.....	1900, 595	<i>semivialis</i>	1898, 661
<i>dussumieri</i>	1900, 753	<i>tenebrosalis</i>	1898, 661
<i>tetragonon</i>	1900, 754	<i>Umbrella indica</i>	1891, 421
<i>vocans</i>	1900, 754	<i>Umbrina cirrhosa</i>	1899, 479
<i>Udaspes cicero</i>	1893, 114	1899, 506
<i>folus</i>	1892, 655	<i>Una usta</i>	1895, 558
.....	1893, 92	1895, 579
.....	1893, 113	<i>Unio cylindricus</i>	1891, 56
.....	1893, 114	<i>delphinus</i>	1893, 641
.....	1900, 511	<i>nyassaensis</i>	1891, 310
<i>Udea</i>	1899, 239	1893, 640
<i>martialis</i>	1894, 591	1893, 641
<i>Ugra angustipennis</i>	1897, 678	<i>perakensis</i>	1891, 348
<i>parallela</i>	1895, 974	<i>teretiusculus</i>	1900, 970
.....	1897, 678	<i>triangularis</i>	1891, 56
<i>Uintacrinus socialis</i>	1895, 974	(<i>Metaptera</i>) <i>john-</i>	
.....	1895, 975	<i>stoni</i>	1893, 640
.....	1895, 976	1893, 645
.....	1895, 977	<i>Unkana attina</i>	1892, 641
.....	1895, 978	1893, 123
.....	1895, 981	<i>batara</i>	1892, 645
.....	1895, 982	1893, 94
.....	1895, 983	1893, 123
.....	1895, 984	<i>cruda</i>	1893, 123
.....	1895, 985	<i>elia</i>	1892, 645
.....	1895, 986	1893, 123
.....	1895, 992	<i>Upocerthia andecola</i> ..	1896, 371
.....	1895, 993	<i>bridgesi</i>	1896, 371
.....	1895, 1002	<i>jelskii</i>	1891, 132
.....	1895, 1003	1891, 134
.....	1895, 1004	1896, 371
<i>westfalicus</i>	1895, 976	<i>serrana</i>	1896, 371
.....	1895, 977	<i>Upupa ceylonensis</i>	1900, 487
.....	1895, 983	<i>epops</i>	1900, 957
.....	1895, 984	— <i>senegalensis</i>	1895, 500
.....	1895, 986	<i>indica</i>	1900, 487
.....	1895, 990	<i>somalensis</i>	1895, 500
.....	1895, 991	<i>Uræginthus ianthino-</i>	
.....	1895, 996	<i>gaster</i>	1895, 467
.....	1895, 1002	<i>phœnicotis</i>	1895, 467
<i>Ukania semamora</i>	1893, 123	<i>Uræotyphlus africanus</i> .	1895, 408
<i>watsonii</i>	1893, 123	<i>malabaricus</i>	1892, 348
<i>Uliocnemis</i>	1893, 355	1895, 408
<i>albimarginata</i>	1893, 355	1895, 409
<i>albiradiata</i>	1893, 356	<i>oxyurus</i>	1895, 408
<i>cassidara</i>	1893, 355	<i>seraphini</i>	1895, 408
<i>delineata</i>	1893, 356	1900, 434
.....	1893, 434	<i>Urania leilus</i>	1896, 776
<i>signifera</i>	1893, 357	<i>Uraniscodon plica</i>	1891, 448
.....	1893, 434	<i>Uranoscopus scaber</i>	1899, 493
<i>Uliosoma discoloralis</i> ..	1897, 676	<i>Uranotauma</i>	1895, 631
.....	1897, 677	<i>antinorii</i>	1900, 913
<i>Uloborus penicillatus</i> ..	1891, 554	1900, 928
<i>Ulopeza</i>	1898, 597	<i>cordatum</i>	1895, 632

	Page		Page
<i>Uranothauma cordatum</i>	1900, 913	<i>Uropoda coccinea</i>	1891, 646
	1900, 928		1891, 653
<i>crawshayi</i>	1895, 631	<i>festiva</i>	1891, 646
	1895, 634	<i>formicariæ</i>	1891, 640
	1896, 108		1891, 641
	1896, 122	<i>lamellosa</i>	1891, 646
	1896, 831	<i>Urostylis</i>	1900, 818
	1900, 928	<i>histrionica</i>	1900, 822
<i>falkensteinii</i>	1900, 913	<i>punctigera</i>	1900, 819
	1900, 928	<i>Urota sinope</i>	1896, 241
<i>poggei</i>	1896, 831		1896, 242
<i>Urapteryx palindiarina</i> ..	1896, 644	<i>Urotrichus talpoides</i> ..	1891, 351
<i>platinata</i>	1896, 645		1894, 356
<i>Urbanus alceæ</i>	1893, 67	(<i>Neurotrichus</i>)	
<i>Uria alle</i>	1899, 1040	<i>gibbsi</i>	1891, 351
<i>columbia</i>	1896, 547	<i>Ursus americanus</i>	1894, 532
<i>troile</i>	1897, 471		1897, 372
<i>Uriechis capensis</i>	1891, 308		1897, 373
	1892, 555		1897, 379
	1894, 87		1897, 380
<i>lunulata</i>	1891, 308		1897, 385
<i>nigriceps</i>	1892, 555		1897, 386
<i>Urobrachya axillaris</i> ..	1900, 2		1897, 387
<i>traversi</i>	1900, 957		1897, 388
<i>Urocentrum guentheri</i> ..	1894, 723		1897, 389
	1894, 729		1897, 391
<i>Urochæta corethrura</i> ..	1892, 170		1897, 392
<i>Urochroma wiedi</i>	1899, 515		1897, 394
<i>Urocissa erythrorhyncha</i>	1900, 462		1897, 395
<i>magnirostris</i>	1896, 228		1897, 397
<i>whiteheadi</i>	1900, 461		1897, 399
	1900, 462		1897, 400
<i>Urodrepanis christinæ</i> ..	1900, 468		1897, 401
<i>Urola microchrysella</i> ..	1895, 944		1897, 402
<i>pulchella</i>	1895, 945		1897, 403
<i>subænescens</i>	1895, 944		1897, 404
<i>Urolabida</i>	1900, 818		1897, 406
<i>tenera</i>	1900, 819		1897, 416
<i>Uroleptus piscis</i>	1897, 789		1898, 154
<i>Uroloncha cantans</i>	1895, 466		1898, 156
<i>squamicollis</i>	1900, 466		1898, 159
<i>Urolophus oerstedii</i>	1899, 506		1898, 160
<i>Uromastix acanthi-</i>			1898, 162
<i>nurus</i>	1892, 12		1898, 163
<i>ægyptius</i>	1899, 908		1898, 164
<i>batilliferus</i>	1895, 534		1898, 165
<i>ornatus</i>	1898, 915		1898, 166
<i>princeps</i>	1895, 534		1898, 168
<i>undulatus</i>	1897, 503		1898, 169
<i>Uroplectes andreæ</i>	1899, 835		1898, 172
<i>fischeri</i>	1900, 54		1898, 173
	1900, 55		1898, 175
— <i>flavimanus</i>	1900, 55		1898, 177
— <i>nigrimanus</i>	1900, 55	<i>arctus</i>	1894, 532
— <i>typicus</i>	1900, 55		1897, 372
<i>occidentalis</i>	1899, 834		1897, 387
	1899, 835		1897, 391
<i>Uropoda canestriana</i> ..	1891, 641		1897, 392

	Page		Page
Ursus arctus	1897, 394	Ursus formicarius	1897, 416
	1897, 395		1897, 419
	1897, 400	fossilis	1897, 415
	1897, 402		1897, 416
	1897, 403		1897, 419
	1897, 495	horriæus	1897, 425
	1897, 407	horribilis	1897, 415
	1897, 412		1897, 416
	1897, 413		1897, 424
	1897, 414	— horriæus	1897, 425
	1897, 415	isabellinus.....	1897, 413
	1897, 416		1897, 419
	1897, 417		1897, 420
	1897, 418	japonicus	1897, 424
	1897, 419	labiatus	1894, 532
	1897, 815		1897, 413
	1898, 154	lagomyarius	1897, 415
	1898, 160		1897, 426
	1898, 165	lasiotus	1897, 421
	1898, 167	longirostris	1897, 416
— aureus	1897, 416	luteolus	1897, 416
— beringiana	1897, 415	malayanus.....	1893, 495
	1897, 417		1900, 335
	1897, 421	maritimus.....	1894, 532
— collaris	1897, 414		1897, 372
	1897, 421		1897, 379
— crowtheri.....	1897, 425		1897, 380
— dalli	1897, 424		1897, 387
— fossilis	1897, 419		1897, 388
— horribilis	1897, 424		1897, 389
— isabellinus	1897, 414		1897, 391
	1897, 416		1897, 392
	1897, 419		1897, 394
	1897, 420		1897, 397
	1897, 426		1897, 399
— middendorffi ..	1897, 422		1897, 401
— piscator	1894, 532		1897, 402
— richardsoni	1897, 425		1897, 403
— syriacus	1897, 420		1897, 405
— typicus	1897, 419		1897, 407
	1897, 424		1898, 154
— yesoensis	1897, 422		1898, 156
behringianus	1897, 421		1898, 167
	1900, 302		1898, 172
cadavarinus	1897, 419		1898, 177
cinereus.....	1897, 424	middendorffi	1897, 422
cinnamomeus	1897, 416	nasutus	1898, 2
collaris	1897, 416	norvegicus	1897, 419
	1897, 421	ornatus	1893, 614
	1897, 424		1898, 2
crowtheri	1897, 424	piscator	1897, 416
dalli	1897, 424		1897, 421
faidherbianus	1897, 425	priscus	1897, 416
	1897, 426		1897, 419
ferox	1897, 415	pruinosis	1893, 449
	1897, 424		1897, 412
— fossilis	1897, 415		1897, 413
	1897, 416		1897, 414
	1897, 419		

	Page		Page
<i>Ursus pruinus</i>	1897, 426	<i>Vandellia cirrhosa</i>	1897, 901
	1897, 814		1897, 920
<i>pyrenaicus</i>	1897, 419	<i>Vanellus coronatus</i>	1895, 514
<i>rex</i>	1900, 302	<i>resplendens</i>	1891, 136
<i>richardsoni</i>	1897, 425	<i>spinosus</i>	1895, 514
<i>sitkensis</i>	1897, 424	<i>vanellus</i>	1896, 311
<i>spelæus</i>	1897, 419	<i>vulgaris</i>	1896, 311
	1897, 426	<i>Vanessa aglatonice</i>	1894, 564
<i>syriacus</i>	1897, 416	<i>antiopa</i>	1891, 180
	1897, 420		1894, 134
<i>torquatus</i>	1897, 412		1895, 138
(<i>Danis</i>) <i>cinereus</i> ..	1897, 424		1896, 241
<i>Urubitinga uncinata</i> ..	1892, 388		1897, 296
<i>Usta wallengreni</i>	1898, 429	<i>atalanta</i>	1893, 279
<i>Uta elegans</i>	1891, 467		1894, 134
<i>nigricans</i>	1891, 467	<i>cardui</i>	1893, 279
<i>symmetrica</i>	1898, 915	<i>eudoxia</i>	1891, 284
<i>Uvigerina aculeata</i>	1895, 35	<i>galami</i>	1893, 651
	1895, 53		1895, 725
<i>angulosa</i>	1895, 35	<i>io</i>	1891, 180
	1895, 53		1892, 194
— <i>spinipes</i>	1895, 35		1893, 279
	1895, 53	<i>levana</i>	1891, 180
<i>asperula</i>	1895, 35		1892, 194
	1895, 53		1893, 279
— <i>ampullacea</i>	1895, 35	<i>limnoria</i>	1894, 562
	1895, 53	<i>pelasgis</i>	1891, 75
<i>brunnensis</i>	1895, 36		1894, 34
	1895, 53		1896, 823
<i>canariensis</i>	1895, 36	<i>polychlorus</i>	1892, 194
	1895, 53		1894, 134
<i>interrupta</i>	1895, 34		1895, 138
	1895, 52		1896, 241
<i>pygmæa</i>	1895, 35		1897, 296
	1895, 52	<i>prorsoides</i>	1891, 285
<i>schwageri</i>	1895, 35	<i>urticæ</i>	1891, 180
	1895, 53		1892, 194
<i>tenuistriata</i>	1895, 35	<i>Vanessula milca</i>	1899, 977
	1895, 52	<i>Varanus albigularis</i>	1891, 306
<i>Uzeda olivaceana</i>	1897, 650	<i>brevicauda</i>	1898, 916
<i>torquetana</i>	1897, 651		1898, 920
<i>vitriferana</i>	1897, 651		1898, 923
		<i>dumerilii</i>	1892, 506
<i>Vadata macropterana</i> ..	1896, 647	<i>eremius</i>	1898, 916
	1897, 630	<i>flavescens</i>	1896, 782
<i>subchalybæa</i>	1897, 630		1896, 872
<i>Vaginula bleekeri</i>	1891, 23		1899, 603
<i>hasselti</i>	1891, 23		1899, 643
<i>wallacei</i>	1891, 24	<i>gilleni</i>	1898, 916
<i>Vaginulus giganteus</i> ..	1895, 443	<i>griseus</i>	1892, 12
	1895, 451		1895, 636
<i>prismatica</i>	1891, 220		1895, 642
<i>voigtii</i>	1895, 451	<i>heteropholis</i>	1892, 506
<i>Valeria anguliplaga</i>	1896, 639		1894, 724
<i>Valvulina conica</i>	1895, 21	<i>nebulosus</i>	1896, 872
	1895, 50		1899, 603
<i>Vanbenedenia kroeyeri</i> .	1899, 497		1899, 643
<i>Vandeleuria oleracea</i> ..	1900, 360	<i>niloticus</i>	1895, 643

	Page		Page
<i>Varanus niloticus</i>	1897, 800	<i>Venus reticulata</i>	1891, 424
	1900, 448	<i>Verneuilina propinqua</i> ..	1895, 19
	1900, 967		1895, 50
<i>ocellatus</i>	1895, 534	<i>pygmæa</i>	1895, 19
	1896, 215		1895, 50
	1900, 968	<i>Veronicella</i> sp.....	1899, 579
<i>rudicollis</i>	1896, 873	<i>birmanica</i>	1891, 220
	1899, 603	<i>floridana</i>	1891, 218
	1899, 643	<i>lævis</i>	1891, 218
<i>salvator</i>	1892, 506	<i>marianita</i>	1891, 219
	1896, 873	<i>moreleti</i>	1891, 219
	1897, 195	<i>olivacea</i>	1891, 219
	1897, 198	<i>schivelyæ</i>	1891, 218
	1897, 208		1891, 219
	1899, 603	<i>solea</i>	1891, 219
	1899, 643	<i>taunaysi</i>	1891, 218
<i>togianus</i>	1894, 724	<i>Verrucella flabellata</i> ..	1899, 52
	1897, 195	<i>granifera</i>	1899, 46
	1897, 198		1899, 52
	1897, 208		1899, 53
<i>Varnia æqualis</i>	1897, 609	<i>Vertagus vertagus</i>	1891, 435
<i>aurea</i>	1897, 609	<i>Vertigo</i> (<i>Staurodon</i>)	
<i>crassa</i>	1897, 609	<i>moreleti</i>	1894, 151
<i>fenestrata</i>	1897, 609	(—) <i>samuiana</i> ..	1894, 151
<i>flagrata</i>	1897, 609	<i>Vespa carnatica</i>	1896, 448
<i>inæqualis</i>	1897, 609	<i>cincta</i>	1896, 449
<i>incudigera</i>	1897, 609	<i>ferruginea</i>	1896, 450
<i>miniata</i>	1897, 609	<i>obliterata</i>	1896, 450
<i>plena</i>	1897, 609	<i>petiolata</i>	1896, 448
<i>taprobana</i>	1897, 609	<i>stigma</i>	1896, 450
<i>ypsiloides</i>	1897, 609	<i>tamula</i>	1896, 450
<i>Varuna litterata</i>	1900, 756	<i>tenebrionis</i>	1896, 450
<i>Velatella carditoides</i> ..	1892, 537	<i>unifasciata</i>	1896, 450
<i>Velates conoideus</i>	1892, 528	<i>Vespertilio</i> sp.	1900, 953
	1892, 530	<i>abramus</i>	1898, 78
	1892, 531		1900, 876
	1892, 537	<i>adversus</i>	1893, 495
	1892, 538		1900, 346
	1892, 539		1900, 347
	1892, 540	<i>bechsteini</i>	1898, 78
<i>equinus</i>	1892, 530	<i>discolor superans</i> ..	1899, 573
	1892, 531	<i>dogalensis</i>	1895, 542
<i>Velia stagnatilis</i>	1894, 215		1895, 543
<i>Velidia berytoides</i>	1894, 207	<i>emarginatus</i>	1900, 876
<i>Vendilgarda mustelina</i> .	1897, 875	<i>grivensis</i>	1898, 75
<i>theridionina</i>	1897, 875	<i>hasselti</i>	1893, 494
<i>Venericordia antiquata</i> .	1891, 429		1900, 346
<i>canaliculata</i>	1891, 429	<i>minutus</i>	1898, 752
<i>cumingii</i>	1891, 429	<i>muricola</i>	1893, 495
<i>Venerupis cordieri</i>	1891, 425		1900, 347
<i>irus</i>	1891, 394		1900, 876
	1891, 396	<i>murinus</i>	1897, 954
	1891, 398		1898, 59
	1891, 425		1898, 770
<i>macrophylla</i>	1891, 394	— <i>superans</i>	1898, 770
	1891, 425	<i>mystacinus</i>	1898, 76
<i>Venus casina</i>	1899, 85	<i>oreias</i>	1900, 346
<i>fasciata</i>	1899, 85	<i>phaiops</i>	1896, 791

	Page		Page
<i>Vespertilio sphinx</i>	1900, 875	<i>Vidua principalis</i>	1900, 2
<i>subulatus</i>	1898, 79	<i>serena</i>	1895, 463
<i>tralatitius</i>	1900, 347	<i>verreauxi</i>	1895, 464
<i>vampyrus</i>	1892, 316	(<i>Limura</i>) <i>fischeri</i> . .	1895, 463
1900, 875		<i>Vieta</i> sp.	1900, 30
(<i>Leuconoë</i>) <i>dogal-</i>		<i>Vietomorpha foveipennis</i>	1900, 30
<i>ensis</i>	1895, 546	<i>Vilerna æneo-oculata</i> . .	1892, 199
(<i>Myotis</i>) <i>murinus</i>	1898, 59	1892, 209	
<i>Vesperugo abramus</i>	1893, 494	1893, 606	
1900, 345		<i>Villogorgia flabellata</i> . .	1899, 49
1900, 876		<i>intricata</i>	1899, 48
<i>anemophilus</i>	1898, 75	1899, 49	
<i>blanfordi</i>	1900, 345	<i>mauritiensis</i>	1899, 49
<i>doriæ</i>	1893, 495	<i>nigrescens</i>	1899, 49
<i>hesperus</i>	1898, 79	<i>rubra</i>	1899, 46
<i>imbricatus</i>	1893, 495	1899, 48	
1900, 345		1899, 54	
<i>kuhli</i>	1892, 6	<i>Vinago calva</i>	1897, 784
1897, 954		<i>nudirostris</i>	1897, 784
<i>montanus</i>	1894, 307	<i>salvadorii</i>	1897, 784
<i>nanus</i>	1892, 548	<i>waalia</i>	1895, 516
1894, 138		<i>wakefieldi</i>	1897, 784
1896, 791		<i>Vincentia</i>	1895, 67
<i>noctivagus</i>	1898, 77	<i>interrupta</i>	1895, 67
<i>noctula</i>	1893, 494	<i>Vinzela inaptalis</i>	1899, 291
1898, 62		<i>Vipera arietans</i>	1892, 482
1898, 69		1892, 484	
1898, 72		1892, 487	
1898, 76		1895, 705	
1900, 345		1892, 482	
<i>pachypus</i>	1893, 494	<i>aspis</i>	1892, 490
<i>ridleyi</i>	1900, 345	1892, 491	
<i>savii</i>	1898, 78	1895, 697	
<i>serotinus</i>	1898, 76	1895, 705	
<i>stenopterus</i>	1893, 495	1895, 708	
<i>tenuis</i>	1893, 495	1897, 495	
1897, 320		<i>berus</i>	1892, 482
1900, 345		1892, 487	
<i>tylopus</i>	1893, 495	1892, 491	
1900, 869		1893, 596	
1900, 876		1893, 597	
(<i>Eptesicus</i>) <i>mega-</i>		1893, 598	
<i>lurus</i>	1896, 791	1893, 757	
(—) <i>rendalli</i>	1896, 791	1893, 758	
<i>Vesperus fuscus</i>	1893, 334	1893, 759	
<i>megalurus</i>	1892, 548	1893, 760	
1894, 138		1895, 705	
<i>Vesta aurantiaca</i>	1892, 89	1895, 712	
1892, 90		1897, 495	
<i>urens</i>	1892, 89	— <i>prester</i>	1893, 596
<i>Vestiarina coccinea</i>	1897, 893	— <i>rakosiensis</i>	1893, 596
<i>Victorina steneles</i>	1898, 364	1893, 597	
<i>Vidua erythrorhyncha</i>	1895, 463	<i>lebetina</i>	1892, 6
<i>paradisea</i>	1895, 464	1892, 20	
1896, 228		1892, 22	
1900, 2		1892, 23	
— <i>orientalis</i>	1895, 464	1892, 24	
<i>principalis</i>	1895, 463	— <i>deserti</i>	1892, 20

	Page		Page
<i>Vipera lebetina deserti</i>	1892, 21	<i>Virgulina schreibersiana</i> 1895,	23
	1892, 22		1895, 51
	1892, 24	subdepressa	1895, 23
mauritanica	1892, 20		1895, 51
	1892, 22	subsquamosa	1895, 23
nasicornis	1892, 482		1895, 51
	1892, 484	<i>Vison horsfieldii</i>	1892, 109
	1892, 487	<i>Vitellus inquinatus</i>	1900, 815
	1895, 705	<i>Viterna sanguineirostris</i> 1900,	824
renardi	1893, 598	<i>Vitessa triplaga</i>	1898, 751
	1893, 757	<i>Vitrea alliarda</i>	1892, 259
	1893, 758	cellaria	1892, 259
	1893, 760	mellissii	1892, 260
russellii	1899, 607	<i>Vitrina borneensis</i>	1891, 24
	1899, 608	nucleata	1891, 331
	1899, 694	<i>Vitrinopsis douvillei</i>	1891, 332
ursinii	1893, 596	<i>Viverra aurita</i>	1899, 549
	1893, 598	civetta	1892, 97
	1893, 599		1893, 726
	1893, 757		1896, 792
	1893, 758		1897, 372
	1893, 759		1897, 376
<i>Vipsania anticlea</i>	1892, 323		1897, 379
frigida	1892, 323		1897, 380
<i>Virachola anta</i>	1893, 662		1897, 382
	1894, 569		1897, 383
	1896, 123		1897, 386
	1896, 832		1897, 387
	1896, 852		1897, 388
antalus	1897, 849		1897, 389
	1898, 54		1897, 390
	1898, 196		1897, 391
	1898, 407		1897, 392
	1898, 826		1897, 393
	1899, 423		1897, 394
	1899, 811		1897, 395
	1899, 969		1897, 397
dariaves	1898, 406		1897, 398
derona	1899, 969		1897, 399
diocles	1898, 406		1897, 400
livia	1898, 406		1897, 402
	1898, 908		1897, 403
lorisona	1898, 406		1897, 404
—, var.	1898, 406		1897, 405
perse	1896, 682		1897, 406
similis	1896, 651		1897, 407
	1896, 682		1897, 408
<i>Virbia brevilinea</i>	1892, 284		1898, 153
minuta	1892, 285		1898, 157
notata	1897, 688		1898, 162
parva	1892, 285		1898, 177
varians	1892, 284		1898, 185
<i>Vireosylva josephæ</i>	1896, 332		1898, 392
<i>Virgarina scopula</i>	1895, 558	hermaphrodita	1900, 873
	1895, 607	ichneumon	1893, 502
	1895, 608	malaccensis	1893, 592
	1896, 678		1900, 329

	Page		Page
<i>Viverra megaspila</i>	1900, 327	<i>Volvula acuminata</i>	1891, 392
	1900, 328		1891, 395
<i>mungo</i>	1893, 502	<i>angustata</i>	1891, 392
<i>tangalunga</i>	1893, 495		1891, 395
	1894, 357	<i>cylindrica</i>	1891, 392
	1900, 327	<i>Vorticella microstoma</i> ..	1897, 790
<i>zibetha</i>	1900, 327	<i>Vulfila macra</i>	1897, 879
	1900, 328	<i>tenuissima</i>	1897, 880
	1900, 873	<i>Vulpes adusta</i>	1899, 541
<i>Viverricula malaccensis</i> ..	1894, 357	<i>algeriensis</i>	1899, 544
	1894, 367	<i>alopex flavescens</i> ..	1893, 449
	1894, 372	<i>atlantica</i>	1897, 957
	1894, 376		1899, 544
	1897, 364	<i>caama</i>	1899, 548
	1897, 372	<i>dorsalis</i>	1899, 546
	1897, 380		1899, 547
	1897, 385	<i>edwardsi</i>	1899, 547
	1897, 387	<i>ferrilatus</i>	1893, 449
	1897, 391	<i>leucopus</i>	1894, 449
	1897, 398		1894, 450
	1897, 399		1895, 548
	1897, 400		1900, 95
	1897, 403		1900, 101
	1897, 405	<i>mesomelas</i>	1899, 539
	1898, 153	<i>minimus saarensis</i> ..	1899, 549
	1898, 157	<i>niloticus</i>	1895, 548
	1900, 328		1897, 957
<i>schlegeli</i>	1894, 457		1899, 544
<i>Vivipara unicolor</i>	1900, 970	<i>pallidus</i>	1899, 544
<i>Viviparus capillaceus</i> ..	1893, 637	<i>variegata</i>	1899, 538
<i>capillatus</i>	1891, 310	<i>zaarensis</i>	1899, 549
<i>crawshayi</i>	1893, 637	<i>Vulsella assabensis</i>	1891, 435
	1893, 641	<i>pulchella</i>	1891, 435
<i>fasciata</i>	1893, 636	<i>spongiorum</i>	1891, 435
<i>jeffreysi</i>	1891, 310	<i>vulsella</i>	1891, 434
<i>mweruensis</i>	1893, 636	<i>Vulsirea violacea</i>	1900, 823
	1893, 641	<i>Vultur monachus</i>	1891, 469
— <i>pagodiformis</i> ..	1893, 636		1891, 470
	1893, 641	<i>occipitalis</i>	1896, 780
<i>politus</i>	1891, 310	<i>Vurna instructalis</i>	1897, 682
<i>robertsoni</i>	1891, 310		
	1893, 637		
<i>sumatrensis</i>	1891, 347	<i>Walkeriana pertinax</i> ..	1900, 947
<i>tanganyicensis</i>	1893, 635		1900, 948
<i>unicolor</i>	1893, 637	<i>Webbina clavata</i>	1895, 50
	1900, 970		1895, 50
<i>Voeltzovia mira</i>	1898, 918	<i>Westermannia</i> sp.	1893, 706
<i>Volatinia jacarina</i>	1892, 376	<i>tenerrima</i>	1893, 706
	1892, 408	<i>Willsia stellata</i>	1896, 468
	1896, 349		1896, 469
— <i>splendens</i>	1896, 349		1896, 472
<i>Voliba</i>	1898, 594		1896, 499
	1898, 611		1897, 818
<i>major</i>	1898, 701	<i>Wynyardia bassiana</i> ..	1900, 776
<i>scoparialis</i>	1898, 611		1900, 778
<i>Volucella obesa</i>	1896, 776		1900, 786
<i>Voluta scabricula</i>	1891, 410		1900, 787
<i>Volvocivora saturata</i> ..	1900, 478		1900, 795

	Page		Page
<i>Xacca trigonalis</i>	1898, 661	<i>Xanthospilopteryx hypercompoides</i> ..	1895, 739
<i>Xantharpyia ægyptiaca</i> ..	1895, 545		1895, 742
<i>amplexicaudata</i> ..	1893, 494	<i>incongruens</i>	1895, 738
	1894, 449	<i>perdix</i>	1896, 843
	1895, 545	<i>superba</i>	1893, 674
	1900, 340		1896, 134
<i>collaris</i>	1895, 545		1898, 58
<i>straminea</i>	1895, 542	<i>thruppii</i>	1895, 738
	1895, 545	<i>Xanthotænia busiris</i> ..	1891, 272
	1896, 790	<i>Xanthoura jolyæa</i>	1896, 354
	1897, 927	<i>yncas</i>	1896, 354
<i>Xanthea appendiculata</i> ..	1896, 495	<i>Xantippe auropurpu-</i>	
<i>Xanthias lamarki</i>	1900, 568	<i>ralis</i>	1897, 658
	1900, 582	<i>bichordalis</i>	1897, 659
<i>notatus</i>	1900, 569	<i>chromalis</i>	1897, 658
	1900, 582	<i>Xantusia vigilis</i>	1898, 916
<i>parvus</i>	1900, 569	<i>Xema sabinei</i>	1892, 400
	1900, 582		1892, 406
	1900, 596		1892, 408
<i>Xanthidia desjardinsii</i> ..	1894, 571	<i>Xenarthra</i>	1899, 1017
	1895, 734	<i>orphana</i>	1899, 377
<i>floricola</i>	1891, 95	<i>Xenelaphus antisienensis</i> ..	1900, 686
<i>hyona</i>	1898, 365	<i>ellipsifer</i>	1900, 184
<i>Xantho</i>	1900, 582		1900, 187
<i>affinis</i>	1900, 738	<i>hexagonotus</i>	1896, 882
<i>granulosus</i>	1900, 732		1899, 605
<i>hirtissima</i>	1900, 583		1899, 667
<i>lamarkii</i>	1900, 582		1900, 184
<i>octodentatus</i>	1900, 736	<i>Xenocarcinoides</i>	1900, 573
<i>rufopunctatus</i>	1900, 584	<i>rostratus</i>	1900, 568
<i>Xanthodes lamarkii</i> ..	1900, 582		1900, 573
<i>leucomanus</i>	1900, 736		1900, 595
<i>notatus</i>	1900, 582	<i>Xenochrophis ceraso-</i>	
<i>Xanthodina pyrgita</i>	1895, 469	<i>gaster</i>	1896, 879
<i>Xantholæma rosea</i>	1896, 555		1899, 604
	1896, 557		1899, 659
<i>Xanthomelæna</i>	1898, 595	<i>Xenocichla kikuyuensis</i> ..	1900, 608
	1898, 617	<i>Xenodacnis parina</i>	1896, 336
<i>schematias</i>	1898, 617	<i>Xenodermus javanicus</i> ..	1896, 878
	1898, 618		1899, 604
<i>Xanthoptera alboflava</i> ..	1896, 648		1899, 659
<i>aurifera</i>	1896, 638	<i>Xenodon colubrinus</i> ..	1898, 116
<i>furcata</i>	1896, 638	<i>purpurascens</i>	1896, 884
<i>mesozona</i>	1896, 261		1899, 671
	1896, 283	<i>Xenographia</i>	1893, 404
<i>Xanthopygia cyano-</i>		<i>lignataria</i>	1893, 404
<i>melæna</i>	1900, 480	<i>Xenolechia glandiferella</i> ..	1897, 72
<i>fuliginosa</i>	1900, 480	<i>humeralis</i>	1897, 73
<i>narcissina</i>	1900, 480	<i>Xenopeltis unicolor</i>	1892, 481
<i>Xanthorrhoe montanata</i> ..	1893, 376		1895, 704
<i>obfusca</i>	1893, 376		1896, 878
<i>Xanthospilopteryx afri-</i>			1897, 196
<i>cana</i>	1895, 263		1897, 200
<i>deficiens</i>	1895, 738		1897, 217
<i>fatima</i>	1895, 738		1899, 604
	1895, 739		1899, 657
<i>hypercompoides</i> ..	1895, 722	<i>Xenops genibarbis</i>	1896, 375

	Page		Page
<i>Xenops genibarbis</i> ap-		<i>Xerus grivensis</i>	1893, 190
<i>proximans</i>	1896, 375	<i>insignis</i>	1900, 360
— <i>mexicanus</i>	1896, 375	<i>isabella</i>	1897, 932
<i>rutilus</i>	1896, 375	<i>laticaudatus</i>	1900, 359
— <i>heterurus</i>	1896, 375	<i>palliatu</i>	1897, 431
<i>Xenopsaris albinucha</i> . .	1893, 166	<i>pyrrhopus</i>	1897, 431
	1893, 168	<i>rutilus</i>	1893, 189
<i>Xenopus</i>	1898, 4		1897, 933
	1898, 12		1898, 765
<i>boettgeri</i>	1900, 435	(<i>Atlantoxerus</i>) <i>ge-</i>	
<i>calcaratus</i>	1900, 434	<i>tulus</i>	1893, 189
<i>lævis</i>	1894, 101		1893, 214
	1894, 102		1893, 215
	1894, 107	(<i>Eoxerus</i>) <i>berdmorei</i>	1893, 189
	1895, 849		1893, 214
<i>muelleri</i>	1895, 540		1893, 215
	1897, 801	(—) <i>grivensis</i> . .	1893, 215
<i>Xenorhina atra</i>	1898, 476	(—) <i>hosei</i>	1893, 189
<i>Xenorhynchus australis</i> .	1897, 469		1893, 214
<i>senegalensis</i>	1896, 231		1893, 215
	1897, 469	(—) <i>insignis</i>	1893, 189
<i>Xenorthrus balteatus</i> . .	1893, 575		1893, 214
<i>ephippiatus</i>	1893, 575		1893, 215
	1893, 576	(—) <i>laticaudatus</i> .	1893, 214
<i>geniculatus</i>	1893, 575		1893, 215
<i>mouhoti</i>	1893, 575	(—) <i>palmarum</i> . .	1893, 189
<i>subfasciatus</i>	1893, 575	(—) <i>tristriatus</i> . .	1893, 189
<i>truncatus</i>	1893, 576	(<i>Paraxerus</i>) <i>boehmi</i>	1893, 189
<i>wallacei</i>	1893, 576	(—) <i>cepapi</i>	1893, 189
<i>Xenospingus concolor</i> . .	1891, 132		1893, 214
	1891, 133		1893, 215
	1892, 372	(—) <i>congius</i> . .	1893, 189
	1892, 376	(—) <i>isabella</i>	1893, 189
	1892, 404		1893, 214
	1892, 409		1893, 215
<i>Xenotilapia</i>	1900, 3	(—) <i>lemniscatus</i> .	1893, 189
<i>Xenozancla</i>	1893, 342	(—) <i>lucifer</i>	1897, 430
<i>versicolor</i>	1893, 342		1897, 932
	1893, 434	(—) <i>palliatu</i> . .	1893, 189
<i>Xerophloe</i> <i>grisea</i>	1895, 73	(—) <i>pyrropus</i> . .	1893, 189
<i>viridis</i>	1895, 73		1893, 214
<i>Xerus brachyotus</i>	1898, 765		1893, 215
<i>capensis</i>	1893, 189	(—) — <i>anery-</i>	
<i>cepapi</i>	1897, 430	<i>thrus</i>	1893, 214
	1897, 431		1893, 215
<i>dabagala</i>	1898, 765	(<i>Protoxerus</i>) <i>au-</i>	
<i>erythropus</i>	1891, 184	<i>binnii</i>	1893, 189
	1893, 189		1893, 214
	1893, 214		1893, 215
	1893, 215	(—) <i>ebii</i>	1893, 189
	1894, 356	(—) <i>stangeri</i> . . .	1893, 189
<i>flavus</i>	1898, 765		1893, 214
<i>getulus</i>	1893, 180		1893, 215
	1893, 181	(<i>Rhinosciurus</i>) <i>lati-</i>	
	1893, 185	<i>caudatus</i>	1893, 189
	1893, 189	<i>Xesta belangeri</i>	1891, 25
	1894, 252	<i>brotii</i>	1891, 26
	1897, 957	<i>citrina</i>	1891, 25

	Page		Page
<i>Xesta decrespignyi</i>	1891, 25	<i>Xylocopa dimidiata</i>	1896, 457
	1891, 26	<i>dissimilis</i>	1896, 457
	1895, 101	<i>fenestrata</i>	1896, 456
— <i>pallida fasciata</i> .	1891, 26	<i>flavilabris</i>	1900, 47
— <i>rubra</i>	1891, 25	<i>ignita</i>	1896, 457
<i>distincta</i>	1891, 28	<i>indica</i>	1896, 456
<i>glutinosa</i>	1891, 24	<i>latipes</i>	1896, 456
	1891, 25	<i>latreillii</i>	1896, 456
	1891, 46	<i>lunulata</i>	1896, 457
<i>mindanaensis</i>	1891, 25	<i>nigrocærulea</i>	1896, 457
	1892, 460	<i>tenuiscapa</i>	1896, 456
	1892, 461	<i>viridipennis</i>	1896, 456
<i>nobilis</i>	1891, 27	<i>Xylographus suillus</i> ...	1898, 330
<i>obliquata</i>	1891, 27	<i>Xylopertha sex-tuber-</i>	
<i>padasensis</i>	1895, 100	<i>culata</i>	1898, 329
	1895, 126	<i>Xylotrupes gideon</i>	1892, 589
<i>themis</i>	1895, 100		1892, 590
	1895, 126		1892, 591
<i>thisbe</i>	1895, 101		1892, 592
	1895, 126		1892, 594
<i>tranquebarica</i>	1891, 25	<i>Xysticus cristatus</i>	1898, 488
<i>Xestoleberis expansa</i> ..	1895, 6	<i>gallicus</i>	1898, 488
<i>Xiphias gladius</i>	1899, 478	<i>Yanguna</i>	1893, 10
<i>Xiphidium armaticeps</i> ..	1900, 45		1893, 12
<i>brevicercus</i>	1900, 45	<i>arinas</i>	1893, 13
<i>fasciatum</i>	1893, 608	<i>cometes</i>	1893, 13
<i>fuscum</i>	1895, 894	<i>hadora</i>	1893, 13
<i>natalense</i>	1900, 45	<i>pedaia</i>	1893, 13
<i>propinquum</i>	1892, 200	<i>rubricollis</i>	1893, 13
	1892, 216	<i>spatiosa</i>	1893, 10
	1893, 608		1893, 12
<i>saltator</i>	1892, 200	<i>thelersa</i>	1893, 13
	1892, 215	<i>Yasoda pita</i>	1900, 508
	1893, 608	<i>tripunctata</i>	1892, 641
<i>somali</i>	1900, 45	<i>Yoma vasuki</i>	1891, 258
<i>Xiphocaris</i>	1899, 708		1891, 285
	1899, 709		1900, 507
<i>Xiphocolaptes lineato-</i>		<i>Yponomeuta mahale-</i>	
<i>cephalus</i>	1896, 378	<i>bella</i>	1891, 532
<i>phæopygus</i>	1896, 323		1897, 117
	1896, 377	<i>Ypsolophus flavivittellus</i>	1897, 87
	1896, 378	<i>indignus</i>	1891, 526
<i>promeropirhynchus</i> .	1896, 377		1891, 546
	1896, 378		1897, 86
<i>Xiphorhamphus ferox</i> ..	1898, 492	<i>juventellus</i>	1897, 86
<i>Xiphosoma hortulanum</i> ..	1891, 355	<i>manellus</i>	1891, 525
	1891, 356		1891, 546
	1891, 447		1897, 86
<i>Xolesthia australis</i>	1897, 166	<i>pauciguttellus</i>	1891, 527
<i>Xylina bipunctata</i>	1896, 638	<i>piperatus</i>	1891, 526
<i>patefacta</i>	1896, 639		1891, 546
<i>Xylobanus reticulatus</i> ..	1892, 88		1897, 86
	1892, 90	<i>rusticus</i>	1891, 525
<i>Xylocopa</i> sp.	1900, 47		1891, 546
<i>albo-fasciata</i>	1896, 457		1897, 86
<i>bryorum</i>	1896, 457	<i>sinuatus</i>	1897, 99
<i>collaris</i>	1896, 456	<i>stratellus</i>	1897, 87
<i>dejeanii</i>	1896, 456		

	Page		Page
<i>Ypthima albida</i>	1894, 336	<i>Zamenis brevis</i>	1895, 537
	1894, 353	<i>caudælineatus</i>	1891, 633
	1895, 725	<i>dahlîi</i>	1891, 632
<i>asterope</i>	1891, 61	<i>diadema</i>	1891, 633
	1894, 19		1892, 19
	1894, 557	<i>dipsas</i>	1897, 196
	1894, 561		1897, 200
	1896, 243		1897, 220
	1896, 249	<i>elegantissimus</i>	1891, 632
	1896, 256	<i>fasciolatus</i>	1899, 605
	1897, 692		1899, 667
	1897, 837	<i>fedtschenkoi</i>	1891, 633
	1897, 838	<i>florulentus</i>	1895, 537
	1899, 810	<i>gemonensis</i>	1891, 632
<i>bera</i>	1891, 62		1892, 481
	1893, 646		1892, 486
<i>corticaria</i>	1891, 268		1892, 490
<i>doleta</i>	1894, 336		1895, 696
	1896, 109		1895, 705
	1896, 524	<i>hippocrepis</i>	1892, 19
	1896, 530	<i>karelinii</i>	1891, 632
	1897, 837	<i>korros</i>	1896, 882
	1897, 838		1899, 605
	1898, 188		1899, 666
	1898, 369	<i>ladacensis</i>	1891, 632
<i>granulosa</i>	1891, 62		1895, 635
	1896, 851		1895, 654
	1896, 852	<i>microlepis</i>	1891, 633
	1897, 838	<i>mucosus</i>	1891, 632
<i>itonia</i>	1893, 647		1896, 882
	1894, 19		1899, 605
	1895, 724		1899, 666
<i>marshalli</i>	1891, 267		1899, 684
<i>mashuna</i>	1898, 188	<i>neglectus</i>	1891, 633
<i>methora</i>	1891, 267	<i>nummifer</i>	1891, 633
	1891, 289	<i>ravergieri</i>	1891, 633
<i>motschulskyi</i>	1891, 267	<i>rhodorhachis</i>	1891, 632
<i>narasingha</i>	1891, 257		1895, 635
	1891, 268		1895, 636
	1891, 289		1895, 654
<i>neita</i>	1891, 62	<i>smithi</i>	1895, 536
<i>nikæa</i>	1891, 268		1895, 540
<i>pandocus</i>	1891, 268		1896, 216
<i>philomela</i>	1891, 267	<i>spinalis</i>	1899, 605
<i>pupillaris</i>	1898, 51		1895, 670
	1898, 825	<i>viridiflavus</i>	1893, 499
	1898, 826		1893, 500
<i>sakra</i>	1891, 267	<i>ventrimaculatus</i> ..	1891, 632
	1891, 268	<i>Zana spurcata</i>	1896, 844
<i>simplicia</i>	1893, 647	<i>Zanclea implexa</i>	1896, 461
	1897, 838	<i>Zanclodes falcularis</i> ...	1897, 668
<i>Zaitha anura</i>	1893, 706	<i>Zanclostomus tristis</i> ...	1900, 485
	1894, 223	<i>Zanthodes innocens</i>	1896, 261
<i>Zamarada</i> sp.	1892, 133	<i>Zaocys carinatus</i>	1896, 881
<i>marginata</i>	1893, 388		1899, 605
	1893, 434		1899, 666
<i>Zamenis algerius</i>	1892, 18	<i>fuscus</i>	1899, 600
			1899, 605

	Page		Page
<i>Zaocys fuscus</i>	1899, 666	<i>Zemerus flegyas albi-</i>	
<i>Zarania cossalis</i>	1896, 649	<i>punctata</i>	1891, 286
	1897, 682	<i>Zenaida maculata</i>	1892, 394
<i>Zarathra insulella</i>	1891, 538		1892, 408
	1891, 548	<i>martinicana</i>	1892, 499
	1897, 150	<i>Zenaidura macroura</i> ..	1891, 194
<i>Zarona jasoda</i>	1892, 620	<i>Zenithoptera ameri-</i>	
	1896, 651	<i>cana</i>	1896, 778
	1896, 654	<i>Zenkerella insignis</i>	1898, 454
<i>Zazaca auratalis</i>	1897, 659	<i>Zephyrus duma</i>	1892, 634
<i>Zazanisa specularis</i>	1895, 902	<i>pavo</i>	1892, 635
<i>Zea mythea</i>	1892, 648	<i>Zeriasa bicolor</i>	1898, 522
	1893, 130	<i>spinulosa</i>	1898, 521
<i>Zebonia abdicalis</i>	1898, 620		1898, 522
<i>abronalis</i>	1895, 944		1898, 524
	1896, 643	<i>Zeritis amanga</i>	1891, 90
<i>amoenalis</i>	1898, 728		1893, 662
<i>argyria</i>	1898, 620		1894, 55
<i>aurilinealis</i>	1898, 728		1895, 263
<i>bialis</i>	1896, 643		1896, 123
	1899, 291		1896, 831
<i>bilineolalis</i>	1898, 622		1897, 848
<i>braurealis</i>	1898, 651		1898, 194
<i>bunusalis</i>	1896, 643		1898, 405
	1898, 620		1898, 907
<i>cæliusalis</i>	1896, 643	<i>aranda</i>	1891, 90
	1899, 291		1891, 94
<i>cassusalis</i>	1898, 728	<i>damarensis</i> .. .	1891, 60
<i>cottalis</i>	1898, 636		1891, 90
<i>cranealis</i>	1899, 215		1891, 91
<i>deicoonalis</i>	1896, 643		1891, 107
<i>dimotalis</i>	1898, 607	<i>harpax</i>	1895, 631
<i>discerptalis</i>	1899, 291		1897, 848
<i>erinalis</i>	1898, 675		1898, 54
<i>erminea</i>	1898, 675		1898, 195
<i>indecisalis</i>	1898, 630		1898, 405
<i>lacrinesalis</i>	1896, 643		1898, 907
	1898, 646		1899, 423
<i>ledalis</i>	1898, 704	<i>leroma</i>	1891, 90
<i>magicalis</i>	1898, 675	<i>molomo</i>	1891, 90
<i>perseusalis</i>	1898, 646		1891, 91
<i>perspicualis</i>	1898, 651		1891, 94
<i>phenice</i>	1898, 443	<i>oreas</i>	1897, 848
<i>plexippusalis</i>	1898, 620	<i>perion</i>	1894, 342
<i>podalirialis</i>	1895, 741		1896, 533
<i>retractalis</i>	1898, 630		1897, 924
<i>salomealis</i>	1898, 722		1898, 405
<i>teneralis</i>	1899, 291	<i>pierus</i>	1891, 91
<i>Zekelita equalisata</i>	1895, 972	<i>Zesius livia</i>	1896, 244
<i>Zeltus etolus</i>	1892, 639		1896, 251
	1895, 558		1896, 256
	1895, 604		1896, 257
	1895, 605	<i>Zethera diademoides</i> ..	1891, 255
	1895, 608		1891, 259
<i>Zelus recurvatus</i>	1894, 210	<i>Zethes bettoni</i>	1898, 425
<i>Zemerus albipunctata</i> ..	1891, 286	<i>hesperioides</i>	1898, 425
<i>confucius</i>	1900, 507		1900, 20
<i>emesoides</i>	1891, 286	<i>Zethus ceylonicus</i>	1896, 448

	Page		Page
Zethus dicomboda	1893, 685	Ziphius cavirostris	1893, 236
Zeuglodon brachy-		layardi	1893, 227
spondylus	1892, 559	sechellensis	1893, 229
causicus	1892, 559	(Dolichodon) lay-	
	1892, 561	ardi	1893, 227
	1892, 562	(Epidodon) chatham-	
	1892, 564	ensis	1893, 219
cetoides	1892, 559	Zitha varians	1898, 441
harwoodi	1892, 561		1898, 444
hydrarchus	1892, 559	Zitna albicinctalis	1899, 291
paulsoni	1892, 561	Ziza ostentalis	1899, 291
puschii	1892, 561	Zizera antanossa	1898, 194
vasconum	1892, 561		1898, 907
vredense	1892, 561		1900, 106
wanklyni	1892, 561		1900, 110
Zeus faber	1894, 438		1900, 111
	1898, 311	argia	1900, 106
	1899, 448		1900, 108
	1899, 482		1900, 111
	1899, 495	— japonica	1900, 111
	1899, 940	atrigemmata	1900, 106
	1899, 956		1900, 109
Zeuxidia amethystus ..	1891, 270		1900, 111
aurelius	1891, 270	caduca	1900, 106
masoni	1891, 256		1900, 110
	1891, 270		1900, 111
	1891, 271	chandala	1900, 107
Zeuzera capensis	1894, 587	diluta	1900, 105
inclusa	1894, 587		1900, 107
masoni	1894, 235		1900, 111
ramosa	1892, 329	gaika	1891, 357
Zia tactalis	1899, 291		1891, 358
Zicca tæniola	1893, 705		1892, 434
	1894, 180		1892, 435
Zicrona cærulea	1900, 824		1892, 436
Zilla alpina	1898, 488		1893, 600
Zinaspia distorta	1892, 642		1894, 568
Zinckenia	1898, 594		1895, 773
	1898, 623		1896, 120
aliménalis	1898, 623		1896, 244
fascialis	1896, 273		1896, 250
	1898, 623		1896, 256
perfuscalis	1898, 656		1896, 830
perspectalis	1898, 368		1897, 844
	1898, 623		1898, 404
primordialis	1898, 623		1899, 421
Zingis episcopalis	1899, 584		1899, 811
johnstoni	1899, 584		1899, 967
radiolata	1899, 584		1900, 106
whytei	1899, 584		1900, 109
	1899, 592	indica	1900, 106
Ziphius cavirostris	1893, 219		1900, 111
	1893, 220	— decreta	1900, 111
	1893, 222	japonica	1900, 108
	1893, 223	karsandra	1900, 106
	1893, 224		1900, 108
	1893, 226		1900, 109
	1893, 234	knysna	1893, 556

	Page		Page
<i>Zizera knysna</i>	1894, 568	<i>Zizera otis</i>	1900, 106
	1895, 773		1900, 111
	1896, 244	<i>phœbe</i>	1891, 358
	1896, 256		1892, 435
	1896, 829		1900, 110
	1896, 852	<i>pygmæa</i>	1891, 358
	1897, 844	<i>unigemmata</i>	1895, 630
	1899, 967		1895, 634
	1900, 106		1900, 111
	1900, 108	<i>usta</i>	1895, 579
	1900, 109	<i>Zoarcés viviparus</i>	1899, 940
	1900, 111	<i>Zographetus</i>	1893, 72
<i>labradus</i>	1892, 434		1893, 84
	1892, 435	<i>flavipennis</i>	1893, 85
	1892, 446	<i>ogygia</i>	1893, 85
	1900, 105	<i>satwa</i>	1893, 72
	1900, 106		1893, 84
	1900, 110		1893, 85
	1900, 111	<i>Zolca congruella</i>	1896, 649
<i>lorquini</i>	1900, 106	<i>Zonosaurus æneus</i>	1898, 916
	1900, 109	<i>laticaudatus</i>	1898, 916
<i>lucida</i>	1896, 830	<i>maximus</i>	1898, 916
	1896, 852	<i>Zonotrichia capensis</i> ..	1892, 377
	1897, 844	<i>pileata</i>	1891, 133
	1898, 194		1892, 377
<i>lulu</i>	1892, 434		1892, 408
	1892, 435	<i>Zonurus cordylus</i>	1897, 800
	1892, 436	<i>jonesii</i>	1894, 724
	1892, 446	<i>vittifer</i>	1894, 724
<i>lysimon</i>	1895, 630	<i>Zootoca deserti</i>	1892, 15
	1895, 631	<i>Zophoessa andersoni</i> ..	1891, 265
	1897, 844	<i>sura</i>	1891, 257
	1898, 380		1891, 264
	1900, 106	<i>yama</i>	1891, 257
	1900, 108		1891, 264
	1900, 111	<i>Zophosis agaboides</i>	1893, 748
<i>lysizone</i>	1895, 575	<i>aromatum</i>	1900, 27
<i>maha</i>	1892, 623	<i>Zosterops flavilateralis</i> ..	1895, 475
	1900, 105	<i>kikuyuensis</i>	1900, 605
	1900, 106	<i>neglecta</i>	1900, 469
	1900, 107	<i>palpebrosa</i>	1900, 469
	1900, 109	<i>simplex</i>	1900, 469
	1900, 111	<i>tenella</i>	1895, 476
— <i>ossa</i>	1900, 111	<i>virens</i>	1894, 604
<i>minima</i>	1900, 106	<i>Zozymus æneus</i>	1900, 570
	1900, 109		1900, 584
	1900, 110	<i>lævis</i>	1900, 583
<i>mora</i>	1900, 109	<i>tomentosus</i>	1900, 583
<i>opalina</i>	1900, 105		1900, 734
	1900, 107	<i>Zuncacetha bipartita</i> ..	1899, 291
— <i>marginata</i>	1900, 111	<i>Zygæna cyanoxantha</i> ..	1898, 440
<i>oriens</i>	1900, 111	<i>filipendulæ</i>	1891, 180
<i>ossa</i>	1900, 106		1894, 134
	1900, 107	<i>malleus</i>	1899, 442
	1900, 108		1899, 459
<i>otis</i>	1892, 623		1899, 467
	1895, 557	<i>Zygolestes</i>	1899, 559
	1895, 575	<i>Zygophyllum simplex</i> ..	1896, 260

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PROCEEDINGS
OF THE
SCIENTIFIC MEETINGS
OF THE
ZOOLOGICAL SOCIETY
OF LONDON.

INDEX.
1891—1900.


PRINTED FOR THE SOCIETY,
SOLD AT THEIR HOUSE IN HANOVER-SQUARE.
LONDON:
MESSRS. LONGMANS, GREEN, AND CO.,
PATERNOSTER ROW.
1902.


[Price Six Shillings.]

172484

1977









SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00847 2151